The Urban Environment and Sexual Risk Behavior among Men who have Sex with Men

Victoria Frye, Mary H. Latka, Beryl Koblin, Perry N. Halkitis, Sara Putnam, Sandro Galea, and David Vlahov

ABSTRACT *Increasingly, studies show that characteristics of the urban environment influence a wide variety of health behaviors and disease outcomes, yet few studies have focused on the sexual risk behaviors of men who have sex with men (MSM). This focus is important as many gay men reside in or move to urban areas, and sexual risk behaviors and associated outcomes have increased among some urban MSM in recent years. As interventions aimed at changing individual-level risk behaviors have shown mainly short-term effects, consideration of broader environmental influences is needed. Previous efforts to assess the influence of environmental characteristics on sexual behaviors and related health outcomes among the general population have generally applied three theories as explanatory models: physical disorder, social disorganization and social norms theories. In these models, the intervening mechanisms specified to link environmental characteristics to individual-level outcomes include stress, collective efficacy, and social influence processes, respectively. Whether these models can be empirically supported in generating inferences about the sexual behavior of urban MSM is underdeveloped. Conceptualizing sexual risk among MSM to include social and physical environmental characteristics provides a basis for generating novel and holistic disease prevention and health promotion interventions.*

KEYWORDS HIV, MSM, Sexual risk behavior, Urban environment.

INTRODUCTION

After declines in HIV and other sexually transmitted infection (STI) rates among men who have sex with men (MSM) in the late 1980s and early 1990s,^{1,2} there has been a resurgence of sexual HIV risk behaviors^{3,4} and outbreaks of other STIs^{1,5} among MSM in several major urban areas.^{6–9} For example, the number of reported syphilis cases increased by more than 230% in New York City (NYC) between 2000 and 2001, mainly among MSM, and NYC witnessed increases in rectal gonorrhea among MSM starting in 1999.¹⁰ In San Francisco, increased rates of male rectal gonorrhea and primary and secondary syphilis have been observed.^{4,11}

Frye, Latka, Putnam, Galea, and Vlahov are with the Center for Urban Epidemiologic Studies, New York Academy of Medicine, 1216 Fifth Avenue, New York, NY 10029, USA; Koblin is with the New York Blood Center, New York, NY, USA; Halkitis is with the Department of Applied Psychology, New York University, New York, NY, USA; Vlahov is with the Department of Epidemiology, Columbia University, New York, NY, USA; Galea is with the Department of Epidemiology, University of Michigan, Ann Arbor, MI, USA.

Correspondence: Victoria Frye, DrPh, Center for Urban Epidemiologic Studies, New York Academy of Medicine, 1216 Fifth Avenue, New York, NY 10029, USA. (E-mail: vfrye@nyam.org)

Outbreaks of lymphogranuloma venereum (LGV) have also been noted in western Europe along with increased sporadic reports in the US.¹² New HIV diagnoses among MSM have also increased or remained steady in recent years.¹³

Previous observational and intervention studies have focused primarily at the individual level, offering important insights into the roles of risk perception and cognitions,^{14–17} psychosocial factors^{18–22} and drugs and alcohol^{23–34} associated with sexual HIV risk behaviors among MSM. However, focusing sexual HIV risk reduction strategies at the individual level alone ignores the broader social context within which sexual behaviors occur.^{43–45} For instance, partner type has been demonstrated to moderate the relationship between alcohol use and sexual HIV risk behaviors, with alcohol use increasing risk among casual partnerships, but not among steady ones.⁴⁶ Research that widens the lens to include characteristics of the broader social and physical environments may identify additional contextual or fundamental causative factors that could become the focus of effective structural interventions.^{47–50} This is a critical goal, as individually based interventions have shown primarily short-term effectiveness.^{51,52} Interventions that focus on the social context of sexual HIV risk among MSM have had promising results.^{53–57}

There are several reasons why it might be important to gain a clearer understanding of whether and how sexual behaviors of MSM are influenced by characteristics of the *urban* environment, where sex and drug use is often central to social interaction.^{33,58} Many MSM move to urban environments from rural and suburban ones and are therefore concentrated in cities across the United States.^{59–61} Cities provide MSM and other sexual minorities adequate numbers of potential sex and life partners⁴⁸ and more tolerant social policies where behaviors and identities that are stigmatized elsewhere may be enacted with less fear and more comfort.^{61,62}

Another reason to focus on the issue is that it is typically within an urban context that racial and ethnic disparities in HIV and AIDS^{63,64} are increasing. Some research suggests that availability and uptake of effective prevention strategies for HIV transmission^{14,65–67} remain low among certain MSM of color, which may be contributing to increasing racial disparities.^{68,69} Whether and how prevention messages and intervention programs miss these men may have to do with their location within and experience of the social and physical geography. Alternatively, the structural factors, such as concentrated poverty,^{70–75} racial segregation^{76–78} and population density,⁷⁹ that are associated with the unequal distribution of other health risk behaviors and outcomes, including HIV prevalence,⁸⁰ may also relate to the sexual risk behaviors of MSM of color.

There is an increasing recognition that investigations into and interventions to change complex social behaviors that are consequential to human health must understand the influence of and focus at multiple levels. An explicit focus on aspects of both the physical and social environment and addition of a socioecological perspective^{81,82} to existing individual-level and psychosocial models is critical to building a truly comprehensive understanding of the etiology of sexual risk behaviors among MSM. In this paper, we describe extant theoretical explanations and empirical research concerning the influence of characteristics of the physical and social environments on sexual risk behavior and related outcomes. We then critically evaluate whether these explanatory approaches are applicable to the sexual behavior of MSM. Finally, using insights derived from this process, we present a conceptual framework that could inform the future study of the influence of the urban environment on the sexual behavior of MSM.

THE URBAN ENVIRONMENT AND SEXUAL BEHAVIOR: EXTANT EXPLANATORY APPROACHES AND EMPIRICAL FINDINGS

Previous efforts relating aspects of the broader social and physical environments to human sexual behavior can generally be grouped into studies of characteristics of the physical environment, the social environment and cultural influences. These studies have tended to adopt one of three theoretical explanatory models that correspond to each set of environmental characteristics: physical disorder theory (e.g., “broken windows”),^{83,84} social disorganization theory,^{85–87} and social norms theory.^{55–57,88} Thus, within the urban environment, physical and social structural and cultural characteristics influence individuals via corresponding intervening mechanisms that operate via social networks or family system processes or via individual-level (e.g., internal cognitive or affective) processes. The intervening mechanisms theorized to link physical structures, social structures, and cultural norms to health and social problems include, respectively, stress⁸⁹ and consequent maladaptive coping behavior⁴⁵ and physiological response;⁹⁰ collective efficacy;⁸⁶ and social influence processes such as social learning⁹¹ or diffusion of innovation^{56,57} (Fig. 1).

Explanations that focus on characteristics of the physical environment posit that physical disorder, such as deteriorating housing, graffiti and vandalism, constitutes environmental stressors and increases adverse health outcomes by causing psychological distress. Sometimes called “broken windows” theory,^{83,84} it integrates elements of social stress theory, which accounts for the role of traumatic events, stressors, strains and hassles in the distribution of mental health,^{92–94} and social disorganization theory.⁹⁵ Thus, certain characteristics of the physical environment increase the likelihood that one will experience personal stress events.⁹⁶ Additionally, the stress associated with living amidst physical disorder may increase use and abuse of alcohol and drugs as a maladaptive coping behavior or “self-medication,”⁹⁷ termed the stress reduction hypothesis.^{45,98,99} Other physical environment factors, such as an absence of parks or well-lit sidewalks, may decrease sociability,⁸⁹ which decreases the collective ability of the neighborhood to control problem behaviors, such as drug use, crime and related HIV risk behavior.^{71,83,100}

FIGURE 1. Theoretical linkages between the urban environment and individual health behaviors and related outcomes.

There has been limited application of this explanation as it relates to sexual behavior and outcomes.^{75,83,101} One program of research has found that, after controlling for absolute poverty, neighborhood physical disorder (e.g., building damage, graffiti and garbage accumulation) is associated with prevalence rates of gonorrhea, with the highest rates in neighborhoods with both high levels of visible physical disorder and poverty.⁸³ Interestingly, further analyses revealed that collective efficacy exerted less of an influence on health outcomes in the context of a deteriorated physical environment.¹⁰²

Examinations of how the social structure influences sexual behavior typically have applied social disorganization theory, which posits that the disruptive effects of industrialization, urbanization, and immigration lead to changes in the social structure of a neighborhood via residential mobility, ethnic heterogeneity and concentrated poverty. The resultant structural changes weaken the social cohesion of neighborhoods and reduce the power of social norms and informal social controls to regulate deviant behavior, a process termed collective efficacy.^{103–105} As a result, social problems, such as drug use, violence and sexual HIV risk behaviors, occur.^{76,95,105,106}

There is empirical support for the applicability of social disorganization theory to heterosexual behavior, particularly among adolescents with whom there is a tradition of studying the effects of the environment on deviant behavior from this perspective using multi-level analytic techniques.⁷² Thus, neighborhood-level residential mobility has been found to be associated with first non-marital intercourse,^{107,108} divorce¹⁰⁹ and more recently, short-term sexual partnering.⁸⁶ Ethnic heterogeneity at the neighborhood level has been demonstrated to be inversely related to sexual debut,^{86,107} and neighborhood-level socioeconomic status has been found to be associated with age at first intercourse,^{110–113} premarital pregnancy, childbirth,^{70,114,115} marriage,¹¹⁶ HIV diffusion¹¹⁷ and increases in AIDS rates.¹¹⁸ Recently, neighborhood collective efficacy has been found to be inversely related to early sexual activity onset.^{87,119}

Cultural norms as a characteristic of the urban social environment theoretically work on behavior via social influence processes both at the individual level (via social learning and internalization of normative values⁹¹) and the social network level (via social comparison¹²⁰ and diffusion¹²¹). The role of perceived social or peer norms is perhaps the most researched component of this theoretical explanatory model,¹²² and there is bountiful empirical evidence that both actual and perceived social norms of behavior influence sexual behaviors, including condom use,^{123,124} sexual debut,^{125,126} and other sexual risk behaviors among heterosexual populations.^{127–129} In addition, there is a growing focus on the role of social networks, as opposed to sexual networks, and their influence on HIV and STI infection and transmission,^{130–142} sexual behavior^{143–148} and sexual HIV risk behavior.^{148–158} However, there is little research that actually measures the social and behavioral norms of geographic areas and assesses how they relate to sexual behavior.

THE URBAN ENVIRONMENT AND SEXUAL BEHAVIOR OF MSM: EMPIRICAL FINDINGS

Data on how characteristics of the urban environment influence the sexual behavior of MSM are sparse. Empirical research not directed exclusively at the individual level has focused on the role of social norms within the gay community,^{55–57} perceptions of norms,¹⁵⁹ and how social network characteristics are related to HIV

risk behaviors among MSM.^{160–163} How structural interventions influence sexual risk behaviors among MSM is also understudied.⁵⁴ While there is strong theorizing and supportive evidence that the social stress associated with being a sexual minority plays a unique role in sexual risk behaviors or related factors (e.g., depression)⁴⁴ and how cities are organized into ‘sex markets’ that influence behavior,^{48,164} there is little data that connect these stress events or organizational structures specifically to the geographic environments within which MSM live. Similarly, there is little quantitative work examining the impact of physical disorder on the sexual behavior of MSM. Thus, while historical^{162,165,166} and ethnographic⁴⁸ researchers have explored the bidirectional influence of MSM on the urban environment, there is virtually no quantitative research into how characteristics of the urban environment influence the sexual HIV risk behavior of MSM.

THE URBAN ENVIRONMENT AND SEXUAL BEHAVIOR OF MSM: APPLYING EXTANT EXPLANATORY APPROACHES

When considering how the theoretical models applied to heterosexual populations might be applied to MSM, there are several factors that should be considered. First, because of the historical migration patterns of MSM into cities, individual-level socio-economic status strongly influences urban neighborhood selection and thus exposure to various characteristics of the urban environment. Further, the pattern of middle- and upper-class gay men “gentrifying” poor, typically ethnic minority, urban neighborhoods has profound implications for their experience of those environments.⁶¹ Second, the sexual behaviors of MSM have traditionally been considered to be deviant behaviors; thus, there exist at least two levels of social structures and norms that might influence the sexual behavior of MSM: those of the larger heterosexually dominated social environment and those of the smaller, gay community. Third, that MSM are members of overlapping social groups who are variously and simultaneously oppressed (i.e., not heterosexual, non-white, lower class, foreign-born) and privileged (i.e., male, white, upper class, US-born) is relevant to their experience of the urban environment, as they may activate various identities that provide protection or confer risk in response to various characteristics of the urban environment.¹⁶⁷

In terms of the physical environment, the pathway that links physical disorder with risky sexual behavior among MSM via stress-reducing drug and alcohol use appears plausible, although individual-level race and socioeconomic status and other factors likely moderate the effect of a disorderly physical environment on the behavior of MSM. Thus, middle- and upper-class MSM who live in physically deteriorating and disorderly neighborhoods may be less strongly affected by physical disorder. They may be buffered, for example, both by individual-level material resources associated with their social class as well as by the protection conferred by their identity as upper class men, a mechanism we will describe in greater detail later. Other features of the physical environment that might uniquely influence the sexual behavior of MSM include public park spaces, which have been historically “safe” spaces for meeting sexual partners and having sex,¹⁶⁸ and alcohol outlet availability, as a strong association between drug and alcohol use and risky sexual behaviors among MSM exists.^{33,169–171}

When considering the potential role that social disorganization plays in the sexual behavior of MSM, it is important to note that a central tenet of social disorganization theory is that the collective efficacy of the neighborhood facilitates

adherence to social norms of behavior and minimizes engagement in *deviant behavior*. While the theory is plausibly applied to adolescents, whose sexual behavior is the object of social control in most societies, when applied to the sexual behavior of MSM, a question emerges: Which behavior, sex between men or risky sex, is deemed deviant? Applying social disorganization theory to the sexual behavior of MSM highlights the tension inherent in understanding the influence of the *geographic* social environment or community, which—even for MSM living in cities—is likely heterosexual-dominated, and the influence of an *identity-based* social environment or community, which transcends geographic borders. The answer then to the question of which behavior is deemed deviant depends fundamentally on whether the social norms of behavior of the dominant cultural group or the subcultural group are being applied.

Applying social norms theory to the sexual behavior of MSM is not novel and has been the focus of observational and intervention research.^{55–57} Considering, though, how the gay community's social norms influence the sexual behavior of MSM from a socioecological perspective identifies the potential for different sets of social norms to exert influence. Thus, MSM may be influenced by the social norms of the gay community, with its unique physical and social structures and cultural characteristics. MSM may be more influenced, though, by the norms of smaller subsets of the gay community, such as Bears or barebackers, as we discuss later. However, MSM may also be influenced by the social norms of the geographic community in which they live; this may be particularly true for MSM born and raised in their communities or those who have lived in them for many years. The influence of the geographic community's social norms may also be modified by race/ethnicity. Recent research demonstrates that individual-level feelings of community affiliation, both gay and ethnic, are important to sexual HIV risk behaviors.^{172–174} Attachment to community is likely modified by whether one physically lives in the identity-based community or not. How a *geographic* community's social norms may influence sexual behavior among MSM is unknown. However, given that higher levels of community-level homophobia have been reported in minority compared to white communities,^{175–179} MSM living in such areas, particularly MSM of color, may experience shame and subsequently lower rates of self-identification as gay.^{177,179}

THE URBAN ENVIRONMENT AND SEXUAL BEHAVIOR OF MSM: AN INTEGRATED CONCEPTUAL MODEL

The absence of empirical work in this area provides an opportunity to frame a way of thinking about how characteristics of the urban environment might influence the sexual behavior of MSM. Our examination of extant theoretical models of the influence of the environment on sexual behavior reveals that the sexual behavior of MSM is likely shaped in ways that are simultaneously similar to, and different from, the sexual behavior of heterosexuals. However, several factors unique to MSM highlight the limits of applying existing approaches. We propose that a critical and missing conceptual component of these models, one that is critical to understanding the social and sexual lives of MSM, is the role of social identity.

Social identity theory proposes that individuals develop self-concepts as group members, which may be expressed by common values, behaviors, activities and visual symbols of membership.^{180–182} Individuals with strong social identities are more likely to engage in a particular behavior when it is in accordance with the

perceived behavioral and attitudinal norms of that group.^{183–185} Research has found that MSM who do not self-identify as gay (i.e., possess a social identity as a gay man) may be more likely to use substances and less likely to discuss sex with their partners.¹⁸⁶ Identifying as gay may improve self-evaluation and related psychosocial factors^{187,188} that are associated with safe sex.^{172,173} Alternatively, self-identification may enhance the likelihood of embracing the social norms of the specific subgroups within the gay community, which are time and space-sensitive phenomena and may not consistently promote safer sex practices. Ethnographic and microsociological research has shed light on these more discrete identity-based groups within the gay community; for example, barebackers,^{189–191} for whom a specific behavior has become an identity, embody sexual risk. Other groups such as “Bears,” an organized community, or leathermen, more loosely defined but similarly identity-based subcultural groups,^{18,189–192} confer identities that may be consequential for risk behaviors and HIV/STI transmission.

Integrating insights from social identity theory into a sociological approach suggests that characteristics of the urban environment might influence sexual risk behavior via negative impacts on identity,⁴⁴ such as identity interruptions or challenges that cause psychological distress or decrease self-esteem.¹⁹³ Identity-related impacts may be more likely among MSM who do not self-identify as gay in their predominantly non-gay neighborhoods and experience “insider status” evaluations from neighbors, who presume that they are not gay, that challenge the legitimacy of this part of their identity.⁴⁸ The stress associated with keeping a gay identity hidden from or variously invoking the social identity of a geographic community may increase psychological distress-reducing behaviors, like alcohol and drug use. Alternatively, a strong social identity may be protective, as recent evidence suggests that for MSM of color racial/ethnic affiliation may more strongly predict safe sex behaviors than gay community affiliation.¹⁷⁴ Affiliation, the affective component of social identity, may be influenced by environmental characteristics particularly among urban men of color, who are less likely to live in the predominantly white and gay neighborhoods and more likely to live near and be embedded in kin networks.⁴⁸

The conceptual model below illustrates several potential pathways of influence, based on our review of extant explanatory approaches and complemented by social identity theory. Although we include the individual level in this model, we are unable to comprehensively discuss how all potential individual characteristics might mediate or modify relationships among various aspects of the urban environment and sexual HIV risk behavior among MSM (Fig. 2).

In sum, there exist multiple pathways through which physical, social and cultural characteristics of the urban environment might influence the sexual risk behavior of MSM. In one potential pathway of this model, a disorderly physical environment causes psychological distress, which in turn increases substance use and associated sexual HIV risk behavior. Another pathway affects MSM who live in neighborhoods characterized by low levels of homophobia and large numbers of MSM; these men may tend to have more sex partners and sex in high-risk venues, due to proximity and ease of access. Alternatively, MSM who do not self-identify as gay because of high levels of homophobia in their geographic community may be more likely to engage in anonymous sex with multiple partners and/or use substances to cope with the psychological distress caused by identity challenges they chronically face. Each of these potential pathways may be modified by individual-level and situation-level factors. For example, the influence of a

FIGURE 2. Exemplary pathways of influence between characteristics of the urban environment and sexual HIV risk behavior among MSM.

disorderly environment may be particularly felt by men who live, work and spend most of their leisure time in such environments.

CONCLUSIONS AND DIRECTIONS FOR FUTURE RESEARCH

While there is accumulating conceptual work on the urban environment and the sexual experiences of MSM,^{48,194} there is a dearth of empirical work focusing on the relationship. To increase the empiric knowledge base, collection of new data is likely required, as existing datasets tend not to contain the information required for multi-level analyses. Further, census data do not capture the social norms and attitudes of the geographic environment within which MSM live, factors critical to the experience of MSM. Future research efforts on the influence of the urban environment on the sexual behavior of MSM should initially focus on two areas. First, whether associations found between characteristics of the urban environment and sexual behaviors of heterosexuals also hold for the sexual behavior of MSM should be evaluated. Second, the hypothesized mechanisms of influence between environmental characteristics and sexual risk behavior among MSM should be compared and evaluated using datasets collected specifically for this purpose and via analyses that are theory-based and multi-level. Results of such basic research would identify points of intervention at multiple levels, as well as specific content areas, and would inform the development of structural, community-based or multi-level interventions.

ACKNOWLEDGEMENTS

The authors would like to thank John Chin, Kent Curtis and two anonymous reviewers for their helpful comments on this and earlier versions of this manuscript.

REFERENCES

1. Torian LV, Weisfuse IB, Makki HA, et al. Trends in HIV seroprevalence in men who have sex with men: New York City Department of Health sexually transmitted disease clinics, 1988–1993. *AIDS*. 1996 February;10(2):187–192.
2. van Griensven GJ, Hessel NA, Koblin BA, et al. Epidemiology of human immunodeficiency virus type 1 infection among homosexual men participating in hepatitis B vaccine trials in Amsterdam, New York City, and San Francisco, 1978–1990. *Am J Epidemiol*. 1993 April 15;137(8):909–915.
3. Geisler WM, Whittington WL, Suchland RJ, Stamm WE. Epidemiology of anorectal chlamydial and gonococcal infections among men having sex with men in Seattle: utilizing serovar and auxotype strain typing. *Sex Transm Dis*. 2002 April;29(4):189–195.
4. Chen SY, Gibson S, Katz MH, et al. Continuing increases in sexual risk behavior and sexually transmitted diseases among men who have sex with men: San Francisco, California, 1999–2001, USA. *Am J Public Health*. 2002 September;92(9):1387–1388.
5. Trends in primary and secondary syphilis and HIV infections in men who have sex with men—San Francisco and Los Angeles, California, 1998–2002. *MMWR Morb Mortal Wkly Rep*. 2004 July 9;53(26):575–578.
6. Hogg RS, Weber AE, Chan K, et al. Increasing incidence of HIV infections among young gay and bisexual men in Vancouver. *AIDS*. 2001 July 6;15(10):1321–1322.
7. Katz MH, Schwarcz SK, Kellogg TA, et al. Impact of highly active antiretroviral treatment on HIV seroincidence among men who have sex with men: San Francisco. *Am J Public Health*. 2002 March;92(3):388–394.
8. Kellogg T, McFarland W, Katz M. Recent increases in HIV seroconversion among repeat anonymous testers in San Francisco. *AIDS*. 1999 November 12;13(16):2303–2304.
9. Schwarcz S, Kellogg T, McFarland W, et al. Differences in the temporal trends of HIV seroincidence and seroprevalence among sexually transmitted disease clinic patients, 1989–1998: application of the serologic testing algorithm for recent HIV seroconversion. *Am J Epidemiol*. 2001 May 15;153(10):925–934.
10. New York City Department of Health. Bureau of STD Control Surveillance Report. 2000.
11. Increases in unsafe sex and rectal gonorrhea among men who have sex with men—San Francisco, California, 1994–1997. *MMWR Morb Mortal Wkly Rep*. 1999 January 29;48(3):45–48.
12. Nieuwenhuis RF, Ossewaarde JM, Gotz HM, et al. Resurgence of lymphogranuloma venereum in Western Europe: an outbreak of *Chlamydia trachomatis* serovar 12 proctitis in The Netherlands among men who have sex with men. *Clin Infect Dis*. 2004 October 1;39(7):996–1003.
13. Increases in HIV diagnoses—29 States, 1999–2002. *MMWR Morb Mortal Wkly Rep*. 2003 November 28;52(47):1145–1148.
14. Unrecognized HIV infection, risk behaviors, and perceptions of risk among young black men who have sex with men—six US cities. *MMWR Morb Mortal Wkly Rep*. 2002 August 23;51(33):733–736.
15. Demmer C. Impact of improved treatments on perceptions about HIV and safer sex among inner-city HIV-infected men and women. *J Community Health*. 2002 February;27(1):63–73.
16. Kelly JA, Hoffman RG, Rompa D, Gray M. Protease inhibitor combination therapies and perceptions of gay men regarding AIDS severity and the need to maintain safer sex. *AIDS*. 1998 July 9;12(10):F91–F95.
17. Suarez TP, Kelly JA, Pinkerton SD, et al. Influence of a partner's HIV serostatus, use of highly active antiretroviral therapy, and viral load on perceptions of sexual risk behavior in a community sample of men who have sex with men. *J Acquir Immune Defic Syndr*. 2001 December 15;28(5):471–477.

18. Halkitis PN, Wilton L, Drescher J. Introduction: Why Barebacking? In: Halkitis PN, Wilton L, Drescher J, eds. *Barebacking: Psychosocial and Public Health Approaches*. Binghamton: Haworth Press; 2005.
19. Myers HF, Javanbakht M, Martinez M, Obediah S. Psychosocial predictors of risky sexual behaviors in African American men: implications for prevention. *AIDS Educ Prev*. 2003 February;15(1 Suppl A):66–79.
20. Peterson JL, Folkman S, Bakeman R. Stress, coping, HIV status, psychosocial resources, and depressive mood in African American gay, bisexual, and heterosexual men. *Am J Community Psychol*. 1996 August;24(4):461–487.
21. Semple SJ, Patterson TL, Grant I. Psychosocial predictors of unprotected anal intercourse in a sample of HIV positive gay men who volunteer for a sexual risk reduction intervention. *AIDS Educ Prev*. 2000 October;12(5):416–430.
22. Stall R, Mills TC, Williamson J, et al. Association of co-occurring psychosocial health problems and increased vulnerability to HIV/AIDS among urban men who have sex with men. *Am J Public Health*. 2003 June;93(6):939–942.
23. Bailey SL, Latka MH, Hagan H, et al. Unprotected anal intercourse among young male injection drug users (IDUS) who have sex with men (MSM): A report from the collaborative injection drug use study-III/drug users intervention trial. *Natl Prev Conf*. Jun 12–15, 2005 [abstract no. Mz-A0303].
24. Clatts MC, Goldsamt L, Neaigus A, Welle DL. The social course of drug injection and sexual activity among YMSM and other high-risk youth: an agenda for future research. *J Urban Health*. 2003 December;80(4 Suppl 3):iii26–iii39.
25. Colfax GN, Mansergh G, Guzman R, et al. Drug use and sexual risk behavior among gay and bisexual men who attend circuit parties: a venue-based comparison. *J Acquir Immune Defic Syndr*. 2001 December 1;28(4):373–379.
26. Crosby GM, Stall RD, Paul JP, Barrett DC. Alcohol and drug use patterns have declined between generations of younger gay-bisexual men in San Francisco. *Drug Alcohol Depend*. 1998 November 1;52(3):177–182.
27. Halkitis PN, Parsons JT, Stirratt MJ. A double epidemic: crystal methamphetamine drug use in relation to HIV transmission among gay men. *J Homosex*. 2001;41(2):17–35.
28. Halkitis PN, Parsons JT. Recreational drug use and HIV risk sexual behavior among men frequenting urban gay venues. *J Gay Lesbian Soc Serv*. 2002;14(4):19–38.
29. Paul JP, Barrett DC, Crosby GM, Stall RD. Longitudinal changes in alcohol and drug use among men seen at a gay-specific substance abuse treatment agency. *J Stud Alcohol*. 1996 September;57(5):475–485.
30. Paul JP, Stall R, Davis F. Sexual risk for HIV transmission among gay/bisexual men in substance-abuse treatment. *AIDS Educ Prev*. 1993;5(1):11–24.
31. Paul JP, Stall RD, Crosby GM, Barrett DC, Midanik LT. Correlates of sexual risk-taking among gay male substance abusers. *Addiction*. 1994 August;89(8):971–983.
32. Ross MW, Rosser BRS, Bauer GR, et al. Drug use, unsafe sexual behavior, and internalized homonegativity in men who have sex with men. *AIDS Behav*. 2001;5(1):97–103.
33. Stall R, Paul JP, Greenwood G, et al. Alcohol use, drug use and alcohol-related problems among men who have sex with men: the Urban Men's Health Study. *Addiction*. 2001 November;96(11):1589–1601.
34. Stall R, Wiley J. A comparison of alcohol and drug use patterns of homosexual and heterosexual men: the San Francisco Men's Health Study. *Drug Alcohol Depend*. 1988 October;22(1–2):63–73.
35. Huebner DM, Gerend MA. The relation between beliefs about drug treatments for HIV and sexual risk behavior in gay and bisexual men. *Ann Behav Med*. 2001;23(4): 304–312.
36. DiClemente RJ, Funkhouser E, Wingood G, Fawal H, Holmberg SD, Vermund SH. Protease inhibitor combination therapy and decreased condom use among gay men. *South Med J*. 2002 April;95(4):421–425.
37. Elford J, Bolding G, Maguire M, Sherr L. Combination therapies for HIV and sexual risk behavior among gay men. *J Acquir Immune Defic Syndr*. 2000 March 1;23(3):266–271.

38. Miller M, Meyer L, Boufassa F, et al. Sexual behavior changes and protease inhibitor therapy. SEROCO Study Group. *AIDS*. 2000 March 10;14(4):F33–F39.
39. Remien RH, Wagner G, Carballo-Diequez A, Dolezal C. Who may be engaging in high-risk sex due to medical treatment advances? *AIDS*. 1998 August 20;12(12):1560–1561.
40. Van DV, Prestage G, Crawford J, Grulich A, Kippax S. Sexual risk behaviour increases and is associated with HIV optimism among HIV-negative and HIV-positive gay men in Sydney over the 4 year period to February 2000. *AIDS*. 2000 December 22;14(18):2951–2953.
41. Ostrow DE, Fox KJ, Chmiel JS, et al. Attitudes towards highly active antiretroviral therapy are associated with sexual risk taking among HIV-infected and uninfected homosexual men. *AIDS*. 2002 March 29;16(5):775–780.
42. Stolte IG, Coutinho RA. Risk behaviour and sexually transmitted diseases are on the rise in gay men, but what is happening with HIV? *Curr Opin Infect Dis*. 2002 February; 15(1):37–41.
43. Bajos N. Social factors and the process of risk construction in HIV sexual transmission. *AIDS Care*. 1997 April;9(2):227–237.
44. Meyer I. Prejudice, social stress, and mental health in lesbian, gay and bisexual populations: conceptual issues and research evidence. *Psychol Bull*. 2003;129(5):674–697.
45. Rhodes JE, Jason LA. A social stress model of substance abuse. *J Consult Clin Psychol*. 1990 August;58(4):395–401.
46. Seage GR III, Mayer KH, Wold C, et al. The social context of drinking, drug use, and unsafe sex in the Boston Young Men Study. *J Acquir Immune Defic Syndr Hum Retrovirol*. 1998 April 1;17(4):368–375.
47. Friedman SR, Perlis T, Des J. Laws prohibiting over-the-counter syringe sales to injection drug users: relations to population density, HIV prevalence, and HIV incidence. *Am J Public Health*. 2001 May;91(5):791–793.
48. Ellingson S, Schroeder K. Race and the construction of same-sex sex markets in four Chicago neighborhoods. In: Laumann E, Ellingson S, Mahay J, Paik A, Youm Y, eds. *The Sexual Organization of the City*. Chicago: University of Chicago; 2004.
49. Fullilove MT, McGuire L. Introduction to the special issue on sexuality and place. *J Sex Res*. 2005;42(1):1.
50. Link B, Phelan J. Social conditions as fundamental causes of disease. *J Health Soc Behav*. 1995;35:80–94.
51. Johnson RA, Gerstein DR, Pach A III, Cerbone FG, Brown J. HIV risk behaviors in African-American drug injector networks: implications of injection-partner mixing and partnership characteristics. *Addiction*. 2002 August;97(8):1011–1024.
52. Koblin B, Chesney M, Coates T. Effects of a behavioural intervention to reduce acquisition of HIV infection among men who have sex with men: the EXPLORE randomised controlled study. *Lancet*. 2004 July 3;364(9428):41–50.
53. Kegeles SM, Rebchook GM, Hays RB, et al. From science to application: the development of an intervention package. *AIDS Educ Prev*. 2000;12(5 Suppl):62–74.
54. Parker RG, Easton D, Klein CH. Structural barriers and facilitators in HIV prevention: a review of international research. *AIDS*. 2000 June;14(Suppl 1):S22–S32.
55. Kelly JA, St Lawrence JS, Diaz YE, et al. HIV risk behavior reduction following intervention with key opinion leaders of population: an experimental analysis. *Am J Public Health*. 1991 February;81(2):168–171.
56. Kelly JA, St Lawrence JS, Stevenson LY, et al. Community AIDS/HIV risk reduction: the effects of endorsements by popular people in three cities. *Am J Public Health*. 1992 November;82(11):1483–1489.
57. Kelly JA. Popular opinion leaders and HIV prevention peer education: resolving discrepant findings, and implications for the development of effective community programmes. *AIDS Care*. 2004 February;16(2):139–150.
58. Stall R, Mills TC, Williamson J, et al. Association of co-occurring psychosocial health problems and increased vulnerability to HIV/AIDS among urban men who have sex with men. *Am J Public Health*. 2003 June;93(6):939–942.

59. Weston K. Get thee to a big city: sexual imagery and the great gay migration. *Gay Lesbian Q*. 1995;2:253–277.
60. Kenney M. Remember, Stonewall was a riot: understanding gay and lesbian experience in the city. *Planning Theory*. 1995;13:73–87.
61. Gates G, Ost J. *The Gay and Lesbian Atlas*. Washington, District of Columbia: Urban Institute Press; 2004.
62. D'Emilio J. *Sexual Politics, Sexual Communities: The Making of A Homosexual Minority in the United States, 1940–1970*. Chicago: University of Chicago; 2005.
63. Torian LV, Makki HA, Menzies IB, Murrill CS, Weisfuse IB. HIV infection in men who have sex with men, New York City Department of Health sexually transmitted disease clinics, 1990–1999: a decade of serosurveillance finds that racial disparities and associations between HIV and gonorrhea persist. *Sex Transm Dis*. 2002 February;29(2): 73–78.
64. HIV/AIDS among racial/ethnic minority men who have sex with men—United States, 1989–1998. *MMWR Morb Mortal Wkly Rep*. 2000 January 14;49(1):4–11.
65. Hart T, Peterson JL. Community Intervention Trial for Youth Study Team. Predictors of risky sexual behavior among young African American men who have sex with men. *Am J Public Health*. 2004 July;94(7):1122–1124.
66. Heckman TG, Kelly JA, Bogart LM, Kalichman SC, Rompa DJ. HIV risk differences between African-American and white men who have sex with men. *J Natl Med Assoc*. 1999 February;91(2):92–100.
67. Peterson JL, Coates TJ, Catania J, et al. Evaluation of an HIV risk reduction intervention among African-American homosexual and bisexual men. *AIDS*. 1996 March;10(3): 319–325.
68. Siegel K, Schrimshaw EW, Karus D. Racial disparities in sexual risk behaviors and drug use among older gay/bisexual and heterosexual men living with HIV/AIDS. *J Natl Med Assoc*. 2004 February;96(2):215–223.
69. Catania JA, Osmond D, Stall RD, et al. The continuing HIV epidemic among men who have sex with men. *Am J Public Health*. 2001 June;91(6):907–914.
70. South SJ, Crowder KD. Neighborhood effects on family formation: concentrated poverty and beyond. *Am Soc Rev*. 1999;64:113–132.
71. Boardman JD, Finch BK, Ellison CG, Williams DR, Jackson JS. Neighborhood disadvantage, stress, and drug use among adults. *J Health Soc Behav*. 2001 June;42(2):151–165.
72. Gephart M, Brook-Gunn J. Introduction. In: Duncan G, Aber L, Brook-Gunn J, eds. *Neighborhood Poverty: Policy Implications in Studying Neighborhoods*. New York: Russell Sage; 1997.
73. Browning CR, Cagney KA. Moving beyond poverty: neighborhood structure, social processes, and health. *J Health Soc Behav*. 2003 December;44(4):552–571.
74. Cattell V. Poor people, poor places, and poor health: the mediating role of social networks and social capital. *Soc Sci Med*. 2001 May;52(10):1501–1516.
75. Cohen DA, Farley TA, Mason K. Why is poverty unhealthy? Social and physical mediators. *Soc Sci Med*. 2003 November;57(9):1631–1641.
76. Fang J, Madhavan S, Bosworth W, Alderman MH. Residential segregation and mortality in New York City. *Soc Sci Med*. 1998 August;47(4):469–476.
77. Acevedo-Garcia D. Residential segregation and the epidemiology of infectious diseases. *Soc Sci Med*. 2000 October;51(8):1143–1161.
78. Acevedo-Garcia D. Zip code-level risk factors for tuberculosis: neighborhood environment and residential segregation in New Jersey, 1985–1992. *Am J Public Health*. 2001 May;91(5):734–741.
79. Sundquist K, Frank G, Sundquist J. Urbanisation and incidence of psychosis and depression: follow-up study of 4.4 million women and men in Sweden. *Br J Psychiatry*. 2004 April;184:293–298.

80. Aral SO. Understanding racial-ethnic and societal differentials in STI. *Sex Transm Infect.* 2002 February;78(1):2–4.
81. Krieger N. Epidemiology and the web of causation: has anyone seen the spider? *Soc Sci Med.* 1994 October;39(7):887–903.
82. Bronfenbrenner U. *The Ecology of Human Development.* Cambridge: Harvard University Press; 1979.
83. Cohen D, Spear S, Scribner R, Kissinger P, Mason K, Wildgen J. “Broken windows” and the risk of gonorrhea. *Am J Public Health.* 2000 February;90(2):230–236.
84. Wilson JQ, Kelling GL. Broken Windows. *The Atlantic Monthly* 249[3], 29–38. 1982. Ref Type: Magazine Article.
85. Browning CR, Cagney KA. Neighborhood structural disadvantage, collective efficacy, and self-rated physical health in an urban setting. *J Health Soc Behav.* 2002 December;43(4):383–399.
86. Browning CR, Olinger-Wilbon M. Neighborhood structure, social organization, and number of short-term sexual partnerships. *J Marriage Family.* 2003 August;65:730–745.
87. Browning CR, Leventhal T, Brooks-Gunn J. Neighborhood context and racial differences in early adolescent sexual activity. *Demography.* 2004 November;41(4):697–720.
88. Kelly JA, Murphy DA, Sikkema KJ, et al. Randomised, controlled, community-level HIV-prevention intervention for sexual-risk behaviour among homosexual men in US cities. Community HIV Prevention Research Collaborative. *Lancet.* 1997 November 22;350(9090):1500–1505.
89. Fullilove MT, Heon V, Jimenez W, Parsons C, Green LL, Fullilove RE. Injury and anomie: effects of violence on an inner-city community. *Am J Public Health.* 1998 June;88(6):924–927.
90. Kiecolt-Glaser JK, McGuire L, Robles TF, Glaser R. Psychoneuroimmunology: psychological influences on immune function and health. *J Consult Clin Psychol.* 2002 June;70(3):537–547.
91. Bandura A. *Social Learning Theory.* Englewood Cliffs, New Jersey: Prentice-Hall; 1977.
92. DeLongis A, Lazarus RS, Folkman S. The impact of daily stress on health and mood: psychological and social resources as mediators. *J Pers Soc Psychol.* 1988;54(3):486–495.
93. Dohrenwend BP. A psychosocial perspective on the past and future of psychiatric epidemiology. *Am J Epidemiol.* 1998 February 1;147(3):222–231.
94. Lazarus RS, Folkman S. *Stress, Appraisal, Coping.* New York; 1984.
95. Blumer H. Social disorganization and individual disorganization. *Am J Sociol.* 1937;42:871–877.
96. Fitzpatrick KM, LaGory M. “Placing” health in an urban sociology: cities as mosaics of risk and protection. *City Community.* 2003 March;2(1):33–46.
97. Marlatt GA. Alcohol, the magic elixir: Stress, expectancy, and the transformation of emotional states. In: Gottheil E, Druley KA, Pashko S, Weinstein SP, eds. *Stress and Addiction.* New York: Brunner Mazel; 1987.
98. Lindenberg CS, Reiskin HK, Gendrop SC. The social stress model of substance abuse among childbearing-age women: a review of the literature. *J Drug Educ.* 1994;24(3): 253–268.
99. Powers RJ. Stress as a factor in alcohol use and abuse. In: Gottheil E, Druley KA, Pashko S, Weinstein SP, eds. *Stress and Addiction.* New York: Brunner/Mazel; 1987.
100. Latkin CA, Curry AD. Stressful neighborhoods and depression: a prospective study of the impact of neighborhood disorder. *J Health Soc Behav.* 2003 March;44(1):34–44.
101. Patrick DM, Strathdee SA, Archibald CP, et al. Determinants of HIV seroconversion in injection drug users during a period of rising prevalence in Vancouver. *Int J STD AIDS.* 1997 July;8(7):437–445.
102. Cohen DA, Mason K, Bedimo A, Scribner R, Basolo V, Farley TA. Neighborhood physical conditions and health. *Am J Public Health.* 2003 March;93(3):467–471.

103. Sampson RJ. The neighborhood context of well-being. *Perspect Biol Med.* 2003;46(3 Suppl):S53–S64.
104. Hirschi T. *Causes of Delinquency*. Berkley: University of California; 1969.
105. Shaw CR, McKay HD. *Juvenile Delinquency and Urban Areas*. University of Chicago; 1969.
106. Sampson RJ, Groves BW. Community structure and crime: testing social disorganization theory. *Am J Soc.* 1989;94:774–802.
107. Brewster KL, Billy JOG, Grady WR. Social context and adolescent behavior: The impact of community on the transition to sexual activity. *Soc Forces.* 1993;71:713–740.
108. Stack S. Relocation: the effect of geographic mobility on premarital sex. *J Marriage Family.* 1994;56:204–208.
109. South SJ, Lloyd K. ‘Spousal alternatives and marital dissolution.’ *Am Soc Rev.* 1995;60:21–35.
110. Billy JOG, Brewster KL, Grady WR. Contextual effects on the sexual behavior of adolescent women. *J Marriage Family.* 1994;56:387–404.
111. Upchurch DM, Aneshensel CS, Sucoff CA, Levy-Storms L. Neighborhood and family contexts of adolescent sexual activity. *J Marriage Family.* 1999;61:920–933.
112. Brewster KL. Neighborhood context and the transition to sexual activity among young black women. *Demography.* 1994 November;31(4):603–614.
113. Ramirez-Valles J, Zimmerman MA, Newcomb MD. Sexual risk behavior among youth: modeling the influence of prosocial activities and socioeconomic factors. *J Health Soc Behav.* 1998 September;39(3):237–253.
114. South SJ, Baumer EP. Deciphering community and race effects on adolescent premarital childbearing. *Soc Forces.* 2000 June;78:1379–1407.
115. Sucoff CA, Upchurch DM. Neighborhood context and the risk of childbearing among metropolitan-area Black adolescents. *Am Soc Rev.* 1998;63(4):571–585.
116. South SJ, Crowder KD. The declining significance of neighborhoods? Marital transitions in community context. *Soc Forces.* 2000;78(3):1067–1099.
117. Wallace R. Social disintegration and the spread of AIDS-II. Meltdown of sociogeographic structure in urban minority neighborhoods. *Soc Sci Med.* 1993 October; 37(7):887–896.
118. Peterman TA, Lindsey CA, Selik RM. This place is killing me: a comparison of counties where the incidence rates of AIDS increased the most and the least. *J Infect Dis.* 2005 February 1;191(Suppl 1):S123–S126.
119. Crosby R, Holtgrave D, DiClemente RJ, Wingood G, Gayle J. Social capital as a predictor of adolescents’ sexual risk behavior: A state-level exploratory study. *AIDS and Behavior.* 7(3):245–252. 2003. Ref Type: Generic.
120. Festinger L. A theory of social comparison processes. *Human Relations.* 1954;7:117–140.
121. Valente TW. Social network thresholds in the diffusion of innovations. *Soc Networks.* 1996;18:69–89.
122. Kinsman SB, Romer D, Furstenberg FF, Schwarz DF. Early sexual initiation: the role of peer norms. *Pediatrics.* 1998 November;102(5):1185–1192.
123. Fishbein M, Middlestadt SE, Trafimow D. Social norms for condom use: implications for HIV prevention interventions of a KAP survey with heterosexuals in the Eastern Caribbean. *Adv Consum Res.* 1993;20:292–296.
124. Albarracin D, Kumkale GT, Johnson BT. Influences of social power and normative support on condom use decisions: a research synthesis. *AIDS Care.* 2004 August; 16(6):700–723.
125. Kinsman SB, Romer D, Furstenberg FF, Schwarz DF. Early sexual initiation: the role of peer norms. *Pediatrics.* 1998 November;102(5):1185–1192.
126. O’Donnell L, Myint U, O’Donnell CR, Stueve A. Long-term influence of sexual norms and attitudes on timing of sexual initiation among urban minority youth. *J Sch Health.* 2003 February;73(2):68–75.

127. Latkin CA, Forman V, Knowlton A, Sherman S. Norms, social networks, and HIV-related risk behaviors among urban disadvantaged drug users. *Soc Sci Med*. 2003 February;56(3):465–476.
128. O'Donnell L, Myint U, O'Donnell CR, Stueve A. Long-term influence of sexual norms and attitudes on timing of sexual initiation among urban minority youth. *J Sch Health*. 2003 February;73(2):68–75.
129. Shoveller JA, Johnson JL, Langille DB, Mitchell T. Socio-cultural influences on young people's sexual development. *Soc Sci Med*. 2004 August;59(3):473–487.
130. Adimora AA, Schoenbach VJ. Social context, sexual networks, and racial disparities in rates of sexually transmitted infections. *J Infect Dis*. 2005 February 1;191(Suppl 1):S115–S122.
131. Bell DC, Montoya ID, Atkinson JS, Yang SJ. Social networks and forecasting the spread of HIV infection. *J Acquir Immune Defic Syndr*. 2002 October 1;31(2):218–229.
132. Friedman SR, Aral S. Social networks, risk-potential networks, health, and disease. *J Urban Health*. 2001 September;78(3):411–418.
133. Klov Dahl AS. Networks and pathogens. *Sex Transm Dis*. 2001 January;28(1):25–28.
134. Klov Dahl AS. Social networks and the spread of infectious diseases: the AIDS example. *Soc Sci Med*. 1985;21(11):1203–1216.
135. Klov Dahl AS, Potterat JJ, Woodhouse DE, Muth JB, Muth SQ, Darrow WW. Social networks and infectious disease: the Colorado Springs Study. *Soc Sci Med*. 1994 January;38(1):79–88.
136. Moody J. The importance of relationship timing for diffusion. [References]. 2002. Ref Type: Generic.
137. Morris M, Zavisca J, Dean L. Social and sexual networks: their role in the spread of HIV/AIDS among young gay men. *AIDS Educ Prev*. 1995;7(5 Suppl):24–35.
138. Rothenberg RB, Sterk C, Toomey KE, et al. Using social network and ethnographic tools to evaluate syphilis transmission. *Sex Transm Dis*. 1998 March;25(3):154–160.
139. Rothenberg RB, Potterat JJ, Woodhouse DE, Muth SQ, Darrow WW, Klov Dahl AS. Social network dynamics and HIV transmission. *AIDS*. 1998 August 20;12(12):1529–1536.
140. Rothenberg RB, Long DM, Sterk CE, et al. The Atlanta Urban Networks Study: a blueprint for endemic transmission. *AIDS*. 2000 September 29;14(14):2191–2200.
141. Rothenberg RB, Potterat JJ, Woodhouse DE, Muth SQ, Darrow WW, Klov Dahl AS. Social network dynamics and HIV transmission. *AIDS*. 1998 August;12(12):1529–1536.
142. Youm Y, Laumann EO. Social network effects on the transmission of sexually transmitted diseases. *Sex Transm Dis*. 2002 November;29(11):689–697.
143. Baxter LA, Widenmann S. Revealing and not revealing the status of romantic relationships to social networks. 1993. Ref Type: Generic.
144. Ennett ST, Bailey SL, Federman EB. Social network characteristics associated with risky behaviors among runaway and homeless youth. *J Health Soc Behav*. 1999 March;40(1):63–78.
145. Mason M, Cheung I, Walker L. Substance use, social networks, and the geography of urban adolescents. *Subst Use Misuse*. 2004;39(10–12):1751–1777.
146. Milardo RM, Lewis RA. Social networks, families and mate selection: a transactional analysis. In: L'Abate L, ed. *The Handbook of Family Psychology and Therapy*. Chicago: Dorsey; 1985:258–283.
147. Romer D, Black M, Ricardo I, et al. Social influences on the sexual behavior of youth at risk for HIV exposure. *Am J Public Health*. 1994 June;84(6):977–985.
148. Treboux D, Busch-Rossnagel NA. Social network influences on adolescent sexual attitudes and behaviors. 1990. Ref Type: Generic.
149. Ennett ST, Bailey SL, Federman EB. Social network characteristics associated with risky behaviors among runaway and homeless youth. *J Health Soc Behav*. 1999 March;40(1):63–78.

150. Friedman SR, Aral S. Social networks, risk-potential networks, health, and disease. *J Urban Health*. 2001 September;78(3):411–418.
151. Friedman SR, Bolyard M, Maslow C, Mateu-Gelabert P, Sandoval M. Harnessing the power of social networks to reduce HIV risk. *Focus*. 2005 January;20(1):5–6.
152. Latkin C, Mandell W, Oziemkowska M, Vlahov D, Celentano D. The relationships between sexual behavior, alcohol use, and personal network characteristics among injecting drug users in Baltimore, Maryland. *Sex Transm Dis*. 1994 May;21(3):161–167.
153. Latkin CA, Forman V, Knowlton A, Sherman S. Norms, social networks, and HIV-related risk behaviors among urban disadvantaged drug users. *Soc Sci Med*. 2003 February;56(3):465–476.
154. Miller M, Paone D. Social network characteristics as mediators in the relationship between sexual abuse and HIV risk. *Soc Sci Med*. 1998 September;47(6):765–777.
155. Miller M, Neaigus A. Networks, resources and risk among women who use drugs. *Soc Sci Med*. 2001 March;52(6):967–978.
156. Montgomery SB, Hyde J, De Rosa CJ, et al. Gender differences in HIV risk behaviors among young injectors and their social network members. *Am J Drug Alcohol Abuse*. 2002;28(3):453–475.
157. Romer D, Black M, Ricardo I, et al. Social influences on the sexual behavior of youth at risk for HIV exposure. *Am J Public Health*. 1994 June;84(6):977–985.
158. Schensul JJ, Levy JA, Disch WB. Individual, contextual, and social network factors affecting exposure to HIV/AIDS risk among older residents living in low-income senior housing complexes. *J Acquir Immune Defic Syndr*. 2003 June 1;33(Suppl 2):S138–S152.
159. Ross MW, Henry D, Freeman A, Caughy M, Dawson AG Jr. Environmental influences on safer sex in young gay men: a situational presentation approach to measuring influences on sexual health. *Arch Sex Behav*. 2004 June;33(3):249–257.
160. Amirkhanian YA, Kelly JA, McAuliffe TL. Identifying, recruiting, and assessing social networks at high risk for HIV/AIDS: methodology, practice, and a case study in St Petersburg, Russia. *AIDS Care*. 2005 January;17(1):58–75.
161. Amirkhanian YA, Kelly JA, Kabakchieva E, McAuliffe TL, Vassileva S. Evaluation of a social network HIV prevention intervention program for young men who have sex with men in Russia and Bulgaria. *AIDS Educ Prev*. 2003 June;15(3):205–220.
162. Miller M, Neaigus A. Social networks, HIV transmission, and prevention. *Focus*. 2005 January;20(1):1–5.
163. Smith AM, Grierson J, Wain D, Pitts M, Pattison P. Associations between the sexual behaviour of men who have sex with men and the structure and composition of their social networks. *Sex Transm Infect*. 2004 December;80(6):455–458.
164. Laumann E, Gagnon JH, Michael RT, Michaels S. *The Social Organization of Sexuality: Sexual Practices in the United States*. Chicago: University of Chicago; 1994.
165. Berube A. *Coming Out Under Fire: The History of Gay Men and Women in World War Two*. New York: Free; 1990.
166. Faderman L. *Odd Girls and Twilight Lovers: A History of Lesbian Life in Twentieth Century America*. New York: Columbia University Press; 1991.
167. Chauncey G. *Gay New York: Gender, Urban Culture, and the Making of the Gay Male World., 1890–1940*. New York: Basic Books; 1994.
168. Binson D, Woods WJ, Pollack L, Paul J, Stall R, Catania JA. Differential HIV risk in bathhouses and public cruising areas. *Am J Public Health*. 2001 September;91(9):1482–1486.
169. Koblin B, Murrill C. HIV infection, amphetamine use and gay men in NYC: Analysis of the NYC National HIV Behavioral Surveillance Survey [NYC-NHBS]. Columbia University HIV Center Grand Rounds. 2005. Ref Type: Abstract.
170. Stall R, Purcell D. Intertwining epidemics: a review of research on substance use among men who have sex with men and its connection to the AIDS epidemic. *AIDS Behav*. 2000;4:181–192.

171. Koblin BA, Chesney MA, Husnik MJ, et al. High-risk behaviors among men who have sex with men in 6 US cities: baseline data from the EXPLORE Study. *Am J Public Health*. 2003 June;93(6):926–932.
172. Chng CL, Geliga-Vargas J. Ethnic identity, gay identity, sexual sensation seeking and HIV risk taking among multiethnic men who have sex with men. *AIDS Educ Prev*. 2000 August;12(4):326–339.
173. Kippax S, Crawford J, Davis M, Rodden P, Dowsett G. Sustaining safe sex: a longitudinal study of a sample of homosexual men. *AIDS*. 1993 February;7(2):257–263.
174. O'Donnell L, Agronick G, San DA, Duran R, Myint U, Stueve A. Ethnic and gay community attachments and sexual risk behaviors among urban Latino young men who have sex with men. *AIDS Educ Prev*. 2002 December;14(6):457–471.
175. Lemelle AJ, Battle J. Black masculinity matters in attitudes toward gay men. *J Homosex*. 2004;47(1):39–51.
176. Lewis GB. Black–White differences in attitudes toward homosexuality and gay rights. *Public Opinion Q*. 2003;67(1):59–78.
177. Lichtenstein B. Secret encounters: black men, bisexuality, and AIDS in Alabama. *Med Anthropol Q*. 2000 September;14(3):374–393.
178. Schulte LJ, Battle J. The relative importance of ethnicity and religion in predicting attitudes towards gays and lesbians. *J Homosex*. 2004;47(2):127–142.
179. Waldner LK, Sikka A, Baig S. Ethnic and sex differences in university students' knowledge of AIDS, fear of AIDS, and homophobia. *J Homosex*. 1999;37(3):117–133.
180. *Social Identity Theory: Constructive and Critical Advances*. Berlin Heidelberg New York: Springer; 1990.
181. Tajfel H, Turner JC. An integrated theory of intergroup conflict. In: Austin WG, Worchel S, eds. *The Social Psychology of Intergroup Relations*. Monterey: Brooks/Cole; 1979.
182. Tarrant M, North AC, Edridge MD, Kirk LE, Smith EA, Turner RE. Social identity in adolescence. *J Adolesc*. 2001 October;24(5):597–609.
183. Johnston KL, White KM. Binge-drinking: a test of the role of group norms in the theory of planned behaviour. *Psychol Health*. 2003;18:63–77.
184. Kobus K. Peers and adolescent smoking. *Addiction*. 2003 May;98(Suppl 1):37–55.
185. Sussman S, Dent CW, Wang E, Cruz NT, Sanford D, Johnson CA. Participants and nonparticipants of a mass media self-help smoking cessation program. *Addict Behav*. 1994 November;19(6):643–654.
186. Diaz RM. *Latino Gay Men and HIV: Culture Sexuality and Risk Behavior*. New York: Routledge; 1998.
187. Jones EE, Farina A, Hestrof AH, Markus H, Miller DT, Scott RA. *Social Stigma: The Psychology of Marked Relationships*. New York: Freeman; 1984.
188. Thoits PA. Self-labeling process in mental illness: the role of emotional deviance. *Am J Soc*. 1985;91:221–249.
189. Halkitis PN, Parson JT, Wilton L. Barebacking among gay and bisexual men of New York City: explanations for the emergence of intentional unsafe behavior. *Arch Sex Behav*. 2003;32(4):351–357.
190. Halkitis PN, Parsons JT. Intentional safe sex (barebacking) among HIV-positive gay men who seek sexual partners on the internet. *AIDS Care*. 2003 June;15(3):367–368.
191. Yep GA, Lovas KE, Pagonis AV. The case of “riding bareback”: sexual practices and the paradoxes of indentity in the era of AIDS. *J Homosex*. 2002;42(4):1–14.
192. Hennen P. Bear bodies, bear masculinity: recuperation, resistance, or retreat? *Gender Soc*. 2005;19(1):25–43.
193. Burke PJ. Identity processes and social stress. *Am Sociol Rev*. 1991;56:836–849.
194. Finkelstein R, Netherland J. Sexual minority groups and urban health. In: Galea S, Vlahov D, eds. *Handbook of Urban Health: Populations, Methods and Practice*. Berlin Heidelberg New York: Springer; 2005:79–101.