ANC promises national health service

The Medical Association of South Africa (MASA) is asking to meet the African National Congress (ANC) to discuss the ANC's plans to revolutionise South Africa's health service. The ANC said last month that it would provide a national health service and develop a system of primary health care. Any expansion of private health care would be discouraged.

Presenting the plan, Ms Cheryl Carolus, a member of the ANC's national executive committee, said that the ANC had a five year programme to establish a comprehensive system of primary care available to everyone and financed within current tax levels. Rural areas in particular would be provided with health clinics. Health care would be free for children under 6; pregnant and nursing mothers; and elderly, disabled, and chronically ill people. The proposals would aim for full vaccination of at least 90% of all children under 2 years of age. For the first time all women would be given the right to abortion. The programme was put together with the World Health Organisation and Unicef.

Hendrick Hanekom, secretary general of MASA, which represents most of the doctors and dentists in South Africa, said that the association wanted to "gain more clarity on parts of the health plan." MASA says that it will compare the proposals with its own plans, produced in 1993 "with a view to preparing detailed representations and recommendations for further discussions with the ANC."

The ANC says that it welcomes debate, but there is little opposition to the premise on which it has based its health care reforms. "The mental, physical, and social health of South Africans has been severely damaged by apartheid policies and their consequences," says the introduction to the ANC's 120 page draft document on health policy.

The ANC condemns the current health service as "grossly inefficient and inadequate." It says that South Africa spends R550 (£110 or \$165) per person per year on health care, which is 10 times what the World Bank estimates is needed to provide basic public health and clinical services for the country's 35 million people. "Yet millions of our people are without such services or care," says the ANC's policy document. The ANC says that tax on alcohol and tobacco could be raised to pay for health reforms.

The immediate responses from the government and doctors were warm. Dr Bernard Mandell, chairman of MASA's federal

Cheryl Carolus presents the ANC's policy of health for all

council, said that the association was encouraged by the proposals. But he questioned whether the plans could be achieved in five years. "The time scales are ambitious and could create unrealistic expectations... while the published health status targets appear to assume adequate structures and funds are in place."

What worries doctors most is the ANC's view of private care. "Much private care is inefficient, it is specialised, highly technical, hospital orientated and directed at relatively healthy populations." The ANC would also set up an "essential drug list," which would cut the 30 000 drugs currently available to around 500 in five years. It would prevent health workers from owning shares in private hospitals or clinics "to avoid conflicts of interest." Doctors—90% of whom work in the private sector—would be encouraged to work in the public sector, especially in rural areas. There would no longer be tax concessions for private health schemes.

Reg Magennis, executive director of the Representative Association of Medical Schemes, said that "to discourage growth in the private sector is debatable. If the intention to maintain a mixed economy in health care is to be followed through, practice conditions must continue to encourage doctors who prefer private practice to remain in the country."—MATTHEW CURTIN, *Financial Times* correspondent, Johannesburg

British government revamps screening policy

The British government has announced its policy for introducing new screening programmes and the steps it will take to improve existing ones. The announcements last week follow several highly publicised failures in the cervical screening programme and were made by Ken Calman, the chief medical officer, at a conference organised by the *BMJ* and the *Journal of Medical Screening*.

"We have seen in the past," said Dr Calman, "screening tests creeping into the health service in a piecemeal and uncoordinated fashion and without quality assurance. Cervical screening has been part of the NHS services since the 1960s but was implemented in an ad hoc fashion without the basis of solid research evidence, leading to variations in local practice." Dr Calman said that screening for hearing loss in young children was another programme that needed review.

Screening currently costs the NHS £300m-400m (\$450m-600m) a year, and a new programme should be introduced only, said Dr Calman, if research has shown it to be effective and affordable. The government has rejected the idea of a health screening research unit, but the population screening

Headlines

Authority admits negligence over bone cancer errors: South Birmingham Health Authority has admitted negligence in four cases in which patients received incorrect treatment for bone cancer after the discovery that pathologist Carol Starkie's eyesight was affected by multiple sclerosis.

Clinton health plans criticised: The American Medical Association says that the Clinton health reforms will mean too much government interference and bureaucracy, and it is spending \$1.6m (£1.06m) on advertisements demanding a bigger say for doctors.

Third of world's under 5s are malnourished: Over a third of the world's under 5s—192 million—are malnourished and underweight, says the World Health Organisation. Over two thirds live in Asia, particularly southern Asia, with 15% in Africa and 5% in Latin America.

Basic benefit in Britain provides poor diet: The charity NCH Action for Children, formerly the National Children's Home, says that the basic social benefit of £4.15 (\$6.20) received by over 1.5 million families in Britain to feed a child under 11 is insufficient to provide the equivalent of the diet in a Victorian workhouse.

NHS spends £96m on redundancy: The British Labour party has accused the government of wasting £96m (\$144m) on redundancy payments by health authorities and trusts in the three years since the NHS reforms were introduced. The party says that the staff made redundant include nurses and consultants at a time when waiting lists have gone up.

Hospitals fined for keeping patients waiting: In the first nine months of the financial year the Department of Health in Britain has fined NHS hospitals almost £300 000 (\$450 000) for making patients wait too long for surgery. Under the patient's charter regional health authorities deduct cash from hospitals' waiting list allocations if they keep patients waiting more than 18 months for hip, knee, or cataract operations or if they keep any patients waiting more than two years.

British beaches can be unhealthy: Bathers who use British beaches that fail the European Union's standards of cleanliness run the risk of falling ill with diarrhoea and other gastric problems, according to research by the Water Research Council for the Department of Environment. Bathers at beaches at or above the EU's standard showed no appreciable ill effects.

panel of the NHS research and development programme will plan and coordinate research. Once there is enough evidence to suggest that screening for a particular disease might be worthwhile then a policy advisory committee will be set up to advise on whether such a programme should be introduced. The committee will be analogous to the committee chaired by Sir Patrick Forrest, professor of surgery in Edinburgh, which recommended the introduction of a national breast screening programme.

The advisory committee will consider quality, cost effectiveness, and the economic implications of the proposed programme in relation to other services. Proposals will be designated either category A (should be taken forward as a national programme) or category B (insufficient evidence to warrant a programme). Each programme that goes ahead will have a national advisory committee and a national coordinator to oversee implementation. They will be responsible for training staff, educating the public and professions, and evaluating the programme.

Dr Calman said that a national coordinator for the cervical screening programme should be in post by April. Guidance on the correct way to take cervical smears was being issued to all general practitioners, and training programmes were being set up.

"Reviewing and improving existing screening programmes is much more difficult than developing a system for introducing new ones," said Dr Muir Gray, director of health policy and public health in Oxford region and the first national coordinator of the breast screening programme, at the conference. "We had only about 200 centres offering mammography, but there are tens of thousands offering cervical screening. If introducing mammography was like knitting a cardigan and getting people to wear it then improving cervical screening is like unravelling and reknitting a cardigan while we continue to wear it."—RICHARD SMITH, *BMJ*

Britain needs to screen for aortic aneurysms

Rupture of an abdominal aortic aneurysm kills between 6000 and 10 000 people a year in England and Wales (1.7% of all deaths), and many of those deaths could be prevented by a national screening programme, said Peter Harris, a consultant vascular surgeon from Liverpool, last week at a conference organised by the *BMJ* and the *Journal of Medical Screening*. "The evidence for the effectiveness of screening is so strong," agreed Malcolm Law, senior lecturer in preventive medicine at St Bartholomew's Hospital, London, "that a programme should be introduced now. There is no need for a randomised controlled trial."

The death rate from ruptured aneurysms has increased roughly 20-fold since the 1950s. The mortality from an operation for a ruptured aneurysm is 30-70%, but overall mortality is 80-90% because most people die before they reach hospital. Inserting a graft in an aneurysm before it bursts carries a mortality of about 5%. Death from ruptured abdominal aneurysm occurs most commonly in men over 65 and does not become common in women until they are over 80. Aneurysms can be detected by technicians using ultrasonography, said Mr Harris.

Mr Harris and the Vascular Surgical Society of Great Britain and Ireland want screening for all men when they reach 65. Vascular surgeons would then operate on all those with an aneurysm over 5.5 cm in diameter and watch those with smaller aneurysms. The society has begun a pilot project in five places in Britain and has achieved 85% compliance in well to do areas but only 50% in inner cities. About 1.3% of men have an aneurysm that is 4 cm or bigger, and 80% of such aneurysms are detected.

Aneurysms—could screening prevent deaths?

McNULTY/SPL

National screening would cost about £1m (\$1.5m) and the extra operations about £10m (\$15m). The cost of one QALY (quality adjusted life year) would be about £450 (\$675), compared with about £4100 (\$6150) for a QALY from breast screening.

The Department of Health has said that a randomised controlled trial must be undertaken before a programme can be introduced, but Dr Law said that such a trial was unnecessary. "The difference in outcome between those with aneurysms and those without is dramatic, and with ultrasonography we could detect most of those at high risk while picking up very few false positive cases. It is much easier to separate out those at risk from those not at risk than in almost any other screening programme currently operating." A multicentre trial is currently under way in Britain of surgery versus observation for people with aneurysms of 4.0-5.5 cm.

"Medical treatment like lowering blood pressure or cholesterol or helping the patient stop smoking is nothing like as effective as surgery for those with big aneurysms," continued Dr Law, "and there is no point in doing a trial for those with aneurysms bigger than 5.5 cm." Some of the audience at the conference suggested that screening for abdominal aneurysm was being resisted because it affected elderly men rather than young women.—RICHARD SMITH, *BMJ*

Brain damage found in victims of Bhopal disaster

An international medical commission has found evidence of long term brain damage in survivors of the gas disaster in Bhopal in 1984. The commission, which has just completed a 12 day study in the Indian city, said that many victims have considerable neurological problems, in addition to respiratory complaints, directly related to the effects of the gas. It criticised the evaluation of the survivors and the existing health care system.

The commission emerged from the recommendations of the session of the Permanent Peoples Tribunal held in Bhopal in October 1992. Invited by organisations set up by the victims and funded by voluntary agencies, the commission studied the current health state of and medical facilities available to the survivors of the world's worst industrial disaster. At least 2500 people were killed and 500 000 exposed to the toxic methyl isocyanate gas that leaked out of a Union Carbide plant. The commission included specialists in respiratory medicine, epidemiology, public health, and toxicology from 12 countries. Releasing its preliminary findings in New Delhi last week, it said that neurotoxic injury and post-traumatic stress should be included in the range of diseases causing long term morbidity among survivors. Until now medical attention has been focused on the effects of the gas on victims' lungs and eyes.

Tests conducted on the survivors to

Bhopal survivors complain of multiple health problems

JOHNSON/PANOS

diagnose chronic neurotoxicity had been "inadequate or extremely superficial," the commission found. Many of the effects on the nervous system had been assumed to be psychological. Neurological problems in the survivors include memory impairment and motor function disabilities. "The physiological nature of these complaints is important and needs to be clearly recognised to direct treatment, prognosis, and a definition of disability," said Dr Thomas Callender, a consultant in environmental toxicology in the department of public health in Louisiana in the United States. He said that the absence of adequate evaluation and treatment had increased psychological stress in the survivors.

The commission criticised the Indian government for its refusal to release data collected by the Indian Council of Medical Research during clinical studies of the survivors. There are no control studies on the reproductive health of survivors, and the commission's findings on this will be made available after a detailed analysis of its own data.

There is a call for a reorganisation of the existing hospital oriented system of delivering health care in Bhopal, which the commission called "inappropriate to the chronic nature of the problem." According to one estimate, about 400 000 people suffer from a variety of complaints, including chest pain, breathlessness, eye problems, and chronic depression. Even small hospitals have an influx of up to 800 patients a day. The commission has asked the government to set up a network of community based clinics.

On the question of compensation the commission has recommended that medical as well as social effects should be taken into account. The Indian supreme court agreed a \$470m (£313m) settlement in 1989, and nearly 600 000 survivors have filed compensation claims. Pending final disposal of their claims, the supreme court has ordered the government to pay interim relief to the survivors.—GURU NANDAN, science writer, New Delhi

House officers must not be exploited, say deans

Postgraduate deans in the United Kingdom will not approve preregistration house officer (PRHO) posts that exploit and do not educate young doctors. A consensus statement produced this week by the Committee of Postgraduate Deans (COPMED) says that "In recent years the intensity of work of PRHOs has increased enormously . . . and the PRHO has less support than formerly as there are fewer doctors on call."

Professor Richard West, medical postgraduate dean of Bristol University, said: "Postgraduate deans now hold 50% of the budget for junior doctors' posts, and this gives us a lot of clout if we have to discuss any shortcomings of these posts with hospital managers."

Part of the problem, he said, is that the job description for preregistration house officers has never been updated. "What our document aims to do is to change perspectives. House officers must have adequate rest. It is not the responsibility of junior doctors to provide 24 hour cover, but juniors often feel they must cover holes in the rota. It isn't their responsibility—it's management's."

Although COPMED's recommendations largely reflect those produced by the General Medical Council in 1991, Professor West says that they are more specific. "It has never been clear who was responsible for making the changes happen—we have tried to be more specific about what standards should be and whose responsibility they are."

The university clinical tutor, for example, will be expected to monitor whether PRHOs work excessive hours, while consultants will be expected to abolish early starts to the working day. It is management's responsibility to ensure that PRHOs are not performing inappropriate duties, such as finding beds for admissions, entering routine data

into computers, or providing a scheduled phlebotomy service.

Even the number of patients whom a PRHO admits each week will be monitored by consultants and educational supervisors. "As a guide," says COPMED, "a PRHO should not admit fewer than 10 or more than 30 patients weekly."

PRHOs will be expected to have an induction course, lasting at least one day, before assuming clinical responsibilities and to have at least four hours of study time a week. All PRHOs will have an educational supervisor, who will provide careers advice.

"We are concerned that some posts, such as haematology and dermatology, are not suitable for PRHOs because they do not gain enough general experience," said Professor West. The PRHOs are really used only to provide cover—the jobs are not educational. I have been in Bristol for two years but never had to withdraw approval for a post, but the Thames regions have done so and it is something all of the postgraduate deans would do."

COPMED intends its proposals to be implemented by February next year. "In Bristol we have sent our proposals to the PRHOs so that they know what they should expect from their jobs. If they are unhappy they should complain to their clinical tutors," said Professor West.—LUISA DILLNER, BMJ

Egyptians score high on blood pressure

Early results from the Egyptian national hypertension project show that about a third of the population in urban areas has high blood pressure. "Egypt suffers from one of the highest prevalences of hypertension in the world," said Dr Mohsen Ibrahim, professor of cardiology at Cairo University. "Unless serious measures are taken to control this disease we will be facing a serious cardiovascular epidemic in the coming two decades."

The national hypertension project, undertaken in conjunction with the American Heart, Blood, and Lung Institute and Johns Hopkins University, is the first study of its kind in a developing country. From November 1991 to April 1993 the prevalence of hypertension was surveyed in 600 households in six of Egypt's 24 provinces. Only subjects over 25 years old were included, and hypertension was defined as blood pressure equal to or greater than 140/90 mm Hg.

Dr Ibrahim, the principal investigator of the project, said that most of the 6733 subjects were aged between 35 and 45. Weighted national estimates presented at the first pan-Arab conference on hypertension at the end of last year suggested that about 59% of Egyptians had blood pressure in the normal range and 17% in the high-normal category, and the remaining 24% had varying stages of hypertension.

Half of the people studied in urban Cairo had hypertension, compared with 31% in

Smoking is likely to push up hypertension rates in Egypt

Beni Suef (upper Egypt), 36% in Port Said (a coastal town), 24% in Sharkeya (in the delta), 30% in Aswan (upper Egypt), and 19% in Wadi Gedida (a frontier oasis). "There is a definite difference in the prevalence of hypertension among different Egyptian provinces," said Dr Ibrahim. Three quarters of the hypertensive subjects studied lived in urban areas. For the whole of Egypt the researchers estimate that 32% of the urban population has hypertension, compared with only 25% of the rural population.

The full results of the project are still awaited, but Dr Ibrahim said that "just plain guessing" points to overcrowding, cigarette smoking, pollution, social stresses, and diet as factors contributing to the higher prevalence of hypertension in urban areas. But Dr Yasser Sharaf, a member of the project, added that "preliminary results point towards excessive salt intake and obesity as the most important risk factors for hypertension in Egypt."

Egypt's population of 56 million is expected to surpass 73 million by the year 2000. Although morbidity from virus infections and diseases has decreased over the past three decades, deaths due to cardiovascular disease have increased from 12.4% to 42.5% of all deaths. "On the basis of data from the project we expect to have 10 million hypertensive subjects in Egypt by the year 2000," Dr Ibrahim said.

Dr Paul Whelton, professor of epidemiology and medicine at Johns Hopkins University, told the pan-Arab conference that the Egyptian data were reminiscent of data in the US two decades ago, before the instigation of awareness programmes about high blood pressure led to a 57% decrease in age adjusted mortality from stroke and a 50% decrease in coronary deaths. Similar programmes to raise awareness among doctors, patients, and the public are planned for Egypt.—MARA GULENS, freelance journalist, Cairo

Fundholders to take over all purchasing

Four general practices in Bromsgrove in the midlands in Britain have been given an annual budget of £13.2m to buy all the health services for 40 000 people. The budget, which was handed over by North Worcestershire Health Authority, will have to fund all of the health needs of Bromsgrove's residents, including accident and emergency care, ambulance services, emergency admissions to hospitals, and maternity services.

Jim Bartlett, the health authority's chief executive, said that the project was the first of its kind in Britain. "It was set up to give doctors in the four fundholding general practices in Bromsgrove the chance to use their knowledge of patients' needs to get better value for money and improve services. Seeing patients every day means that doctors are more sensitive to patients' needs and can therefore use purchasing budgets more flexibly and efficiently than bureaucratic health authorities," he said. "Any savings will be spent by the health authority on services for patients in the town."

The four practices, which are already experienced at buying routine hospital treatment for patients, plan to concentrate for the first year on improving six particular services: the local community hospital, emergency admissions to hospital, the prescribing of drugs, accident and emergency services, referrals to hospitals outside the district, and day surgery.

The Bromsgrove general practitioner total purchasing project is being run by a purchasing committee of four general practitioners, North Worcestershire's director of public health, the chief executive of the North Worcestershire Health Authority, a member of the health authority, and the director of primary care in Hereford and Worcester Family Health Services Authority.

During the first two years of the scheme a team of researchers appointed by Professor Alexander McNeish, West Midlands Regional Health Authority's director of research and development, will be monitoring its progress. North Worcestershire Health Authority will be able to take back control of purchasing at any time if the project fails.

Dr Richard Wilkinson, a member of the purchasing committee, is optimistic. "We hope this project will lead other general practices, whether or not they are fund-holding, to realise that they can influence the nature and the quality of services given by their local providers," he said. "We've sat on our hands moaning for too long and now we have the opportunity to make changes." But Dr Stephen Watkins, chairman of the British Medical Association's committee for public health medicine and community health, said: "I'm in favour of novel models of purchasing as long as they work, with health authority and public health service backing, towards national targets, such as those in the government's *Health of the Nation* white paper. Health authorities must also be involved in monitoring quality."—ALISON TONKS, *BMJ*

GMC says it will watch curriculum reforms

Medical schools in the United Kingdom will have to change their curriculums dramatically and report annually to the General Medical Council (GMC) on the progress of their reforms. The GMC's latest recommendations on curriculum reform emphasise that the council will ensure that changes are implemented. Professor David Shaw, chairman of the GMC's education committee, said that the GMC had been urging medical schools to reduce the factual content of their courses since 1863.

"Most medical schools already seem to have major revisions of their curriculum going on at the moment. Change is happening quite rapidly. But we are committed to these reforms, and if we make an informal visit to a school and are unhappy with its progress then we have the power to request a formal visit. We will then make a report and ask the institution to respond to that report. We send both to the Privy Council."

The GMC published its recommendations last month. Under the Medical Act 1983 its education committee is responsible for the quality and assessment of undergraduate education in the United Kingdom. Its chief recommendations are that the factual content of the course should be reduced; that a core curriculum that encourages students to teach themselves should be introduced; and that special study modules should be offered. These could include social science subjects, languages, and literature.

"Students enter university full of enthusiasm and have their curiosity washed out by multiple choice examinations," said Pro-

fessor Shaw. "We would like to see students meeting patients early on so that they get used to communicating with people other than their peers. They don't have to meet sick people—they could talk to pregnant women or disabled people."

The recommendations emphasise the importance of developing attitudes "essential to the practice of medicine." These include the ability to cope with uncertainty, the awareness of personal limitations, and the ability to adapt to change.

The GMC is not putting forward a national curriculum for medical schools to follow but says that the core curriculum, which should take up two thirds of study time, should be system based. This means that basic scientists and clinicians would have to get together and integrate their teaching, eliminating the preclinical and clinical divide. Exams would also have to change, warns the GMC, as they "currently put a premium on the acquisition of facts at the expense of reasoning."

Angela Towle, author of *Critical Thinking*, a report on undergraduate medical education published by the King's Fund Centre in 1991, said that there were still big barriers to integrated education. "The GMC has gone part of the way to implementing reform, but the departmental structure of medical schools means that each department concentrates on its own bit of the curriculum," she said. "The amount of money given to departments depends on how many students they have and how much teaching they do. We need an organisation that goes across the whole school."

"The curriculum committees of the medical schools want the GMC to lay down the law. The trouble is that the GMC's only sanction is like a nuclear deterrent—it can close a medical school, but it is never going to do that."

"The GMC has called its report *Tomorrow's Doctors*. Things are changing so rapidly

that these reforms should be in place for today's doctors."—LUISA DILLNER, *BMJ*

Tomorrow's Doctors is available free of charge from the GMC, 44 Hallam Street, London W1N 6AE.

Paediatricians tell press they are innocent

The two consultant paediatricians who ran the children's ward in the British hospital where nurse Beverley Allitt murdered four children and injured nine others spoke out publicly last week for the first time, insisting that they were not to blame for the tragedy. Dr Nelson Porter and Dr Charith Nanayakkara made their comments at a press conference at the British Medical Association's headquarters after newspaper reports that the official inquiry into the Allitt affair would single them out for blame. The two were flanked by Dr James Appleyard, a paediatrician in Kent, and David Southall, professor of paediatrics at Keele University, who urged that they should not be made scapegoats.

Allitt, a state enrolled nurse, was given 13 life sentences last year for murdering four children, attempting to murder three, and causing grievous bodily harm to six others in ward 4 at Grantham and Kesteven Hospital in Lincolnshire in 1991. The official inquiry, chaired by Cecil Clothier QC and due to report later this month, is expected to hold the two doctors at fault for the 58 days that Allitt was at large.

The two paediatricians were made redundant in a shake up of paediatric services after the Allitt case. They were interviewed for posts at Queen's Medical Centre, Nottingham, which is taking over Grantham's

Students will be encouraged to teach themselves

ULRIKE PREUSS

services, but were not offered jobs.

After unsuccessfully arguing in the High Court that they should be employed by Queen's Medical Centre they are appealing against their dismissal to the secretary of state, Virginia Bottomley, under paragraph 190 of NHS consultants' terms and conditions of service. Dr Nanayakkara said: "We believe passionately, and have been told by others, that if it were not for our dedication and diligence many more children would have died or suffered severe disability. As consultants working in the hospital at the time of the Beverley Allitt murders we experienced an extraordinary set of circumstances which no other paediatric unit in the country had ever experienced or could reasonably have expected to experience. Any comments or judgments on our actions must be set in this context and not with hindsight."

Dr Porter criticised the fact that the Clothier inquiry was held in secret, with no paediatrician on the panel and no means of

challenging evidence. He called for a public inquiry with the opportunity of cross examination.

An internal inquiry into Grantham's paediatric services by Trent Regional Health Authority found that there should have been at least five more doctors and double the number of staff on the ward. Dr Appleyard said that the two doctors had to work 104 hours a week normally and 168 hours a week in holiday periods. Dr Nanayakkara called the working hours "inhuman."

Professor Southall said that he had experience of more than 50 cases of Munchausen's syndrome by proxy involving parents. The Allitt case was the only one in Britain involving a nurse. Even if the unit had been fully staffed, he said, the doctors could not have been expected to realise the cause of the deaths sooner. A witness for both the prosecution and the defence in the trial of Allitt, he said that he had seen all the police files, all the children's medical records, and the hospital

records on Allitt. There was no evidence that the doctors had been negligent or lacked concern.

"Everything suggested the contrary, and without that concern there can be little doubt there would have been more deaths. Dr Nanayakkara and Dr Porter were struggling to provide a service in the most difficult of circumstances." He said that they had been responsible for saving the lives of some of Allitt's victims, and he hoped they would not be made scapegoats.

Sir Cecil Clothier immediately attacked the doctors for speaking out before the report's publication, saying that there was much to their credit in its pages. The statements made at the news conference seemed to be "a most injudicious and regrettable attempt to influence the outcome of an inquiry conducted in the public interest," he added. The report had already been delivered to Virginia Bottomley.—CLARE DYER, legal correspondent, *BMJ*

Focus: Brussels

Which "Europe" should deal with ethical issues?

Advances in medical science and the increasing cross border opportunities offered by the evolving European Union (EU) have brought a new dimension to ethical

issues. The wide ranging debate surrounding the news that a 59 year old British woman who travelled to Italy for in vitro fertilisation treatment, which made her a mother of twins, provides a perfect example.

Angry at the ability of a British citizen to circumvent domestic standards preventing her from having the same treatment at home and use the services available in another member state, the British health minister, Virginia Bottomley, demanded action at the European level. The call was soon taken up by her French colleague, Philippe Douste-Blazy, a former member of the European parliament and mayor of Lourdes. He spoke more graphically of the dangers of in vitro tourism.

The initial reference to a Brussels role perplexed officials. Few could see grounds for the EU becoming involved. Admittedly, the free movement of people across internal frontiers and the ability to offer a service to nationals of another member state might be evoked. But against that was the union's lack of competence for such ethical issues, national responsibility for health matters, and, perhaps most importantly, a reluctance of the European Commission to become involved in an emotive discussion on something where national practices differed so greatly.

Brussels hands have become all too weary of indignant calls being made by individuals, pressure groups, and ministers over the years demanding Europe to intervene. More often than not, such supplicants are unclear which Europe it is they mean. Most assume it is the EU, largely because it has extensive powers, including its ultimate legal body, the European Court of Justice in Luxembourg, and seems to permeate more and more areas of daily life.

But, invariably, especially when the call involves an alleged miscarriage of justice, the Europe that offers possible solace is based in Strasbourg: the Council of Europe with its commission and court of human rights. A completely separate European organisation, the Council of Europe is a far wider pan-European Body. It has 32 members to the EU's 12. It has also been involved in medical and ethical issues for several years and is currently drawing up a convention on bioethics.

Still, British and French persistence and the realisation that there was an EU dimension—because certain specialised treatment may be available only in some member states, while demand for that treatment may arise across the union—convinced the EU's social affairs commissioner, Pdraig Flynn, to become involved. The Commission has contacted the Greek government and offered practical facilities like a meeting room and interpreters if the 12 governments wish to exchange information and experience. Fertility treatment for postmenopausal women has not provoked a fierce debate in Greece, but, in its role as current president of the EU, the government would

be responsible for convening any meeting.

To date Flynn's offer has not been taken up. But if it were there is no question of the union laying down a harmonised approach regulating the practice of fertility treatment across the union. Commission officials insist that they have no specific skills or competence in the subject beyond helping to bring governments together.

A more fruitful route for those wishing to set common standards on such issues would be the Council of Europe. A working party from the legal and medical professions aims to complete a draft convention on bioethics by the summer in the hope that it will be finally adopted by the end of the year. It contains no specific reference to fertility treatment, although some may argue that the practice could be covered by the basic principle of the need to protect the dignity of humans.

Greater scope is likely to be offered by one of the protocols—protection of the embryo—which will complement the convention. Lawyers suggest that it could, if all parties concerned agree, even contain detailed principles like the maximum age of women eligible for such treatment. Once ratified, the pan-European convention would have legal force, and legislators would have to abide by its terms when drafting national laws. In France, for instance, a Council of Europe convention is superior to acts of parliament.

With its wider membership and history of involvement in ethical and medical issues, the Council of Europe, not the EU, might prove a more fruitful route for Mrs Bottomley to take in seeking European standards for fertility treatment.—RORY WATSON, the *European*