New York makes progress in fight against tuberculosis

New York City is gaining ground in its battle against tuberculosis, with a 15% fall in the number of new cases reported last year. The city still has three times as many new cases of tuberculosis as any other city in the US, but these latest figures—which show a drop from 3811 cases in 1992 to 3235 last year—represent the first decrease in a decade.

The rate of tuberculosis in New York City is 44 cases per 100 000 population—more than four times the national average. The city's health commissioner, Margaret Hamburg, said that one reason for the recent drop in new cases was an eightfold increase in the number of patients receiving directly observed treatment, in which a health care worker observes a patient take every dose of antituberculosis treatment. She said that treatment and follow up were better, mainly because of increased awareness and efforts by the department of health, medical schools, and teaching hospitals.

The Department of Health's bureau of tuberculosis control has increased its staff from 144 to more than 600. That includes more than 100 new workers who directly observe treatment, who undergo intensive training in treating tuberculosis. The department has also increased free clinic services. The number of visits to clinics for diagnosis, treatment, and follow up has nearly quadrupled from 46 000 in 1988 to more than 172 000 last year. There are also improved infection control procedures in hospital, with better isolation facilities, the provision of negative pressure ventilation, and the renovation of inpatient accommodation.

A 25 bed unit at Goldwater Memorial Hospital on Roosevelt Island has been established for infectious patients who do not comply with their treatment regimens and who may be detained against their will. New York's statute on detention of non-compliant infectious patients has been used as a model in many other states, most recently California.

Since May 1991 all tests on tuberculosis organisms for susceptibility to drugs must be reported. An initial regimen of four drugs—isoniazid, rifampicin, pyrazinamide, and ethambutol—for all new patients was recommended by the Department of Health in November 1991. This regimen prevents further spread of drug resistant strains of the organism and improves patients' chances of cure. More patients are now completing treatment.

The federal Centers for Disease Control indicated in a recent study that 61% of all patients with multiple drug resistant tuber-

Homeless New Yorkers are particularly at risk from TB

culosis in the US lived in New York City. Other factors complicating control of tuberculosis in New York City include the epidemic of HIV infection and AIDS and homelessness. Homeless New Yorkers receive little regular health care and live in conditions conducive to the spread of tuberculosis. They are more difficult to follow up and less likely to continue treatment. Another problem is neighbourhoods such as central Harlem, where rates of tuberculosis

exceed those in many Third World countries, with a reservoir of cases from previous years still needing monitoring and treatment.

Dr Hamburg said, "The epidemic is far from over in New York City. It is essential that we continue to build on the success we have achieved. The situation we are facing today is a conclusive demonstration of why public health is synonymous with public safety."—FRED B CHARATAN, freelance journalist, Florida

Hammersmith Hospital is reprieved: Hammersmith and Charing Cross Hospitals, which had been threatened with closure or merger, will continue on their present sites as the Hammersmith Hospitals NHS Trust. The trust will also include Queen Charlotte's and Acton Hospitals and will be chaired by Sir Christopher Bland, former chairman of London Weekend Television.

Clinton's health reforms pass another hurdle: The Ways and Means Committee's health subcommittee in the US House of Representatives has supported President Clinton's reforms by refusing to allow insurance companies to adjust premiums based on age and by refusing to permit companies with fewer than 1000 workers to self insure. It has set up four premium categories to make cover less expensive for people without children, with more of the costs of two income families borne by the larger employer whose insurance plan is chosen.

Many American under 2 are not immunised: The US Centers for Disease Control has reported in *JAMA* that more than half the children in major cities have not been immunised by the age of 2. In Houston, Texas, only 11% were fully immunised. The immunisation rate rises to an average of 87% by the time children start school.

Health reforms threaten academic medicine in US: President Clinton says that he will support revisions to his health plan to provide more money for medical schools and teaching hospitals, which are concerned about the future of medical education. They are already losing patients to institutions that can offer lower prices because they do not have the extra costs of teaching and research.

Rear seat belt wearers in minority: Only 45% of adults in Britain wear rear seat belts despite the fact that it is compulsory in cars in which belts are provided—80% of cars. The government has started a £600 000 television campaign. The wearing of front seat belts was made compulsory in 1983 and between 90% and 95% of people now wear them.

Infected health workers must notify public health doctor: Revised guidance for British health workers infected with HIV or with AIDS identifies the director of public health as the person to be notified rather than the employer as in previous advice.

This mummy proves that TB arrived before Columbus

Peruvian mummy shows that TB preceded Columbus

A study of the naturally mummified remains of a Peruvian woman shows conclusively that pulmonary tuberculosis was present centuries before Columbus discovered the New World. The mummy of the middle aged woman was exhumed in 1990, and radio-carbon studies have indicated that she died about 1000 years ago.

Dr Arthur C Aufderheide, a palaeopathologist at the School of Medicine, University of Minnesota, Duluth, conducted a necropsy on the Peruvian mummy. He said that the gross pathology of the lung showed a primary tuberculous complex (Ghon focus) with a peripheral lung nodule and one or more partially calcified hilar lymph nodes. No acid fast bacilli were found in the lesion. No other tuberculous lesions were found in the mummy. Dr Wilmar L Salo, a molecular biologist who worked with Dr Aufderheide, used the polymerase chain reaction on tissue obtained from the lung lesion. The result showed that a DNA segment unique to *Mycobacterium tuberculosis* was preserved inside the lesions.

Dr Aufderheide said that the findings are "unequivocal evidence" that tuberculosis in native Americans long preceded the arrival of Columbus and other Europeans. The research, conducted over more than three years, represents the first successful attempt to determine the existence of an infectious disease in antiquity by "fishing out" a small segment of ancient DNA unique to the infecting organism. It is reported in the current issue of the *Proceedings of the National Academy of Sciences*.—FRED B CHARATAN, freelance journalist, Florida

Swedish doctors extend series of strikes

Doctors in Sweden have started a strike, which they plan to extend to the whole country. They are protesting at moves to reduce the number of doctors providing family care and to cut pay for accident and emergency work. These moves are proposed as part of a restructuring of the health service aimed at reducing costs and improving efficiency.

The strike is organised by the Swedish Medical Association (SMA), which represents 95% of all doctors in the country. The SMA's president, Dr Robert Leth, told the *BMJ* that it had support from almost all of its 24 000 members. The action involves 60 hour stoppages of all but emergency care in different parts of the country each week. The first stoppage, in early March, covered the capital, Stockholm; the stoppage was in the south and far north the next week and then in western Sweden.

The cuts in pay and staffing are part of moves by the Conservative prime minister, Carl Bildt, and his centre-right government to introduce more competition and to cut total spending on health care. About Kr5bn (£0.43bn) has already been saved in each of the past two years, reducing total spending on health to Kr116bn (£10bn). A further saving of 4% is planned for this year. Up to a quarter of surgical beds have been closed.

The SMA is particularly unhappy about the job losses resulting from a new system under which people are asked to choose their own family doctor rather than be seen by whoever is on duty at the local health centre. Sweden has about 4000 family doctors, and it is estimated that about 600 will be made redundant. About 60% of the population has said that it wants a choice.

The county councils, which employ the doctors, have said that any doctors who attract fewer than 1000 patients will lose their jobs. The SMA thinks that length of service, rather than the length of list, should be the main principle. Dr Leth said that he was particularly worried about discrimination against women doctors who are on maternity leave (which usually lasts for one year).

The other main issue in the strike is the 20% cut in the pay that doctors get for being on call. This affects about 8000—mainly junior hospital doctors. Thousands of non-urgent operations have had to be postponed since the start of March, but a recent poll showed that the public are almost equally divided over their support for the strike.

Swedish doctors last went on strike in 1986, when a continuous three week action resulted in a compromise over increased pay. For the past two years the doctors have been given no salary increases despite inflation currently running at over 4%. But with the economy recovering only slowly from its worst recession since the war the county councils have so far refused to negotiate and the SMA expects a hard struggle.—MARGARET DOLLEY, freelance journalist Copenhagen

Dr Dunn: The GMC reminded him that doctors have a duty to report dangerous colleagues

Consultant found guilty of failing to act on colleague

A senior consultant was found guilty of serious professional misconduct by the General Medical Council (GMC) last week for failing to investigate complaints that a locum was endangering patients. The professional conduct committee found Dr Sean Dunn, 45, who is chairman of the anaesthetics division of East Yorkshire Hospitals NHS Trust, guilty for not having acted on concerns that colleagues had expressed about the competence of Dr Behrooz Irani. But the committee took into account a shortage of anaesthetists and problems in procedures for locum appointments and imposed no sanction on Dr Dunn.

Dr Irani, who was struck off last July, was allowed to work in two NHS hospitals because of staff shortages, the GMC heard. In August 1992 at Castle Hill Hospital, Hull, he left a 33 year old man seriously brain damaged and in a persistent vegetative state after an open discectomy. Six months later a similar tragedy was narrowly averted at the Royal Hospital, Hull, when Dr Irani left the operating theatre to make a telephone call. He had had his registration suspended by the GMC for three months in 1991 after being found guilty at Grimsby Crown Court of stealing two ventilators from Scunthorpe General Hospital.

The GMC used Dr Dunn's case to send a message to the profession about its duty to protect patients even if this means reporting a colleague or refusing to give a reference. The president, Sir Robert Kilpatrick, told Dr Dunn that it was "pure chance of seniority" that he was in charge of the anaesthetics division during Dr Irani's time as a locum but reminded him that the office placed duties and responsibilities on the holder.

"Doctors who have reason to believe that a colleague's conduct or professional performance poses a danger to patients must act to ensure patient safety. Before taking action in such a situation, doctors should do their best to establish the facts. Where there is doubt it is unethical for any doctor to give a reference about a colleague, particularly if it may result in the employment of that doctor elsewhere. References about colleagues must be carefully considered; comments made in them must be justifiable, offered in good faith and intended to promote the best interests of patients."

Sir Robert said that doctors had a duty to use the appropriate procedures promptly after reports of evident and dangerous incompetence. "At all times patient safety must take precedence over all other concerns, including understandable reticence to bring a colleague's career into question."

A working party appointed by the chief medical officer is investigating the system of appointing locums, and another is soon to report on procedures for dealing with reports of professional incompetence. —CLARE DYER, legal correspondent, *BMJ*

Fraud in breast cancer trial shakes US

Evidence that data from the largest trial of treatments for breast cancer in the US were falsified has shaken both the public and the scientific community. The national surgical adjuvant breast and bowel project studied more than 5000 patients in 485 academic and community hospitals. When it reported in the *New England Journal of Medicine* in 1985 that lumpectomy plus radiotherapy was as effective as mastectomy it was influential in the move away from mastectomy as the operation of choice for women with breast cancer.

But this month the *Chicago Tribune* reported that about 16% of the patients came from St Luc's Hospital, a small centre in Montreal, and that Dr Roger Poisson there had included ineligible patients. Within 24 hours telephone lines at the American Cancer Society were jammed by women who had had lumpectomies and who feared that fraud may have encouraged them and their doctors to make wrong decisions.

Last week, however, two teams finished reviewing the data, having excluded the data from Dr Poisson's patients. They came to the same conclusion: that lumpectomy plus radiation is equal to mastectomy for women with early stage cancer. The analysts said that Dr Poisson's patients fared about the same as the rest of the patients in the study.

But many have expressed doubts about the pronouncements without having seen the data themselves. Paul Meier, a statistician at Columbia University, pointed out that the power of the study to claim "no difference" may have been compromised if so many patients were removed.

Still, at the end of last week most cancer surgeons in the US who spoke publicly said that they would continue to advise women to undergo lumpectomies and radiation treatment. Dr John Fetting of the Johns Hopkins University pointed out that at least four other studies had shown similar outcomes, and in 1990 a consensus conference on cancer arrived at the same conclusion.

But many people were left almost as disturbed about the regulatory process as they were about the original misbehaviour. According to reports from the National Cancer Institute and the Food and Drug Administration, initial discrepancies were uncovered in a routine audit of data at the University of Pittsburgh.

In 1990 investigators found that two of Dr Poisson's patients seemed to be identical—except that one had not met eligibility criteria because her surgery had occurred outside the study dates. Further audits showed more discrepancies, and all of the 1511 patients enrolled by Dr Poisson were then reviewed. According to the auditors' report, Dr Poisson's research team kept two sets of patient books—one marked "true" and one "false." Dr Poisson has now been barred from receiving American federal research money for at least eight years. In addition,

NATIONAL PICTURES

the Quebec physician licensing board had opened a formal inquiry into his behaviour.

Dr Poisson, in a letter to the auditors, wrote: "People who are not on the front line of the battle have no idea how frustrating it can be to prepare an eligible patient for the trial, with several pep talks and a great deal of discussion, explanation for the informed consent and to convince the patient to participate and—at the last moment—to realise that the patient [is ineligible]." Although most of the discrepancies seemed to involve patients whose surgery had been performed outside the study's active dates, some also concerned informed consent statements that had been signed long after patients were entered into the trial. At least 100 patients were found to have been included in the study even though they were ineligible by the protocol's criteria.

Although the audit first uncovered problems in 1990, the formal report was published only last summer, and it was part of a routine of audits of 14 studies. The press did not uncover it until two weeks ago.

Further, according to Lyle Bivens of the Office of Research Integrity, investigators had recommended that the study's leaders, who were not implicated in the affair, should notify major scientific journals of the fraud. According to the auditors, no journal is known to have received such a notice.—
JOHN ROBERTS, North American editor, *BMJ*

Drug companies are censured by watchdog

Two pharmaceutical companies that offered doctors money, gifts, and inappropriate hospitality to promote sales of their products have been censured by the pharmaceutical industry's watchdog organisation. One of the companies took doctors on free trips to Portugal and Spain, which included golf, tennis, squash, and sightseeing.

The watchdog, the Prescription Medicines Code of Practice Authority, ruled that the activities of both companies had discredited the pharmaceutical industry. They had breached clause 2 of the code of practice, which says that methods of promotion must never bring discredit on, or reduce confidence in, the pharmaceutical industry.

The companies, Fisons Pharmaceuticals and Duphar Laboratories, were subsequently suspended from membership of the Association of British Pharmaceutical Industry, although Fisons has since been reinstated. A third company, Glaxo Laboratories, successfully appealed against a ruling that it breached clause 2.

The Association of the British Pharmaceutical Industry set up the Prescription Medicines Code of Practice Authority in January to administer the code of practice for the pharmaceutical industry. The code says that no gift, benefit, or financial inducement can be offered to doctors to promote sales and that the hospitality offered by companies

must be "appropriate...the costs involved must not exceed that level which the recipients would normally adopt when paying for themselves."

The latest report of the code of practice authority details its investigations into allegations about the three companies that were first made in the *Sunday Times* last November. The authority found that Fisons had organised two day and three day meetings for doctors in Portugal, Barcelona, and Chester on its products Tilade Mint (nedocromil sodium) and Aerocrom (sodium cromoglycate with salbutamol). These meetings had cost the company £1100, £1500, and £900 per head respectively. Fisons claimed that the hospitality offered was not lavish. But the authority ruled that the educational content of the meetings was limited.

The authority also found that sales representatives for Fisons had offered a few doctors "inappropriate inducements," including book tokens and money, for prescribing Tilade Mint.

A statement issued by Fisons said that the company had revised its internal control procedures and intended to ask the Association of the British Pharmaceutical Industry to audit its activities within the next year.

In the case of Duphar, the authority found that the company had been using a computer program worth £795, together with training on how to operate it, as an inducement to promote sales of its antidepressant Faverin (fluvoxamine maleate) to psychiatrists.

The Association of the British Pharmaceutical Industry suspended Duphar from membership and told the company to improve its procedures in relation to the code of practice. A spokesman for Duphar said that the company disagreed that further changes in its procedures were necessary and was seeking leave to appeal.

The allegations against Glaxo came to light after several staff were dismissed by the company for having falsified records in order to hide activities that breached the code

of practice. Although Glaxo argued that it should not be penalised for enforcing its own rules, the authority concluded that the company had to take responsibility for its employees.

Dr Joe Collier, consultant clinical pharmacologist at St George's Hospital Medical School in London, said that the way in which the breaches had been uncovered—through stories in the national press—suggested that much bad practice went unreported, because only extreme cases would get into the papers.

—SHARON KINGMAN, freelance journalist, London

Australians prepare to legislate on euthanasia

Doctors who practise mercy killing could be protected under new legislation within 12 months, according to Australia's federal health minister, Senator Graham Richardson. He said that euthanasia took place in Australian hospitals every day and there needed to be a serious and informed debate on the issue.

"The thousands of doctors who do it, mostly at the request of families, are risking the full weight of the law every time," Senator Richardson told a byelection meeting in Western Australia.

He said that change could not happen without a public debate, preferably sooner rather than later. "But we have to make sure that this debate occurs so that, within the next 12 months, we can stand up and get some laws that give some protection to doctors who act in the way that most of us want them to every day of the week."

The Australian Medical Association welcomed the debate but warned that euthanasia was better governed by ethics and common

Golf was part of the hospitality offered to doctors

sense than by laws. The association's president, Dr Brendan Nelson, called for doctors and the association to be involved in the decision.

Dr Nelson recently admitted that, though he had not practised euthanasia, he had given treatments to relieve pain that had contributed to the death of about four patients in 10 years. "Patients may be in a great deal of pain, and as a doctor you give them just enough medication until they are relieved. That's good medicine," he said. "When relief comes that patient might die shortly after. You don't know for sure, but the drugs probably contributed to the death."

A survey of doctors in New South Wales found that more than a quarter had agreed with patients' requests to hasten their deaths. And almost all of those doctors believed that they had acted correctly. The survey, in which 2000 confidential questionnaires were sent out at random and 1200 were returned, was conducted last year by Dr Peter Baume, head of the University of New South Wales's school of community medicine. It was funded by the Voluntary Euthanasia Society of New South Wales. "Almost all of the doctors felt that they had acted correctly, and some of them have done it more than once," said Dr Baume. "I was once a practising doctor and, of course, I've done it."—CHRISTOPHER ZINN, *Guardian* correspondent, Australia

Asylum seekers run high risk of detention in Britain

More than half the 700 people currently seeking asylum in Britain are being held in detention centres, even though they have done nothing wrong, says the Refugee Council. The council held a conference in London last week to highlight the health needs of people seeking asylum and refugees. Common problems include war injuries and infectious diseases, to which are being added the stresses of up to a year's detention pending a decision.

The council's settlement services director, Kate Allen, said that "we have also seen an increasing number of negative decisions made about their future since the new Asylum and Immigration Appeals Act came into force last July. The stresses which that causes will have a major impact on their health."

About 150 people from Asia, Africa, and South America who are seeking asylum began a hunger strike earlier this month at the Campsfield House Immigration Detention Centre near Oxford in protest at their imprisonment. Kate Allen said: "We don't support their action, but we understand the desperation which has led them to it. They feel very let down by this country, and many are depressed and embittered. We don't believe anyone should be detained without criminal charges."

Kate Allen said that the British government makes a distinction between people seeking asylum and refugees: "Asylum seekers who

Playing chess in an immigration detention centre

aren't in prison are only entitled to 90% of income support. What it amounts to is that those in most desperate need are getting fewer services."

There are increasing fears for the general health and welfare of those detained. Dr Sivasankaran Sashidharan, a senior lecturer and honorary consultant in psychiatry at Birmingham University, said: "Detention does actually affect their mental health. Many are in prison not because they have done anything wrong but because they have sought refuge. In psychiatric terms, the price they have to pay is enormous. Consider someone who may be escaping torture—their goal is Britain, which they see as a beacon of freedom. If their immediate experience is one of further incarceration then there is clearly going to be psychological damage."

A key problem for refugees in Britain, even once they have been allowed to stay, is the language barrier. Refugee doctors, says the Refugee Council, are invaluable as interpreters. But there is a further problem: many refugee doctors may be highly qualified in their own country but unable to produce proof of their qualifications because their country is in turmoil. So they remain unemployed, and other refugees continue to have language difficulties.

Thomas Chan, who runs an interpreting service for Camden and Islington Community Health Services NHS Trust in London, has this cautionary tale: "I personally know of an Angolan refugee with two children who, when she found she was expecting a third child, went to the general practitioner for a check up. She couldn't speak a word of English and the general practitioner couldn't understand any Portuguese. The result was that the general practitioner thought she didn't want the baby and wrote a letter referring her to hospital for a termination. Fortunately, the hospital acquired an interpreter just in time."—CLAUDIA COURT, *BMJ*

Nurse in New Zealand reinstated after whistle blowing

A senior nurse in New Zealand who warned the minister of health about the release of a dangerous psychiatric patient has been reinstated on the orders of the Employment Court after being suspended by his employers on full pay. Neil Pugmire, who works as a charge nurse at Lake Alice Psychiatric Hospital secure unit in Wanganui, wrote last May to the former minister of health warning about the release of a patient committed for attempting to rape and strangle two young boys. Three months later the offender was freed, only to rape a 2 year old girl within weeks of release.

The release came because of a loophole in the Mental Health Act (Compulsory Assessment and Treatment) 1992. Under this law offenders who commit a crime and are unable to be tried because of their mental condition have to be released if a later review finds that they are no longer psychiatrically unfit. Dr Barbara Disley, director of the Mental Health Foundation, said, "If the act is used as a defence when they offend, at a later review if they do not have a mental illness they have to be released from compulsory treatment."

The suspension came after the Pugmire letter was made public by the shadow justice minister, Mr Phil Goff, to whom Mr Pugmire wrote when no action was forthcoming. The present minister of health, Mrs Jenny Shipley, said that while she endorsed the actions of Mr Pugmire in warning about the release of dangerous patients she upheld the principle of patient confidentiality. The minister denied that she was trying to stop other health professionals blowing the whistle on decisions that endangered com-

HOWARD DAVIES

munities. A revision of the law is being drafted but is unlikely to be backdated.

Mr Pugmire's employers, Good Health Wanganui, gave him a three day deadline to respond to its ultimatum of either being sacked or being demoted to a clerical position. During the hearing, which cost NZ\$30 000 (£12 000), the Employment Court judge described Good Health Wanganui's actions as "reprehensible" and inconsistent with the behaviour of a good employer.—CHARLES ESSEX, community paediatrician, New Zealand

Dutch government acts on diphtheria fears

The Dutch government is to consider updating its guidelines for treating diphtheria as a result of epidemics of the disease in Russia and the Ukraine. The move comes three months after a suspected case of diphtheria in

the Hague. The bacterium was never isolated, but antiserum to treat the disease was imported.

Dutch medical textbooks on diphtheria date from the 1950s; only 12 cases have occurred in the past 23 years. There is concern about the level of immunity in the Dutch population after such a long absence of the disease. The Netherlands is especially vulnerable because of its extreme protestant religious communities in the eastern "bible belt," who refuse vaccination. Last year these communities suffered from an epidemic of polio.

A committee chaired by an expert on diphtheria, Professor Joop Huisman, is now meeting to advise the Dutch Medical Inspectorate for Health on whether current protocols for treating diphtheria need to be elaborated. The committee include representatives of the national institute for public health and environmental hygiene, which has issued two reports warning of the threat of diphtheria being imported from eastern Europe and suggesting that most Dutch adults may no longer have diphtheria antibodies. Microbiologists, infectious disease clinicians, and members of the national asso-

ciation of municipal health agencies—who implement infectious disease protocols—make up the committee, which will report in the summer. In addition, a longer term investigation into the immunity of the Dutch population will be carried out by the health advisory council. But this work may not start until next year.

Dr Jan van Wijngaarden, medical inspector of health for infectious diseases, said: "clinicians used to have a lot of knowledge before the second world war, but that has been lost. There is a whole generation that has never seen diphtheria." Diphtheria reached a peak in the Netherlands in 1945, when 4267 people died of the disease, which infected 700 in every 100 000 people. By 1950 this had declined to 196 deaths and 25 people infected per 100 000.

A report last year for the European office of the World Health Organisation showed that more than 6000 cases of diphtheria had occurred in Russia and the Ukraine in the first six months of 1993. There were 23 deaths in St Petersburg alone. Cases of diphtheria had occurred in Finland, Estonia, Poland, and Belarus.—TONY SHELDON, freelance journalist, the Netherlands

Focus: London

How to absorb the reforms without changing your core values

Contrary to what politicians think, the opposition of doctors to government reforms (see p 000) may not be due to an objection to relinquishing power. A more enlightening explanation is that it owes more to their desire to protect their core values against the onslaught of an untested economic model of public services.

This explanation comes from an analysis of the effects of changes in public sector management on general practices and schools by two researchers from the University of Sheffield Management School. At a King's Fund seminar in London last week Richard Laughlin and Jane Broadbent (both accountants turned sociologists) outlined their findings from six general practices.

Laughlin and Broadbent see the NHS reforms as part of the "financial management initiative" that the British government has been attempting since the early 1980s. This has brought with it contracting out of public services, "market testing" in the civil service, schools opting out of local authority control, the purchaser-provider split, and a general devolution of financial management and responsibility to the units responsible for delivering services. But with that devolution have come performance indicators, tighter accountability, competition, and an emphasis on efficiency and parsimony.

Laughlin and Broadbent have been studying six general practices (over the three years some have become fundholders) in one family health services area, looking at the effect of the 1990 contract, the introduction of drug "budgets" and medical audit, and the shift towards a more managerial family health services authority.

Their general message is that general practitioners have responded to these new pressures by delegating the bits that do not fit their idea of core general practice. Thus the new administrative demands (seen as having little relation to patient care) and most of the health promotion activities (seen as being of dubious medical value) have been delegated to practice managers and practice nurses. In turn these two groups have adapted these tasks to include things that they wanted to do (for example, the nurses taking a holistic approach to health promotion), and as a result these two groups have seen their status and job satisfaction grow. The overall effect is that general practices have not changed their fundamental values and ways of behaving: they have simply absorbed the new changes. Similarly, in schools the impact of managing budgets has been absorbed by heads, deputy heads, and bursars, leaving most teachers to get on with the "real" work of the school.

The nice thing about Laughlin and Broadbent's analysis was that their theoretical explanation of what was happening was mirrored at the seminar by a practical account

by a general practitioner and his practice manager of what they were doing. As one of the few fundholders in south London this group practice had decided at the outset not to spend money in the private sector, to insist that any gains they won from providers should be extended to all local general practitioners, to agree rules for accepting new patients, and to keep a low profile. Their reasons for becoming fundholders were all to do with protecting the way they practised. Perhaps most interestingly, in the light of Laughlin and Broadbent's analysis, was the general practitioner's observation that fundholding had affected only part of what practice does: out of 60 000 consultations for a population of 20 000 patients (5000 of them home visits), there were only 3000 outpatient referrals.

Part of Laughlin and Broadbent's thesis is to question whether a fundamental change in the values of professionals (health professionals, teachers, civil servants) was ever necessary. They doubt whether it was, believing that the financial management initiative has been introduced into the public sector at vast expense and with little evidence that it has improved services. Even if it was, however, their analysis shows that such a fundamental change is not occurring. This suggests, they say, "a radical programme which does not have clear legitimacy and isn't achieving its purposes anyway but in the process is costing the taxpayer and the professionals dear."—JANE SMITH