Testing after the course shows that 95% of students possess (under examination conditions) the relevant skills and also shows considerable changes in the students' attitudes towards computers and information technology.

Such a course is not, however, without problems. Firstly, a course in computing for medical students is unlikely to be popular. A course will succeed best if it is practical (that is, it teaches skills) and clinical (that is, preclinical students are presented with clinical scenarios and problems that they can solve only with the aid of the computer and a minisuperhighway). Secondly, the course must be "streamed," reflecting mixed ability. Incoming students range in ability from being completely ignorant about computers to having held a computer consultancy. It is impossible to teach the same course to every medical student: the high flyers get bored and the neophytes become terrified. Finally, the course needs appropriate resources. We are fortunate in respect of hardware at Leeds University. The course is also, however, labour intensive. If one wishes neophytes to acquire computer skills rapidly and effectively then appropriate demonstration (sometimes on a one to one basis) is necessary.

TIM DE DOMBAL

Director

SUSAN CLAMP

Deputy director

MARIANA MARGULIES

Visiting clinical research fellow

MAY CHAN

Chief programmer

Clinical Information Science Unit,
University of Leeds,
Leeds LS2 9LN

1 LaPorte RE, Akazawa S, Hellmonds P, Boostrom E, Gamboa C, Googh T, et al. Global public health and the information superhighway. *BMJ* 1994;308:1652-3. (25 June.)

2 Jones R, Kinn S. Global public health and the information superhighway. *BMJ* 1994;309:736-7. (17 September.)

3 General Medical Council. *Tomorrow's doctors. Recommendations on undergraduate medical education.* London: GMC, 1993.

Sick doctors

Workaholics harm families also

EDITOR,—I am disappointed that Liam J Donaldson's editorial on sick doctors makes no mention of workaholic doctors and the peer pressure that results in doctors seeming to take pride in workaholism.¹ This "respectable addiction," as it has been described, seems not to be recognised in Britain. Doctors who do not subscribe to such an ethos may often be criticised by other colleagues as being lazy, lacking in motivation, or unambitious, whereas they may be showing a healthier balance of concern for themselves and their families.

As Donaldson states, doctors have a high mortality from suicide, self injury, poisoning, and cirrhosis. This may well be the visible tip of the iceberg. It would be interesting to see the profession have the courage to investigate the effect of doctors' working patterns on their families. The current political concern for the importance of family life is not widely put into practice by doctors with families.

The editorial views the problem of sick doctors in terms of the relatively well defined threat to patients and perhaps the profession. The wider aspect of the damage to the health of the doctors, their families, and society as a whole is more intangible and insidious. Work may never be seriously enough affected for the problem to be a threat to patients or colleagues, and it is easy for colleagues to minimise problems as being due to poor judgment, poor interpersonal communication, or poor management. The costs to the families is professionally invisible; the true cost to them and ultimately to the health service and society may not be apparent till many years later.

Several American books have been published on the subject,^{2,4} which warrants serious consideration. A branch of Workaholics Anonymous has recently started in Britain; its address is c/o 9 Maunsel Street, London SW1P 2QL

SUE HEY

Newcastle upon Tyne NE3 1UD

1 Donaldson LJ. Sick doctors. *BMJ* 1994;309:557-8. (3 September.)

2 Killinger B. *Workaholics: the respectable addicts.* London: Simon and Schuster, 1991.

3 O'Neill J. *The paradox of success: when winning at work means losing at life.* New York: Putnam, 1994.

4 Fassel D. *Working ourselves to death: the high cost of workaholism and the rewards of recovery.* San Francisco: Thorsons, 1992.

Existing services need to be coordinated

EDITOR,—Liam J Donaldson's concern for sick doctors is welcome¹ as he and his colleagues in management are responsible for the care and wellbeing of staff and for the quality of the occupational health services provided. The problem of sick doctors is not new: in 1832 Thackrah described not only the risks of infection but "anxiety of the mind."² The relentless changes taking place throughout the NHS are taking their toll on doctors at all levels, as well as other occupational groups, including management. The effects may be shown by absence due to sickness or early retirement, and finding a senior doctor who wants to work until normal retirement age is difficult now.

Health care workers make up about 5% of the national workforce and are exposed to a wide range of occupational hazards, yet many do not have access to consultant led occupational health services. Provision has improved recently, though many advertisements put great emphasis on income generation, and the conclusion reached in a major review in 1990—that "management attitude to occupational health is frequently primeval compared with their counterparts in private industry"³—is, with some notable exceptions, still valid.

Where competent occupational health services exist doctors use them, but neither party is likely to advertise the fact. Trained occupational physicians are required to work to strict ethical standards, and revised guidelines have recently been issued by the Faculty of Occupational Medicine.⁴ Confidentiality is paramount, and separate records should be maintained in the occupational health department. Doctors, who receive little undergraduate training in occupational medicine, may not be aware of the services that are available, and so consultations with colleagues in a corridor, self administration, and poor follow up continue.

Sick doctors need clear information on access to help, a prompt and high quality service, and competent advice on rehabilitation available within occupational health departments. The existing services—general practice for all, consultant occupational physicians for some, and "three wise men" and helplines for sick doctors for others—need to be coordinated and developed into a comprehensive and high quality service. The Faculty and the Society of Occupational Medicine are willing to advise on appropriate levels of provision and competence.

EWAN B MACDONALD

Dean, Faculty of Occupational Medicine

ELIZABETH C MCCLOY

President, Society of Occupational Medicine

Royal College of Physicians,
London NW1 1LB

1 Donaldson LJ. Sick doctors. *BMJ* 1994;309:557-8. (3 September.)

2 Thackrah CN. *The effects of arts, trades and professions on health and longevity.* 2nd ed. London: Longman, 1832.

3 Harrington JM. The health of health care workers. *J R Coll Physicians Lond* 1990;24:189-95.

4 Faculty of Occupational Medicine. *Guidance on ethics for occupational physicians.* London: FOM, 1993.

Develop existing occupational health services

EDITOR,—Liam J Donaldson calls for "the creation of a new and cohesive national framework" for the management of sick doctors.¹ An effective service is certainly needed,² but surely we should use and build on the existing skill in occupational health services rather than develop a new system in parallel. Indeed, Donaldson describes features of the sort of service that could and should be provided by occupational health units throughout Britain.

We accept that the present provision is patchy. The Department of Health called for the development of properly staffed occupational health services in all districts as long ago as 1982,³ yet there are still fewer than 50 full time consultant occupational physicians in post. More recently the BMA has recommended the provision of a consultant led occupational health service as a prerequisite for approval of trust status.⁴ Resources are needed to develop existing departments and attract fully trained and competent staff into them.

The management of sick doctors raises many sensitive and ethical issues. Anecdote suggests that many sick doctors are not referred to occupational health departments, but occupational physicians see other health professionals such as nurses, ambulance crew, and laboratory staff regularly, and there are many issues in common. Specialist occupational physicians have in depth knowledge of the local situation and have built up relationships with managers and clinicians. They work to a strict and well defined code of confidentiality.⁵ They are experienced in liaising with local treatment services. Many have developed reciprocal referral arrangements with colleagues in neighbouring districts. This is especially important for psychiatric problems, when staff are often reluctant to consult a colleague in their own institution. To ensure the best use of services we need to encourage a culture in which doctors feel more able to seek early help and advice for health problems. This needs to begin during the training years.

The Association of NHS Occupational Health Physicians is well placed to liaise with interested bodies at a national level and to coordinate a uniform approach to the management of sick doctors. We agree that more needs to be done to help such doctors. But to ignore the framework and skill that already exist in occupational health services and instead develop a parallel system would be expensive and inefficient.

S WILLIAMS

Senior registrar

A COCKCROFT

Consultant

Occupational Health Unit,
Royal Free Hampstead NHS Trust and School of Medicine,
London NW3 5UL

T CAW

Senior lecturer in occupational medicine

Institute of Occupational Health,
University of Birmingham,
Birmingham B15 2TT

K HARLING

Consultant in occupational medicine

Occupational Health and Safety Department,
Bristol Royal Infirmary,
Bristol BS2 8HW

B GRANEK

Consultant

Department of Occupational Medicine,
Royal Brompton Hospital,
London SE3 6NP

1 Donaldson LJ. Sick doctors. *BMJ* 1994;309:557-8. (3 September.)

2 Nuffield Provincial Hospitals Trust. *The provision of medical services to sick doctors: a conspiracy of friendliness?* London: NPHT, 1994.

3 Department of Health and Social Security. *Health services—management. Occupational health services for NHS staff.* London: HMSO, 1982. (HN(82)33.)

4 British Medical Association. *Environmental and occupational risks of health care.* London: BMA, 1994.

5 Faculty of Occupational Medicine. *Guidance on ethics for occupational physicians.* London: FOM, 1993.