Scottish death rates published with health warning

Death rates for NHS patients in Scotland were published for the first time by the Scottish Office this week with the warning that only limited comparisons could be made between hospitals. The data published in the Clinical Outcome Indicators Report 1994 looks at 17 measures. Although not all are related to death, the ones most likely to cause a public outcry are mortality within 30 days of admission for acute myocardial infarction, stroke, or fractured neck of femur.

Although the report states that the data do not constitute league tables, the indicators are listed to allow comparisons between the average outcomes of over 20 NHS trusts between 1990 and 1993. For myocardial infarctions, for example, there is a twofold difference between Fife Healthcare NHS Trust, with a mortality rate of nearly 30%, and Western General Hospitals NHS Trust, with a rate of just over 15%. But Dr Robert Kendell, chief medical officer for Scotland, says in his introduction to the report, "It would be wrong to conclude from any one of these clinical outcome indicators that one hospital provides better treatment than another." Each table carries a footnote: "Warning: This information should be interpreted strictly in accordance with the general and the specific guidance given in this report."

Dr Kendell emphasises that variations in outcomes are as likely to be due to differences in patients themselves rather than in the quality of care between hospitals. No quality of care measures were looked at in the report. "If an individual NHS Trust appears to fare badly on a particular indicator we expect that the clinicians concerned will immediately review their treatment of that condition to find out whether it is unusual or incomplete in any way and why others appear to be getting more satisfactory results," he said.

The report, by the Clinical Resource and Audit Group (CRAG), uses data collected and coded routinely in hospitals for the Scottish Morbidity Record. The data are held centrally by the Information and Statistics Division (ISD) of the Common Services Agency, which has a system of record linkage whereby individual patients' separate episodes of inpatient care, readmissions, and death can be followed over time. Such linkage is available only in Scotland and is considered more sensitive than using finished consultant episodes of care, which may

count the same patient more than once.

The group emphasises that its aim is to promote discussion between clinicians and managers. "The Group's focus has been on the practical application of clinical outcomes that managers can use, which are clinically relevant and have the full support of the clinicians or staff involved," says the report. "It is an enabling not a threatening exercise which will involve a constructive dialogue between professional clinical staff and managers, providing the evidence on which discussions with purchasers may take place."

But the group acknowledges that its data are limited. The most detailed analysis is on mortality after admission for myocardial infarction. As well as being standardised for age and sex, both of which affected death rates, the data were analysed for the effects of comorbidity, previous myocardial infarcts, and deprivation. The additional standardisation had little effect on the death rates. Rather than blame differences in quality of care for the variations, the report suggests that units may vary in admission policy or coding.

"The variation is probably due to differences in severity of the myocardial infarction and referral and admission thresholds," said Dr Simon Capewell, a spokesperson for CRAG. "There is not a clear cut off between the diagnosis of unstable angina and heart attack. Some hospitals will admit patients with unstable angina and do their cardiac

enzymes. Other hospitals won't admit them. This group has a 99% one month survival rate, so if these patients are added into the data of a hospital the denominator rises and the death rate falls.

"Some district hospitals may have different criteria for admission than teaching hospitals, and the group that they label as having a myocardial infarct will be more seriously ill. But this is a hypothesis at the moment."

The data for mortality one month after a stroke also carries a warning in the report that differences in rates which range from 17% to 32% may be due to comorbidity and severity factors not captured by the coding system and by differences in admission thresholds.

Martin McKee, head of the Health Services Research Unit at the London School of Hygiene and Tropical Medicine, believes that data used for both stroke and myocardial infarction are imprecise. "Just as there are problems in the clinical criteria used to define unstable angina and myocardial infarction there are problems with transient ischaemic attacks and strokes," he said. "You need to have explicit diagnostic criteria so that when people use a term they all mean the same thing. The question with these data is whether they have adjusted for differences such as severity. In the US they use more sophisticated measures."

McKee is critical of some of the other

Headlines

Smokers are being misled: An advisory committee of the US National Cancer Institute says that smokers are being misled by cigarettes called light and ultra light into thinking they are safer. It said that tar and nicotine figures on packets don't reflect health risks.

New York toughens smoking rules: The New York City council is expected to endorse its proposals to prohibit smoking in open air sports arenas and zoos. Open air cafes would have to provide no smoking areas. Smoking would be limited to the bar area in restaurants.

Pilot studies to help drug misusers: The British Department of Health has allocated £900 000 to fund pilot studies over the next 12 months for oral methadone maintenance programmes in London, Avon, Bradford, Bristol, Leeds, and Newcastle upon Tyne.

Home births are safe for most women: A report by the National Perinatal Epidemiology Unit, which is funded by the British government, says that home births are safe for most mothers and that some mothers and babies may do worse when looked after in hospital.

US court rejects antiabortionists' plea: The US Supreme Court has turned down appeals from antiabortion activists who say that they are wrongly being sued as racketeers under federal law for blocking access to clinics.

France's largest medical charity accused: France's largest medical charity, L'Association pour la Recherche sur le Cancer has been accused in a leaked letter to a government minister of misusing its funds and for spending much of the money collected to "finance the development of external commercial companies" and not on cancer research.

Correction

Chairman of Burnley trust resigns

There was an editorial error in the headline on the resignation of the chairman of the Burnley trust (3 December p 1460). It was incorrect to say that the medical director, Dr Sam Pickens, "had made a consultant, Mr Ian Mahady, redundant." This was a trust board decision and the medical director does not have such authority.

outcome indicators in the report such as rates for suicide, deaths from cervical cancer, and rates of emergency readmission after discharge from a medical specialty. "With suicide you have to ask the extent to which it can be prevented," he said. "There is also a question over what health services can do to improve the uptake of cervical screening. Readmission is a very poor indicator because there is amazing variation in the decision to admit in the first instance and considerable variation in the decision to readmit. It may reflect pressure on beds. If you have to be admitted it indicates you have not had a good outcome, but there may be lots of other people who are not readmitted who have also had a bad outcome.

"It is worth looking at these data and going to the hospitals, looking at the notes, and seeing if there are a higher number of patients being treated badly. My worry is that this is an attempt to reduce health services to something simple. It doesn't look at measures to do with the quality of life."

But CRAG believes that its data will act as an impetus for further research into differences in clinical outcome indicators and has recommendations for how such audit should continue. It recommends that clinical staff should review the quality of their clinical records and reach agreement on definitions and coding of conditions. Indicators should allow for severity of disease, age, comorbidity, and case mix. In the future, contracts will require Scottish trusts to look at additional outcome measures such as deaths within 30 days after cholecystectomy and operations for cancer of the colon.

"We are very aware that all outcome indicators can be misinterpreted," said Capewell. "We want people to think through what the rates mean, not to produce a knee jerk reaction. We don't believe in keeping this information secret—it's not in the public's interest. But we also don't believe in

publishing reams of data without some attempt to interpret them. These measures will slowly become better indicators of health care."

The National Association of Health Authorities and Trusts (NAHAT) said that the data were crude but useful as a starting point. Purchasers could use outcome measures to help them to buy effective treatment. "But we believe the most effective measure is whether patients return to a healthy life after they have been treated," said Barbara Connah, a spokesperson for NAHAT.

Other indicators in the report are rates of teenage conception, therapeutic abortion, childhood incidence of measles, admissions for diabetic ketoacidosis, inpatient stays for children with asthma, discharge home after fractured neck of femur, deaths within one year of discharge from a psychiatric unit, and suicides within one year of discharge from a psychiatric unit.—LUISA DILLNER, *BMJ*

Consultants consider sanctions over local pay

Britain's senior hospital doctors are threatening to impose sanctions if the government persists with its proposals for local performance related pay. At last week's meeting of the BMA's Central Consultants and Specialists Committee (CCSC) no one opposed proposals from its sanctions working party to take action on two fronts.

Firstly, consultants would insist on treating all patients on the basis of clinical need regardless of whether they were being treated under contract with the trust. This

Royal Infirmary of Edinburgh: one of over 20 hospitals in CRAG's report

SCOTSMAN PUBLICATIONS

procedure would bypass any two tier systems that give priority for non-urgent treatment to patients of general practice fundholders or to patients being treated under the waiting list initiative. The CCSC believes that the public would understand this action, which would improve patient care. Decisions about clinical need would be taken by doctors and not by managers.

Secondly, consultants would consider giving up their goodwill work for the NHS. At present consultants work 10 notional half days a week, which represent their contractual commitment. But on average each consultant works an additional 14 hours each week, much on unpaid management work.

"It is difficult to describe the anger and demoralisation among senior hospital staff," said Mr James Johnson, the CCSC's chairman. "Local pay will split the NHS into 450 different health services with different pay levels." He warned that it would herald the end of the independent review body system. Although the actions proposed are the ones that the CCSC thinks will cause least harm to patients, Mr Len Harvey, a medical director in Rugby, warned, "If you really want to win this battle, patients will be hurt. You will have to explain that it is in their long term interest." The only thing that the government would understand would be consultants deciding to work to contract.

The trigger for action will be the imposition of an enabling clause allowing NHS trusts to pay doctors whatever they wish or a nil or small award by the review body, leaving trusts to make up the pay. Mr Johnson will seek approval from the BMA council for the implementation of the sanctions; legal advice will be taken; and BMA members will be balloted in advance of any action.

The CCSC instructed its chairman to seek an urgent meeting with the health secretary to persuade her to abandon proposals for an enabling clause. The committee's sanctions working party will continue to meet to develop further measures that the profession might take. There was little support at last week's meeting for any form of strike action, and speakers emphasised that there should be minimal harm to patients. The BMA was asked to continue to draw attention to what was happening in many hospitals. "Most of us are engaged in a massive cover up about the underfunding in our hospitals," Mr Richard Marcus, a medical director in Stratford upon Avon, told the meeting. He said that medical staff should produce dossiers of what was going on.

Senior doctors last took industrial action in the mid-1970s when a Labour government proposed withdrawing pay beds from the NHS. Speaking after the meeting, the health minister, Mr Gerald Malone, said that senior officials were having discussions with the BMA about local pay. "It is unfortunate that the BMA is discussing sanctions on the assumption that these talks will fail," he said. "Properly handled local pay will encourage and promote good clinical practice. Local pay should be linked with the success of the organisation. I am determined that local pay will be handled in a way that benefits patients and supports the team."

—LINDA BEECHAM, *BMJ*

Rwanda: those who survived did so through luck

Rwanda counts the cost of atrocities

As many as one million Rwandan men, women, and children were murdered between April and June this year—an event described in a new report from Physicians for Human Rights as "one of the nastiest episodes of human behaviour ever to take place."

The report is the result of an investigation that sought to record human rights abuses as well as instances of medical staff "participating or colluding with human rights abuses." Two delegates from Physicians for Human Rights spent 12 days in July travelling through Rwanda, examining and recording evidence from witnesses as well as sites of massacres. Their report says: "It is not possible to remain neutral in the face of such unremittingly repeated tales of this order of cruelty and brutality. Most of those who survived did so entirely through luck." The report continues: "There are a number of valid human responses to witnessing [a tiny part of] the evidence of that loathsome 100 days in Rwanda; one is a very deep sustained anger."

Up to one in seven Rwandans were killed between April and June, and the report concludes that "the tendency of the international community to erroneously label the killings as tribal, compounded by confused responses on the part of the United Nations, allowed the impetus of the slaughter to develop a critical momentum that only the slaughter of most Tutsis and moderate Hutus or the military defeat of the [Rwandan] government forces could end."

The report refers to two doctors who were senior members of the interim government of Rwanda, which conducted the mass

slaughter: "It is not easy to accept the reality that two doctors have contributed in an executive capacity to one of the nastiest episodes of human behaviour ever to take place—maleficence amounting to an utter and total abrogation of the ideals that underpin medical practice and medical ethics."

But doctors were also killed, sometimes while helping others to survive. Rwanda's health minister, Dr Joseph Karemera, on a visit to the BMA last week, said that the combination of those killed and those who, having killed, had fled the country meant that there was now a serious shortage of qualified medical staff. Dr Karemera said that priorities were immunisation, sanitation, and prevention of disease.

"The whole infrastructure of our health system was destroyed. It is difficult for us to treat patients or to vaccinate children," he said. "One particular problem is the camps, which we hope to phase out as soon as possible because they are a real health hazard."

Dr Karemera said that AIDS was also a big problem and that efforts were being made to produce educational material. "It has become rampant as a result of the problems of rape which have gone on—they were even taking young girls and giving them to HIV positive soldiers on purpose."

The report from Physicians for Human Rights speaks of the ethical vacuum in which doctors operated during the atrocities and says that had there been a medical professional organisation in place in the years preceding the holocaust it might have helped.—CLAUDIA COURT, *BMJ*

Rwanda 1994, a report of the genocide is available from Physicians for Human Rights, c/o University Department of Forensic Medicine, The Royal Infirmary, Dundee DD1 9ND.

Back treatment needs revolution, says report

Management of acute back pain in Britain may be contributing to chronic problems and disability, said the Clinical Standards Advisory Group last week. Its 160 page report says that back pain is increasing and that a revolution in existing services is needed.

The advisory group, which is funded by the Department of Health, wants to see fundamental changes in the treatment of back pain, which accounts for the loss of an estimated 52 million work days a year. The condition also costs £1.4bn in sickness and invalidity benefit payments. In 1993, 1.6 million people attended outpatients departments for back pain, a fivefold increase over the past decade. The report says that bed rest may cause long term problems and that the current emphasis on treating chronic disability rather than the acute episode may be contributing to the increase.

The report argues that the emphasis should be put on active treatment of acute back pain in primary care. It says that 90-95% of patients with back pain could be treated in the community and recommends that general practitioners have direct access to physiotherapists and chiropractors if back pain does not settle in 1-3 days. Only in extreme cases should bed rest be advised, and then for only a couple of days.

These guidelines for management are based on those recently adopted by the US Agency for Health Care Policy Research but also incorporate feedback from British specialists in conventional and complementary care and from patient representatives and the views of those health districts visited by the advisory group. A consensus plan for treatment and a clinical algorithm have been produced, and the group hopes these will form the basis for postgraduate education.

The report argues that back pain should be included as a key area for Health of the Nation. Tom Sackville, parliamentary under secretary at the health department, said that it was up to clinicians and NHS managers to consider what action they could usefully take.—KWAME MCKENZIE, *BMJ*

1 The US Federal Agency for Health Care has recommended that most acute, painful low back pain should be treated with non-prescription analgesics and mild exercise, such as walking and swimming. The agency is concerned not only at the cost (estimated at \$20bn (£13bn) in 1990) but also at the variation in the way that back pain is diagnosed and treated. It found no scientific basis for spinal traction and acupuncture and rejected extended bed rest, oral steroids, and electrical stimulation. Spinal manipulation could relieve pain, especially within the first four weeks.—FRED B CHARATAN, freelance journalist, Florida

Back Pain is available from HMSO bookshops, price £14.95.

General practitioners should have direct access to chiropractors

Redundancy process was flawed, admits trust

Burnley Health Care NHS Trust has admitted that the process surrounding the redundancy of Mr Ian Mahady was flawed and that an urgent review of the management structure is needed. This week the report of the independent inquiry panel, which the trust set up to investigate the circumstances of the redundancy, was published in full. This recommends that Mr Mahady should be reinstated as an NHS consultant and says that the management processes were inadequate, inappropriate, and often confused. The panel comprised two consultant obstetricians and gynaecologists, Mr Robert Atlay medical director, Liverpool Obstetrics and Gynaecology Services NHS Trust, and Dr David Warrell, chairman, Mid Cheshire Hospitals NHS Trust.

Mr Mahady, a consultant obstetrician and gynaecologist, was made redundant in September after the trust decided that because it had not met part of its gynaecology contract with East Lancashire Purchasing Authority one of the four consultants in the specialty would have to go (12 November, p 1249). Mr Mahady was offered voluntary redundancy because he had the lowest number of referrals from general practitioners. He refused, but was made redundant anyway.

Following the redundancy the chief executive, Mrs Maggie Aikman, was asked to leave, partly because of doctors' and patients' anger over the action. The medical director, Dr Sam Pickens, was criticised for not consulting doctors on medical issues and resigned in November. The chairman, Mr James Rawson, also resigned.

The trust board has already started work on a review of the management structure under the acting chief executive, Mr David

Chew. Although the board does not associate itself with the criticisms of individuals in the panel's report, it has agreed to investigate further and offer them the opportunity to respond. It will also decide whether to respond to those parts of the report which may prove inaccurate or unacceptable.

In recommending that Mr Mahady should be reinstated, the panel offers the board three options. Firstly, he could be reinstated as a consultant in the women's unit at Burnley. Secondly, he could be reinstated into another post in the trust in a different clinical area. Thirdly, he could be appointed to a post at another hospital. The board has said that it will meet Mr Mahady shortly "to seek his views on the best way forward to manage his reinstatement."

Although the panel received evidence that Mr Mahady was "a forceful character who could be difficult to work with," at no time were questions raised about his clinical competence. The panel found that no other solution to redundancy was properly investigated; that the BMA was not consulted until July; and that it was left to the BMA to draw up a redundancy handling procedure. The panel was told that the decision to give Mr Mahady three hours' notice, which it says was totally unacceptable, was at the chairman's insistence. The panel could not substantiate claims that adequate patient care had been arranged for his patients.

The panel recommended that the trust should review its scheme of delegation and identify who has responsibility for agreeing contract levels, the routine monitoring of finance and activity levels, and the level at which remedial action should be taken and by whom.

Steps have already been taken to repair the damage in the relations between management and the medical profession, but the panel also recommended that the personnel policies and procedures in relation to consultant medical staff should be fully documented and made widely available.—LINDA BEECHAM, *BMJ*

Judge blocks Oregon's assisted suicide measure

A federal judge in Eugene, Oregon, stepped in to block the implementation of Measure 16, which would have legalised suicide helped by a doctor, on the day that it was due to become law. Voters in last month's election in the US approved Measure 16 by 53% to 47%. But the National Right to Life Committee, better known for its anti-abortion activities, persuaded Judge Michael Hogan to delay implementation of Measure 16 until 19 December, when a hearing has been scheduled.

James Bopp Jr, a lawyer employed by the National Right to Life Committee, argued that Measure 16 violated the equal protection amendment of the constitution and that an immediate restraining order was needed to protect dying patients from "irremediable harm." But state deputy attorney General Thomas Balmer reportedly said that the case against the impending Oregon Death with Dignity Act was flimsy. "Our analysis of the measure is that it is constitutional and does not conflict with any federal statutes." The new law would have made Oregon the first place in the world to legalise outright the practice of suicide assisted by a doctor.

Oregon's Catholic hospital system is threatening to discipline doctors who help their terminally ill patients to kill themselves, even though the new law prohibits disciplinary measures. Reverend Norbert Novak,

ethicist for Providence Medical Systems, one of the three largest health care systems in Oregon, said, "We have contractual relationships with all of our staff and employees to follow our policy and our values when they participate in our system." A spokesperson for Providence said later that doctors could be disciplined only if they supported a suicide while on Providence's property or if they were taking part in an activity sponsored by Providence.

Dr Leigh Dolin, an internist and president of the Oregon Medical Association, said that the association was taking a neutral position on Measure 16. "Not many of us are enthusiastic about getting this thing under way," he said, pointing out that there were no data on precisely what happened when patients took a lethal dose. The *Oregonian* newspaper printed reports from doctors in the Netherlands, who found that some patients could linger for days after taking a supposedly fatal dose of drugs. —FRED B CHARATAN, freelance journalist, Florida

Sydney surgeon accused of HIV transfer

The Sydney surgeon involved in what is believed to be the world's first case of patient to patient transmission of HIV has been found guilty of unprofessional conduct. An inquiry by the New South Wales Medical

Tribunal has, however, failed to discover how the cross infection took place.

The tribunal found that there had been a breach of proper procedures by Dr T P Davis, aged 63, whose first name has been suppressed, which led to four women aged between 18 and 81 contracting HIV. It concluded that infection control guidelines must have been breached to allow the virus to pass from a male patient who was HIV positive to the four women after they all visited his rooms for minor surgery on 13 November 1989.

A 75 year old woman has since died; the oldest and youngest women are both ill; and the 31 year old mother of two has begun legal action against Dr Davis. After deliberating for three months the tribunal found that Dr Davis should be reprimanded and forbidden from performing surgery anywhere but in a hospital. It also ordered that he undertake a course in sterilisation and disinfection procedures. A second more serious complaint of professional misconduct was dismissed.

The chairman of the tribunal, Judge Hubert Bell, said that Dr Davis's age, reputation, and distinguished career as a surgeon meant he should not be struck off or fined. "The very fact that these proceedings were taken constitutes severe punishment," he said. Judge Bell said that Dr Davis and the Health Department should pay their own costs, estimated to exceed £150 000.

Dr Michael Eagleton, the president of New South Wales branch of the Australian Medical Association, said that he was disappointed by the decision: "The tribunal has shed no new light on how the infection occurred in this particular case. Why is Dr Davis guilty of something?"

During the 12 day hearing the Health Department argued the "most likely cause of infection was contaminated local anaesthetic used on the HIV positive man, who has since died and may not even have known he had the disease, and then re-used on the women."

It said that Dr Davis could have used a multidose vial of lignocaine, injected the man, and then inserted the same needle into the phial to top up his dose, thus contaminating the local anaesthetic. Dr Davis, who said that it was "extremely unlikely" that the women had contracted HIV in his surgery, denied using such phials, and the health department found no records that he had ever ordered them.

The tribunal discounted the possibility of a new method of HIV transmission or a new strain of the virus resistant to sterilisation. "It seems to us that while there must have been some breach of procedure or some intervening act—deliberate or accidental—by Dr Davis, or indeed some other person, we are unable to say precisely what it was or even that it must of necessity been one of the events suggested," the tribunal found.

Ms Merrilyn Walton, head of the Health Complaints Commission, which brought the case, said that the findings sent a message to doctors to comply strictly with infection control procedures.—CHRISTOPHER ZINN, Australian correspondent, *Guardian*

Voting for assisted suicide: the measure may be unconstitutional

Surgeon general resigns in masturbation row

America's chief doctor resigned last week after saying that masturbation could be an appropriate subject to teach schoolchildren. Surgeon General Joycelyn Elders was asked to go by President Bill Clinton after she angered conservatives by discussing the possibility of encouraging masturbation to prevent sexually transmitted diseases. Her remarks were made at an AIDS meeting held by the United Nations in New York.

Elders, who is 61, has been outspoken on public health since she was appointed nearly two years ago. She suggested handing out free condoms in schools and criticised the Catholic church. In 1992 she told abortion opponents to "get over their love affair with the fetus." The next year she said, "Look at

who's fighting the pro-choice movement: a celibate male dominated church." She has been especially vocal about the relation of poor public health to poverty.

Her tone has alienated conservatives, especially Republicans, and many say that the recent election had placed her job in jeopardy, since Clinton now must deal with a Republican majority in Congress. According to media reports, Clinton and his close aides had warned Elders to refrain from "controversial topics."

But at the UN meeting earlier this month she was asked whether masturbation should be encouraged as a way to prevent infectious diseases. "As to your specific question in regard to masturbation, I think that is something that is a part of human sexuality, and it is part of something that perhaps should be taught," she answered. "But we've not even taught our children the very basics. I feel that we have tried ignorance for a very long time, and it is time we try education."

When Clinton was told of her statement

last week he reportedly said, "She must resign." She did resign, but Clinton's top aide said that if she had refused "she would have been fired."

The surgeon general is the highest ranking doctor in the US, and the role is that of chief public health officer. In years past the job was fairly non-controversial, with the exception of the surgeon general's reports on tobacco in the early 1960s.

But during the Reagan administration, C Everett Koop, a conservative paediatric surgeon, was appointed and soon created a whole new role for the surgeon general. He took public positions favouring sex education and condoms for teenagers, arguing that he had to put public health before politics. Koop was quietly pushed out of the government, and Dr Elders's attempt to emulate his style led to her public downfall last week. Her departure has been met with bitter criticism from gay rights organisations and abortion rights groups.—JOHN ROBERTS, North American editor, *BMJ*

Focus: London

The end of doctors, or the beginning of accountability?

Just as this week's *Economist* is predicting the end of doctors, so doctors are engaging ever more in the process of defining what it is they do and should be doing. This week's letters columns (p 1667) show their response to the challenge laid down by last month's conference on core values in medicine. The same willingness to engage in the debate comes, in very different covers, from Julian Tudor Hart in a Socialist Health Association pamphlet published last month.

For most of his working life Hart has been a general practitioner to a Welsh mining community. He has been a lifelong socialist, and most doctors will know him for his coinage of the inverse care law. This states that the availability of good medical care tends to vary inversely with the need for it in the population served. Since Hart believes that the law operates more completely when medical care is exposed to market forces, it is no surprise that his pamphlet, *Feasible Socialism: the National Health Service, Past Present and Future*, criticises the NHS reforms. Hart wrote to the *BMJ* shortly after the introduction of the reforms pointing out that they would result in the relegation of hospitals like his local one from the second division to the third. It was one of the strengths of the old NHS, he argued, that it succeeded in reducing the disparities in services that existed before 1948.

Part of Hart's thesis is the familiar one that the old, pre-1989 NHS provided a more cost effective service than any of its competitors based on insurance or fees for

service. "We seemed almost inadvertently to have discovered a cash free economy which was both popular and effective." He thinks that professional integrity not only survived what Americans called "socialised medicine" but grew. Giving doctors economic incentives to remove parts of bodies or interfere with chemicals is not always good. It is not, he says, necessary to assume bad faith on the part of doctors: they naturally assume that their own and their customers' interests coincide. But in that way "the market rewards credulity and penalises scepticism."

What is interesting about Hart's thesis, however, is that he challenges the current reforms on their own ground. He accepts that the days of professionals being accountable to no one but themselves are over. Health workers, he says, "need to do more than merely hold good opinions." They need, among other things, to use the language of science and economics. "Providing all social costs and benefits are taken into account ... and providing we make full allowance for the large but measurable uncertainties surrounding all calculations in human biology and sociology, we have nothing to fear and everything to gain from the most rigorous evaluation of all processes in the NHS on essentially the same lines as other parts of the economy."

Like David Morrell at the core values conference (12 November, p 1247), Hart puts the consultation with an individual patient at the heart of any system of medical care. Using good general practice as his model, Hart then argues for time in the consultation to enable patients to share in decision making.

Given this background it's not surprising

that he sees the crisis in health care as the battle between a health system based round capital intensive technical "repair" and one that is labour intensive but based on health maintenance and continuing care for chronic conditions with episodic technical care as a subordinate tool. Hart is clear that the NHS ought to follow the second path but is rapidly descending along the first, giving weight to technical interventions and abdicating its responsibility for continuing care. Here the *Economist* would probably agree with him. It thinks doctors throughout the Western world will price themselves out of a job if they interpret their role narrowly and mechanistically and thus lay themselves open to being replaced by machines and cheaper technicians.

Hart's prescriptions for reclaiming the moral and economic high ground for the NHS include greater accountability—to individual patients, as co-producers of health, to their communities, through some sort of elected representation, and through audit (because accountability rests on truthfulness). His model of accountability is downwards, from tertiary care to secondary care, from secondary to primary, and from the primary care physician to patients themselves. But perhaps his most powerful argument is his own practice. By practising what he calls "planned, audited, continuing anticipatory care of the whole community" his practice achieved considerably better health outcomes in a poor community than practices where care was simply reactive. What Hart is saying is that the inverse care law does not have to hold, and we should build a system that ensures it doesn't, rather than one that encourages it.—JANE SMITH, *BMJ*