"I look to the BMA to join the GMC in putting the case firmly that it's the responsibility of a major employer like the health service...to support retraining when necessary."

PULSE

A lot of the GMC is in little boxes—education, standards, fitness to practise—and we need to function more as a whole. In particular, I'm keen for us to look outwards and forwards. We must see what is going on in health care and constantly refresh ourselves. We must listen, be more modern, make full use of new technology. We can learn a lot from others. There is a world outside medicine that can enrich medicine.

RS: Radical change can be difficult to achieve in an organisation that has been going along a particular track for a century.

We must be less bureaucratic and more welcoming

DI: Yes, but it's not just me that wants to change. The council and the staff do as well. We start with the golden asset that people want to move on.

RS: What about the size of the council?

DI: It's very large, and that is a problem. But it's come to this through the need to satisfy a lot of different constituencies. We can do a lot to make it more enjoyable and productive. We have a lot of talent on the council, and going to two meetings a year is not the only way to contribute.

RS: What about getting more people to vote in the election?

DI: We have this debate after each election for the council, and one view is that a relatively low turnout is common in most professional organisations. People don't vote if they think that things are going reasonably well or if the election doesn't touch their lives. When *Good Medical Practice* comes in and the performance procedures begin to work I think that more doctors may see the GMC as touching their lives and more may vote in future.

The relevance of general practice to running the GMC

RS: What special skills do you bring to the GMC?

DI: Ones that stem from my experience in general practice. I'm a patient centred person. I believe in the renegotiation of the balance of power between doctors and patients—and I think that both will emerge from that negotiation happier.

I've also had a lot of experience in general practice education, and I think that people in most specialties now recognise that general practice education has something special to offer medicine. It's to do with being clear what the educational objectives are, enthusing teachers to be good teachers (and helping them get there), and making the learning experience as vital and interesting as possible. I can bring those experiences to the educational debate. Using those principles is the way to transform the preregistration year.

RS: Being president of the GMC seems now—and perhaps it's always been so—to be a very political job. Are you a political animal?

DI: I think I'm fairly streetwise. But to succeed you have to have some ideals and a good sense of direction of where you and others want to go. Then the politics follow. I couldn't rely on streetwisdom alone.

RS: You finished your last surgery half an hour ago. How do you feel about that?

DI: It's been an extraordinary week. One day I'm elected president of the GMC, the next I leave 35 years of not only my own practice but also my father's practice. But I'm leaving a happy practice. Patients seem to like it and people like to work here. I'd like that for the GMC.

1 General Medical Council. *Good Medical Practice*. London: GMC, 1995.

2 Shock M. Medicine at the centre of the nation's affairs. *BMJ* 1994;309:1730-3.

3 Smith R. Medicine's core values. *BMJ* 1994;309:1247-8.

4 Core values for the medical profession in the 21st century. Report of a conference held on 3-4 November 1994. London: BMA, 1995.

World Health Organisation: change and progress

Ilona Kickbusch

As it nears its 50th anniversary, the World Health Organisation today is being subjected to closer scrutiny than at any other stage of its history. In a world that has changed immeasurably since the late 1940s, WHO's role as the leading international health agency is more important than ever. The organisation now must show itself fit and ready to confront new, bigger, and more complex challenges of global health.

Inevitably, at a time when the United Nations system as a whole is under close and often hostile examination, WHO—as a UN specialised agency with a particularly high profile—is taking its share of criticism. The challenge is enormous.

"The World Health Organization's half century amelioration of suffering stands out as a singular achievement in international cooperation. Nevertheless, innumerable health problems, inadequately addressed by the international community, remain and stand as testimony to WHO's limitations and unrealistic goals. The Organisation's ability to adjust to these challenges in the next few years will determine the role it will play in solving global health problems in the future. The future direction and role of WHO are attracting more interest, and debate continues over how best to approach reform." This is an excerpt from

an article by John W Peabody that appeared recently in *Social Science and Medicine*¹ and which attempts to address the many difficulties facing WHO and its strengths and weaknesses. Unfortunately, the same cannot be said for the *BMJ*'s recent series of articles on the organisation by Fiona Godlee, which makes little attempt to grasp the real issues at stake. The many mistakes in the series could be excused, but from beginning to end there has been little trace of fair-mindedness. The result is unworthy of the *BMJ*.

We were left with the uneasy feeling of a hidden agenda, particularly after reading the editorial on the organisation in the issue of 4 March with the subheading "Reform must begin now but will depend on a new leader."² This could easily be read as part of an electioneering campaign on behalf of an anonymous candidate for the post of director-general of WHO when it next becomes vacant. In any case, it is simplistic to argue, as the editorial does, that finding and electing some visionary figure "in the mould of Gandhi or Nelson Mandela" for the post is the solution to the complexity of global problems that currently exist. Faced with that complexity, WHO's member states, as always, will make their choice.

Our response cannot attempt to rebut all or even

World Health Organisation, CH-1211 Geneva 27, Switzerland
Ilona Kickbusch, director of health promotion, education, and communication

BMJ 1995;310:1518-20

most of the many inaccuracies, distortions, and misinterpretations contained in the series. Nor can it adequately answer in the space available the many legitimate concerns that are generally expressed about WHO. (We are, however, sending the editor a lengthy critique of the series and can provide copies of it to anyone who is interested.) Instead, we have opted to sketch WHO's plans for the future.

Let it be clearly stated: WHO is not in retreat. It is leading the way in developing a new global understanding of health. It is proceeding with a list of 47 reforms dealing with policy and mission that are aimed at making WHO more efficient, effective, and responsive. Since these reforms were recommended, in May 1993, more than half have already been put into effect. The organisation is improving its work at country and regional levels, with the recent election of a new regional director for Africa adding impetus to reforms in the region facing the most serious health challenges.

Bridging the gaps

Contrary to your claims that in the sphere of advocacy WHO lacks leadership and is losing influence, WHO is laying the foundations now for a conference on global health policy in 1997, from which should emerge a new charter for health in 1998. Several WHO regions have produced regional policies: most recently the Western Pacific region launched "New horizons for health." A new policy paper on public health will be developed before the end of this year.

That is not all. To coincide with the World Health Assembly in May, WHO launched *The World Health Report 1995—Bridging the Gaps*, the first in a new series of annual health surveys. Unlike any previous report in content or style, it goes far beyond the conventional boundaries of health reports, and takes up in the strongest terms issues such as poverty, inequality, marginalisation, sex discrimination, and gross inequities on health and health care.

WHO's commitment to the ever increasing numbers of the world's poor and to the countries and peoples in greatest need of health assistance is a mainstay of its activities and its advocacy yet is virtually ignored by the *BMJ*. So too are WHO's actions in the arena of social development, which were vigorously articulated in Copenhagen in March during the world summit on social development. One outcome of WHO's advocacy was that health was placed firmly in the centre of the summit's agenda and recommendations. Health policies must reach beyond the health sector while remaining rooted in the principles of primary health care. A new commitment to health is contained in the summit's final declaration.

WHO's firm and consistent advocacy in these areas for more than a decade has resulted in other agencies, such as the World Bank, investing more of their efforts in health related activities. The *BMJ* presents the increasing involvement of these agencies in the health field as evidence of WHO's decline. In fact, their interest largely reflects WHO's success in persuading them and others to become partners in a multisectoral approach to health improvement.

The series criticises what it calls WHO's "full menu" approach to health but disregards the needs of 190 member states with differing health concerns. Even so, the overwhelming majority of WHO's activities and funds are directed at the problems of developing countries, such as the development of health infrastructure, environmental health, tropical diseases, nutrition, the diseases of childhood that are preventable through vaccine, and diarrhoeal and respiratory conditions.

At the World Health Assembly delegates approved a

revised budget that switches some \$80m to high priority areas such as primary health care projects. The overall programme budget to cover the next two years is about \$822m, roughly equal to the annual budget of a single, large teaching hospital in the United States. WHO's regular budget has been frozen at zero growth for over 10 years.

Godlee condemns WHO's antitobacco programme for its lack of boldness. Yet while she makes substantial use in general of a report by the Social Affairs Unit criticising WHO,³ she chooses not to refer to the same report's attack on WHO's antismoking campaign as too large and a reprehensible attempt to control and restrict individuals' lifestyle choices. The tobacco industry says of WHO's work: "It should come as no surprise that at the centre of the global anti-smoking movement lies the World Health Organization, providing programmes for tobacco control on a worldwide basis."⁴ Such selective reporting is deeply unworthy of a publication of the *BMJ*'s standing but typifies the biased approach to WHO throughout the series, with its taste for rumour and innuendo.

Eradicating disease

Again I am forced to compare the series with Peabody's article, which states, for example, "Since its foundation WHO has been the world leader in formulating professional consensus, setting international technical norms and defining health care standards." These vital functions rate but a brief mention in the *BMJ*'s series. Peabody gives due credit to WHO's eradication of smallpox, pointing out that the net economic return is estimated to be \$1000m annually, apart from the tens of millions of lives saved since 1977. He alludes to WHO's goal of eradicating poliomyelitis by the year 2000 and to its success in immunising 80% of children in the developing world against the killer diseases of childhood.

Godlee scoffs at what she calls WHO's "eradicationitis." This cheap jibe makes us wonder what value the *BMJ* places on protecting the lives of hundreds of millions of children, more than 12 million of whom are still dying every year from causes that are largely preventable. For the record, WHO is also determined to eradicate guinea worm by the year 2000 and has already achieved its 1995 goal of eliminating neonatal tetanus in many countries.

We are puzzled why the *BMJ* pays such scant attention to these efforts and accomplishments and to the day to day work that WHO performs in 190 countries. There is no doubt that shortage of funds prevents WHO from expanding its activities to meet the demands on it, but nowhere does Godlee mention that this is a phenomenon common to all United Nations and public agencies. The reader is left with the impression that WHO alone is shrinking while other agencies are prospering.

Meanwhile, WHO provides assistance ranging from the routine—expert technical advice on numerous health aspects—to the remarkable, such as lifesaving interventions in the lethal cholera epidemics among Rwandan refugees in Goma, Zaire, last year. But the *BMJ* manages to find even the remarkable unremarkable. Godlee says: "It is not WHO's role to provide emergency relief," but in fact this function is specifically mentioned in the WHO constitution. In 1993 WHO responded to more than 50 disasters and increased its input last year—with expenditures of about \$40m, mostly from extrabudgetary resources.

Between the routine and the remarkable lie WHO's steady, continuous efforts to help the poorest countries establish primary health care and build up the health infrastructures they desperately need. These are the efforts of dedicated people whom Peabody describes

as "conscientious and altruistic"; Godlee, adding insult to injury, prefers to label WHO staff as "demoralised."

What is truly demoralising is the tendency of the *BMJ* to recycle again and again a negative image of WHO, while denying credit where it is due. This doesn't hurt just WHO staff; it hurts the people WHO is trying to help. In devoting so many thousands of words to WHO, the *BMJ* had a real chance to reach the same high standards that it seeks of us and to enrich

the debate over the future of global health. Instead, the *BMJ* cheapened it, and we are left to wonder why.

- 1 Peabody JW. An organizational analysis of the World Health Organization: narrowing the gap between promise and performance. *Soc Sci Med* 1995;40: 731-42.
- 2 Smith R. The WHO: change or die. *BMJ* 1995;310:543-4.
- 3 Tollison RD, Wagner RE. *Who benefits from WHO? The decline of the World Health Organization*. London: Social Affairs Unit, 1993.
- 4 King T. Distraction Inc: inside the antismoking movement. *Tobacco International* 1994 Dec:21-5.

(Accepted 17 May 1995)

Lesson of the Week

Minocycline and pulmonary eosinophilia

R S Dykhuizen, A M Zaidi, D J Godden, S Jegarajah, J S Legge

Pulmonary eosinophilia due to minocycline is a potentially serious complication of a commonly used drug

Minocycline hydrochloride, a semisynthetic tetracycline derivative, is often prescribed by general practitioners and dermatologists for acne vulgaris in young people. It is also useful in treating bronchopulmonary and urinary tract infections. Longstanding familiarity with the drug has established its relative safety.¹ Adverse effects that have been reported are nausea, fever, blood eosinophilia, vestibular symptoms, skin rashes, photosensitivity, and hyperpigmentation. Minocycline is known to cause tooth discoloration in the fetus and is contraindicated during pregnancy and in childhood up to the age of 8 years.

We report on four patients who became unwell with fevers and pulmonary eosinophilia while receiving minocycline for acne.

Case reports

CASE 1

One week after starting Minocin MR (Lederle Laboratories, UK) 100 mg once a day for facial acne, a 36 year old woman presented with fevers, cough, shortness of breath on exertion, and weight loss. A chest radiograph showed bilateral infiltration, and her blood eosinophil count was $1.3 \times 10^9/l$ (14%). IgE in the blood measured 807 IU/l, with specific IgE against house dust mite only. Tests for antinuclear factor, antineutrophil cytoplasmic antibody, and aspergillus precipitins had negative results. The sputum contained large clumps of eosinophils with numerous Charcot-Leyden crystals. The patient was treated with 30 mg prednisolone once a day for 10 days, and minocycline was discontinued. After three weeks the patient was asymptomatic with a normal chest radiograph and eosinophil count. Rechallenge (with informed consent) resulted in a prompt recurrence of symptoms, chest radiograph changes, and blood eosinophilia ($1.9 \times 10^9/l$; 24%) after three doses of Minocin MR 100 mg. Again these resolved after discontinuation of the drug.

CASE 2

A 29 year old woman with facial acne who had been taking Minocin MR 100 mg once a day for six weeks reported a four week history of effort dyspnoea. A chest radiograph showed opacities peripherally in the right upper and lower zones (fig). The blood eosinophil count was $0.8 \times 10^9/l$ (12%). Aspergillus precipitins were positive (single line). Transbronchial biopsy showed chronic inflammation in the presence of eosinophils. During the investigations the patient's minocycline had been discontinued and her symptoms and radiological results had improved, but when

the drug was restarted (minocycline had not been identified as the aetiological agent at this stage), the symptoms recurred, to resolve again after discontinuation.

CASE 3

A 25 year old woman became unwell within three days of starting Minocin MR 100 mg once a day for facial acne; she had nocturnal fever, non-productive cough, lethargy, and anorexia. Examination revealed a temperature of $37.6^\circ C$ and acne vulgaris but was otherwise unremarkable. A chest radiograph showed patchy infiltrates peripherally in the middle and upper zones bilaterally. Her eosinophil count was $1.12 \times 10^9/l$ (10.7%); erythrocyte sedimentation rate was 96 mm/h; antinuclear factor was weakly positive with a nucleolar fluorescence pattern; total IgE was raised (260 IU/l). Tests for aspergillus precipitins and antineutrophil cytoplasmic antibody had negative results. Minocycline was discontinued and oral amoxycillin and erythromycin were prescribed; abnormalities resolved within seven days.

Eight years previously this patient had been extensively investigated for a similar illness characterised by high fevers, dry cough, raised erythrocyte sedimentation rate (120 mm/h), eosinophilia ($1.4 \times 10^9/l$), and fleeting peripheral shadowing on chest radiography. At that time she had been treated for acne with minocycline for three months. She was treated with high dose oral corticosteroids for presumed polyarteritis nodosa and recovered completely within

Chest radiograph shows opacifications in upper and lower zones of the right lung

Department of Thoracic Medicine, City Hospital, Aberdeen AB9 8AU
R S Dykhuizen, registrar
D J Godden, lecturer
J S Legge, consultant chest physician

Department of Medicine, Birch Hill Hospital, Rochdale OL12 8HS
A M Zaidi, registrar
S Jegarajah, consultant physician

Correspondence to:
Dr Dykhuizen.

BMJ 1995;310:1520-1