accepts: whatever their talents, people who have been declared bankrupt cannot sit on company boards and those with criminal records cannot practise law. Is it time to debate whether a medical student who smokes should be channelled away from primary health care?

SIMON CHAPMAN
Associate professor

Department of Public Health and Community Medicine,
University of Sydney,
Westmead Hospital,
Westmead,
NSW 2145,
Australia

- 1 Warner KE. Tobacco industry scientific advisors: serving society or selling cigarettes? *Am J Public Health* 1991;81:839-42.
- 2 Chapman S, Wong WL, Smith W. Self-exempting beliefs about smoking and health: smoker and ex-smoker differences in a low socio-economic sample. *Am J Public Health* 1993;83:215-9.

- 3 Smith G. Smoking GPs stubbed out. *Australian Doctor Weekly* 1992 Oct 18.
- 4 Silagy C, Mant D, Fowler G, Lodge M. Meta-analysis on efficacy of nicotine replacement therapies in smoking cessation. *Lancet* 1994;343:139-42.
- 5 Silagy C, Muir J, Coulter A, Thorogood M, Yudkin P, Roe L. Lifestyle advice in general practice: rates recalled by patients. *BMJ* 1992;305:871-4.
- 6 Mullins R, Borland R. Doctors' advice to their patients about smoking. *Aust Fam Physician* 1993;22:1146-55.
- 7 Heywood A, Ring I, Sanson-Fisher R, Mudge P. Screening for cardiovascular disease and risk reduction counselling behaviors of general practitioners. *Prev Med* 1994;23:292-301.
- 8 Tessier JF, Freour PP, Crofton JW, Kombou L. Smoking behaviour and attitudes of medical students towards smoking in fourteen European countries. *Eur J Epidemiol* 1989;5:311-21.
- 9 Tessier JF, Freour P, Belougne D, Crofton J. Smoking habits and attitudes of medical students towards smoking and anti-smoking campaigns in nine Asian countries. *Int J Epidemiol* 1992;21:298-304.
- 10 Tessier JF, Freour PP, Nejari C, Belougne D, Crofton JW. Smoking behaviour and attitudes of medical students towards smoking and anti-smoking campaigns: a survey in 10 African and Middle Eastern countries. *Tobacco Control* 1992;1:95-101.
- 11 Tessier JF, Freour PP, Nejari C, Belougne D, Crofton JW. Smoking behaviour and attitudes towards smoking of medical students in Australia, Japan, USA, Russia and Estonia. *Tobacco Control* 1993;2:24-9.
- 12 Crofton JW, Freour PP, Tessier JF. Medical education on tobacco: implications of a worldwide survey. *Med Educ* 1994;28:187-96.
- 13 Patrick DL, Cheadle A, Thompson DC, Diehr P, Koepsell T, Kinne S. The validity of self-reported smoking—a review and meta-analysis. *Am J Public Health* 1994;84:1086-93.

Obituaries: the future

Developing by evolution not revolution

Obituaries are one of the most popular sections of the *BMJ*. The many letters that we received in response to our last editorial on obituaries and the high response rate to our questionnaire on the subject confirmed their popularity.^{1,2} The letters and the answers to the questionnaire have helped us consider how to respond to the central problem: how to publish rapidly in a limited number of pages an ever increasing number of obituaries, preserving their accuracy and usefulness and increasing their readability. We think that we can achieve this through evolution rather than revolution.

Many diverse opinions were expressed by our 110 correspondents and 646 respondents to our survey sent to 1070 doctors, but some things emerged very clearly: most readers want obituaries kept, almost all were keen that we keep space for "ordinary" doctors, and a third wanted more attention paid to the subjects' failings. Consistently respondents thought that shorter obituaries would be better, and they strongly preferred a single paragraph: many would also accept, however, that the section should be flexible, with a mixture of death notices, short paragraphs, and longer accounts.

The major difference between the obituaries and other sections of the journal is that virtually every contribution is published. What's more, editing is mostly restricted simply to shortening. Elsewhere in the journal peer review eliminates all but 15% of submitted manuscripts, which are then edited to make them as clear and interesting as possible. To institute such a drastic "gatekeeper" approach to the obituaries would be cruel and unfair. Yet we learn a lot from the best newspapers, particularly the *Independent*, which has greatly developed the status of the obituary section. It pioneered such welcome features as vivid and frank assessments of people's failings as well as their achievements, and in their revitalised form obituaries have become still more popular features in newspapers. Even the international publication the *Economist* has introduced them.³

Above all, as elsewhere in any publication, the readers' interests are paramount. Everybody sympathises with the bereaved, but the proper forum for condolences is the private letter. Obituaries are not the place for expressions of sympathy or the honeyed clichés that currently give the

sameness to so many accounts. Often major achievements can be covered in one or two sentences: it is the events behind these that may justify a longer account. And "top" or "famous" doctors should not necessarily get a longer obituary than "ordinary" doctors, whose lives may make much more interesting reading when well written. Every case has to be judged on its merits.

Starting in the autumn, we propose applying to the obituary section some of the approaches used elsewhere in the journal. Each submission for the obituary section will be assessed by a small editorial committee (chaired by Stephen Lock, formerly editor of the *BMJ*, and including outside practising doctors), who will recommend not whether it should be published but the format in which it will appear. (We will very soon be advertising for doctors to join the committee, but anybody interested could write to us now.) We will publish obituary notices (of about 50 words) of everybody, and we will hope to publish these within weeks of the death. Currently, obituaries are published for only about a third of British doctors and many months after their deaths. The delay is caused partly by people taking a long time to submit obituaries and partly by the large numbers of longer obituaries. We hope now that people will send us obituary notices within days of death. In addition, we will try to identify—through death notices in the newspapers, BMA records, and other means—deaths of doctors; we will then gently prompt relatives to send us an obituary notice. In this way we should be able to mark the death of many more doctors than at the moment and more quickly. Our aim is to clear our current backlog by the end of the autumn.

Obituary notices should include full name, date of birth, cause of death (if possible), and a short summary—in one or two sentences—of major achievements inside and outside medicine. Many families will feel that publication of such an obituary notice will suffice, but we will also be pleased to receive longer obituaries for consideration. Publication of an obituary notice will not preclude publication of a longer obituary, but we hope ideally to receive the longer obituary at almost the same time as the obituary notice: we can then publish longer obituaries within weeks of death. Sometimes an obituary notice will not be necessary if we receive the longer obituary within days of the death.

We will be publishing soon guidance on how to write a good obituary, but the essence of what we want is that the obituary should be well written and contain light and shade. We have encouraged self written obituaries and accepted those written by family members, but the best assessments are probably not self written and usually come from outside the family. Sidney Lee, a distinguished editor of the *Dictionary of National Biography*, warned against hero worship and family, official, and ethical bias. The best obituaries portray people as they really were and as they would have wished to be remembered.

That is what makes an obituary section compulsive reading.

STEPHEN LOCK
Formerly editor, *BMJ*
RICHARD SMITH
Editor

BMJ
London WC1H 9JR

- 1 Crossan E, Smith R. Growing pressure on *BMJ*'s obituaries. *BMJ* 1995;310:5-6.
- 2 Letters. Obituaries. *BMJ* 1995;310:660-2.
- 3 Anonymous. The obituarist's art. *Economist* 1994 Dec 24:54-6.

Synovium: what's new?

Better understanding of how it is affected by disease

Until recently, the understanding of normal synovium was based solely on microanatomical studies and ideas about function based on classic observations on synovial fluid—but few experiments. We can now discuss the biology of the tissue in terms of the ontogeny of cells, morphogenesis, cell metabolism, the expression of cell surface ligands, matrix composition, and vascular and fluid physiology.¹ A recurring theme is the interaction between cells and their matrix through adhesion systems that seem to modulate both cell behaviour and fluid flux. Having begun to understand how the tissue works, we can now construct models of how it becomes diseased.

Synovium carries a specialised surface layer of intimal cells,² which comprise both mature macrophages and modified fibroblasts. Recent studies indicate that intimal fibroblasts show specialisation even before the formation of joint spaces in the embryo. Mature intimal fibroblasts show high activity of uridine diphosphoglucose dehydrogenase, an enzyme that plays a part in the synthesis of hyaluronan. They express several cell surface ligands at high concentrations and are surrounded by specialised matrix containing fibronectin, laminin, and minor collagens.³ Beneath the intima lie fenestrated capillaries.⁴

Many of these factors seem to have a role in fluid flux between tissue and joint spaces. Simkin⁵ and Levick⁶ have painstakingly unravelled this process in terms of the supply of ultrafiltrate from plasma, pathways of diffusion through the tissue, and flux across the tissue surface. Levick has recently devised a model in which hyaluronan regulates the volume of synovial fluid by preferentially inhibiting rapid outflow, as opposed to inflow, of fluid from the joint space. This allows the volume of synovial fluid to be maintained during exercise, when muscle activity tends to pump interstitial fluid into the lymphatics.

Vascular cell adhesion molecule-1 and complement decay accelerating factor are both present at very high concentrations on synovial fibroblasts; comparable coexpression on fibroblastic cells is seen only on the follicular dendritic cells in germinal centres of lymphoid tissue. Within germinal centres vascular cell adhesion molecule-1 is essential for proliferation of B cells.⁶ Complement decay accelerating factor is probably essential for protecting cells from killing mediated by complement in an environment rich in immune complexes.⁷

Rheumatoid arthritis has been described as a disease of lymphoid metaplasia in synovium. The explanation for this may be that intimal fibroblasts in the synovium provide stromal cell cofactors crucial for the proliferation of B cells in an environment lacking the control provided by a full

complement of T cells, which are present in normal synovium only in small numbers.⁸ The other stromal cell ligands required for proliferation of B cells are complement receptors, which are needed for the presentation of antigens.⁹ These are present on intimal macrophages in the synovium. Intimal macrophages are intimately associated with the fibroblasts, thereby providing an apparently almost perfect environment for the proliferation of B cells.

If the hypothesis is correct then the question is why everyone does not have rheumatoid arthritis rather than why some people do. The answer may relate to several factors, including levels of B and T lymphocyte migration and the presence in synovium of factors inhibiting cell interaction, such as hyaluronan.¹⁰

This theoretical model¹¹ may improve our understanding of other syndromes. Vascular cell adhesion molecule-1 is expressed on myoblasts in growing and regenerating muscle, which may be relevant to juvenile dermatomyositis. Complement has long been implicated in systemic lupus erythematosus, but the dangers of variations in the control of the complement system may now become clearer. Maybe the jigsaw is finally beginning to fit together.

JO EDWARDS
Senior lecturer

Bloomsbury Rheumatology Unit,
London W1P 9PG

- 1 Proceedings of the second international conference on synovium. *Ann Rheum Dis* 1995;54:389-436, 501-28.
- 2 Edwards JCW. The nature and origins of synovium: experimental approaches to the study of synovocyte differentiation. *J Anat* 1994;184:493-501.
- 3 Revell PA, Al Saffar N, Fish S, Osei D. Extracellular matrix of the synovial intimal cell layer. *Ann Rheum Dis* 1995;54:404-7.
- 4 Levick JR, McDonald JN. Fluid movement across synovium in healthy joints: role of synovial fluid macromolecules. *Ann Rheum Dis* 1995;54:417-23.
- 5 Simkin P. Synovial perfusion and synovial fluid solutes. *Ann Rheum Dis* 1995;54:424-8.
- 6 Freedman AS, Munro JM, Rice GE, Bevilacqua MP, Morimoto C, McIntyre BW, et al. Adhesion of human B cells to germinal centres in vitro involves VLA-4 and ICAM-110. *Science* 1990;249:1030-2.
- 7 Lampert IA, Schofield JB, Amlot P, Van Noorden S. Protection of germinal centres from complement attack. *J Pathol* 1993;170:115-20.
- 8 Lindblad S, Hedfors E. The synovial membrane of healthy individuals—immunohistochemical overlap with synovitis. *Clin Exp Immunol* 1987;6:41-7.
- 9 McLennan IC. Germinal centres. *Ann Rev Immunol* 1994;12:117-39.
- 10 Wilkinson LS, Edwards JCW, Poston R, Haskard DO. Cell populations expressing VCAM-1 in normal and diseased synovium. *Lab Invest* 1993;68:82-8.
- 11 Edwards JCW. Is rheumatoid arthritis a failure of B cell death in synovium? *Ann Rheum Dis* (in press).

Correction

Do we need an Ofhealth?

Owing to an editorial error the name of the author of this editorial was spelt incorrectly (24 June, pp 1618-9). The author is Carol Propper (not Popper).