KEEPING YOUR COMPUTER HEALTHY AND LEGAL

Andrew Millman

Routine maintenance tasks

- Organise your hard disk
- Create a rescue floppy disk
- Backup your data
- Defragment the hard disk
- Scanning for viruses

Computers are generally very reliable, but failures can happen as a result of hardware breakdown, accidental deletion of an important file, virus infection, or simply unexplained corruption of your programs or data. In some organisations users can call on an IT department, but most people have no access to computer experts and have to try to fix problems themselves. Even an IT department may be unable to help unless you have taken a few basic precautions. Fortunately, there are many simple tasks that the ordinary user can do without special knowledge to protect the system and the data that it contains, and to minimise the risk of problems occurring in the first place.

Organising your hard disk

Organising your hard disk makes it easier to locate programs and data.

You should organise your hard disk properly so that programs and data can be located quickly and easily when they are needed. Starting at the C:\ prompt, create a series of new directories into which you put specific types of file. For example, you might wish to create a directory called C:\UTILS for utilities such as your text editor. To do this, either type md utils (make directory) at the DOS prompt or use Windows file manager and select File, Create Directory and then name it utils.

Create another directory called C:\DOCS for documents. You might then wish to create a series of subdirectories under C:\DOCS such as C:\DOCS\LETTERS or C:\DOCS\ACCOUNTS. Saving all your work in this way makes it much easier to back up your files, as you simply back up C:\DOCS and all its subdirectories, avoiding the need to locate a large number of word processor, spreadsheet, and database files scattered all over your hard disk. Programs should also be put into separate directories—most installation programs will automatically do this for you, but you may be prompted to choose a suitable name.

Making a rescue disk

A rescue disk lets you get your computer back up and running in just a few minutes. When you have made one, slide the write protect tab to the open position to prevent other users (or a computer virus) from accidentally destroying it.

If your computer fails to start properly—perhaps because the hard disk has failed, because you have accidentally deleted an important file (such as command.com), or because a virus has corrupted the system—you will need a rescue disk to get the computer up and running so that you can investigate and correct the cause of the problem. To make a rescue disk, format a new floppy disk using the DOS command Format a: /s or use Windows file manager to create a system disk. Both methods copy the operating system on to the floppy disk.

It is a good idea to copy a few other essential files from the C:\DOS directory on to the disk, such as fdisk.exe, sys.com, format.com, and edit.com. These small programs allow you to prepare a completely new hard disk, or to wipe a corrupted one clean so that you can start again. You should also copy autoexec.bat and config.sys, which contain important configuration information specific to your computer. These files are modified from time to time (for example, when new programs are installed), so you should always keep an up to date copy. Do not forget to include a copy of your backup program, otherwise you will be unable to restore programs or data. Store your rescue disk in a safe place well away from stray magnetic fields such as those surrounding loudspeakers.

Backing up your data

Tape streamers using the new Travan standard are capable of backing up very large hard disks (up to 3.2 gigabytes) on a single tape cartridge.

Most people keep just one copy of their work on their computer's hard disk. If the disk fails it can easily be replaced in a few minutes, but lost data often takes months or years to recreate and may even be irreplaceable. Records show that businesses which suffer such loss of data often become insolvent within a few months. To protect against this eventuality, all users should establish and regularly use a reliable backup system.

Tape streamers—The most convenient form of backup system is the tape streamer, which is capable of copying all the contents of the hard disk (operating system, directory structure, programs, and data) on to a single tape cartridge. Tape streamers are readily available, easy to install, and relatively cheap (although units capable of backing up very large, modern hard disks remain quite expensive). You should purchase and label a series of backup tapes so that a different one is used on each day of the week. It is also a good idea to make separate, monthly backup tapes and to keep old copies for a while because virus infections often take some time to become apparent—during which time your daily tapes may be storing infected programs.

Start the backup

Microsoft's standard backup program is much better than simply copying files to floppy disks.

Floppy disks—Many users with relatively small amounts of data do not need the sophistication of a tape streamer as they can use floppy disks. A single high density floppy disk can, for example, store several hundred letters. Backup programs are usually capable of compressing your data files and allow you to store even more files on each disk. Nevertheless, feeding several floppy disks into the computer one after the other is time consuming and a disincentive to making regular backups.

MSDOS 6 includes a useful backup program, but it is limited to using floppy disks. Windows95 includes a better one that also supports several different tape drives, and that can be run overnight or in the background while the computer is doing other work. More sophisticated programs are available and are often supplied free when you purchase a tape streamer.

Freeing disk space

Tape streamers can also be used to store little used programs or data, allowing you to delete them from your hard disk—making room for other software and possibly saving the need to purchase an additional or larger drive. A disadvantage is that these archived programs cannot be run from the tape and therefore need to be restored to the hard disk before they can be used again. An alternative approach is to use removable hard disk technology such as that produced by Iomega or Syquest. These removable disks operate just like a normal hard disk, though they tend to be slightly slower. The drives are more expensive than a standard hard disk drive, but the removable cartridges are relatively cheap and allow you to store an infinite number of programs or data. An additional advantage is that the cartridges can be removed from the computer and locked away in a safe overnight. Optical discs offer very high storage capacities and are robust, being immune to magnetic fields with a very long (50 year) life, but they remain expensive and are inappropriate for most situations.

Removable hard disks can now store over 1 gigabyte of programs and data.

Defragmenting your hard disk

Badly fragmented hard disk, which slows the computer down (top), and same hard disk after running Norton Speed Disk (bottom).

When MSDOS stores a file on your hard disk, it looks for the first available free space and starts copying the file to that location. If the file is too large to fit in this space, DOS looks for the next bit of free space and stores part of the file there too, and so on. Large files can therefore end up badly fragmented. When you retrieve the file, DOS locates each fragment and reconstructs the original file. This is a slow process, and the mechanical parts of the hard disk are subjected to considerable wear as the heads move back and forth across the disk surface, increasing the risk of disk failure. Fragmentation becomes particularly important as your hard disk nears its maximum storage capacity.

To reduce fragmentation, you should regularly defragment your hard disk with a program such as Norton Speed Disk. This reorganises the contents of the hard disk so that the fragments are brought back together. It also allows frequently used files to be moved to the start of the disk, where they can be retrieved relatively quickly. A cut down version of Speed Disk (called defrag.exe) is given free with MSDOS 6. Defragmenting a large hard disk can take time, so it may be best to leave the program running overnight. Windows95 automatically defragments the hard disk whenever it is necessary.

Protecting your computer from viruses

Common computer viruses

- Form (most common)
- Jack Ripper
- Antiexe
- Monkey2
- AntiCMOS
- Stoned
- Angelina
- Junkie
- Sampu
- Natas (Satan backwards)
- Telefonica

The Michelangelo virus received an enormous amount of media attention recently but is only very rarely found to have infected computer systems.

Computer viruses are tiny programs designed to take advantage of the fact that computer users frequently exchange programs and data files on floppy disks and via modem links. A computer can be infected by a virus for many months or even years without you being aware of it, but at some predetermined date the virus will be activated. The effects of viruses range from mildly irritating messages on the screen to severe damage to your programs, data files, and even hardware. There are thousands of computer viruses, but most attacks are due to a relatively small number of common ones, such as the "form virus," which is currently responsible for about 80% of reported attacks (June 1995). Computer networks are also vulnerable: viruses first infect one workstation, but the infection soon spreads through the network to the file server and, from there, on to some or all of the other computers attached to the network.

Protection

Fortunately, it is relatively easy to protect your computer by taking some simple precautions. Most viruses are acquired on infected floppy disks rather than by dialling into other computers with a modem. When an infected floppy disk is inserted into your computer the virus has an opportunity to copy itself on to your hard disk and to begin infecting your programs. Users who never share programs or data with others are most unlikely to acquire a computer virus. However, viruses have occasionally been found on the free disks on the front cover of computer magazines and even on original program installation disks, so it is prudent to treat all disks with suspicion. Before copying anything to or from a floppy disk that has been in another computer, run an up to date virus scanner to check that the disk is clear. Programs that have been downloaded via a modem should also be checked before they are run for the first time. Most scanners are also capable of safely removing viruses from a computer system, although it may still be necessary to reinstall your programs and to restore data from backups.

Mechanical devices to prevent insertion of floppy disks are an excellent defence against infection with a virus and unauthorised extraction of sensitive data.

Scanning a floppy disk for viruses.

Automatic scanning—Virus scanners can be loaded into the computer's memory during booting up. These run continuously in the background, monitoring every program run on the computer, and give an instant warning if virus activity is detected. Most stop you from running infected programs by halting the computer. This type of scanner has the advantage of being totally automatic, but false alarms are not unknown and interfere with the smooth running of the system. Some computers have built in protection against certain types of virus affecting the boot sector of the hard disk. This feature is simple to activate by changing a setting in the computer's setup. However, it has been found to prevent installation of Windows95 and should therefore be turned off before you upgrade the operating system (it can be safely turned on again afterwards).

Protecting your computer from theft

Securing your computer to the desk makes theft less likely—but does not stop theft of components such as RAM memory modules.

Computers are very attractive to thieves as it is easy to sell either whole machines or component parts such as memory modules that are small, valuable, and virtually untraceable. To reduce the risk, it is a good idea to indelibly mark the casing of the computer by engraving your name and postcode or by using an etching system such as Selectamark. Several companies sell devices that make it difficult to steal system boxes and monitors. Remember that the NHS does not insure its computer equipment, so good physical security measures are essential. One of the best deterrents is to lock the door of your surgery or office when you leave the room.

Many household insurance policies specifically exclude cover for home computers used for private practice, research, or other business purposes. Those which do are most unlikely to offer protection against financial losses incurred as a result of business interruption or the cost of restoring data to a new system. This problem can be solved by purchasing a home office insurance policy, which offers worldwide all risks cover for all your computer equipment (including portable computers, which are particularly vulnerable) at relatively modest cost. Serial numbers of your equipment should be recorded and sent to your insurance company.

Securing your data

Norton WipeInfo permanently overwrites the data on your hard disk ensuring that it can never be retrieved.

Passwords are the most common way to restrict access to a computer system. Most IBM compatible machines can be set up so that a password is needed before the computer will start, but this can be defeated quite easily. Windows95 offers somewhat better protection than MSDOS, but Windows NT is required for very tight security. Many programs (such as accounts or payroll packages) are password protected, and some word processors (such as WordPerfect) allow you to attach a password to individual files. Very secure systems which encrypt all the data on the disk are also available. If you leave a computer on line and set to answer the phone, it is vulnerable to hackers and you should take professional advice about measures such as automatic dial back.

Remember that deleting files from the hard disk does not remove the contents of the files but rather merely hides them and they can therefore be undeleted very easily. If you plan to sell a computer which has contained sensitive data it is essential to overwrite that data with a program such as Norton WipeInfo.

Eight basic principles of the Data Protection Act 1984

The act stipulates that data:

- Must be obtained and processed fairly and lawfully
- Must be held only for specified lawful purposes
- Must not be used in a manner incompatible with those purposes
- Must only be recorded where necessary for those purposes
- Must be accurate and up to date
- Must not be kept longer than necessary
- Must be made available to the patient on request
- Must be protected by appropriate security and backup procedures

Useful sources of advice about computer security

Organisation	Telephone No
Symantec (Norton Utilities)	01628 592222
S&S International (Dr Solomon's Anti Virus Toolkit)	01296 318700
McAfee Anti Virus (shareware)	0171 631 0548
Imega	0181 899 1700
Europa Security	01732 360573
Tolson Messenger Insurance Brokers (home office policy)	0800 374246
Computer Crime Unit	0171 230 1177
Data Protection Registrar	01625 535777

Data Protection Act 1984

The data protection act applies to all computer systems that contain personal data relating to living people. It does not apply to paper based record systems. There are specific exclusions—such as data held by an individual in connection with personal, family, or household affairs or a practice's computerised payroll system—but all patient management systems including paperless health records must be registered with the Data Protection Registrar. These systems can, however, be used as soon as the application form is posted (that is, without waiting for approval, which may take up to six months).

People have the right to a written copy of the information which is held about them and to have inaccurate information corrected or erased. They also have a right to claim compensation if they suffer damage or loss as a result of inaccurate or lost data. Doctors have been granted the right to refuse to disclose information held about a patient if it would be likely to cause serious harm to his or her physical or mental health or if it would allow the patient to identify another person who has not consented to the disclosure of his or her identity. Comprehensive guidance notes on the act are available from the Data Protection Registrar and from the British Medical Association.

Computer Misuse Act 1990

It is a criminal offence for an unauthorised person to access or attempt to access any part of a computer system, with or without intent to commit a serious crime such as theft, fraud, or blackmail; to carry out any unauthorised modification to programs or data (including the planting of viruses); or to prevent or hinder access to the system. These crimes carry severe penalties. Despite these deterrents, many computers are attacked by hackers each year. Anyone who suspects that their system has been tampered with or who finds a computer virus should notify the Computer Crime Unit, Scotland Yard.

Health and Safety (Display Screen Equipment) Regulations 1993

These require all employers to assess computer workstations used by employees or self employed people on their premises in order to identify and minimise the various risks to which those people are exposed. There is an exemption for workstations that were already in use when the regulations came into force on 1 January 1993, but all workstations must comply by 31 December 1996.

The guide offers clear advice about who is considered a regular user (for example, medical secretaries) and who is not (for example, receptionists making only occasional use of the computer). Ergonomic factors such as seating position, neck posture, and glare from the screen as well as working patterns are covered in detail. Regular users are entitled to have their eyes tested on request at the employer's expense; if glasses prove to be necessary for work with the computer, these must be provided as well, although employers are not required to provide bifocals or expensive fashionable frames.

The aim of the regulations is to minimise the physical and mental stress associated with computer use. Careful attention to detail should reduce the risk of work related upper limb disorders (WRULD) and protect the employer from legal action for personal injury and breach of the law.

Ideal layout of a workstation and seating position.

Andrew Millman is occupational physician, Gloucestershire Royal Hospital.

The ABC of Medical Computing is edited by Nicholas Lee, consultant ophthalmologist, Western Eye and Hillingdon Hospitals (nicklee@online.nildram.co.uk), and Andrew Millman (af89@diat.pipex.com).

The ABC of Medical Computing is now available on the Internet (home page <http://www.cityscape.co.uk/users/dl88/abcmc/abcmc.htm>).