Private sector to fund new wave of NHS hospitals

A new generation of NHS hospitals designed, built, and maintained by private consortiums is about to be announced by the secretary of state for health, Stephen Dorrell, who spoke of the plans last week. The scale of what is envisaged has prompted comments that this is the most radical change in the financing of the NHS since its inception.

Long term plans are being examined for 60 major schemes costing £2bn (\$3bn), funded by the private sector and leased to the NHS. Initial deals to build and manage two new district hospitals and extensively redevelop two others have so far been agreed. A further 20 large scale hospital rebuilding projects of between £20m (\$30bn) and £50m (\$75bn) are in the pipeline.

The projects come under the government's "private finance initiative," which Mr Dorrell devised when he was a Treasury minister two years ago. Until his appointment as health secretary four months ago the Department of Health had been cautious about private finance projects and had confined them to ancillary projects such as waste incineration plants and car parks.

In a speech at the Royal College of Physicians in London, Mr Dorrell said that in most cases NHS trusts would continue as the direct employer. "It is no part of the government's policy to transfer the delivery of NHS clinical services into the private sector," he said. "The private finance initiative is about the provision of the supporting facilities."

Answering charges that he was privatising the NHS, Mr Dorrell argued that the new system would reinforce the principle of health care based on clinical need without regard to ability to pay. He said that efficient management of efficient buildings was a skill of the private sector.

In spite of Mr Dorrell's assurance that there would be no transfer of clinical services Mr James Johnson, chairman of the BMA's consultants' committee, said, "The secretary of state says that he does not foresee the private sector managing clinical services, yet in April 1995 he issued a circular encouraging market testing of, among other things, anaesthesia, haematology, pharmacy, radiology, and ophthalmology. It is a very short step for the provider units of the NHS—hospitals—to be wholly owned by the private sector."

Under the new plans consortiums will normally be led by a development company, which will raise the finance and draw together builders and management experts.

Stephen Dorrell: has pulled private funds for hospitals out of the bag

The first examples of the private-public initiative are to be a district general hospital in Norwich (£140m) (\$210m); Swindon and Marlborough district hospital (£45m) (\$67m); a virtually new district hospital at Bishop Auckland (£30m) (\$45m), and redevelopment at Amersham and High Wycombe (£18m) (\$27m).—JOHN WARDEN, *parliamentary correspondent, BMJ*

Review confirms lumpectomy as safe as mastectomy

A worldwide review of randomised controlled trials of treatment of early breast cancer has confirmed that lumpectomy is as safe as mastectomy. The review, published this week in the *New England Journal of Medicine*, confirms the findings of a large randomised controlled trial published in the journal in 1985. This multicentre trial, organised by the National Surgical Adjuvant Breast and Bowel Project in the United States, was influential in the move away from mastectomy as the main treatment for breast cancer.

Last year the trial became the centre of

scientific and political controversy when its leader, Dr Bernie Fisher, announced that a collaborator in Montreal, Dr Roger Poisson, had fraudulently entered into the trial some patients who were ineligible. Dr Poisson has since been barred from receiving American federal research funds, and Dr Fisher has been suspended as the project's director. A reanalysis of the data from the trial, excluding data from the ineligible patients and reaching the same conclusion, is also published in this week's issue of the *New England Journal of Medicine*.

The authors of the review, funded by Britain's Imperial Cancer Research Fund, examined 58 randomised controlled trials. These compared different treatments in over 28 000 women with cancer limited to the breast and local lymph nodes. They concluded that the proportion of women still alive 10 years after lumpectomy and radiotherapy was the same as that still alive after mastectomy—about 70%. They also found no significant difference in 10 year survival between women who had radical versus less radical surgery, women who had surgery alone versus surgery with radiotherapy, and women who had mastectomy with axillary clearance versus mastectomy with radiotherapy.

Radiotherapy reduced the risk of local recurrence by a factor of three and reduced

Headlines

Private practice contributes to NHS: Each private patient treated in an NHS hospital contributes nearly £300 to the cost of caring for NHS patients, according to National Economic Research Associates, which says that the NHS will become the largest provider of private care.

Dutch patients with haemophilia to be compensated: Dutch patients with haemophilia who contracted HIV through infected blood products between 1982 and 1989 are to receive about £77 000 each in compensation. A report critical of the Dutch department of health said it was ill informed and had not reacted quickly enough to the facts.

UK issues new guidance on bloodborne infections: The Department of Health and the Health and Safety Commission have published revised guidance on the control of infection by bloodborne viruses at work. It takes account of changes in legislation and covers HIV and several types of bloodborne hepatitis virus.

Dentists can take title of doctor: British dentists have voted in the General Dental Council to remove a paragraph in its professional guidance precluding dentists from being called doctor. Dentists who use the title must ensure that the words dentist, dental surgeon, or dental practitioner also appear.

Indian abortions reduce ratio of women to men: In India there are fewer than 93 women for every 100 men because of systematic sex discrimination, including the selective abortion of female fetuses. The United Nations Children's Fund says that in most countries there are 105 women for every 100 men.

Visitors to France to pay health costs in advance: The French prime minister has announced that only in emergencies will non-resident foreigners receive hospital treatment without paying first. The new rule is aimed mainly at people who travel to France for preplanned hospital care.

Independent watchdog will oversee appointments: Sir Len Peach, formerly chief executive of the NHS Management Board, will be the first independent overseer of public appointments, including 8000 senior jobs in the NHS, in line with proposals by the Nolan inquiry into standards in public life.

the number of deaths from breast cancer by up to 5% after 10 years; but women who received radiotherapy were at increased risk of death from other causes, especially if they were over 60 at the time they were randomised for treatment. Overall there was therefore no significant benefit from radiotherapy in terms of long term survival. "It seems that radiotherapy prevented some breast cancer deaths but caused some other deaths, so we need to find ways of getting the benefits without the risks," said Mr Richard Gray, one of the authors of the review.

—FIONA GODLEE, *BMJ*

US awards patent for tribesman's DNA

The US government has awarded itself a patent for a cell line resistant to cancer that has been found in a man from a remote hill tribe in New Guinea. The patenting of a foreign citizen's DNA has provoked an international outcry from indigenous peoples' organisations and groups opposed to commercial ownership of genetic material.

Although the patent was granted on 14 March this year, it came to public notice only recently, when a Canadian organisation called the Rural Advancement Foundation International discovered it through a patent reporting service. The organisation put out a press release on the Internet, accusing the US government of "bio-colonialism." The story was soon picked up by newspapers around the world.

US patent number 5 397 696 is owned by the US Department of Health and Human Services. The DNA pattern is from a Hagahai tribesman of Papua New Guinea who is infected with human T cell leukaemia/lym-

phoma virus-I (HTLV-I), which normally causes a severe form of leukaemia. Among the Hagahai highlanders, however, progression is benign, which makes their DNA of interest to researchers.

The research was led by Carol Jenkins, of New Guinea's Institute of Medical Research, and Carleton Gajdusek, a virologist at the US National Institutes of Health. Dr Jenkins has worked among the Hagahai for 10 years. The researchers discussed the idea of a patent with the Hagahai and agreed that the tribe should receive some proportion of the royalties that might accrue.

The science policy research unit at Sussex University in England has compiled a list of genetic patents worldwide. Dr Sandy Thomas, a medical anthropologist at the unit, said that the Hagahai patent was not setting a real precedent. "They've been patenting human DNA for years. This case only caused an outcry because it was an indigenous person, not a US citizen."

● Last week the European Patent Office failed to reach a decision on Harvard University's application for sole rights to the "onco-mouse," a laboratory mouse that is genetically predisposed to develop cancer. It did, however, instruct Harvard to redraft its application, which originally sought rights to any non-human mammal with an inserted oncogene. Any patent now granted will cover mice only.—OWEN DYER, *freelance journalist, London*

Japan tries to catch up on US genetics

Responding to criticism that Japan has fallen far behind the US in research into gene therapy, Tokyo's Ministry of Health and Welfare issued guidelines this month for companies hoping to manufacture and test possible genetic cures. The new guidelines, prepared by a panel of scientists appointed by the government, closely resemble those already published by the US Food and Drug Administration.

The document explains how firms can apply for approval for genetic products that they have developed themselves. It also lists vectors (viruses used to transfer genetic information into a patient's body) already approved for use in the US, which Japanese firms might want to import.

Japanese researchers welcomed the ministry's new interest in promoting genetic study but are worried that Japan will not be able to erode the US's lead in this area. "The guidelines were absolutely necessary, but we are still 10 years behind the US," said Yutaka Yamanaka, a spokesman for Midori Juji, a firm based in Osaka that is hoping to develop antigens to fight HIV, using vectors supplied by Chiron-Viagene, a firm in the US. "Japan's universities are not as strong on basic research as America's, and Japanese firms are reluctant to provide financing for ideas that do not have a clear and immediate commercial application," he added.

It is much harder for small new firms to

Tribesmen are selling their genes

find capital in Japan than in the US as banks tend to lend on the basis of collateral rather than estimated future cash flow. Big firms generally shy away from research areas as controversial as gene therapy.

An additional disincentive to genetic scientists is the presence of powerful organisations like the DNA Issues Research Group, which lobbies against all gene therapy on the grounds that it disturbs the natural order and may be unsafe. Whereas gene therapy has been practised on over 400 patients in the US over the past five years, there has been only one case in Japan since such treatment was legalised earlier this year.

—ROBERT GUEST, *Tokyo correspondent, Daily Telegraph*

Inquiry calls for tighter supervision of British trainees

Junior doctors in Britain with less than three years' training should not put patients at risk by anaesthetising or operating without appropriate supervision, says the latest National Confidential Enquiry into Perioperative Deaths. "The number of unsupervised senior house officers doing operations is now quite small, but clearly consultants have to create a climate in their units in which juniors can ask for help without recrimination," said Ron Hoile, clinical director for surgery at the Medway NHS Trust and a member of the inquiry. "It is a consultant's responsibility to assess trainees and delegate responsibilities so that people can do things appropriate to their skills."

The report notes that in most specialties there were examples of trainees carrying out procedures beyond their capabilities. In the section on vascular surgery the report notes, "It was unreasonable to put trainees in difficult positions such as expecting them to cope with revisional surgery after a previous repair of an abdominal aortic aneurysm."

The inquiry has been producing annual reports since 1990, and has used various research methods. This report contains the largest sample of deaths within 30 days of an operation. In 1992-3, nearly 20 000 deaths were reported to the inquiry. The inquiry then selected a third of the deaths for more detailed inquiry—these patients were between the ages of 6 to 70. The inquiry sent questionnaires to both the anaesthetists and the surgeons involved in these cases. A panel of advisers analysed the details from the questionnaires, in particular looking for contributory factors.

As in previous reports the inquiry is critical of the shortage of beds in high dependency units and the poor availability of emergency theatres. "It is pointless to perform major surgery on patients who are physiologically compromised unless there are facilities for these patients to recover postoperatively," says the report.

"Only a third of hospitals have emergency operating theatres," said Mr Hoile. "They

Anaesthetists and surgeons must have responsibilities according to their skills

are valuable for training, but it means changing consultants' work patterns so that they are not committed to being in outpatient clinics when they are needed in theatre."

To clamp down on operations out of hours, which have been cited in previous inquiry reports as a contributory factor in perioperative deaths, the report notes that some trusts have refused to open theatres at night unless consultants or senior registrars are present. Overall, the inquiry found that within its sample just over a third of operations were performed outside normal working hours.

The inquiry is also critical of medical notes: lost records were the reason why a quarter of the surgical questionnaires and over one third of the anaesthetic questionnaires were not filled in. But even when medical records were available the standard was sometimes poor. In a sample of 800 operation notes one third did not detail the organ or tissue that was removed and 5% were unreadable.

Among the report's main recommendations are that doctors should develop more protocols for common conditions such as aortic aneurysms, and colorectal cancer and that seriously ill patients who are transferred between hospitals should be accompanied by appropriately trained staff. The inquiry found that one in five patients who were transferred with tracheal tubes or under controlled ventilation were not accompanied by an anaesthetist. The report also recommends that surgeons who encounter difficulties when using laparoscopic techniques should "not hesitate to convert to an open approach when necessary." —LUISA DILLNER, *BMJ*

The Report of the National Confidential Enquiry into Perioperative Deaths 1992/3 is available from NCEPOD, 35-43 Lincoln's Inn Fields, London WC2A 3PN.

Survey shows widespread rationing in NHS

One in three health authorities in Britain is already rationing treatment, according to a comprehensive examination of health care under the NHS market reforms. The analysis, based on a database of health authorities' purchasing intentions and strategy documents compiled by Yorkshire consultancy Blackwell Masters, found that 40 of the 129 authorities in England, Wales, and Scotland have stopped buying certain types of care and are limiting others.

Common treatments being excluded from the NHS are treatment for varicose veins (10 health authorities), insertion of grommets (23), dilatation and curettage in women aged under 40 (21), screening for osteoporosis (8), and fertility treatment (8). The figures, commissioned by the Labour party, prompted shadow health secretary Harriet Harman to say: "This is the thin end of the wedge. Health care is now becoming a lottery depending on where you live."

Other treatments that are the targets of "disinvestment" or restricted purchasing plans by various health authorities include some types of cosmetic surgery, reversal of sterilisation, specialist menopause services, bone densitometry, treatment for multiallergy syndrome, and dental implantation.

The only previous study of rationing (carried out by the University of Bath) showed that in 1993-4 only four health authorities were rationing treatment. Thus the figures from Blackwell Masters show a 10-fold increase.

In a speech to the Institute for Public Policy Research last month Harriet Harman

said: "Rationing is now sweeping through the NHS. Some health authorities call this disinvestment, but some are now openly acknowledging that is rationing. Today it is varicose veins and osteoporosis screening. Tomorrow it will be hernias and hip replacements."

The BMA's chairman, Dr Sandy Macara, also reacted to the new figures, saying: "It is wholly wrong that one patient can have access to a particular treatment in one part of the country but another can be denied purely based on where they live. This is rationing controlled by the edicts of the market."—CLAUDIA COURT, *BMJ*

Long term care pushed on to NHS

Pressure for more long term care to be moved to the NHS came last week in a report by the all party House of Commons health committee. While welcoming government plans to reinstate long term care where it has been withdrawn (*BMJ*, 4 March, p 550), the committee found that gaps remain.

It argued that setting the criteria for who is eligible for NHS care is a matter of political rather than clinical judgment and rebuked ministers for evading the issue. This has resulted in local variations so that care is free in one place but means tested in another, which has left the public confused and resentful that there are two types of nursing home care.

The report questions the government's policy of delegating criteria for eligibility to local health authorities and calls instead, on grounds of equity, for nationally set criteria to define what the NHS will always provide and to clarify the dividing line between health and social care.

In evidence to the committee, junior health minister John Bowis refused to commit the NHS to responsibility nationally for the hypothetical case of a patient on a drip, doubly incontinent, and confined to bed 24 hours a day. The lack of such easily understandable illustrations has exacerbated the problems, the report says. It criticises the Department of Health's refusal to provide information on the type of cases that might be expected to meet its eligibility criteria and recommends that illustrative case studies should be promulgated.

The committee suggested a national long term care charter specifying the minimum level of provision that people can expect from NHS sources and local authorities. Meanwhile, health authorities are urged to ensure that the full range of high quality continuing health care services is available. This would include inpatient, rehabilitation, respite, palliative, and community health services. The committee was undecided whether all the costs should fall on the NHS.

On discharge procedures, the committee found it unacceptable for patients to be sent home without a suitable package of care having been drawn up. It also wants the legal position clarified on patients who are

Long term care is likely to be an NHS problem

assessed as not requiring NHS inpatient care but who are unwilling to leave hospital.

In the second phase of its inquiry the health committee is now looking at future aspects of long term care, including alternative models, the cost implications, and the options for funding.—JOHN WARDEN, *parliamentary correspondent, BMJ*

Long-term Care: NHS responsibilities for Meeting Continuing Health Care Needs, the first report of the health committee, is available from HMSO, price £12.15.

Report of the Health Service Commissioner, Selected Investigations April-September 1995 is available from HMSO, price £18.50.

Italian doctors continue strike action

Hospital doctors in Italy held a 24 hour strike last week and plan a similar stoppage on 18 December. The doctors' protest is mainly over their contract, which expired five years ago and has not been renewed, and over pay. Hospital pharmacists, physiotherapists, and vets employed by the state also joined in the action.

Negotiations on pay increases are in fact under way, but the doctors' representatives have found themselves across the table from Aran, the agency for negotiations in the public administration. They would prefer to negotiate directly with the government. They are also unhappy about proposals to reduce health service funding in the budget for 1996, which is now making its way through the Italian parliament.

Enrico Bollero, general secretary of Anaa-Assomed, the main association for hospital doctors, described the current action

as a "last attempt to save the health service. This budget does not safeguard the public system."

Estimates of participation in last week's strike have varied widely. Anaa-Assomed claimed 85-90% support—a figure dismissed by a spokesman for the left wing trade union federation Cgil, which opposed the strike.

In an Italian public hospital a doctor with 10 years' experience as a head of department currently earns about 4 700 000 lire (£1880) a month after tax and social security contributions. More junior colleagues take home 3 770 000 lire net (£1508) after 10 years' service. A 14% pay rise phased over two years has been offered. There would be an increase of 6% from the end of this year, and the rest would be given from the end of December 1997. Most hospital doctors consider this to be unacceptable.

But doctors also have other sources of discontent. In Italian hospitals doctors can earn more by working extra hours. They say that the budget to pay for the extra work was reduced by 30% two years ago. And there is resentment over an imminent change relating to the "full time allowance" paid to doctors who work at least 38 hours a week in hospitals run by the state. From 1 January those who undertake any private work will have their allowance cut by 15%.

Health Minister Elio Guzzanti sees no rapid solution. "The finalising of the doctors' contract will take quite a while," he is reported to have said on Friday. "It depends above all on financial questions which we must tackle gradually, and with Christmas coming up I don't think we can do it quickly." Hospital doctors also want more say in management issues.

"We'd like to take on more responsibility in the running of hospitals," said Enrico Bollero. "We want to go back to being centre stage; the maestros of the orchestra, not—with all due respect to ushers—the ushers."—LUCINDA EVANS, *freelance journalist, Rome*

US doctors reject patients' wishes

US doctors are overwhelmingly rejecting their patients' dying wishes, according to a study in this week's *Journal of the American Medical Association*. The study to understand prognoses and preferences for outcomes and risks of treatments (SUPPORT) included over 9000 patients in five teaching hospitals in the US. The patients, all of whom had life threatening diseases, were observed during interviews with their doctors. They were also asked about their quality of life, the amount of pain they had, and how satisfied they felt about their care.

The study then included an intervention carried out on a random sample of the patients, whereby a trained nurse discussed with the dying patients and their families their feelings about such issues as resuscitation and pain management and then communicated their interests to the patients' doctors.

The intervention was found to have no impact when compared with the controls in influencing physicians' decisions. In nearly half of cases doctors did not comply with patients' requests not to be resuscitated. The study also found that patients were treated aggressively, with a third spending at least 10 days in an intensive therapy unit before they died. Nearly half of these patients were mechanically ventilated within two days of dying. About half of all the patients experienced moderate or severe pain.

Dr Linda Emanuel, assistant professor in the department of medical ethics at Harvard Medical School and advocate for living wills, said that the study was flawed because it focused too heavily on resuscitation decisions, which she said are "notoriously badly made," and because communication was mediated through a third party.—TERRI L RUTTER, freelance journalist, Boston

Australia aims for smoke free cars and Olympics

New evidence about the dangers of passive smoking has led Australia's main health advisory body to call for a ban on smoking in cars if children are passengers. The National Health and Medical Research Council also wants the 2000 Olympic Games in Sydney to be designated as smoke free and is asking for a crackdown on smoking in all public places.

The council's draft report said that best estimates showed that each year passive smoking caused 99 deaths from heart attacks, eight cases of lung cancer, 17 000 episodes of chest infection in children under the age of 18 months, and 3000 hospital admissions of children with asthma.

It estimated that the total cost of passive smoking to Australia each year was about \$A21m (£10m).

Professor Alistair Woodward, who chaired the working party that wrote the draft report, said that passive smoking put at least four times more children in hospital each year than did road crashes. "Adults already enjoy smoke free travel on almost all forms of public transport so one must ask is it fair to give this right to children, who generally don't have much choice about how they travel."

The report also recommended that authorities controlling outdoor entertainment areas should declare whole stands or sections of stands to be free of smoke.

Carmen Lawrence, the federal health minister, backed the proposal to make the Olympics a smoke free event but was less keen on banning smoking in private cars. She said that doubts over the practicalities of enforcing a ban meant that education, rather than legislation, might be a more effective way to help people realise the damage their smoking could cause.—CHRISTOPHER ZINN, Australian correspondent, *Guardian*

AIDS rates rise in younger groups

The incidence of AIDS has fallen in older white men in the US but has rapidly increased among those born after 1960 and among ethnic minority groups, according to a study in this week's edition of *Science*. An estimated 3% of black men and 1% of black women in their 30s in the US were infected with HIV as of January 1993.

Dr Philip Rosenberg of the National Cancer Research Institute in Rockville, Maryland, calculated that between 630 000 and 897 000 adults and adolescents were infected with HIV-1. Results showed that while the overall growth in the number of people with AIDS was nearing a plateau, there were essentially two curves: the incidence of AIDS among younger people had increased much more rapidly than that among older ones. Among men aged between 27 and 39, one in 92 was HIV positive, and among women the figure was one in 435.

"What we hoped for was evidence of a downturn in all groups. What we saw was a prevalence peak in every age group—and what surprised us was how high the peaks were," Dr Rosenberg said. He found that although the overall rate of increase slowed after 1987, the trends for the incidence of AIDS differed considerably according to which birth cohort he was looking at. The incidence among people born before 1960 increased during the early to mid-1980s, approaching a plateau during 1992. The incidence in those born after 1960 was low until 1986 but has since steadily increased. This difference was found among men and women across racial and ethnic groups.

"If infection rates remain at these levels HIV must be considered an epidemic infection affecting successive cohorts of young adults in the USA," Dr Rosenberg said. "This is a very sobering scenario. It's clear that emphasising prevention is not a one shot deal—you have to keep at it. My concern is that the threat of AIDS may become a rite of passage for 18-20 year olds," Dr Rosenberg said.—ALISON BOULTON, freelance journalist, London

The Olympics in 2000 could be smoke free

Shake up for blood transfusion service

Final plans to reorganise the blood transfusion service in England were announced this week by health secretary Stephen Dorrell. Administration, now spread among 13 centres, will be concentrated at three centres, in Leeds, Bristol, and London. Two more blood banks, in London and Lincolnshire, will be added to the existing 15 banks, guaranteeing emergency blood supplies to any hospital within two hours. A new computer system will enable blood stocks to be managed nationally.

Mr Dorrell said that the changes, to be phased in over three years, would end the duplication of administrative and clinical support services that had made it difficult to move blood stores from one region to another. The streamlining, however, will create some 300 redundancies among blood transfusion staff—one in 13 of all staff. Processing and testing of blood will cease at five centres—Lancaster, Oxford, Cambridge, Liverpool, and Plymouth—although they

will remain as supply depots. Savings of £10m (\$15m) in running the National Blood Transfusion service are estimated. A blood donor's charter would promise that donors' blood would be used to benefit patients and would not be sold.—JACK WARDEN, *parliamentary correspondent, BMJ*

Outpatient waiting times scrutinised

The British government's Committee of Public Accounts has expressed concern at the time that it took the NHS Executive to develop a system for monitoring outpatient waiting times. The executive took two years to develop sufficiently reliable data to enable it to carry out the task.

The public accounts committee, in its 42nd report, looks at NHS outpatient services in England and Wales and concludes: "We urge the NHS Executive to ensure that health authorities and hospitals take further action to keep waiting times for all patients to

the standards set by the patient's charter."

The standard for waiting times for outpatients set in the patient's charter—a government statement of intent on services to patients—came into effect on 1 April this year and says that 90% of outpatients should be seen for their first appointment within 13 weeks. The committee expresses concern that only 82% of patients were seen within 13 weeks in the quarter that ended on 31 December 1994.

But patients themselves are criticised—12% fail to attend their first appointment, which means that waiting times for other patients are longer than necessary. The committee suggests that more outpatient clinics could be provided in locations closer to patients' homes.

The committee believes that one cause of long outpatient waiting times might be a shortage of appropriately skilled staff in some specialties. It charges the NHS Executive with improving forecasts of medical staffing needs in future.—CLAUDIA COURT, *BMJ*

The Committee of Public Accounts' 42nd report, *National Health Service Outpatient Services in England and Wales*, is available from HMSO, price £8.95.

Focus: London

Threats and opportunities in accident and emergency

Accident and emergency departments may be the place where the public's and the professionals' views of health care most diverge.

People persist in using departments for what many professionals consider "inappropriate" uses. They seem to be doing so increasingly and despite the fact that they may wait for hours on uncomfortable seats before seeing a rather junior doctor. The public undoubtedly feels cheated when a full blown department is replaced by a minor injuries unit. Yet the idea that every district general hospital needs an accident and emergency department is now being seriously challenged.

The immediate cause of the challenge is a staffing crisis. Already this year accident and emergency departments have had severe difficulties in recruiting senior house officers—the departments' traditional foot-soldiers. And in October representatives of accident and emergency medicine visited the chief medical officer to warn of an even worse crisis next February—when the next tranche of senior house officers fails to materialise. This crisis and other pressures, such as the rapidly increasing workload, may give a much needed prod to new thinking about handling emergencies that has been going on around Britain.

That at least was the hope expressed at a

recent meeting convened by Anglia and Oxford region at the Royal College of General Practitioners to discuss practical solutions to the problem. Ultimately a shortage of senior house officers should present little problem because all agree that both patients and resources are better managed by more senior doctors. As one speaker put it, juniors in accident and emergency have "no power to discharge and no alternative but to admit." This implies not only a consultant based accident service but also better availability of consultant support throughout all specialties.

An experiment in the John Radcliffe Hospital in Oxford, where consultants in the accident and emergency department are resident on call throughout 24 hours, had, according to Chris Bulstrode, reader in orthopaedics and one of the on call consultants, undoubtedly improved the quality of decision making and quality of care. He claimed that their trauma service used fewer beds, had fewer admissions, and achieved good survival. But the system had taken its toll on the consultants themselves, and many at the meeting echoed his concerns about the difficulty of working through the night as consultants got older (with a few wry remarks about younger consultants being less willing to do so than older ones).

A requirement for more input from senior doctors (however organised) implies a greater concentration of services, which immediately conflicts with the need for

accessibility. Better use of primary care and a recognition that the services currently provided in accident and emergency departments can be separated and handled differently are emerging as the way to square that particular circle.

A large proportion of emergency care is already provided by general practitioners, and there is much overlap between their work and that of casualty departments (those "inappropriate" patients again). Several places are building on the evidence that for many patients general practitioners can provide a better service more cost effectively, initiating fewer investigations and admissions. Indeed, the experienced general practitioner with access to a full range of diagnostic facilities is clearly seen as a powerful way of managing the demand for emergency services.

Other ways mentioned at the meeting included greater use of nurse practitioners and paramedics, working to protocols and referring patients straight to appropriate clinics and wards, and much greater use of telephone services, both to provide advice and to direct patients to the appropriate place and person. Despite the difficulties, the fact that a staffing crisis has hit accident and emergency departments just as general practitioners are looking round for better ways of organising their out of hours commitments may offer both groups a unique opportunity to restructure their services—and improve them.—JANE SMITH, *BMJ*