Mr. Cumming, that he had analysed the powders, but no enquiry was made of him as to how this analysis was conducted, or by what means he came to a conclusion as to their nature. Mr. Cumming has favoured me with the following statement:—That he determined the nature of the several matters from their external characters—the savin by its taste and smell, and the carbonate of iron and cantharides by their general appearance. The carbonate of iron was separated from the cantharides by the aid of a magnet, and by sifting through fine muslin, which retained the latter from its being so coarsely powdered.

The prisoner was indicted for the administration of savin, no mention being made of any other drug, therefore, on the production of the powders containing the carbonate of iron and the Spanish fly, the counsel for the prisoner objected, on the ground that it had no relation to the intention charged in the indictment; this objection was, however, overruled by the judge on the general principle that evidence of a subsequent felony may be adduced in order to show the intent wherewith the former felony was committed.

In the course of my own cross-examination, the counsel for the prosecution was about to put a question, which was overruled by the judge. Had it been proposed it might have brought me *apparently*, though not really, in collision with the statements of Beck. The mode in which this was attempted is not unworthy the consideration of the medical witness.

EXAMINATION:—Is not the work of Dr. Beck an acknowledged authority on medico-legal questions? *Ans.*—It is. You have just stated that certain medicines have no specific effect, what then do you understand when Beck says, "Even cantharides have been taken in very large doses, with a view of procuring abortion, without accomplishing the desired effect?"

The judge on this interposed, saying no opinion of Beck could be evidence, and therefore it was needless to press the question, but that counsel might ask for an opinion upon the statement involved in it. The object of the cross-examination was evidently, however, not to elicit such an opinion, but a hope that in commenting on this passage, I should state that Beck obviously intended to imply the usual effect of cantharides to be that of procuring abortion; it would then have been shown that my opinion differed from that of this acknowledged authority.

I would therefore suggest to all medical witnesses, before they are entrapped into commentaries upon whole or garbled passages, that they request the book to be placed in their hands, and examine the context for themselves.

Having now alluded to these lesser matters, I shall proceed to enquire into the question of specific agency of certain medicines in the production of abortion.

(To be concluded in our next.)

CASE OF HÆMORRHAGIC TENDENCY COMPLICATED WITH PURPURA, AND WITH STRUMOUS DIATHESIS.

By R. T. HUNT, Esq., Consulting Surgeon to the Lying-in Hospital, Manchester.

1843. March 21st. T. Gregory, aged 24, a musician of very dissipated habits, and of strumous diathesis, was attacked early this morning with alarming hæmorrhage from the gums, which had continued increasing until 9½ p.m., when I first saw him. There is a constant profuse oozing of arterially coloured blood from the gums surrounding every tooth in both jaws, but not from any other part of the mucous membrane of the mouth. Where the gums should embrace the teeth they are soft, spongy, and retracted from each tooth, but not ulcerated. The gums near the outer incisor, the canine, and bicuspid teeth, on the left side of the upper jaw, bleed more freely than the others. Of these teeth only decayed stumps remain, with apparent absorption of the alveoli. The mouth is filled with fluid and coagulated blood, which, mixed with saliva, he frequently puts out into a small wash-hand basin, which has been often emptied during the day. Countenance anxious, but neither flushed nor pale; pulse quick and throbbing, respiration natural, bowels constipated, and have been so for some days, urine scanty; no headach nor any other pain. I applied the nitrate of silver freely to the gums, and prescribed the following lotion:—

Nitrate of potass.	½ ounce.
Sweet spirit of nitre	1 ounce.
Water	6½ ounces.

22nd, 11 a.m. The bleeding has continued, having been only slightly checked by the caustic. The bowels have not yet been opened.

As he stated that the bleeding began yesterday with cleaning his teeth, and that he had never previously been subject to hæmorrhage from the mouth, nose, nor any of the mucous membranes, I did not become fully aware of the nature of the case until this morning. But I now observed scattered over the body, but more particularly over the face, neck, and shoulders, a purpurial eruption of the small punctuated kind, accompanied with a few small papulæ. This circumstance, combined with the manner in which the blood incessantly oozed from the gums, without any jet, its arterial colour, and the absence of any degree of faintness, although so much blood had been lost, led me to conclude that this was a case of hæmorrhagic tendency, to a certain extent modified by the scrophulous diathesis.

The degree to which the system was affected by the scrophula was evident from the numerous enlarged glands in the face and neck; those in the face situated over the parotid gland being at present in a state of inflammation. He was ordered the following mixture:—

Sulphate of soda	2 ounces.
Water	6 ounces.

The caustic was again applied, the actual canterly appearing objectionable on account of the extent of the bleeding surfaces, and compresses of lint were placed between the gums and lips, and between the teeth. In the course of the afternoon, I removed the lint and

used finely powdered gum-mastic, which mixing with the blood formed a firmer coagulum, and checked the bleeding rather better than the former applications. The bowels not having been moved the sulphate of soda was continued.

7 p.m. The hæmorrhage still continuing, my friend and colleague, Mr. Barton, saw the case in consultation with me, and at his recommendation, the mouth was first well cleaned with a saturated solution of alum and spirit of turpentine freely applied to the bleeding surfaces, by means of a stiff-bristled brush. Mr. Barton stated that Gregory had consulted him about two years since, in consequence of an affection of the chest, indicating a strong tendency to phthisis.

10 p.m. No abatement in the hæmorrhage. He now looks much more anxious, face rather flushed, skin hot and dry, pulse much quicker and more throbbing, feet quite warm, bowels still unmoved, and urine scanty. Powdered catechu was freely applied to the gums, and he was directed to take an ounce of the following mixture every three hours:—

Tincture of opium 2 drachms.

Camphor mixture 6 ounces.

and when the mouth became so clogged that the lint required changing, to use the alum lotion; to lie in bed with his head well raised, to be kept perfectly quiet, and take nothing besides cold egged milk, toast-water, and his medicine.

23rd, 9½ a.m. Owing to a mistake he took the lotion internally, and used the opiate mixture as a lotion for his mouth. His bowels have been repeatedly and freely opened, the motions dark-coloured, and the urine free. He has vomited once or twice, and about the middle of the night he fainted, and afterwards slept for two hours, being his first sleep since the commencement of the hæmorrhage. The bleeding has since been much less profuse, the blood less arterial in character, the pulse less frequent, the skin cooler, and he is more cheerful. To take no internal medicine, but to continue the opiate lotion, catechu, and the same diet.

9½ p.m. The bleeding still continues but in diminished quantity, and the blood is much less florid. The bowels have been several times freely opened.

Di-sulphate of quinine. 1 drachm.

Diluted sulphuric acid 1½ drachm.

Water 6 ounces.

An ounce to be taken every three hours. A blister to be applied to the back of the neck.

Fearing that the vesicated surface would bleed, if the blister acted too strongly, he was ordered to keep it on only six hours, but through the negligence of his nurse, it was kept on eight hours. The vesication was very free, and after the fluid had been let out, the excoriated surface appeared of a deep venous purple, instead of the usual florid red. Great care was taken to preserve the cuticle until the blistered surface healed, and fortunately no hæmorrhage from it occurred.

24th. There were observed to-day two papular, purplish elevations near the tip of the tongue, but these did not bleed. There was also slight bleeding from the right nostril. The hæmorrhage from the gums gradually decreased, and none took place after the 26th. The scrophulous glands were at this time much diminished in size, and quite free from inflam-

matory action, and scarcely a trace of the purpurul eruption remained. It should not be omitted that a bruise on almost any part of the body was followed by almost immediate ecchymosis.

REMARKS.

The alarming nature of cases of hæmorrhagic tendency, and the rareness of their occurrence, renders any similar case, however trifling in itself, of considerable importance, until the principles upon which to found our treatment, are fully established. A close observation of the two instances which I have witnessed,* has convinced me that local treatment of every description acts merely as a palliative whilst that state of the system exists upon which the hæmorrhage depends. This opinion is corroborated by Dr. Otto's cases,† and by his remarks upon them. My reliance in future will be upon internal treatment, by means of the sulphate of soda. Whether a free dose of calomel and colocynth given in the first instance, a plan which appears to me likely to prove beneficial, might not cause the sulphate of soda to act more quickly on the system, is a question which only experience can decide. But in all cases in which the sulphate has been given, no effect upon the hæmorrhage appears to have been produced until this medicine acted upon the bowels, which have usually been in a constipated state during several days.

There is no doubt that opium, diacetate of lead, secale cornutum, and tincture of the muriate of iron, given internally, produce effects upon the system which appear remedial in various descriptions of hæmorrhage and its consequences. But it does not seem essential to their action on the system, that the bowels should be freely open; on the contrary, most of them have a direct tendency to induce constipation. In this they differ from the sulphate of soda, and consequently there is a great probability that they cannot be efficacious in arresting similar descriptions of hæmorrhage.

* Vide case recorded in the Provincial Medical Journal, vol. 2, page 143.

† London Medical and Surgical Journal for 1808.

PROVINCIAL

Medical & Surgical Journal.

WEDNESDAY, APRIL 10, 1844.

It is with some concern that we feel ourselves called upon to bring before our readers the following singularly curious example of judicial and juridical decision in favour of as gross an instance of empirical practice as ever infringed upon the provisions of the Apothecaries' Act. The case occurred in the Worcester Court of Pleas, although we understand it is not likely to stop there.

A woman of the name of Ann Jones, a sick nurse, and vender of nostrums for curing all manner of ills in man and beast, sued Richard Price, groom to a gentleman in the neighbourhood of Worcester, for two pounds, the bill of particulars of which showed a long array of boxes of pills, ointment, and so forth. It appeared that the defendant, being on friendly terms with the plaintiff and her