CORRESPONDENCE

Placebo: Misunderstandings and Prejudices

by PD Dr. med. habil. Matthias Breidert, Prof. Dr. med. Karl Hofbauer
in volume 46/2009

Dilemma in Jurisdiction

The article only touches on the fact that the so called nocebo effect is known but that barely any research has been conducted to find out more about this effect. In my opinion this constitutes a wide gap in research, because the nocebo effect can occur even if the instructions for use of medications are known and information has been provided—for example, about the risks of surgery. This means that possible side effects of a medication or operation may be caused primarily by the nocebo effect. This presents jurisdiction with difficult situation: on the one hand, it is a legal requirement that patients who have reached the age of consent are fully informed about their treatment. If, however, such nocebo effects develop around the treatment then a legal dilemma arises. It needs to be clarified whether not passing on information about a defined medication weighs more heavily in the balance than a possible nocebo effect. In order to gain an understanding of the frequency of nocebo effects, one might compare, say, the frequency of adverse effects before and after the now legally compulsory information about defined adverse effects was introduced. On the other hand, one might compare the rate of adverse effects associated with a particular treatment in Germany—where a high degree of information about certain adverse effects is a legal requirement—with the rate of adverse effects in countries where German physicians work but where the legal requirement for information about medical therapies is less stringent. The United Arab Emirates is one such example.

DOI: 10.3238/arztebl.2010.0568a

REFERENCES

1. Breidert M, Hofbauer K: Placebo: Misunderstandings and prejudices [Placebo: Missverständnisse und Vorurteile]. Dtsch Arztebl Int 2009; 106(46): 751–5.

Romano Minwegen
Eschenweg 19
53177 Bonn, Germany
H.Minwegen@t-online.de

Influence of the therapeutic environment

Placebo effects are ubiquitous in the context of medication therapies. In spite of this fact, they are mostly accepted tacitly within clinical practice. A factual debate of the origin and realization of placebo effects enables their inclusion into orthodox medicine, for the benefit of our patients. In addition to the history and mechan-

isms of action, one might have wished for the authors to include in their article a practice related listing of medication uses that are particularly susceptible to the influences of the therapeutic environment. Quantitative data are available from meta-analyses of placebo controlled studies. Instead of the otherwise customary difference between pharmacologically active drug (“verum”) and placebo, the relation of the effect sizes of the two treatment arms should be assessed. Such results for 10 typical medication uses in complementary phytotherapy have recently been presented in a journal (1). Under optimal conditions, 60–100% of the effect sizes for the active drug were also achieved under placebo, for symptomatic medication treatments of dysmenorrhea, acute upper respiratory tract infections, anxiety states, symptoms of benign prostatic hyperplasia, irritable bowel symptoms, depression, varicose veins, sleep disorders, pain disorders, and dementias. Statistical data comparisons of this kind are mostly not included in clinical trials, primarily because they would be counterproductive for the purposes of drug licensing. To assess the three influencing variables “pharmacologically related effectiveness,” “innocuousness,” and “cost of treatment” are of major importance for such analyses. The two latter variables gain in importance to the degree that the first variable assumes a marginal importance.

DOI: 10.3238/arztebl.2010.0568b

REFERENCES

1. Schulz V, Kraft K: Phytotherapie – Eine erhaltenswerte Alternative. Dtsch Arztebl 2009; 106: 21–3.
2. Breidert M, Hofbauer K: Placebo: Misunderstandings and prejudices [Placebo: Missverständnisse und Vorurteile]. Dtsch Arztebl Int 2009; 106(46): 751–5.

Prof. Dr. med. Volker Schulz
Oranienburger Chaussee 25
13465 Berlin, Germany
V.Schulz.Berlin@t-online.de

Epigenetics

In addition to the above mentioned article, the possibility of genetic and epigenetic signal transduction should be discussed in addition to the historic Pavlovian reflex. Epigenetics is the discipline that researches how gene expression can be influenced from outside the cell. Delayed wound healing, for example, may be caused by psychological stress such as marital conflict, despair, fear, stress, etc (1). So called placebo effects were also found when comparing the results of patients who had had surgery and those who had had sham surgery. The result: no difference was found for debridement versus arthroscopic lavage of the knee versus placebo (2). The fact that some of the “placebo” patients fared better than those who had undergone surgery cannot be conclusively explained. The assumption

is that the numerous signal substances that are produced naturally in the body, which are epigenetically influenced by the conscious mind as well as by emotions, may exert a substantial influence on the physiology of the healing process. Placebos are effective in some 35% of cases. In a meta-analysis by the US Food and Drug Administration (FDA), the intrinsic placebo effect for antidepressants is reported to be 80%; in 4 of 47 studies, placebos achieved a better effect than the true, pharmacologically active substance (3). Altogether, the average difference between placebo and medication drugs was not clinically significant. The insights gained into the placebo effect by epigenetic researchers should, as discussed in the article by Breidert and Hofbauer, be cautiously included in the therapeutic concept.

DOI: 10.3238/arztebl.2010.0568c

REFERENCES

1. Cahill L: B-androgene activation and memory for emotional events. *Nature* 1994; 271: 702.
2. Rossi E: *The Psychobiology of Gene Expression*. New York: Norton 2002; 236.
3. Kemperman G, Gage F: New nerve cells for the adult brain. In: *Scientific American* 1999; 280: 48.
4. Breidert M, Hofbauer K: Placebo: Misunderstandings and prejudices [Placebo: Missverständnisse und Vorurteile]. *Dtsch Arztebl Int* 2009; 106(46): 751–5.

Prof. Dr. med. Karl Friedrich Klippel
Lothringerstr. 16
28211 Bremen, Germany
prof.klippel@gmx.de

Therapies That Promote Emancipation

An important topic: the studies confirm the necessity of the drug that is the physician: treatment “combined with an empathetic, confidential interview.” Not to do so amounts to a medical error, in my opinion. The author correctly points out the dubious ethical nature of cure achieved by means of “bringing about a false state of affairs that is kept hidden from the patient,” such as seems to be the case in complementary and alternative medicine. I am a doctor who practices naturopathic medicine and have set out 5 criteria, in collaboration with a working group from Berlin’s Medical Association, 20 years ago, in order to ensure that no such “false state of affairs” forms the foundation. Therapies should serve to promote patients’ emancipation; they should be as simple and as natural as possible; they should follow a scientific/rational principle; and they should be administered or prescribed in a partner approach. If these criteria are stringently adhered to, then certain therapeutic approaches are out of the question; I won’t go into these here. The classic naturopathic remedies—and I wish to put special emphasis on “classic”—meet these criteria. The drug “physician” can be readily, and with a good conscience on the practitioner’s part, combined with these remedies, quite apart from a scenario where orthodox medicine has its important place. However, for such an empathetic, confidential interview, the required financial resources will

have to be made available. That cannot happen if—as has happened after the most recent reforms of evidence based medicine—the fake numbers are counted and large practices receive preferential treatment, whereas small practices are expelled from the health insurances’ schemes by means of individual health services and patients receive treatments on the basis of “a false state of affairs”—treatments that are requested by their brand names. One solution might be a fee structure whereby doctors’ working times would be reimbursed in 15 minute units, up to three quarters of an hour. The National Association of Statutory Health Insurance Physicians (Kassenärztliche Bundesvereinigung, KBV) has not succeeded in introducing this in the past 26 years—as long as I have been demanding it.

DOI: 10.3238/arztebl.2010.0569a

REFERENCES

1. Breidert M, Hofbauer K: Placebo: Misunderstandings and prejudices [Placebo: Missverständnisse und Vorurteile]. *Dtsch Arztebl Int* 2009; 106(46): 751–5.

Wilhelm Breitenbürger
Schlesische Str. 32
10997 Berlin, Germany

Professional Ban

The authors explain lucidly how the overall effect after administration of a medical drug is due to specific pharmacological effects on the one hand and to “general effects associated with administration of a placebo or medication” on the other hand. They conclude: “In orthodox medicine, the placebo effect is an important instrument in the physician’s armamentarium.”

Before readers get as far as the summarizing conclusion, however, they may stumble over the sentence: “Placebo effects probably make up a part, if not all, of the effectiveness of alternative and complementary medicine (...) However, since the knowing administration of a placebo for therapeutic purposes means bringing about a false state of affairs that is kept hidden from the patient, it needs to be investigated, as a matter of principle but also as a matter of law, whether purposive administration of placebo does not constitute a deception that must be ethically justified in each individual case (...)”

This statement is akin to demanding that practitioners of complementary medicine should be banned from their profession. What might be behind this undisguised request to dismiss all medical effort outside orthodox medicine as harmful for patients? It cannot be the actual observation of such practitioners and their actual results. It sounds more as though the basis is the claim to be the sole representative of the healing professions that is entailed in our form of medicine, whose intellectual orientation is akin to a “German industry standard,” which aims to eliminate as far as possible all “soft” data—such as the relationship between doctors and patients, which is indescribable and unpredictable—as disruptive elements. Reflecting on the image of doctors and their actions from a generally humane perspective one cannot but conclude that this should

include a self critical debate with colleagues about how patients might be given the best possible care.

DOI: 10.3238/arztebl.2010.0569b

REFERENCES

1. Breidert M, Hofbauer K: Placebo: Misunderstandings and prejudices [Placebo: Missverständnisse und Vorurteile]. Dtsch Arztebl Int 2009; 106(46): 751–5.

Dr. med. Reinhard Rapp

Seelbergstr. 16
70372 Stuttgart, Germany
dr.reinhard.rapp@arcor.de

Results Are Easily Manipulated

In recent years I have started following discussions on placebo effects. I have reached the conclusion that the placebo effect of a study is nothing other than an indicator for the regulatory abilities—or let's call it self healing powers—of patients in any given study cohort. If different studies show placebo effects ranging from 7–49% this may not be exclusively due to regression to the mean and spontaneous resolution. Furthermore, it may indicate that different numbers of patients with normal regulatory capacities were included in the placebo groups.

The authors assume that placebo effects account for almost the totality of effects in alternative and complementary medicine and ask whether targeted administration of a placebo constitutes deception. Simultaneously they recommend that the placebo effect should be consciously exploited as an important ingredient in orthodox medicine where genuine medications are used. I wish to ask the authors why they advocate using placebos in orthodox medicine while dismissing their use in complementary medicine?

I believe that the intentional exploitation of a placebo effect entails a risk of laying trial results open to manipulation—for example, in a clinical phase III study. Similarly, the intentional use of placebos by alternative practitioners should not be approved. However, would they devote themselves to gain comprehensive additional qualifications and studying the ample literature if they suspected they were working with placebos? Thus far, no “curabo” [I will cure] effect has been shown. A substance is not a placebo simply because we don't understand its mechanism of action.

DOI: 10.3238/arztebl.2010.0570a

REFERENCES

1. Breidert M, Hofbauer K: Placebo: Misunderstandings and prejudices [Placebo: Missverständnisse und Vorurteile]. Dtsch Arztebl Int 2009; 106(46): 751–5.

Dr. med. Petra Reimann

Maximiliankorso 3
13465 Berlin, Germany
petra.reimann@gmx.net

Statistical Methods Are Inadequate

I would agree that, when administering pharmacologically effective medications, the mechanisms that under-

lie the administration of a placebo should be consciously exploited. I would, however, argue that such mechanisms cannot be achieved with very little effort. To influence positively the conditional reflexes and expectations of a patient is not possible without a greater effort being involved—much in the same way as a suitable personal charisma on the doctor's part and of the atmosphere where the treatment is being given. Doctors are not trained for this, and neither does the medical system expect this of them in everyday clinical practice.

The placebo effect is still being confused with the phenomenon of prescribing a “sham medication.” However, placebo effects as I would describe them are so much more. No surgery, no irradiation treatment, no drug administration, no patient between doctor and patient, no expectation on the doctor's part or the patient's part are ever devoid of placebo or nocebo effects, even if this has not been (and probably cannot be) statistically proved in the individual case. These phenomena touch on sociological, philosophical, or even spiritual questions that statistical methods famously cannot capture. Doctors are prone to underestimating the placebo effect and often totally ignore the phenomenon, except when it is essential in drug experiments. Guideline based medicine, which is increasingly based on statistical proof of efficacy, is an obstacle to the access to and inclusion of placebo effects in everyday medical practice.

DOI: 10.3238/arztebl.2010.0570b

REFERENCES

1. Breidert M, Hofbauer K: Placebo: Misunderstandings and prejudices [Placebo: Missverständnisse und Vorurteile]. Dtsch Arztebl Int 2009; 106(46): 751–5.

Dr. med. Thomas Vetter

Sächsisches Krankenhaus für Psychiatrie und Neurologie Altscherbitz
Leipziger Str. 59
04435 Schkeuditz, Germany
thomas.vetter@skhal.sms.sachsen.de

Stop The Trench Wars

The authors say in their article that the placebo effect largely depends in a patient's expectation and contextual factors, such as empathy and attention. The influence of the doctor's expectations on the result has not been confirmed thus far.

In my opinion, naturopathic remedies meet these requirements in a special manner. On the one hand, patients have great confidence in complementary treatment approaches. Most naturopathic remedies provide much opportunity to deal with patients empathetically because even when taking the history, much emphasis is placed on subjective well-being, and many therapeutic methods entail attentive physical contact between patient and practitioner.

By contrast, patients are often resentful towards scientific orthodox medicine and in particular towards the pharmaceutical industry—as has been shown by the fear of the H1N1 vaccine. Empathy and attention may also be in short supply in medical everyday practice,

which is characterized by numerous technical investigations, quality assured documentation, and guideline conform treatment. Among further aggravating factors are discount contracts leading to substitution with cheaper drugs—a cheaper price creates negative expectations, as was mentioned in the article.

I am all the more surprised that the authors in their article declare the placebo effect an important tool in the context of orthodox medical treatment but declare it as questionable in the context of complementary approaches and even class it as “deceiving the patient.” We should end these entrenched wars between complementary medicine and orthodox medicine and should enhance the high technical and scientific standard of our orthodox medical services with the positive placebo characteristics of tried and tested naturopathic treatment methods. With regard to the placebo attributes, these are often superior to orthodox medicine.

DOI: 10.3238/arztebl.2010.0570c

REFERENCES

1. Breidert M, Hofbauer K: Placebo: Misunderstandings and prejudices [Placebo: Missverständnisse und Vorurteile]. *Dtsch Arztebl Int* 2009; 106(46): 751–5.

Dr. med. Michael Schiener
Bahnhofstr. 32
64720 Michelstadt, Germany
michael@schienen-online.de

In Reply:

As Thure von Uexküll, a famous scholar of psychosomatic medicine, said (1):

Medicine’s concept of human beings is a technocratic one. A substance that cannot be biotechnically captured disappears, because medical doctors are not interested.”

Most of the readers’ letters reflect this idea.

Breitenbürger rightly emphasizes the idea of the physician as the drug, but he also focuses on the scientific/rational principle as an important condition for a therapeutic approach. Whether it is really possible to save or even redirect financial resources by means of increased medical attention remains to be seen.

We neither called for nor did we consider a professional ban for practitioners of alternative and complementary medicine, as interpreted by Rapp. We only pointed out that placebo effects are probably partly or even wholly responsible for part of the effect of complementary and alternative therapeutic approaches, and we pointed out elsewhere that using placebos (within orthodox medicine!) may constitute a deception of the patient that may even have legal implications (2).

We do not agree with Reimann that use of placebos in orthodox medicine should be advocated; we merely wanted to emphasize the fact that a placebo effect is involved in the administration of active substances, and this should be exploited intentionally.

Rapp and Schiener respectively interpret the use of a placebo effect as the intersection between complementary medicine and orthodox medicine. However,

we wish to emphasize that subjectivity may play a part in the doctor-patient relationship, but that objectivity is one of the crucial mainstays of how doctors act. For this reason, the misunderstandings and prejudices that we allude to in the title of our article should be avoided as far as possible.

Minwegen mentions nocebo effects that may be triggered by adverse effects listed in the instructions for users. What is certainly of crucial importance here is how medical professionals impart this information or comment on it (3). In someone who has been instilled with a fear of the “harmful chemicals used in orthodox medicine” by medical outsiders, scientifically confirmed or practically tried and tested medications would not be as effective (if at all). Negative information that the patient gleans from their doctor, pharmacist, or the media may also trigger side effects.

Klippel adds to our literature search for the “placebo gene” by pointing out epigenetic factors. His definition of epigenetics seems to be broad based and includes the regulation of gene expression in general. Our own additional literature search using the search terms “epigenetics and placebo” did not yield any results.

We thank Schulz for his comments about the typical scenarios where complementary phytotherapies would be deployed. The high proportion of placebo effects in the overall effect of a treatment with an active substance is likely to be due to different causes for the different indications. The pronounced placebo effect in dementia is probably mainly a function of the ineffectiveness of the active substance.

Vetter underlines the numerous aspects that characterize the doctor-patient relationship. We also see therapeutic advantages when the whole person can be done justice in the therapeutic approach: conscious expectations can alleviate symptoms, even if those who receive the treatment are aware they are being given placebo (4). The “very small amount of extra time” we mentioned relates to short statements such as “this treatment has helped many people,” which by themselves may improve a patient’s responsiveness to a medical treatment.

Finally, we wish to draw attention to a small historical error on our part: Benjamin Franklin was the president of the constitutional convention of the then 13 United States of America and, with 54 other representatives, signed the US Declaration of Independence on 4 July 1776. He also held the position of the president of the Supreme Executive Council of Pennsylvania and remained in this post—which later corresponded to the office of the state governor—to 1 December 1788. His last act in office was to sign the constitution of the US (5). He was never president of the United States.

The authors thank all our correspondents for this opportunity to discuss the exciting topic that is “placebo.

DOI: 10.3238/arztebl.2010.0571

REFERENCES

1. v Uexküll T, Adler RH, Herrmann JM, et al.: *Psychosomatische Medizin*. 6th edition. München, Jena: Urban & Fischer 2002.

2. Breidert M, Hofbauer K: Placebo: Misunderstandings and prejudices [Placebo: Missverständnisse und Vorurteile]. Dtsch Arztebl Int 2009; 106(46): 751–5.
3. Barsky AJ, Saintfort R, Rogers MP, Borus JF: Nonspecific medication side effects and the nocebo phenomenon. JAMA 2002; 287(5): 622–7.
4. Benedetti F: Mechanisms of placebo and placebo-related effects across diseases and treatments. Annu Rev Pharmacol Toxicol 2008; 48: 33–60.
5. http://de.wikipedia.org/wiki/Benjamin_Franklin

PD Dr. med. habil. Matthias Breidert

Medizinische Klinik I
 Kliniken im Naturpark Altmühltal
 Klinik Kösching
 Krankenhausstr. 19
 85092 Kösching, Germany
matthias.breidert@klinik-koesching.de

Conflict of interest statement

The authors of all contributions declare that no conflict of interest exists according to the guidelines of the International Committee of Medical Journal Editors.