MEETING ABSTRACT

Open Access

HTLV-1 affects the adipogenic differentiation of human mesenchymal stem cells

Evandra Strazza Rodrigues^{1,2*}, Maurício C Rocha Jr^{1,2}, Maristela Delgado Orellana^{1,3}, Osvaldo Massaiti Takayanagui³, Dimas Tadeu Covas^{1,3}, Simone Kashima^{1,2}

From 15th International Conference on Human Retroviruses: HTLV and Related Viruses
Leuven and Gembloux, Belgium. 5-8 June 2011

Background

Mesenchymal stem cells (MSCs) are multipotent cells mainly found in the bone marrow (BM) and are considered to support human hematopoiesis. During HTLV-1 infection, T cells that are infected may migrate to the BM, and establish a progressive viral invasion. The persistence of these cells in the BM may affect the function of the resident BM cells and the biological properties of this microenvironment. However, the exact mechanisms of this phenomenon and the relative contribution of HTLV-1 to BM cell dysfunction remain to be elucidated. In this study, we evaluated the ability of HTLV-1 to disturb MSCs normal functions.

Methods

Human MSCs were cultured on the presence of MT-2 cell line. MSCs markers and adipogenic differentiation potential was evaluated.

Results

We observed that MSCs that had contact with HTLV-1 were able to differentiate into adipocytes. However, gene expression of PPAR γ , cell morphology and intracellular lipid formation analyses revealed that adipogenic differentiation of MSCs that were exposed to HTLV-1 was decreased compared to MSCs not exposed ($p < 0.03$). In addition, analyses by flow cytometry showed a reduction of the expression of MSCs markers (CD271 and HLA-DR) in MSCs that had contact with HTLV-1.

Conclusion

HTLV-1 caused significant changes in the characteristics and functions of MSCs. This finding suggests the

importance of HTLV infection on MSCs, and this could contribute to the understanding the viral infection mechanisms and pathogenesis.

Acknowledgements

Financial support: CTC, INCTC, FAPESP, FUNDHERP and CNPq.

Author details

¹Regional Blood Center of Ribeirão Preto, Ribeirão Preto, Brazil. ²Faculty of Pharmaceutical Sciences of Ribeirão Preto, University of São Paulo, Ribeirão Preto, Brazil. ³Faculty of Medicine of Ribeirão Preto, University of São Paulo, Ribeirão Preto, Brazil.

Published: 6 June 2011

doi:10.1186/1742-4690-8-S1-A115

Cite this article as: Rodrigues et al.: HTLV-1 affects the adipogenic differentiation of human mesenchymal stem cells. *Retrovirology* 2011 **8** (Suppl 1):A115.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

* Correspondence: evandra@hemocentro.fmrp.usp.br

¹Regional Blood Center of Ribeirão Preto, Ribeirão Preto, Brazil

Full list of author information is available at the end of the article