Published in final edited form as:

Comput Inform Nurs. 2011 November ; 29(11): 637–645. doi:10.1097/NCN.0b013e31822bef7a.

Creating Patient and Family Education Websites: Design and Content of the Home Parenteral Nutrition Family Caregivers Website

Sharon Fitzgerald, MPH[Research Analyst],
University of Kansas

Donna Macan Yadrich, MPA, CCRP[Research Coordinator],
University of Kansas

Marilyn Werkowitch, RN, BSN[Research Coordinator],
University of Kansas

Ubolrat Piamjariyakul, RN, PhD[Research Associate Professor], and
University of Kansas

Carol Smith, RN, PhD[Professor]
School of Nursing, Preventive Medicine and Public Health, University of Kansas

Sharon Fitzgerald: sfitzgerald@kumc.edu; Donna Macan Yadrich: dyadrich@kumc.edu; Marilyn Werkowitch: mwerkowi@kumc.edu; Ubolrat Piamjariyakul: upiamjariyakul@kumc.edu; Carol Smith: csmith@kumc.edu

Abstract

When managing chronic illnesses, caregivers repeatedly seek online information about providing complex, long-term care but often neglect to find information about how to care for themselves. Poor health among caregivers is not only detrimental to their own well-being but may also result in harm to those for whom they care. For this reason, caregivers need access to information and activities about caring for themselves in addition to the information about managing home care they were already likely to seek. The HPN Family Caregivers Website was developed to guide caregivers through the process of caring for themselves by establishing a caregiving routine, self-monitoring their mental and physical health, practicing good sleep hygiene, etc., while also managing the complexities of home care. While website information, activities and algorithms for managing chronic illnesses need to be specific to each population, the content guiding caregivers to care for their own health is universal.

Keywords

Internet; Caregivers; Caregiving; Chronic illness

Introduction

According to the Pew Internet and American Life Project's 2009 report, approximately 61% of adults seek online health information.¹ Over 30 million American adults provide home

University of Kansas Medical Center, School of Nursing, 3901 Rainbow Blvd. Mail Stop 4043, Kansas City, KS 66160, Phone: 913-588-3392, Fax: 913-588-4531

Disclaimer: The project described is part of a larger study supported by the National Institute of Nursing Research (NINR) Grant # NR09078. The content is solely the responsibility of the authors and does not necessarily represent the official views of the NINR or the National Institutes of Health.

caregiving, and approximately 80% of these caregivers seek health information online.^{1, 2} Most caregivers managing chronic illnesses at home look to the Internet for detailed information about home care for their patients, but many are less likely to seek information about caring for themselves.³

Caregivers neglect their own physical and mental health^{4, 5} with resulting fatigue, stress and morbidities because of the conflicting demands of complex long-term caregiving, employment, family responsibilities, and increasing economic pressure.^{6, 7} To reduce caregiving stress, caregivers must be taught to care for themselves because poor health among caregivers is not only detrimental to the caregivers themselves but may also be harmful to those for whom they care.⁸ There are many websites available to caregivers with general information about how to do home care, yet, there are very few websites that provide evidence-based step-by-step guides to help caregivers manage their own health while providing complex home care such as home parenteral nutrition (HPN).

HPN is used to treat lifelong malnutrition from intestinal failure due to underlying chronic diseases (e.g., Crohn's), bowel loss due to surgery or abdominal trauma, or congenital or anatomic defects.⁹ HPN therapy consists of nutrient solutions infused over 12 to 24 hours through intravenous catheters that are surgically placed into the superior vena cava.¹⁰ The HPN Family Caregivers Website was designed specifically for HPN caregivers, conveniently providing step-by-step algorithm guides and home care information for providing care for a patient on HPN and also providing activities that can improve their own health. This article describes the content and rationale for each section of the HPN Family Caregivers Website.

HPN Family Caregivers Website

The HPN Family Caregivers Website consists of comprehensive information on pages that provide interactive nursing interventions for HPN caregivers. These interventions, or evidence-based activities, information and guidelines, have been shown to improve the quality of life of caregivers as well as the successful management of HPN home care.^{12, 15–19} The HPN Family Caregivers Website provides scientifically-based algorithms with step-by-step instructions for practicing the most common self-care procedures and resolving HPN home care problems. While the website content about managing HPN is specific to this patient population, the information guiding caregivers to care for their own health can be generalized to other caregivers who provide similar complex home care for other illnesses.^{8, 11–14}

Home Page

All website content is accessible from the home page (see Figure 1). A table of contents located in the left margin of the page includes links to each of the five website sections: (1) Caring for Yourself; (2) Managing HPN; (3) Success Stories; (4) Other Resources; and (5) Our History. Each of these sections is comprised of multiple web pages full of content specific to the section which will be fully described below.

The home page includes additional information that caregivers are encouraged to review prior to accessing the five sections. These include: (1) a prominent notification cautioning that the information provided on the website is designed to be used by patients and caregivers only in conjunction with their primary care physicians; (2) a link to tips on how to navigate the website; (3) contact information for the creators of the website; (4) Health on the Net (HON) certification (see Figure 2), which is a set of principles developed for health and medical website certification via repeated reviews that use stringent ethical and technical criteria;²⁰ (5) links to national guidelines teaching laypersons how to evaluate

whether a health website has reputable, reliable and quality health information; (6) links to the most popular and frequently used information (i.e., success stories, power naps, checklist diary) as indicated by previous research;^{12, 16} (7) a search field providing easy access to all online content; and (8) World Wide Web Consortium (W3C) validation,²¹ which confirms that all website information can be interpreted by audio or Braille software, complying with Section 508 of the Rehabilitation Act.

Caregivers are encouraged to view all website content, as it has all been found effective in improving their health and the health of the patient for whom they care. However, due to the demands of HPN home care, caregivers may not have the time or energy to access all content. They are therefore asked to focus on the first two sections: (1) Caring for Yourself, which provides caregivers with information and activities for their own health needs; and (2) Managing HPN, which provides caregivers with specific and detailed information about HPN home care procedures. Providing these two distinct sections side-by-side on the same website allows caregivers to easily access key information about caring for a patient on HPN while caring for themselves.

Caring for Yourself Web Pages

The *Caring for Yourself* section features access to a variety of content about caregivers' physical and mental health needs, self-assessments and algorithmic activities that encourage establishing a caregiving routine (see Figure 3). Establishing a caregiving routine has multiple benefits because it empowers caregivers to take control of their own routines and activities while adhering to rigorous home caregiving treatments for their HPN patient.

A diary checklist is available on the website allowing patients and caregivers to record their daily routines. This checklist prompts caregivers to develop a habit of health assessments while maintaining daily routines for monitoring home care. The checklist has been validated as accurate, sensitive and specific for monitoring emotions, fatigue and caregiving-related problems.^{22, 23}

Self-monitoring Emotions—Caregivers have been found to have frequent and recurring episodes of reactive or situational depression, as diagnosed by the DSM-IV,²⁴ due to many of the strains and frustrations often associated with caring for others.^{19, 25} Persons with reactive depression sleep poorly, ignore their health, obtain less social support and are at a higher risk for comorbidities.²⁶ However, previous research has found that caregivers with increased depression are responsive to telehealth or online nursing interventions.^{11, 12, 17, 27}

The website links guide caregivers to assess their own levels of depression and that of the HPN patient. For example, they are told that feeling “blue” for 2 weeks or more could be a sign of depression. If they have felt this way, they are encouraged to use the interactive links to depression management algorithms that are aligned with national standards established by the National Institutes of Health (NIH).^{7, 28–30} These step-by-step algorithm links guide the caregiver through evidence-based activities known to reduce depression. These activities and guides include therapeutic writing, prompted mood-elevating activities and sensory touch.^{17, 19, 31}

Therapeutic writing about emotions has been reported to increase positive outlook, enhance the body's immune system and avoid infection, as well as manage depression and maintain quality of life.^{17, 19, 29} Caregivers are encouraged to write about their feelings twice during the week and once on the weekend either in their checklist diaries found on the website or in a personal journal. Writing can also lead to self-disclosure, identification of problems, recognition of emotional reactions and improved cognitive processing about challenges.³² Pennebaker's consistent research findings confirm that writing about experiences in as little

as 15 minutes for at least 3 days a week brings about robust health improvements. These findings have been replicated across various age, ethnic and chronically ill groups, and both genders.^{33–36}

Prompted mood-elevating activities are provided for caregivers when they have low self-assessment ratings of their emotions on the diary checklist, or any time caregivers feel “sad, blue or discouraged.” These mood-elevating activities include calling a friend or relative to talk, working on hobby, joining a club, listening to favorite music, watching TV, reading a book, and writing about feelings and emotions. Performing enjoyable activities has been shown to help moods become positive. This can improve physical and mental health as well as provide a positive atmosphere for caregivers and their HPN patients.^{12, 19}

Sensory touch, or firm skin contact creating gentle pressure for 5 to 10 seconds, enhances relaxation and decreases depression as it stimulates sensation throughout the nervous system. Like therapeutic writing, sensory touch increases positive outlook and enhances the body’s immune system.³⁷ A list of suggested science-based activities that stimulate relaxation is provided, such as using a rolling back massager, hugging a small pillow, rubbing the back of the neck, holding hands or hugging another person, or petting an animal.^{8, 12, 17} Caregivers are encouraged to perform any of these activities whenever they feel “sad, blue or discouraged.”

Self-monitoring Fatigue—Lack of sleep can also negatively impact mood and alertness, and the effects of chronic fatigue can be cumulative. A recent review found that HPN caregivers have daily distress and fatigue due to managing complex HPN care, disrupted social activities and lost employment.³⁸ Sleep deprivation is a pervasive problem for family caregivers of patients on HPN because of the nightly sleep interruptions necessitated by HPN home care.^{9, 39} Sleep deprivation, even if only intermittent, is a risk to safety because of its effect on brain function, such as increased attention lapses, cognitive deficits, memory loss and involuntarily falling asleep.¹⁵ Long-term clinical consequences of sleep deprivation include numerous chronic illnesses and other mood disorders and injuries from fatigue-related activities. The HPN Family Caregivers Website features science-based activities for self-monitoring fatigue and drowsiness. These include: (1) 12 rules for practicing better sleep hygiene and (2) taking “power naps.”

The 12 rules for better sleep hygiene advise caregivers to get the proper amount of sleep to reduce the chronic fatigue often associated with caregiving. Examples of ways to improve sleep hygiene include: (1) sleeping as much as needed to feel refreshed; (2) keeping routine hours for going to bed and waking up; (3) engaging in daily exercise; and (4) avoiding caffeine and alcohol close to bedtime.⁴⁰

Power naps, or afternoon naps of less than 30 minutes (even those as brief as 10 minutes), restore wakefulness, promote performance and learning and improve cognitive task performances such as attention to intravenous procedures.^{15, 16, 41, 42} Sleeping longer than 30 minutes can increase the risk of waking up feeling groggy and affect the ability to fall asleep at bedtime. A short, 10-minute power nap is recommended to restore alertness and memory as well as relieve stress and fatigue without disrupting night time sleep cycles.^{43, 44} Power naps promote focused imagery of restful sleep that features a gradually slowing musical tempo with lyrics that guide deep breathing, muscle group relaxation and synchronization with a resting heart rate cadence.¹⁵

Caregivers are given links to audio files guiding them through power naps. These files are available in five different musical genres: classical, soft rock, spiritual, country and easy listening. Files can be accessed directly through the website or downloaded to a CD or

mobile device, such as an mp3 player or cell phone with mp3 capabilities. This popular and frequently used activity can be accessed directly from the home page or through the *Caring for Yourself* section.

Self-monitoring Problems Related to Caregiving—Caregivers often use the Internet to help solve a home care problem.⁴⁵ A website similar to this used for specific chronic illness home care problems was tested in 2005. It was found that the 202 caregivers and patients who used the website had significantly more problem-solving confidence and engagement with health care professionals than the control group.⁴⁶

Managing long-term complex home care may directly impact the physical and mental health of caregivers, often causing new illnesses or triggering an exacerbation of current comorbidities. Several web pages are dedicated to self-monitoring the most common problems, such as frustration with coordinating multiple service agencies, managing technology problems and coping with financial strain of the high cost of caregiving.^{19, 47} A video entitled “Partnering and Monitoring” addresses these issues. Other pages in this section include prompts for helping caregivers obtain resources and overcome barriers to health promotion activities and provide scripted guides to help those who may be reluctant about contacting their health care providers with questions.^{48, 49} Also included are links to the five steps for problem solving: (1) identifying the exact problem(s); (2) talking about everyone’s feelings and emotional reactions to the problem(s), such as fear of infection, worry over health care bills, etc.; (3) listing quick fixes and long term solutions; (4) identifying solution options and partners available to help; and (5) trying the “best” solution. Use of these five steps has been scientifically shown to improve caregiver logical problem solving and confidence with complex home care.¹⁷

Managing HPN Web Pages

The *Managing HPN* section is dedicated to information and illustrations about how to provide the daily caregiving procedures required for successful HPN home care (see Figure 4). HPN home care requires these procedures to be completed at least twice daily. Treatment includes dressing changes and intravenous infusions through an indwelling chest wall central venous catheter that must be done in a specific sequence with stringent aseptic technique.^{9, 10, 50} Previous research describes the caregivers’ demanding schedules of 12- to 24-hour HPN infusions often done throughout the night with frequent awakenings from pump alarms for fluid, electrolyte and blood glucose monitoring,⁵¹ and for daily maintenance, cleaning, assembly and troubleshooting of the electric pump.⁵² The cognitive complexity of HPN care includes distress over the numerous and commonly recurring home care problems (i.e. infusion problems, catheter contamination, insertion site leakage, etc.) that patients and caregivers must recognize as well as problems coordinating care with multiple health care professionals, service providers and insurers.^{51, 53}

The HPN Family Caregivers Website provides automated algorithms based on national HPN clinical care guidelines and education designed to assist in managing complex and recurring HPN home care problems.^{11, 54} Caregivers are shown how to make HPN management a part of their daily caregiving routines. They may use the same diary checklist they use to monitor their own health to monitor the health of their HPN patients, as the checklist has also been shown to be effective in reducing home care infection rates.⁵⁵ Caregivers can link to web pages that include science-based information, activities and algorithms about living with HPN, infection prevention, and problem-solving skills for common problems often associated with HPN.

A video entitled “Living with HPN” illustrates caregivers’ home care concerns and coping skills. This video includes information from health care professionals and personal stories

from HPN patients and their caregivers. In controlled studies, caregivers who view video recordings of others managing similar situations have successfully adjusted to managing complex HPN home care^{56–58} and have had greater positive patient and caregiver outcomes.⁵⁹

In order to prevent infection, caregivers can access information about practicing principles of asepsis and recognizing signs and symptoms of infection. Caregivers and patients are guided through the following science-based activities and information shown to be effective in reducing catheter-related infections: (1) handwashing, (the Centers for Disease Control and Prevention [CDC] indicates that handwashing is the first line of defense against disease-producing microorganisms and prevents the spread of pathogens);^{15, 60} (2) terms to know, such as “aseptic technique,” “clean” and “sterile;” (3) safe work practices, such as preparing the HPN work station and handling sterile supplies; (4) asepsis top 10 list that includes infection prevention principles of which anyone managing HPN should be aware, compiled from other caregivers and patients managing HPN and the CDC; and (5) principles of asepsis video, which illustrates techniques to help prevent HPN-related infections and guides caregivers in practicing the science-based activities for the principles of asepsis, such as handwashing and safe work practices.

Decision-making steps of the HPN Infusion Problem Monitoring and Solving web pages are guided by the Oley Foundation’s Complication Chart, which lists the commonly repeating and serious problems that may occur with HPN. The Oley Foundation a non-profit 501(C) organization that provides information and psychosocial support to families managing HPN.⁶¹ The Oley Complication Chart provides information about potential metabolic problems (systemic infection, hyperglycemia, hypoglycemia and/or dehydration) and mechanical problems (air embolisms, cracking, catheter tearing or clotting, inflammation and/or pump or power failure) often associated with HPN. The website emphasizes that this chart is to be used as a reference guide, not to replace the advice of the health care professional. A direct link to the Oley Foundation’s website is provided.

Success Stories Web Pages

Social connection is an important component of this website, as social isolation among caregivers can be common and recurring.⁶² Research has found that 47% of HPN patients and caregivers rated their own peers as an important source of health information and felt that information shared by people in similar situations is trustworthy.^{63, 64} In this section, caregivers are encouraged to submit stories they feel would benefit others in the areas of self-care, problem solving and overcoming challenges. These stories are edited by website staff to remove identifying information and protect the confidentiality of the author.

Other Resources Web Pages

There are more than 70,000 websites devoted to health information, and many of them have not been validated as having accurate and reliable information, thus exposing patients to misinformation.⁶⁵ Due to the amount of unreliable online health information, Healthy People 2010 includes a health communication objective for quality criteria for Internet health information sources.⁶⁶ To support this objective, the HPN Family Caregiving Website provides links to other reliable websites found to meet quality criteria on topics such as (1) caregiving, (2) HPN, (3) medical/health information, (4) paying for health care, (5) clinical trials, (6) grief and bereavement, and (7) using and evaluating the web for health information. Specific links include the Family Caregiver Alliance, the National Family Caregiver Support Program, the American Academy of Family Physicians, the Drug and Medical Device Alerts section of the Food and Drug Administration, the Centers for Disease Control, Medicare and Medicaid via the U.S. Department of Health and Human Services,

COBRA via the U.S. Department of Labor, and clinical trial information and information about using the web for reliable health information via the National Institutes of Health, to name a few. These resources were carefully chosen because the topics related to the learning needs, information queries and support sought by caregivers managing HPN at home.

Our History Web Pages

It is important that caregivers feel a sense of connection with the individuals providing them with health information.⁶⁴ In order to provide this sense of connection, the section entitled *Our History* offers a myriad of information about the website author and the research team that helped develop and maintain the website and how to contact these people. Also included is information about confidentiality, prior research findings and the website staff's gratitude toward all previous and current caregivers who contributed to this website.

The *Our History* section also provides credibility and content validity of the website information to ensuring users that website content and relevant information was provided by researchers who are experts in this area. These pages also illustrate the partnership between researchers and caregivers who shared their real-life experiences and helped develop the content. The HPN Family Caregivers Website was created by a website specialist in our university information technology (IT) department and reviewed by non-IT research staff and caregivers to ensure that the terms would be understandable to the lay public.

Discussion

As with any growing discipline, there are negative aspects of online health information to consider. The current popularity of social media tools such as Twitter, Facebook and weblogs provides the opportunity for quick dissemination of health information. However, this information is seldom de-identified and can often be inaccurate if not provided by a health professional.⁶³ Further, social media blurs the boundaries between nurses and patients, as online socializing with patients and/or their caregivers may damage nurse-patient relationships.⁶⁷

For these reasons, it is important that online health information be presented in a professional, non-social media format, as it is on the HPN Family Caregivers Website, until further development can ensure privacy and accuracy of information disseminated through social media tools.

Implications for Further Research

Because the *Caring for Yourself* information, activities and algorithms are generalizable, they can be provided to and tested among caregivers of other chronic illnesses. If information specific to managing other chronic illnesses can be found to be effective when placed online, additional sections about providing home care for specific illnesses (e.g., Managing Heart Failure, or Managing Chronic Obstructive Pulmonary Disease, etc.) could be added to this website and tested.

Conclusion

The HPN Family Caregivers Website was designed to provide caregivers with content about caring for themselves and their patients on HPN. The *Managing HPN* content is specific to this patient population, but the *Caring for Yourself* content is applicable to caregivers of patients with any chronic illness. The HPN Family Caregiving Website was evaluated by external experts as well as website users as a quality, science-based, reliable and valid site

providing caregivers with specific information to manage their own health while providing complex HPN home care.

Acknowledgments

We are grateful for the recommendations and clinical expertise contributed to this trial by Faye Clements and Noreen C. Thompson, RN, MSN.

References

1. Fox, S. Strategic Learning for Health care in 2010. Pew Internet & American Life Project; Available at <http://www.pewinternet.org/Commentary/2010/January/Strategic-Learning-for-Health-Care-in-2010.aspx>
2. Gibson MJ, Houser A. Valuing the invaluable: a new look at the economic value of family caregiving. Issue Brief (Public Policy Institution, American Association of Retired Persons). 2007; (IB82):1–12.
3. Baker L, Wagner TH, Singer S, Bundorf MK. Use of the internet and e-mail for health care information: results from a national survey. JAMA. 2003; 289(18):2400–6. [PubMed: 12746364]
4. Mittleman MS, Haley WE, Clay OJ, Roth DL. Improving caregiver well-being delays nursing home placement of patients with Alzheimer disease. Neurology. 2006; 67(9):1592–9. [PubMed: 17101889]
5. Pinquart M, Sorensen S. Ethnic differences in stressors, resources, and psychological outcomes of family caregiving: a meta-analysis. The Gerontologist. 2005; 45(1):90–106. [PubMed: 15695420]
6. Schulz R, Beach SR. Caregiving as a risk factor for mortality: the Caregiver Health Effects Study. JAMA. 1999; 282(23):2215–9. [PubMed: 10605972]
7. Schulz R, Sherwood PR. Physical and mental health effects of family caregiving. The American Journal of Nursing. 2008; 108(9):23–7. [PubMed: 18797217]
8. Smith CE. State of the science: professional partners supporting family caregivers. American Journal of Nursing. 2008; 108(9):64–8. [PubMed: 18797233]
9. Bozetti, F.; Staun, M.; Van Gossum, A., editors. Home Parenteral Nutrition. Cambridge, MA: CABI; 2006.
10. McCloskey, WM.; McCarthy, RL. Home Care. 4. Sudbury, MA: Jones & Bartlett; 2007.
11. Smith CE, Puno F, Werkowich M, Cofer A, Whitman R, Pingleton S. Patient website algorithms for home nursing care & physiologic measures via the internet. Gerontechnology. 2005; 3(4):217.
12. Smith CE, Curtas S, Kleinbeck S, et al. Clinical trial of interactive and videotaped educational interventions reduce infection, reactive depression, and rehospitalizations for sepsis in patients on home parenteral nutrition. Journal of Parenteral and Enteral Nutrition. 2003; 27(2):137–45. [PubMed: 12665170]
13. Winkler MF, Ross VM, Piamjariyakul U, Gajewski B, Smith CE. Technology dependence in home care: impact on patients and their family caregivers. Nutrition in Clinical Practice. 2006; 21(6): 544–56. [PubMed: 17119161]
14. Smith, CE. Empirically verified model: caregiving research. 2. Lippincott, Williams & Wilkins; 2007.
15. Smith, CE.; Werkowich, M. Empirically verified music-based health promotion interventions. NOVA Science Publishers; 2010.
16. Smith CE, Daut E, Clements F, Werkowich M, Whitman R. Patient education combined in a music and habit-forming intervention for adherence to continuous positive airway (CPAP) prescribed for sleep apnea. Patient Education and Counseling. 2009; 74(2):184–90. [PubMed: 18829212]
17. Smith CE, Leenerts MH, Gajewski BJ. A systematically tested intervention for managing reactive depression. Nursing Research. 2003; 52(6):401–9. [PubMed: 14639087]

18. Smith CE, Pace K, Kochinda C, Kleinbeck SV, Koehler J, Popkess-Vawter S. Caregiving effectiveness model evolution to a midrange theory of home care: a process for critique and replication. *Advance in Nursing Science*. 2002; 25(1):50–64.
19. Smith CE, Holcroft C, Rebeck SL, Thompspon NC, Werkowich M. Journal writing as a complementary therapy for reactive depression: a rehabilitation teaching program. *Rehabilitation Nursing*. 2000; 25(5):170–6. [PubMed: 11998082]
20. HON. Health on the Net Foundation. 2009. Confidentiality, proper attribution, justifiability and validity of the health information provided code.
21. World Wide Web Consortium (W3C). Markup Validation Service; 2008. <http://validator.w3.org>
22. Holmes-Rovner M, Valade D, Orlowski C, Draus C, Nabozny-Valerio B, Keiser S. Implementing shared decision-making in routine practice: barriers and opportunities. *Health Expectations*. 2000; 3(3):182–91. [PubMed: 11281928]
23. Parkes J, Shepperd S. Discharge planning from hospital to home. *Cochrane Database of Systematic Reviews*. 2000; (4):CD000313.
24. Diagnostic and Statistical Manual for Mental Disorders. 4. Washington, DC: American Psychiatric Association; 2000.
25. Bookwala J, Schulz R. A comparison of primary stressors, secondary stressors, and depressive symptoms between elderly caregiving husbands and wives: the Caregiver Health Effects Study. *Psychology and Aging*. 2000; 15(4):607–16. [PubMed: 11144320]
26. Jiang W, Alexander J, Christopher E, et al. Relationship of depression to increased risk of mortality and rehospitalization in patients with congestive heart failure. *Archives of Internal Medicine*. 2001; 161(15):1849–56. [PubMed: 11493126]
27. Gaskamp CD. Quality of life and changes in health insurance in long-term home care. *Nursing Economic\$*. 2004; 22(3):135–9. [PubMed: 15211916]
28. National Institute on Aging. Depression. 2008. National Institutes of Health, U.S. Department of Health and Human Services;
29. Leahy, RL.; Holland, SJ. Treatment plans and interventions for depression and anxiety. New York: The Guilford Press; 2000.
30. Schultz R, Lustig A, Handler S, Martire LM. Technology-based caregiver intervention research: current status and future directions. *Gerontechnology*. 2002; 2:1–10.
31. Smith, CE. Care for the Caregiver, Invited Panel: Caregiver Support Implications Clinical Session. Paper presented at: ASPEN; 2003; San Antonio, TX.
32. Chang A, Enns R, Saqui O, Chatur N, Whittaker S, Allard JP. Line sepsis in home parenteral nutrition patients: are there socioeconomic risk factors? A Canadian study. *Journal of Parenteral and Enteral Nutrition*. 2005; 29(6):408–12. [PubMed: 16224032]
33. Pennebaker JW, Colder M, Sharp LK. Accelerating the coping process. *Journal of Personality and Social Psychology*. 1990; 58(3):528–37. [PubMed: 2324942]
34. Pennebaker JW, Seagal JD. Forming a story: the health benefits of narrative. *Journal of Clinical Psychology*. 1999; 55(10):1243–54. [PubMed: 11045774]
35. Pennebaker JW, Mayne TJ, Francis ME. Linguistic predictors of adaptive bereavement. *Journal of Personality and Social Psychology*. 1997; 72(4):863–71. [PubMed: 9108699]
36. Pennebaker WB. Tracking nonstationary probabilities in adaptive binary arithmetic coding. *IEEE Transactions on Image Processing*. 1998; 7(12):1715–7. [PubMed: 18276237]
37. Field T, Hernandez-Reif M, Diego M, Schanberg S, Kuhn C. Cortisol decreases and serotonin and dopamine increase following massage therapy. *International Journal of Neuroscience*. 2005; 115(10):1397–413. [PubMed: 16162447]
38. Huisman-de Waal G, Schoonhoven L, Jansen J, Wanten G, van Achterberg T. The impact of home parenteral nutrition on daily life - a review. *Clinical Nutrition*. 2007; 26(3):275–88. [PubMed: 17161888]
39. Carter PA. Family caregivers' sleep loss and depression over time. *Cancer Nursing*. 2003; 26(4): 253– 9. [PubMed: 12886115]
40. Magee, JD. Twelve rules for better sleep hygiene. *Weight Watchers Magazine*; 2002. p. 64

41. Garbarino SS. Professional shift-work drivers who adopt prophylactic naps can reduce the risk of car accidents during night work. *Sleep*. 2005; 23(6):813–9.
42. Takahashi M, Arito H. Maintenance of alertness and performance by a brief nap after lunch under prior sleep deficit. *Sleep*. 2000; 23(6):813–9. [PubMed: 11007448]
43. Hayashi M, Chikazawa Y, Hori T. Short nap versus short rest: recuperative effects during VDT work. *Ergonomics*. 2004; 47(14):1549–60. [PubMed: 15697069]
44. Hayashi M, Motoyoshi N, Hori T. Recuperative power of a short daytime nap with or without stage 2 sleep. *Sleep*. 2005; 28(7):829–36. [PubMed: 16124661]
45. Artistico D, Cervone D, Pezzuti L. Perceived self-efficacy and everyday problem solving among young and older adults. *Psychology and Aging*. 2003; 18(1):68. [PubMed: 12641313]
46. Schiefelbein, J. Dissertation. 2005. Internet interventions for older persons with obstructive sleep apnea: preparedness and problem-solving confidence.
47. Smith CE. Internet nursing care: patient teaching in the internet age. *NOVA Science*. 2010:41–53.
48. [Accessed July 10, 2010] Medicare basics: a guide for caregivers. Coverage and prescription drugs, home health and nursing home care. 2003. Available at <http://cms.hhs.gov/partnerships/tools/materials/caregiversresources/MedicareBasics.pdf>
49. [Accessed July 10, 2010] Medicare and durable medical equipment. 2003. Available at <http://www.medicareed.org/pdfs/papers91.pdf>
50. Smith, CE. Caregiving, quality of life, home care technologies & virtual nurse caring. 2. New York: Springer Publishing Co; 2000. with updates in 2005 & 2011
51. Cohen, S.; Smith, CE.; Howard, L. Living with HPN: a caregiver's perspective, caring for the caregiver support implications panel. Paper presented at: ASPEN Scientific Symposium; 2003; San Antonio, TX.
52. Smith CE, Duaz E, Clements F, Werkowich, Whitman R. Patient education combined in a music and habit-forming intervention for adherence to continuous positive airway (CPAP) prescribed for sleep apnea. *Patient Education and Counseling*. 2009; 74(2):184–90. [PubMed: 18829212]
53. Ireton-Jones, C.; DeLegge, M. Handbook of home nutrition support. Sudbury, MA: Jones and Bartlett; 2007.
54. Krouse HJ, Fisher JA, Yarandi HN. Utility of video modeling as an adjunct to preoperative education. *Southern Online Journal of Nursing Research*. 2001; 2(8)
55. Daut E, Moore J, Smith CE, Puno F, Schaag H. Installing computers in older adults' homes and teaching them to access a patient education web site: a systematic approach. *Computers Informatics Nursing*. 2004; 22(5):266–272. quiz 263–74.
56. Mihailidis A, Fernie GR, Barbenel JC. The use of artificial intelligence in the design of an intelligent cognitive orthosis for people with dementia. *Assistive Technology*. 2001; 13:23–39. [PubMed: 12212434]
57. Patyk M, Gaynor S, Kelley J, Ott V. Touch-screen computerized education for patients with brain injuries. *Rehabilitation Nursing*. 1998; 23(2):84–7. [PubMed: 9668870]
58. PCHC. American Medical Association Foundation Partnership for Clear Health Communications. 2008.
59. Taylor SE, Klein LC, Lewis BP, Gruenewald TL, Gurung RA, Updegraff JA. Biobehavioral responses to visual stress in females: tend-and-befriend, not fight-or-flight. *Psychological Review*. 2000; 107(3):411–29. [PubMed: 10941275]
60. Boyce JM, Pittet D. Guideline for hand hygiene in health-care settings. Recommendations of the Healthcare Infection Control Practices Advisory Committee and the HICPAC/SHEA/APIC/IDSA Hand Hygiene Task Force. Society for Healthcare Epidemiology of America/Association for Professionals in Infection Control/Infectious Diseases Society of America. *MMWR Recommendations and Reports*. 2002; 51(RR-16):1–45. quiz CE41–4.
61. About the Oley Foundation. The Oley Foundation; 2009. Available at <http://www.oley.org/programs.html>
62. Howard L. Home Parenteral Nutrition: Survival, Cost, and Quality of Life. *Gastroenterology*. 2006; 130(2, Supplement 1):S52–S59. [PubMed: 16473073]

63. Scanfeld D, Scanfeld V, Larson EL. Dissemination of health information through social networks: twitter and antibiotics. *American Journal of Infection Control*. 2010; 38(3):182–8. [PubMed: 20347636]
64. Smith CE, Curtas S, Werkowich M, Kleinbeck S, Howard L. Home parenteral nutrition: does affiliation with a national support and educational organization improve patient outcomes? *Journal of Parenteral and Enteral Nutrition*. 2002; 26(3):159–63. [PubMed: 12005455]
65. Anderson JG. Health information on the internet: let the viewer beware (caveat viewer). *MD Computing*. 2000; 17(4):19–21. [PubMed: 11014072]
66. Cline RJW, Haynes KM. Consumer health information seeking on the internet: the state of the art. *Health Education Research*. 2001; 16(6):671–92. [PubMed: 11780707]
67. AACN Bold Voices. Vol. May. Aliso Viejo, CA: American Association of Critical Care Nurses; 2010. Social media blur the line between nurses, patients; p. 11

Figure 1.
A snapshot of the HPN Family Caregivers Website home page as it appears immediately after log in.

Health On the Net Foundation

HONcode application status:

**HPN Caregiving
is in compliance with the HONcode**

Title of the site:	HPN Caregiving
Web address:	http://www3.kumc.edu/hpn/
HONcode PIN number :	HONConduct121463
Date of initial review:	09 Aug 2004
Date of last subsequent review:	17 Aug 2009
<u>Duration of validity of certificate</u>	Aug 2010
	Show the HONcode seal on this site

This certificate confirms the revision of the site by the HONcode Team at the above date. It respects and pledges to honor the 8 principles * of the HON Code of Conduct (HONcode).

* 1. Authoritative 2. Complementarity 3. Privacy 4. Attribution 5. Justifiability 6. Transparency
7. Financial disclosure 8. Advertising policy

CERTIFIED

Compliance violation?

Figure 2.

A snapshot of the HPN Website HoNCode Certification.

Figure 3.
A flow chart outlining the content in the *Caring for Yourself* website section.

Figure 4.
A flow chart outlining the content in the *Managing HPN* website section.