Effect of site-specific methylation on DNA modification methyltransferases and restriction endonucleases

Michael McClelland and Michael Nelson

California Institute of Biological Research, 11099 North Torrey Pines Road, La Jolla, CA 92037, USA

INTRODUCTION

We present in **Table I** an updated list of the sensitivities of over 280 restriction endonucleases to the site-specific DNA modifications m^4C , m^5C , hm^5C , and m^6A , four modifications that are common in DNA prokaryotes, eukaryotes, and their viruses (Mc2, Mc5, Mc8, Mc11, Ne3, Ne4, Ne11).

Table II is a list of over 190 characterized DNA methyltransferases. A detailed list of cloned restriction-modification genes has been made by Wilson (Wi4).

Table III lists the sensitivities of over 20 Type II DNA methyltransferases to m^4C , m^5C , hm^5C , and m^6A modification. Most DNA methyltransferases are sensitive to non-canonical modifications within their recognition sequences (Bu5, Mc10, Ne3, Po4), and this sensitivity may differ from that of their restriction endonuclease partners.

Finally, several restriction endonuclease isoschizomers are known to differ in their ability to cleave DNA which has been methylated. **Table IV** lists over 20 known isoschizomer pairs and one isomethylator pair, along with the modified recognition sites at which they differ.

Effect of m^5CG and m^5CNG on restriction endonucleases

Enzymes that are *not* sensitive to site-specific methylation are particularly useful for achieving complete digestion of methylated DNA. For instance, endonucleases that are unaffected by m^5CG and m^5CNG are useful for digestion of plant DNA which is frequently methylated at these positions. Endonucleases that are unaffected by these two cytosine modifications include: *AccIII*, *AflII*, *AhaIII*, *AseI*, *Asp700I*, *AsuII*, *BbuI*, *BclI*, *BspHI*, *BspNI*, *BstEII*, *BstNI*, *CviQI*, *DpnI*, *DraI*, *EcoRV*, *HincII*, *HpaI*, *KpnI*, *MboII*, *MseI*, *NdeI*, *NdeII*, *PacI*, *RsaI*, *RspXI*, *SpeI*, *SphI*, *SspI*, *SwaI*, *TaqI*, *TthHBI* and *XmnI*.

CpG sequences occur infrequently and are often methylated in mammalian genomes (Mc9). Almost all the enzymes that could generate large fragments of mammalian DNA are blocked by this m^5CpG modification at overlapping sites, including *AarII*, *ApeI*, *AviII*, *BbeI*, *BmaDI*, *BssHII*, *BspMII*, *BstBI*, *Clal*, *CspI*, *Csp45I*, *EagI*, *EclXI*, *Eco47III*, *FseI*, *FspI*, *Kpn2I*, *MluI*, *Mlu9273I*, *Mlu9273II*, *MroI*, *NaeI*, *NarI*, *NoiI*, *NruI*, *PfuI*, *PmlI*, *PpuAI*, *PvuI*, *RsrII*, *SalI*, *SalDI*, *Sbo13I*, *SfiI*, *SmaI*, *SnaBI*, *SpII*, *SpoI*, *XhoI* and *XorII* (see **Table I**).

Only four enzymes suitable for pulsed field mapping of eukaryotic chromosomes are known to cut m^5CG -modified DNA: *AccIII*, *AsuII*, *Cfr9I* and *XmaI*. It has been determined that *SfiI* is sensitive to m^5C modification at the second cytosine of its recognition sequence, $GGC^m^5CN_5GGCC$. *SfiI* is therefore

sensitive to overlapping m^5CG methylation at $GGC^m^5CGN_4G$ -GCC sites in mammals and overlapping *dcm* methylation at $G-GC^m^5CWGGNNGGCC$ sequences in *E. coli*.

m^4C and m^5C Cytosine modifications

In some cases, a restriction enzyme may differ with to sensitivity to m^4C and m^5C at a particular sequence. For example, *BstNI* and *MvaI* cut m^5C , but not m^4C modified CCWGG sequences. *KpnI* cuts $GGTAC^m^5C$ but not $GGTAC^m^4C$. *BstYI* cuts $RG-AT^m^5CY$ but not $RGAT^m^4CY$. Restriction enzymes we have tested for sensitivity to m^4C include: *AarI*, *AflI*, *AlwI*, *AvaII*, *BanI*, *BglI*, *BstI*, *BstNI*, *BstYI*, *DpnI*, *FokI*, *MboI*, *MvaI*, *NarI*, *NciI*, *PflMI*, *Sau3A*, and *ScrFI*.

Rate of cleavage at methylated restriction sites

m^4C , m^5C , hm^5C , and m^6A are bulky alkyl substitutions in the major groove of B-form DNA. It is therefore not surprising that site-specific DNA methylation can interfere with many sequence-specific DNA binding proteins (e.g. St2, Wa8) and often alters the binding and/or catalysis of restriction endonucleases and DNA methyltransferases. DNA methylation may cause long-range perturbations of DNA minor and major grooves, and a range of rate effects are observed when modified substrates are used in restriction-modification reactions. Results can be summarized as follows.

(1) Canonical site-specific methylation *always* inhibits DNA cleavage by a restriction endonuclease. For example, *M.BamHI* methylase modifies $GGAT^m^4CC$; and *BamHI* endonuclease cannot cut this methylated sequence.

(2) In about one half of the cases tested, methylation at non-canonical sites inhibits the rate of duplex DNA cleavage at least ten-fold (**Table I**). However, in other cases non-canonical methylation has no detectable effect on restriction cleavage. For example, *BamHI* cuts DNA which has been modified at $GGAT-C^m^4C$ or $GGATC^m^5C$, but cannot cut DNA methylated at $GGAT^m^5CC$.

(3) There are a few examples in which non-canonical methylation slows the rate of cleavage or permits nicking of one strand of a hemi-methylated duplex. Examples of such rate effects are presented in footnotes to **Table I**.

(4) Sometimes base modifications which lie *outside* a recognition sequence can influence the rate of DNA cleavage by a restriction enzyme. For example, *NarI* does not cut at overlapping *M.MvaI-NarI* $GGCGCC^m^4CCWGG$ sites (Ne1); and *HaeIII* cannot cut certain $GGCC^m^T$ sites, where m^T are modified thymine residues (Wi1). Such methylation-induced

'action at a distance' may be more common than has been previously appreciated. We have tested only a few enzymes for sensitivity to base modifications *outside* their canonical recognition sequences.

Effect of site-specific methylation on DNA methyltransferases

Twenty-three Type II methyltransferases have been tested for sensitivity to *non-canonical* DNA modifications, of which nine were blocked (Mc10 and Table III). As with restriction endonucleases, rate effects are sometimes seen with DNA methyltransferases at non-canonically modified sequences. For example, *E. coli* Dam methyltransferase is unaffected by G-AT^{m4}C, but methylates GAT^{m5}C relatively slowly. Such data is summarized in Table III and footnotes to Table I.

Methylase/endonuclease combinations can produce novel DNA cleavage specificities

Several strategies involving combinations of modification methyltransferases and restriction endonucleases have been used to generate rare or novel DNA cleavage sites.

For example, certain adenine methyltransferases may be used in conjunction with the methylation-dependent restriction endonuclease *DpnI* to create cleavages at eight- to twelve-base-pair sequences (Mc6, Mc12). *M·ClaI* and *DpnI* have been used to cut the 2.8 million base pair *Staphylococcus aureus* genome into two pieces at the sequence ATCGATCGAT (We1). Twelve-base-pair TCTAGATCTAGA *M·XbaI/DpnI* sites in a transposon have been introduced into bacterial genomes and permit cleavage one or more times depending on the number of transposons integrated (Ha5).

Protection of a subset of restriction endonuclease cleavage sites by methylation at overlapping methyltransferase/endonuclease targets has been described (Hu1, Kl1, Ne6). This two-step 'cross-protection' strategy has produced over 60 new cleavage specificities, and many more are possible (Ja2, Ka2, Kl1, Ne6). Extremely specific DNA cleavages may result from certain 'cross-protections.' For example, *M·FnuDII/NotI* cleavage has been used to cut the 4.7 million base pair *E. coli* K12 genome into fourteen pieces (Qi2).

Methylases have been used to compete with endonucleases for recognition sites in a method called methylase-limited partial digestion. This method is particularly useful for performing partial digests in agarose plugs for pulsed field gel electrophoresis (Ha6).

Blocking a subset of DNA methyltransferase sites by overlapping methylation (sequential double-methylation) can expose a subset of restriction endonuclease sites for cleavage (Mc9, Ne3, Po3). For instance, *M·HpaII*, *M·BamHI*, and *BamHI* have been used in a sequential three-step methyltransferase/methyltransferase/endonuclease reaction to achieve selective DNA cleavage at the ten base pair sequence, CCGGATCCGG (Mc10).

Polypyrimidine oligonucleotides have been used in DNA triplexes to selectively mask restriction-modification sites. For example, polypyrimidine triplexes which overlap *M·TaqI* sites have been used to enable selective restriction cleavage (Ma7).

Finally, methods based on the sequential use of purified lac repressor protein, DNA methyltransferases, and restriction endonucleases have been used to achieve highly selective DNA cleavages (Ko2).

Methylation-dependent restriction systems in bacteria

E. coli K-12 contains at least three different methylation-dependent restriction systems which selectively restrict methylated

target sequences: *mrr* (^{m6}A), *mcrA* (^{m5}CG), *mcrB* (^{m5}C) (Br5, Di1, He3, Ra1, Ra2). *In vivo* or *in vitro* modified DNA is inefficiently cloned into *E. coli*. For example, human DNA which is extensively methylated at ^{m5}CpG is restricted by *mcrA* (Wo2). Appropriate non-restricting strains of *E. coli* (Go2, Kr1, Ra1, Ra2) should be chosen for efficient transformation and cloning of methylated DNA. Other species are also known to have such restriction systems (e.g. Ma2).

Engineered altered methylase specificities

Many DNA methyltransferase genes have now been sequenced. Extensive homologies between closely related enzymes (Wi3) or common motifs (Po5, Sm3) allow new specificities to be developed (e.g. Ba4, Tr4).

Data in electronic form

This paper is available as a text file on a 3.5" Macintosh diskette. The data can be supplied as a Microsoft Word, Macwrite or MS-DOS file. Please contact Michael McClelland at CIBR, phone 619 535 5486, FAX 619 535 5472.

ACKNOWLEDGEMENTS

This work is supported by grants from the National Institutes of Health and the U.S. Dept. of Energy. We gratefully acknowledge the editorial assistance of Charlie Peterson, Mike Biros and Dotty Crosei.

TABLE I: Methylation sensitivity of restriction endonucleases ^a

Restriction enzyme	Recognition sequence	Sites cut	Sites not cut	References
<i>AacI</i>	CCWGG	C ^{m5} WGG	?	Br8
<i>AatI</i>	AGGCCT	?	AGG ^{m5} CCT	Ne1
			AGGC ^{m5} CT	So3
			AGGC ^{m4} CT	Ne1
<i>AauII</i>	GACGTC	?	GACGT ^{m5} C	Ne1
			GA ^{m5} CGTC	Fo1
<i>AccI</i>	GTMKAC	?	GTMK ^{m6} AC [#]	Lu2, Mc3
			GTMKAm ⁵ C	
<i>AccII</i>	CGCG	?	^{m5} CGCG	Ga2
<i>AceIII</i>	TCCGGA	T ^{m5} CCGGA ^b	TCCG ^{m6} A	Ke3, La2, Sc2
		TC ^{m5} CGGA ^b		
<i>Ace65I</i>	GGTACC	?	GGTAC ^{m5} C	Fo1
<i>AccI</i>	CCGC	?	C ^{m5} CGC	Fo1
<i>AflI</i>	GGWCC	GGWC ^{m5} C??	?	Mc11, Wh2
		GGWC ^{m4} C		
<i>AflII</i>	CTTAAG	?	^{m5} CTTAAG	Ne1
			CTTA ^{m6} AG	
<i>AflIII</i>	ACRYGT	?	A ^{m5} CRYGT	Ne1
<i>AgeI</i>	ACCGGT	?	A ^{m5} CCGGT	Ne1
			AC ^{m5} CGGT	
<i>AhaII</i>	GRCGYC ^b	?	GR ^{m5} CGYC	Ka2, Hu1
			GRCGY ^{m5} C	
<i>AluI</i>	AGCT	?	^{m6} AGCT	Gr4, Mc11, Ne2
			AG ^{m4} CT	
			AG ^{m5} CT [#]	Hu1, Wo1
			AG ^{m5} CT	Bu5
<i>AlwI</i>	GGATC	?	GG ^{m6} ATC	Ne4
			GGAT ^{m4} C	
<i>AlwNI</i>	CAGN ₃ CTG	?	CAGN ₂ C ^{m5} CTGG	Bo6
<i>Amal</i>	TCCGGA	TCGCG ^{m6} A	?	Mc13
<i>AosII</i>	GRCGYC	?	GR ^{m5} CGYC	Eh2, Gr4, Va3
<i>ApaI</i>	GGGCCC	?	GGG ^{m5} CCC [#]	La9, Tr2
			GGGCC ^{m5} C	
<i>ApeI</i>	ACGCGT	?	A ^{m5} CGCGT	Ne1, Qi2
<i>ApaLI</i>	GTGCAC	GTGC ^{m6} AC	GTGCA ^{m5} C	Fo1, Ho1, Ho2
<i>ApyI</i>	CCWGG	C ^{m5} WGG ^b	^{m5} CCWGG	Kl1, Mc11, Ra3
<i>AquI</i>	CYCGRG	?	^{m5} CYCGRG [#]	Ka7, Ka8
<i>AscI</i>	GGCGCGCC	?	GG ^{m5} CG ^{m5} CGCC	Fo1
<i>Ascl</i>	ATTAAT	ATT ^{m6} AAT	?	Ne1
<i>Asp700I</i>	GAAN ₄ TTC	GAM ⁶ AN ₄ TTC	G ^{m6} AAN ₄ TTC	Ne1
		GAAN ₄ TT ^{m5} C		
<i>Asp718I</i>	GGTACC	GGT ^{m6} Am ⁵ CC ^b	GGTAC ^{m5} C	Mu1, Ne4
			GGTAm ⁵ C ^{m5} C ^b	
<i>AsuII</i>	TTCGAA	TT ^{m5} CGAA	?	Ne1

Restriction enzyme	Recognition sequence	Sites cut	Sites not cut	References	Restriction enzyme	Recognition sequence	Sites cut	Sites not cut	References
AbaCI	TGATCA	?	TG ^{m6} ATCA	Ro3,Sc12	BsuUI	CGCG	?	m ⁵ CGCG	Ne5
AvaI	CYCGRG	C ^{m5} CCGGG	m ⁵ CYCGRG	Eh2,Ne1	BsuXI	CCAN ₆ TGG	?	m ⁵ CCAN ₆ TGG	Ne2
			CY ^{m5} CGRG	Ka4,Ka7,Mc11	BsuYI	RGATCY	RG ^{m6} ATCY	RGAT ^{m4} CY	Ne4
			CTCG ^{m6} AG ^b	Ne2			RGAT ^{m5} CY		Ne1
AvaII	GGWCC	GGWC ^{m4} C ^b	GGW ^{m5} CC	Ba3,Ko3	Bst1107I	GTATAC	?	GTATAm ⁵ C	Fo1
			GGWC ^{m5} C	Mc10,Mc11	BsuBI	CTGCAG	?	CTGC ^{m6} AG [#]	Ga1,Je1,St5,Sh1
			GGW ^{hm5} C ^{hm5} C	Hu1	BsuEI	CGCG	?	m ⁵ CGCG [#]	Ga1,Je1,St5,Sh1
AviII	AGCGCT	m ⁶ AGCGCT	AG ^{m5} CGCT	Ne1	BsuFI	CCGG	?	m ⁵ CCGG [#]	Je1
BacI	ACN ₄ GTAYC	?	ACN ₄ GTAY ^{m5} C	Fo1	BsuMI	CTCGAG	?	CT ^{m5} CGAG [#]	Je1
BalI	TGGCCA	?	TGG ^{m5} CCA [#]	Gi1,Tr2	BsuQI	CCGG	?	m ⁵ CCGG	Je2
			TGGC ^{m5} CA ^b		BsuRI	GGCC	?	GG ^{m5} CC ^{#b}	Gu6,Ki2,Ki3
BamHI	GGATCC	GGATC ^{m5} C	GGAT ^{m4} CC [#]	Br8,Dr1,Ha1,Hu1	Bsu36I	CCTNAGG	?	m ⁵ CCTNAGG	Ne4
		GG ^{m6} ATCC	GGAT ^{m5} CC	La7	CbiI	TTCGAA	TTCG ^{m6} AA	?	Mu2
		GG ^{m6} ATC ^{m5} C	GGAT ^{hm5} C ^{hm5} C		CciI	CTCGAG	?	CTCG ^{m6} AG	Ne1
		GGATC ^{m4} C			CfoI	GCGC	?	G ^{m5} CGC	Eh1
BamFI	GGATCC	GG ^{m6} ATCC	GGAT ^{m4} CC	An1,Sh1				G ^{hm5} CG ^{hm5} C	Hu1
BamKI	GGATCC	GG ^{m6} ATCC	GGAT ^{m4} CC	An1,Sh1	CfrI	YGGCCR	?	YGG ^{m5} CCR [#]	K11
BanI	GGYRCC ^b	GG ^{m5} CGCC	?	Co3,Ka2	Cfr6I	CAGCTG	?	CAG ^{m4} CTG [#]	Bu5
		GGYRC ^{m4} C						CAG ^{m5} CTG	
BanII	GRGCYC	GRGCY ^{m5} C	GRG ^{m5} CYC	Fo1,Ne2,Ne6	Cfr9I	CCCGGG ^b	C ^{m5} CCGGG	m ⁴ CCCGGG	Bu6
BanIII	ATCGAT	?	ATCG ^{m6} AT	Su1			C ^{m5} CCGGG	m ⁵ CCCGGG	
BbeI	GGCGCC	GGCG ^{m5} CC	GG ^{m5} CGCC	Co3,Ne2,Sh2				C ^{m4} CCGGG [#]	
		GGCGC ^{m5} C						CC ^{m4} CGGG	
BbiII	GRCGYC	?	GR ^{m5} CGYC	Co3	Cfr10I	RCCGGY	?	R ^{m5} CCGGY [#]	Bi5,K11
BbrPI	CACGTG	?	m ⁵ CA ^{m5} CGTG	Wo1				RC ^{m5} CCGY	Ne1
BbsI	GAAGAC	GAAGA ^{m5} C	?	Fo1	Cfr13I	GGNCC	?	GGN ^{m5} CC [#]	Bi5,K11
BbuI	GCATGC	GCATG ^{m5} C	G ^{m6} ATGC	Ne1	ClaI	ATCGAT	?	m ⁶ ATCGAT	Ca4,Mc11,Mc12,Ne4
BbvI	GCWGC	?	G ^{m5} CWGC [#]	Do1,Ha1,Va5				AT ^{m5} CGAT	Wo1
Bca77I	WCCGGW	WC ^{m5} CGGW	W ^{m5} CCGGW	Sc10				ATCG ^{m6} AT [#]	Mc3
BclI	TGATCA ^b	TGAT ^{m5} CA	TG ^{m6} ATCA	Bi4,Br8,Eh3,Ro3	CpeI	TGATCA	?	TG ^{m6} ATCA	Fi1,Ro3
			TGAT ^{hm5} CA	Hu1	CspI	CGGWCCG	CGGW ^{m5} CG	CGGW ^{m5} CCG	Mc11
BcnI	CCSGG	m ⁵ CCSGG	C ^{m4} CSGG [#]	Ja3,Ja6,K11				m ⁵ CGGWCCG	
BcpI	CGCG	?	m ⁵ CGCG	Ku2	Csp45I	TTCGAA	?	TTCG ^{m6} AA	Ne4,Sc11
BfrI	CTTAAG	?	m ⁵ CTTAAG	Wo1	CviI	GATC	?	G ^{m6} ATC [#]	Ri2
BglI	GCCN ₃ GGC	G ^{m5} CN ₃ GGC ^b	G ^{m5} CCN ₃ GGC	K11,Ko3,Mc11,Ne2	CviAI	GATC	GAT ^{m5} C	G ^{m6} ATC	Ne1,Xi1,Xi6
			GCCN ₄ GG ^{m5} C ^b		CviAII	CATG	m ⁵ CATG	C ^{m6} ATG [#]	Ne1
			G ^{m4} CN ₃ GGC ^b		CviBI	GANTC	?	G ^{m6} ANTC [#]	Xi3
					CviJI	RGCY	?	RG ^{m5} CY [#]	Sh3,Xi2
BglII	AGATCT ^b	AG ^{m6} ATCT	AGAT ^{m5} CT	Bi4,Br8,Dr1,Dy1,Eh3	CviPI	CC	C ^{m5} C	m ⁵ CC [#]	Xi4
			AGAT ^{hm5} CT	Hu1,Pi6	CviQI	GTAC	GTAm ⁵ C	GT ^{m6} AC [#]	Xi2,Xi5
BinI	GGATC	?	GG ^{m6} ATC	Bo1	CviQII	CTY	m ⁵ CTY	?	Ne1
BmaDI	CGATCG	CG ^{m6} ATCG	CGAT ^{m6} CG	Q2	CviRI	TGCA	?	TG ^{m6} CA [#]	Ne1
Bme216I	GGWCC	?	GGWC ^{m5} C	Ma9				TG ^{m5} CA	
BnaI	GGATCC	GG ^{m6} ATCC	GGAT ^{m4} CC	Ne1	DdeI	CTNAG	?	m ⁵ CTNAG [#]	Ho3,Ne2
			GGAT ^{m5} CC [#]					hm ⁵ CTNAG	Hu1
BsaI	GGTCTC	?	GGTCT ^{m5} C	Fo1				CTN ^{m6} AG	Ne4
BsaAI	YACGTR	?	YAm ⁵ CGTR	Fo1	DpnI	G ^{m6} ATC ^b	G ^{m6} ATC	GATC	La3,Mc11,Vo1
BsaBI	GATN ₄ ATC	?	GATN ₄ AT ^{m5} C	Fo1			G ^{m6} AT ^{m5} C ^b	GAT ^{m4} C	Ne4
BsaJI	CCNNGG	C ^{m5} CNNNG	?	Fo1			G ^{m6} AT ^{m4} C	GAT ^{m5} C	Ne5
BsaHI	GRCGYC	?	GR ^{m5} CGYC	Fo1	DpnII	GATC	?	G ^{m6} ATC [#]	De1,La3,La4,La5,Ma6,Vo1
BsgI	CTGCAC	?	CTGCAm ⁵ C	Fo1	DraI	TTTAAA	TTTA ^{m6} AA	?	Ne1
BsiEI	CGRYCG	?	m ⁵ CGRY ^{m5} CG	Fo1	DraII	RGNNCCY	?	RGNN ^{m5} CY	Sc8
BsiWI	CGTACG	?	m ⁵ CGTA ^{m5} CG	Fo1	DrdI	GACN ₆ GTC	?	GA ^{m5} CN ₆ GT ^{m5} C	Fo1
BslI	CCN ₄ GG	?	C ^{m5} CN ₄ GG	Fo1	EaeI	YGGCCR	?	YGG ^{m5} CCR [#]	Ja2,Wh1
BsmI	GAATGC	GAATG ^{m5} C	G ^{m6} AATGC	Fo1,Ne1				YGGC ^{m5} CR	
					EagI	CGGCCG	?	CGG ^{m5} CCG	Mc11
BsmAI	GTCTC	?	GTCT ^{m5} C	Fo1				m ⁵ CGG ^{m5} CCG	
Bsp106I	ATCGAT	?	ATCG ^{m5} AT [#]	Ne5	Eam1105I	GACN ₅ GTC	GA ^{m5} CN ₅ GT ^{m5} C	?	Fo1
Bsp1286I	GDGCHC	GDGCH ^{m5} C	GDG ^{m5} CHC	Fo1,Ne2,Ne6	EarI	GAAGAG	CTCTT ^{m5} C	G ^{m6} AAGAG	Fo1,Ne4
BspDI	ATCGAT	?	AT ^{m5} CGAT	Fo1				GAAG ^{m6} AG	
BspEI	TCCGGA	?	TCCGG ^{m6} A	Ne1				m ⁵ CT ^{m5} CTT ^{m5} C	Ne1
BspHI	TCATGA	?	TC ^{m6} ATGA	Pa2,Se3	EcaI	GGTAN ^{m6} ACC	?	GGTA ^{m6} ACC [#]	Br2
			TCATG ^{m6} A	Mc1	EclXI	CGGCCG	?	m ⁵ CGG ^{m5} CCG	Q3
BspMI	ACCTGC	ACCTG ^{m5} C	?	Fo1				CGG ^{m5} CCG	
BspMII	TCCGGA	TCCGG ^{m6} A	T ^{m5} CCGGA	La2,Sc2	Ecl136II	GAGCTC	?	GAGCT ^{m5} C	Fo1
			TC ^{m5} CGGA		Eco47I	GGWCC	?	GGWC ^{m5} C	Ja5
BspNI	CCWGG	m ⁵ CCWGG	?	Ne4	Eco47III	AGCGCT	m ⁶ AGCGCT	AG ^{m5} CGCT	Ne1,Ne4
		C ^{m5} CWGG			EcoA	GAGN ₇ GTCA ^b	?	G ^{m6} AGN ₇ G ^{m5} TCA ^{#b}	Bi2,Co6,Fu2
BspOI	CCWGG	C ^{m5} CWGG	?	Sc10	EcoB	TGAN ₈ TGCT ^b	?	TG ^{m6} AN ₈ TGCT ^{#b}	Bi2,La10,La11
BspXI	ATCGAT	?	ATCG ^{m6} AT	Zi1	EcoDXXI	TCAN ₇ AATC ^b	?	TCAN ₇ ^{m6} AA ^{m5} TC ^{#b}	Pi1
BspXII	TGATCA	?	TG ^{m6} ATCA	Zi1	EcoE	GAGN ₇ ATGC	?	G ^{m6} AGN ₇ ATGC	Co6,Fu2
BsrFI	RCCGGY	?	RC ^{m5} CGGY	Fo1	EcoK	AACN ₆ GTGC ^b	?	A ^{m6} ACN ₆ G ^{m5} GTGC ^{#b}	Bi2,Bi3,Ka1
BssHII	GCGCGC ^b	?	G ^{m5} CGCGC	Ne4,Qi3	EcoO109I	RGNNCCY	?	RGNN ^{m5} CY	Sc8
BstI	GGATCC	GG ^{m6} ATCC	GGAT ^{m5} CC	Ne4	EcoPI	AGACC ^b	AGA ^{hm5} C ^{hm5} C	AG ^{m6} ACC [#]	Ba1,Ba2,Ha2,Re4
		GGATC ^{m5} C	GGAT ^{m5} CC		EcoP15	CAGCAG ^b	?	CAGC ^{m6} AG [#]	Hu2,Me2
			GGATC ^{m4} C	Ne1	EcoRI	GAATTC	GAATT ^{m5} C	G ^{m6} AATTC ^b	Mc11,Ne2,Ru1
BstBI	TTCGAA	?	TT ^{m5} CGAA	Wo1				GAT ^{m6} ATC [#]	Br1,Br8,Du1
BstEII	GGTNACC	GGTNAm ⁵ C ^{m5} C ^b	GGTNAm ⁵ C ^{hm5} C	Hu1,Mc11				GAATT ^{m5} C ^b	Hu1,Ka3,Ta1
		GGTNAC ^{m4} C		Ne1	EcoRII	CCWGG	m ⁵ CCWGG ^b	m ⁴ CCWGG	Ku3,Yo1
		GGTNAC ^{m5} C		Fo1				C ^{m4} CWGG	Bu4,Na5,Ro3
BstEIII	GATC ^b	?	G ^{m6} ATC	My1,Ro3				C ^{m5} CWGG [#]	Bo5,Mc11
BstGI	TGATCA	?	TG ^{m6} ATCA	Ro3				CC ^{m6} AGG	Bu3
BstNI	CCWGG ^b	m ⁵ CCWGG ^b	hm ⁵ C ^{hm5} CWGG	Gr4,Hu1,Mc11,Ro3	EcoRV	GATATC	GATAT ^{m5} C ^b	hm ⁵ C ^{hm5} CWGG	Hu1,Ka3
		C ^{m5} CWGG	C ^{m4} CWGG	Ne1				G ^{m6} ATATC [#]	Mc11,Ne2,Wo1
		m ⁵ C ^{m5} CWGG ^b						GAT ^{m6} ATC	Fi1

Restriction enzyme	Recognition sequence	Sites cut	Sites not cut	References	Restriction enzyme	Recognition sequence	Sites cut	Sites not cut	References
EcoR124	GAAN ₆ RTCG ^b	?	GAM ⁶ AN ₆ RTCG	Pr2,Pr3	MscI	TGGCCA	?	TGGCm ⁵ CA	Fo1
EcoR124/3	GAAN ₇ RTCG ^b	?	GAAN ₆ R ^m TCG	Bi1	MspI	CCGG ^b	m ⁴ CCGG	m ⁵ CCGG#	Eh2,Je2,Va3,Wa1,Wa5
EheI	GGCGCC	?	m ⁶ A	Pr1,Pr2			Cm ⁴ CGG	hm ⁵ Chm ⁵ CGG	Bu6,Hu1
EspI	GCTNAGC	GCTNAGm ⁵ C	GGm ⁵ CGCC	Co2	MstII	CCTNAGG	m ⁵ CCTNAGG	?	Mc11
Esp3I	CGTCTC	?	GGCGm ⁵ CC	Ne4	MvaI	CCWGG	Cm ⁵ CWGG ^b	Cm ⁴ CWGG#	Bu4,Ku1
Fnu4HI	GCNGC	?	Gm ⁵ CTNAGC	Ne4			m ⁵ CCWGG	CCm ⁶ AGG ^b	Gr3,Ku3
FnuDII	CGCG	?	m ⁵ CGTCTC	Fo1				m ⁴ CCWGG ^b	Ne1
			Gm ⁵ CNGC	Ko3,Tr2	MvnI	CGCG	?	m ⁵ Cm ⁵ CWGG ^b	Ne1
			GCNGm ⁵ C		NaeI	GCCGGC ^b	?	Gm ⁵ CCGGC	Eh3,K11,Mc11,Ne5
			m ⁵ CGCG	Gal1,Ga2,Ne2,Ne6,St6				GCm ⁵ CCGGC	
			CGm ⁵ CG					GCCGm ⁵ C	
FnuEI	GATC	Gm ⁶ ATC ^b	?	Lu1,Ne2				GATC	Pa1,Ne5
FokI	CATCC	CATm ⁵ CC	GGm ⁶ ATG	Po3,Po4,Sc2	NanII	Gm ⁶ ATC ^b	Gm ⁶ ATC	GATm ⁵ C	
		CATCm ⁵ C ^b	Cm ⁶ ATCC				Gm ⁶ ATm ⁵ C ^b	GGm ⁵ CGCC	Ko3,Mc11,Ne5
		CATCm ⁴ C		Ne1	NarI	GGCGCC	GGCGCm ⁵ C	GGCGCm ⁴ C	Ne1
FseI	GGCCGGCC	?	GGm ⁵ CCGGm ⁵ CC	Ne7	NciI	CCSGG	m ⁵ CCSGG	Cm ⁴ CSGG	Br8,Ko3,Mc11
			GGCm ⁵ CCGGCC					Cm ⁵ CSGG ^b	
EspI	TGCGCA	TGCGCm ⁶ A	TGm ⁵ CGCA	Ne4	NcoI	CCATGG	CCm ⁶ ATGG	m ⁴ CCATGG ^b	K11,Ne2,Ne4
HaeII	RGCGCY ^b	?	RGm ⁵ CGCY	Eh2,Gr4,Ka2,Ko3,Mc11,Pi5				m ⁵ CCATGG	
			RGCGm ⁵ CY	Ne4	NcrI	AGATCT	AGm ⁶ ATCT ^b	Q11	
			RGhm ⁵ CGhm ⁵ CY	Hu1	NcuI	GAAGA	?	GAAGm ⁶ A	Mc13
HaeIII	GGCC	GGCm ⁵ C	GGm ⁵ CC ^b	Ba3,Ka2,Ko3,Ma5	NdeI	CATATG	m ⁵ CATATG ^b	m ⁶ A	Be4,Mc11
			GGhm ⁵ Chm ⁵ C	Hu1	NdeII	GATC	GATm ⁵ C ^b	Gm ⁶ ATC	Mc9
HapII	CCGG	?	Cm ⁵ CGG#	Eh2,Wa1	NgoBI	TCACC	?	Tm ⁵ CACC	Pi3,Pi4
HgaI	GACGC	?	GAm ⁵ CGC	Ne1	NgoPI	RGCGCY	?	RGm ⁵ CGCY	Ko3,Ko5
			GACGm ⁵ C	Mc11	NgoPII	GGCC	?	GGm ⁵ CC#	Ko3,Ko5
HgiAI	GRGICY	GRGICYm ⁵ C	GRGm ⁵ ICY	Fo1,Ne2,Wh3				GGCm ⁵ C ^b	Su3,Su4
HgiCI	GGYRCC	?	GGYRCm ⁵ C	Er1	NgoWI	GCCGGC	?	GCm ⁵ CGGC	Fo1
HgiCII	GGWCC	?	GGWCm ⁵ C	Er1	NheI	GCTAGC	?	GCTAGm ⁵ C	K11,Mc11,Ne2
HgiEI	GGWCC	?	GGWCm ⁵ C	Er1	NlaIII	CATG	?	Cm ⁶ ATG#	La1,Mo3
HgiJII	GGYRCC	?	GGYRCm ⁵ C	Wh3				m ⁵ CATG	
HhaI	GCGC	?	Gm ⁵ CGC#	Eh2,Ko3,Sm1	NmuDI	Gm ⁶ ATC ^b	Gm ⁶ ATC	GATC	Pa1
			GCGm ⁵ C	Mc11	NmuEI	Gm ⁶ ATC ^b	Gm ⁶ ATC	GATC	Pa1
			Ghm ⁵ CGhm ⁵ C	Hu1	NotI	GCGGCCGC	GCGGCCGm ⁵ C	GCGGm ⁵ CCGC	Mc11
HhaII	GANTC	?	Gm ⁶ ANTC#	Ma5				GCGGm ⁵ CGC	St5,Qi2
HincII	GTyrAC	GTyrAm ⁵ C	GTyr ^m AC	Gr4,Ro7	NruI	TCGCGA	TCGm ⁵ CGA	Tm ⁵ CGCGA	Ne1,Qi3
			GTyrA ^{hm} 5C	Hu1				TCGCGm ⁶ A	Ne2
HindII	GTyrAC	?	GTyr ^m AC#	Ro7	NsiI	ATGCAT	?	ATGm ⁶ AT	Be5
			GTyrA ^{hm} 5C					ATGm ⁵ CAT	Wo1
HinfI	GANTC	GANTm ⁵ C ^b	Gm ⁶ ANTC	Ch1,Co1,Ne2,Pe1	NspI	RCATGY	?	RCm ⁶ ATGY	Ne1
			GANT ^{hm} 5C	Hu1				Rm ⁵ CATGY	Ne1
HindIII	AAGCTT	Am ⁶ AGCTT#	m ⁶ AAGCTT#	Br8,Gr4,Ne1,Ro7	NspBII	CMGCKG	Cm ⁵ CGCKG	?	Ne1
			AAGm ⁵ CTT	Ne2	PfIMI	CCAN ₅ TGG	?	Cm ⁴ CAN ₅ TGG	St7
			AAGhm ⁵ CTT	Hu1,Ka3				Cm ⁵ CAN ₅ TGG	Ne1
HinPI	GCGC	?	Gm ⁵ CGC	Mc11,Ne6	Pfal	GATC	Gm ⁶ ATC	?	Ro3
HpaI	GTTAAC	GTTAAm ⁵ C	GTTA ^m AC#	Br8,Gr4,Hu1,Yo3	PfuI	CGTACG	?	CGTAm ⁵ CG	Ne1
			GTTA ^{hm} 5C	Hu1	Pac7I	CTCGAG	?	CTCGm ⁶ AG#	Gi3
HpaII	CCGG	?	m ⁴ CCGG	Be3,Bu6,Eh2,Ma5				CTm ⁵ CGAG	Gh1
			m ⁵ CCGG ^b	Ko3,Qu1,Wa5	PmeI	GTTTAAAC	GTTTAAAm ⁵ C	?	Fo1
			Cm ⁴ CGG ^b		PmlI	CACGTG	?	CAm ⁵ CGTG	Fo1
			Cm ⁵ CGG#		PpuM1	RGGWCCY	?	RGGWm ⁵ CT	Fo1
			hm ⁵ Chm ⁵ CGG	Hu1	PpuAI	CGTACG	?	CGTAm ⁵ CG	Ne1
HphI	TCACC	TCACm ⁵ C	Tm ⁵ CACC#	Fo1,Mc11,Ne2	PstI	CTGCAG	?	m ⁵ CTGCAG	Do1,Gr4,Mc11,Ne2
			GGTGm ⁶ A					CTGm ⁶ AG#	
KasI	GGCGCC	?	GGm ⁵ CGCC	Fo1	PvuI	CGATCG ^b	CGm ⁶ ATCG	CGATm ⁴ CG	Br8,Bu3,Eh3
KpnI	GGTACC ^b	?	GGTm ⁶ Am ⁵ CC	Eh3,Ki5,Mc11,Ne2				CGATm ⁵ CG	
			GGTACm ⁴ C	Ne1	PvuII	CAGCTG	?	CAGm ⁴ CTG#	Br8,Bu5,Do1
			GGTAm ⁵ Cm ⁵ C ^b					CAGm ⁵ CTG	Eh3,Ja3,Ro1
			GGTm ⁶ ACC		RfiI	GTCGAC	?	GTCGm ⁶ AC	Mo4
Kpn2I	TCCGGA	TCCGgm ⁶ A	Tm ⁵ CCGGA	Mc1,Ne1	RfiII	AGTACT	?	AGTm ⁶ ACT	Mo4
			TCm ⁵ CGGA	Ne1	Rhr4273I	GTCGAC	?	GTCGm ⁶ AC	Ba6
KspI	CCGCGG	?	m ⁵ CCGCGG	Ne1	RsaI	GTAC ^b	GTAm ⁵ C ^b	Gm ⁶ ATCG	Ne1,Eh3,Ne4,Ne5
			Cm ⁵ CGCGG	Q12	RshI	CGATCG	CGm ⁶ ATCG	?	Lyl
MacII	ACGT	?	Am ⁵ CGT ^b	Mo2	RspXI	TCATGA	?	TCm ⁶ ATGA	Pa2
MamI	GATN ₄ ATC	?	Gm ⁶ ATN ₄ m ⁶ ATC	St4				TCATGm ⁶ A	Ne4
MboI	GATC ^b	GATm ⁴ C	Gm ⁶ ATC#	Br5,Ge1,Mc8	RsrI	GAATTC	?	Gm ⁶ AATTC	Mc11
		GATm ⁵ C ^b	GAThm ⁵ C	Hu1,Ro3				GAm ⁶ ATTC ^b	Ba5
MboII	GAAGA	Tm ⁵ CTTm ⁵ C ^b	GAAGm ⁶ A#	Ba3,Mc11,Mc12,Ne2	RsrII	CGGWCCG	?	m ⁵ CGGWCCG	Mc11,Qi3
		Gm ⁶ AAGA						CGGWm ⁵ CCG	
MfiI	RGATCY ^b	?	RGm ⁶ ATCY	On1				CGGWm ⁵ CCG	
			RGATm ⁴ CY		SacI	GAGCTC	Gm ⁶ AGCTC	GAGm ⁵ CTC	Mc11
			RGATm ⁵ CY					GAGCTm ⁵ C	Fo1
MluI	ACGCGT	m ⁶ ACGCGT	Am ⁵ CGCGT	Mc11,Sh1,St5,Qi3	SacII	CCGCGG	?	m ⁵ CCGCGG	K11,Ne2
Mlu9273I	TCGCGA	?	Tm ⁵ CGCGA	Ne1	SallI	GTCGAC	GTCGAm ⁵ C	GTm ⁵ CGAC	Br8,Eh2,Lu2,Qi1
Mlu9273II	GCCGGC	?	Gm ⁵ CCGGC	Ne1				GTCGm ⁶ AC#	Mc3,Ro4,Ro5,Va4
			GCm ⁵ CCGGC		SalDI	TCGCGA	TCGCGm ⁶ A	Tm ⁵ CGCGA	Mc13,Ne1,Qi3
MmeII	GATC	?	Gm ⁶ ATC	Bo4	Sau3AI	GATC ^b	Gm ⁶ ATC	GATm ⁵ C ^b	Dr1,Eh2,Ja3,Mc3,Ro3,Se1
MniI	CCTC ^b	?	m ⁵ CCCTC	Eh3,Mc11				GATm ⁴ C	Ne5
			m ⁵ Cm ⁵ CTm ⁵ C					GAThm ⁵ C	Hu1
MphI	CCWGG ^b	?	Cm ⁵ CWGG	Ro3	Sau96I	GGNCC	?	GGNm ⁵ CC#	Ko3,Ne2,Pe1
MroI	TCCGGA	TCCGgm ⁶ A	Tm ⁵ CCGGA	Mc1,Ne1				GGNm ⁵ C	
			TCm ⁵ CGGA	Ne1				GGNm ⁵ Chm ⁵ C	Hu1

Restriction enzyme	Recognition sequence	Sites cut	Sites not cut	References
<i>Sbo</i> 131	TCGCGA	TCGCG ^{m6} A	T ^{m5} CGCGA	Mc11, Ne1
<i>Sca</i> I	AGTACT	AGTA ^{m5} CT	AGT ^{m6} ACT	Mo4, Wo1
<i>Scr</i> FI	CCNNG	m ⁵ CCNNG	C ^{m5} CNNG	Mc11, Ne2
<i>Sfa</i> NI	GATGC	GATG ^{m5} C	G ^{m6} ATGC	Ne1
<i>Sfi</i> I	GGCCN ₃ GGCC	GG ^{m5} CCN ₃ GG ^{m5} CC ^b	GGC ^{m5} CN ₃ GGCC	Mc11, Po4
<i>Sfi</i> I	CTGCAG	?	CTGC ^{m6} AG	Br8
<i>Sgr</i> AI	CRCCGGYG	?	CRC ^{m5} CGGYG	Ta3
<i>Sin</i> I	GGWCC	?	GGW ^{m5} CC [#]	Ka5, Ka6
<i>Sma</i> I	CCCGGG	C ^{m5} CCGGG	m ⁴ CCCGGG	Br8, Bu6, Eh2, Ga4
			m ⁵ CCCGGG ^b	Ja3, Ka7, Mc3, Qu1
			C ^{m4} CCGGG ^b	
			CC ^{m4} CGGG	
			CC ^{m5} CGGG ^b	
<i>Sna</i> BI	TACGTA	?	TA ^{m5} CGTA	Fo1, Ya1
<i>Sno</i> I	GTGCAC	?	T ^{m6} ACGT ^{m6} A	
<i>Spe</i> I	ACTAGT	?	GTG ^{m5} CAM ⁵ C	Ho2, Wo1
			m ⁶ ACTAGT	Ho1
			Am ⁵ CTAGT	Wo1
<i>Sph</i> I	GCATGC	GCATG ^{m5} C	G ^{m6} ATGC	Mc11, Ne2, Mo3
		Ghm ⁵ CATGhm ⁵ C		
<i>Spl</i> I	CGTACG	CGT ^{m6} ACG	?	Ne4, Qi3
<i>Spo</i> I	TCGCGA	TCGCG ^{m6} A	T ^{m5} CGCGA	Ne1, Ne4
			TCG ^{m5} CGA	
<i>Srf</i> I	CCCCGGGC	?	Gm ⁵ CCCCGGGC	Ma11
			G ^{m5} CCCCGGGC	
			GCC ^{m5} CGGGC	
			GCCC ^{m5} GGG ^{m5} C	
<i>Sso</i> II	CCNNG	?	C ^{m5} CNNG	Vi1
			m ⁵ CCNNG	Gr3
<i>Sso</i> 47I	GAATTC	?	G ^{m6} AATTC [#]	Ni4
<i>Ssp</i> I	AATATT	m ⁶ AATATT	?	Ne1
<i>Ssp</i> RFI	TTCGAA	?	TTCG ^{m6} AA	Li1
<i>Sst</i> I	GAGCTC	?	GAG ^{m5} CTC	Br8, Ro1
			GAGhm ⁵ CThm ⁵ C	Hu1
<i>Stu</i> I	AGGCCT	?	AGG ^{m5} CCT	Ca4, Mc11
			AGG ^{m5} CT	So3
			AGG ^{m4} CT	Ne1
<i>Sty</i> SBI	GAGN ₆ RTAYG ^b	?	G ^{m6} AGN ₆ R ^m TAYG ^{#b}	Na1, Na2
<i>Sty</i> SPI	AACN ₆ GTRC ^b	?	A ^{m6} ACN ₆ G ^m TRC ^{#b}	Na1, Na2
<i>Taq</i> I	TCGA	T ^{m5} CGA ^b	TCG ^{m6} A [#]	Gr4, Hu1, Mc3, Va3
		T ^{hm5} CGA ^b		Hu1
<i>Taq</i> II	GACCGA	?	G ^{m6} ACCGA	Ne4
	CACCCA			
<i>Taq</i> XI	CCWGG	m ⁵ CCWGG	?	Gr1
		C ^{m5} CCWGG		
<i>Tfi</i> I	GAWTC	GAW ^{m5} C	?	Fo1
<i>Tfi</i> I	TCGA	?	TCG ^{m6} A	Sa3, Va6
<i>Tha</i> I	CGCG	m ⁵ CGCG	m ⁵ CGCG	Ga1, Ne1
			hm ⁵ CGhm ⁵ CG	Hu1
<i>Tth</i> HBI	TCGA	T ^{m5} CGA	TCG ^{m6} A [#]	Sa3
<i>Tth</i> III	GACN ₆ GTC	GA ^{m5} CN ₆ GT ^{m5} C	?	Fo1
<i>Xba</i> I	TCTAGA	?	TCTAG ^{m6} A [#]	Mc13, We1
			T ^{m5} CTAGA	Gr4, Hu1, Ne2
			T ^{hm5} CTAGA	
<i>Xho</i> I	CTCGAG ^b	?	CT ^{m5} CGAG	Br8, Eh2, Eh3, Ka7
			CTCG ^{m6} AG	Mc3, Va3
<i>Xho</i> II	RGATCY	RG ^{m6} ATCY	RGAT ^{m5} CY ^b	Br8
<i>Xma</i> I	CCCGGG	CC ^{m5} CGGG ^b	m ⁴ CCCGGG	Bu6, Yo5, Yo6
			m ⁵ CCCGGG	
			C ^{m4} CCCGG	
			CC ^{m4} CGGG	
<i>Xma</i> III	CGGCCG	?	CGG ^{m5} CCG	Ne2, Tr2
<i>Xmn</i> I	GAAN ₄ TTC	GA ^{m6} AN ₄ TTC	G ^{m6} AN ₄ TTC	Mc11, Ne2
			GAAN ₄ T ^{m5} C ^b	
<i>Xor</i> II	CGATCG	?	CGAT ^{m5} CG	Br8, Eh2
			CG ^{m6} ATCG	Sm4
			hm ⁵ CGAT ^{hm5} CG	Hu1

FOOTNOTES

a. # denotes canonical modification MTase specificity. M= A or C, K= G or T, N= A, C, G, or T, R= A or G, Y= C or T, W= A or T, S= G or C, D= A, G or T, H= A, C or T. Sequences are in 5'-3' order. m⁴C= N4-methylcytosine; m⁵C= C5-methylcytosine; hm⁵C=hydroxymethylcytosine; mC= methylcytosine, N4 or C5-methylcytosine unspecified; m⁶A= N6-methyladenine. Nomenclature is according to (Sm2) and (Co4).

b. *Acc*I nicking occurs slowly in the unmethylated strand of the hemi-methylated sequence GTMKA^{m5}C.

*Acc*III cuts slowly at T^{m5}CCGGA and T^{m5}CCGGA (Sc10).

*Afl*I cuts slowly at GGWC^{m4}C.

*Aha*II (GRCGYC) will cut GRCGCC faster if these sites are methylated at GRCG^{m5}CC (Ne5), but will not cut GRCGY^{m5}C sites (Ne2, Ne5).

*Asp*718I cuts M-CviQI-modified (GT^{m6}AC) *Chlorella* virus NY2A DNA. *Asp*718I does not cut GTTAC^{m5}CWGG overlapping dcm sites (Mu1) or m⁵C-substituted phage XP12 DNA, whereas *Kpn*I cuts XP12 readily (Ne4).

*Ava*I nicking occurs slowly in the unmethylated strand of the hemi-methylated sequence CTCG^{m6}AG/CTCGAG (Ne5).

*Ava*II cuts slowly at GGWC^{m4}C.

Bacillus species have been surveyed for G^{m6}ATC and C^{m5}CWGG specific methylases. Many species have G^{m6}ATC specific methylases but none had C^{m5}CWGG specific methylases (Di3).

*Bal*I sites overlapping dcm sites (TGGC^{m5}CAGG) are 50-fold slower than unmethylated sites (Gi1).

*Ban*I gives various rate effects when its recognition sequence is m⁴C- or m⁵C-methylated at different positions.

*Bgl*I cleavage rate at certain G^{m5}CN₃GGC, G^{m4}CN₃GGC, and GCCN₃GG^{m5}C hemi-methylated sites is extremely slow. However, m⁵C bi-methylated M-*Hae*II - *Bgl*I sites are completely refractory to *Bgl*I (Ko3, Ne2).

*Bss*HII does not cut M-*Hha*I-modified DNA, in which two different cytosine positions are hemi-methylated, G^{m5}CGCG/GCG^{m5}CGC (Ne4).

M-*Bsi*I modifies the internal cytosine GGAT^{m5}CC, but it is not known whether this modification is m⁵C or m⁴C (Le2).

*Bst*EII cuts the fully m⁵C-substituted phage XP12 DNA (Ne5).

*Bst*NI cuts C^{m5}CWGG, m⁵CCWGG and m⁵Cm⁵CWGG (Ne5). *Bst*NI

isochizomers that are insensitive to C^{m5}CWGG include *Aqr*I, *Apy*I, *Bsp*NI, *Mva*I and *Taq*XI (Mc4).

*Bsu*RI nicking occurs in the unmethylated strand of the hemi-methylated sequence GG^{m5}CC/GGCC.

*Cfr*II, see reference Bu6 for rate effects.

M-*Cre*I is from the unicellular eukaryote *Chlamydomonas reinhardtii* (Sa2).

*Dpn*I requires adenine methylation on both DNA strands. Isochizomers of *Dpn*I include *Cfu*I, *Nan*II, *Nmu*EI, *Nmu*DI and *Nsu*DI (Ca1). *Dpn*I cuts dam modified XP12 DNA (Ne6).

M-*Eco* dam modifies GAT^{m5}C at a reduced rate (Ne5). Many other bacteria that modify their DNA at G^{m6}ATC are listed in references Ba1 and Lo1.

*Eco*A, *Eco*B, *Eco*D, *Eco*DXXI, *Eco*K are Type I restriction endonucleases. m^T represents a 6-methyladenine in the complementary strand.

*Eco*PI is a Type III restriction endonuclease (Ba2, Ba1, Ha2).

*Eco*PI5 is a Type III restriction endonuclease (Hu2).

*Eco*RI cannot cut hemi-methylated G^{m6}AATTC/GAATTC sites. Bimethylated GAM⁶ATTC/GAM⁶ATTC sites are not cut by *Eco*RI or *Rsa*I (Ne5). *Eco*RI shows a reduced rate of cleavage at hemi-methylated GAAT^{m5}C (Tr1) and does not cut an oligonucleotide that contains GAAT^{m5}C in both strands (Br1).

*Eco*RII does not cleave some DNA molecules that carry only a single site.

However, oligonucleotides containing the *Eco*RII site can be used to transactivate sites that are resistant to cleavage (Re5). *Eco*RII isochizomers that are sensitive to C^{m5}CWGG include *Anu*BI, *Atl*II, *Bst*GII, *Bln*SI, *Cfr*SI, *Cfr*II, *Fel*II, *Eca*II, *Eco*27I, *Eco*38I and *Mph*I (Ro3). *Eco*RII shows reduced rate of cleavage at hemi-methylated m⁵CCWGG/CCWGG sites (Yo1).

*Eco*RV cuts the fully m⁵C-substituted phage XP12 DNA (Ne5).

*Eco*R124 and *Eco*R124/3 are Type I restriction endonucleases. m^T represents a 6-methyladenine in the complementary strand.

*Fok*I cuts about two-fold to four-fold more slowly at CATC^{m5}C than at unmodified sites (Ne5).

M-*Fok*I in ref Po3 corresponds to M-*Fok*IA in ref Po4.

*Hae*II show a reduction in rate of cleavage when its recognition sequence is modified at RGCG^{m5}CY.

*Hae*III nicking occurs in the unmethylated strand of the hemi-methylated sequence GG^{m5}CC/GGCC.

*Hinf*I cuts GANT^{m5}C, however, detectable rate differences are observed between unmethylated, hemi-methylated (GANT^{m5}C/GANTC) and bi-methylated (GANT^{m5}C/GANT^{m5}C) target sequences. *Hinf*I does cut phage XP12 DNA, although at a reduced rate (Gr4, Ne5). *Hinf*I cuts unmethylated GANTC faster than hemi-methylated GANT^{m5}C/GANTC, which is cut faster than GANT^{m5}C/GANT^{m5}C. However, the rate difference between unmethylated and fully methylated *Hinf*I sites is only about ten-fold (Hu1, Ne5, Pe1).

*Hpa*II nicking in the unmethylated strand of the hemi-methylated sequence m⁵CCGG/CCGG is in dispute (Be3, Bu6, Ko3). *Hpa*II cuts hemimethylated mCCGG 50 times slower and fully methylated mCCGG 3000 times slower than unmethylated DNA (Ko3). See reference (Bu6) for *Hpa*II rate effects.

*Kpn*I sensitivity to hemi-methylated GGTA^{m5}CC and GGTAC^{m5}C sites has been reported. *Kpn*I efficiently cuts m⁵C-substituted phage XP12 DNA, but not *Chlorella* virus NY2A DNA, which carries both GT^{m6}AC and m⁵CC modifications (Ne4).

*Mac*II nicks slowly in the unmethylated strand of hemi-methylated Am⁵CGT/ACGT (Mo2).

*Mbo*I isochizomers that are sensitive to G^{m6}ATC include *Bss*GII, *Bsa*PI, *Bsp*74I, *Bsp*76I, *Bsp*105I, *Bst*XII, *Bst*EIII, *Bss*GII, *Cpa*I, *Cvi*I, *Cvi*AI, *Cvi*BII, *Cvi*HI, *Dpn*II, *Enu*AII, *Enu*CI, *Hae*I, *Meu*I, *Mkr*AI, *Mme*II, *Mno*III, *Mos*I, *Msp*67II, *Mth*I, *Mth*AI, *Nde*II, *Nfi*AI, *Nfi*BI, *Nfi*I, *Nla*DI, *Nla*II, *Nme*CI, *Nph*I, *Nsi*AI, *Nsp*AI, *Nsu*I, *Pfa*I, *Rlu*II, *Sal*AI, *Sal*HI, *Sau*6782I, *Sin*MI, *Tru*II (Ro3).

*Mbo*II cuts the fully m⁵C-substituted phage XP12 DNA (Ne5), although certain hemi-methylated m⁵C-containing substrates are reported not to be cut (Gr4).

*Mfi*I cuts slowly at m⁶AGATCY sites (On1).

Mammalian methylase is the m⁵CG methyltransferase from *Mus musculus*. (mouse) (Be6).

*Msp*I cuts the hemi-methylated sequence C^{m5}CGG/CCGG (Wa5) and C^{m4}CGG/CCGG duplexes (Bu6). *Msp*I cuts very slowly at GG^{m5}CCGG (Bu2). An M-*Msp*I clone methylates m⁵CCGG (Wa5, Wa2). However, there is a report that *Moraxella* sp. chromosomal DNA is methylated at m⁵Cm⁵CCGG (Je2).

*Mva*I nicking occurs in the unmethylated strand of the hemi-methylated sequence m⁴CCWGG/CCWGG and CC^{m6}AGG/CCTGG (Ku3). *Mva*I cuts XP12 DNA very slowly at m⁵Cm⁵CWGG.

*Nan*II requires adenine methylation on both DNA strands (Ca1). *Nan*II cuts M-*Eco* dam modified XP12 DNA (Ne5).

NciI may cut m^5Cm^5CGG methylated DNA (Br8,Je2). Possibly the second methylation negates the effect of m^5CGG .

NcoI is blocked by *M-SecI* (CCNNGG) (Ne5).

NciI is a *BglII* isoschizomer from *Nocardia cavia* Beijing (Qi1).

NdeI cuts the fully m^5C -substituted phage XP12 DNA (Ne5).

NdeII cuts the fully m^5C -substituted phage XP12 DNA (Ne5).

Ngo. There is some confusion about naming restriction enzymes from these strains.

NgoPII, *NgoII* and *NgoSI* may be the same. *NgoPIII* may be *NgoIII*.

NgoPII does not cut overlapping *dcn* sites (Su4).

NmuDI requires adenine methylation on both DNA strands (Ca1).

NmuEI requires adenine methylation on both DNA strands (Ca1).

PaeRI cuts hemimethylated $CTm^5CGAG/CTCGAG$ sites 100 fold slower and cuts fully methylated CTm^5CGAG/CTm^5CGAG 2900 fold slower than unmethylated sites (Gh1). Hemi- or full methylation at m^6A completely protects against *PaeRI* cleavage (Gh1).

RsaI cuts the fully m^5C -substituted phage XP12 DNA (Ne5), but does not cut *Chlorella* virus NY2A DNA, which is modified at GTm^6AC (Ne4,Xi1). DNA from *Rhodospseudomonas sphaeroides* species Kaplan is cut by *Asp718I*, but not by *RsaI* or *KpnI* (Ne4). It is likely that *M-RsaI* specifies GTA^{m^4C} ; and high levels of m^4C are present in *R. sphaeroides* DNA (Eh3).

RsaI cannot cut hemi-methylated $Gm^6AATTC/GAATTC$ sites.

Sau3AI nicking occurs in the unmethylated strand of the hemi-methylated sequence $GATm^5CGATC$ (St3). *Sau3AI* cuts at a reduced rate at m^6AGATC (On1). *Sau3AI* isoschizomers that are insensitive to Gm^6ATC include *Bce243I*, *Bsp49I*, *Bsp51I*, *Bsp52I*, *Bsp57I*, *Bsp58I*, *Bsp59I*, *Bsp60I*, *Bsp61I*, *Bsp64I*, *Bsp65I*, *Bsp66I*, *Bsp67I*, *Bsp72I*, *BspA1*, *Bsp91I*, *BspPII*, *CpfI*, *Csp5I*, *CpeI*, *EnuEI*, *MspBI*, *SauCI*, *SauDI*, *SauEI*, *SauFI*, *SauGI* and *SauMI* (Ro3).

SfiI cannot cut *M-BglI*-modified DNA (Ne1).

SmaI nicking occurs in the unmethylated strand of the hemi-methylated sequence $CCm^5CGGG/CCCGGG$ (Bu6,Wa5). *SmaI* may cut CCm^5CGGG methylated DNA (Br8,Je2) Possibly the second methylation negates the effect of CCm^5CGGG . There are conflicting results regarding *SmaI*: $m^5CCCGGG$ is not cut when modified by *M-AquI* methyltransferase (Ka7) or at overlapping *M-HaeIII-SmaI* sites ($GGm^5CCCGGG$, Ne5). Other investigators have reported that *SmaI* cuts at a reduced rate at hemi-methylated $m^5CCCGGG$ sites (Bu6).

SplI cuts GTm^6AC -modified *Chlorella* virus NY2A DNA, but does not cut *KpnI*-digested XP12 DNA (Ne4).

StySBI and *StySPI* are Type I restriction endonucleases. m^7T represents a 6-methyladenine in the complementary strand.

TaqI cuts very slowly at Tm^5CGA (Hu1). *TaqI* cuts the fully m^5C substituted phage XP12 DNA (Hu1,Ne5).

M-TaqI methylates Tm^5CGA at least 20 fold slower than unmodified $TCGA$ (Mc7).

XbaI will cut $Tm^5CTAGA/TCTAGA$ hemi-methylated DNA at high enzyme levels ($>100U$ $XbaI$ / μg), but will not cut this sequence in twenty to forty-fold overdigestions.

XhoII nicking occurs slowly in the unmethylated strand of the hemi-methylated sequence $RGATm^5CY/RGATCY$.

XmaI is claimed not cut CCm^5CGGG in one report (Br8). See reference Bu6 for rate effects.

XmnI cuts the fully m^5C substituted phage XP12 DNA (Ne5). *XmnI* cuts slowly at some sites in DNA methylated on both strands at $GAAN_4TTm^5C$ (Ne5).

TABLE II: DNA methyltransferases and their modification specificities
Cloned methylases in bold.

Methylase ^a	Specificity ^a	References
M-AatII	GACGTC	Lu2
M-AccI	GTMM ^{m6} AC	Lu2
M-AflII	CTTAAG (m^6A)	Lu2
M-AlaK21	GATm ⁵ C	Sl1
M-AluI	AGm ⁵ CT	Kr2,Lu2
M-Alw26I	GTm ⁵ CTC and Gm ⁶ AGAC	Bu4 Bu4
M-ApaI	GGGm ⁵ CCC	Mc8,Tr2
M-AquI	m ⁵ CYCGRG	Ka7,Ka8
M-AseI	ATTAAT	Mo3
M-AseII	CCSGG	Mo3
M-AvaI	CYCGRG	Lu2
M-AvaII	GGWCC	Lu2
M-AvrI	CYCGRG	Lu3
M-BalI	TGGm ⁵ CCA	Lu2,Mc8
Bacillus	Gm ⁶ ATC ^b	Di3
M-BamHI	GGATm ⁴ CC	Ha1,Lu2,Na3
M-BamHII	Gm ⁵ CWGC?	Ha1
M-BanI	GGYRCC	Lu2
M-BanII	GRGCYC	Lu2
M-BbvI	Gm ⁵ CWGC	Do1,Ha1,Va5
M-BbvSI	Gm ⁵ CWGC	Ha1,Va5
M-Bbv	Gm ⁶ AT	Ha1
M-Bbv	Am ⁶ AG	Ha1
M-BcnI	Cm ⁴ CSGG	Ja4,Ja6,Ja7,Pe2,Po6
M-BcpI	m ⁵ CGCG	Ku2
M-BglI	GCCN ₅ GGC (m^4C)	Lu2
M-Bmc216I	GGWm ⁵ C	Ma9
M-BnaI	GGATm ⁵ CC	Ki1
M-BspRI	GGm ⁵ CC	Fe2,Ko1,Po2,Qi3,Sz4,Ve1

Methylase ^a	Specificity ^a	References
M-Bsp106I	ATCGm ⁶ AT	Pa2
M-Bsp6I	GCNCG	Ja3
M-BstI	GGATm ⁵ CC	Le2
M-BstVI	CTCGm ⁶ AG	Ba7
M-BstYI	RGATm ⁵ CY	Va2
M-BsuBI	CTGCm ⁶ AG	Xu1
M-BsuEI	m ⁵ CGCG	Ga1,Gu7,Ik1,Je1
M-BsuFI	m ⁵ CGCG	Gu7,Ik1,Je1,Wa7
M-BsuMI	YTm ⁵ CGAR	Gu1,Gu2,Gu7,Je1,Sh1
M-Bsuφ3T	GGm ⁵ CC and Gm ⁵ CNGC	Be1,Gu5,Gu4,No2,No3 No1,Tr1
M-Bsup11I	GGm ⁵ CC and Gm ⁵ CNGC	Gu4,Gu5,Gu7,No1,No2
M-EcoK	Am ⁶ ACN ₆ Gm ⁵ TGC ^b	Bo2,Go3,Ka1,Lo2,Sa1
M-EcoPI	AGm ⁶ ACC ^b	Ba2,Hu2
M-EcoP1 dam	Gm ⁶ ATC ^b	Co5
M-EcoP15	Cm ⁶ AGCAG	Hu2,Me2
M-EcoRI	GAm ⁶ ATTC	Du1,Gr2,Ke2 Ne2,Ne9,Ru1
M-EcoRII	Cm ⁵ CWGG	Bh1,Bu7,Bu8,Ko6,Ko7,Ko8 Ma10,Sc6,So1,Yo4
M-EcoRV	Gm ⁶ ATATC	Bo3
M-EcoRI24	GAAN ₆ RTCG (m^6A)	Pr2,Pr3
M-EcoRI24/3	GAAN ₇ RTCG (m^6A)	Pr2,Pr3
M-EcoT1 dam	Gm ⁶ ATC	Sc1,Sc7
M-EcoT2 dam	Gm ⁶ AT	Br7,Ha2,Ha3,Mi1,Sc4,Sc5
M-EcoT4 dam	Gm ⁶ ATC	Ha4,Ma1,Mi2,Sc3,Sc4,Sc5
M-Eco31I	GGTm ⁵ CTC and Gm ⁶ AGACC	Bu4 Po6
M-Eco47II	GGNCC	Po6
M-Eco51I	CTGAAG (m^6A)	Po6
M-Eco57I	CTGAAG (m^6A)	Po6
M-Eco64I	GGYRCC	Po6
M-Eco72I	CACGTG (m^5C)	Po6
M-Eco98I	AAGCTT	Po6
M-Eco105I	TACGTA	Po6
M-Esp3I	GGTm ⁶ CTC GAGm ⁶ ACC	Ja3
M-EnuDI	GGCC (m^5C)	Lu2,Va1
M-EnuDI1	m ⁵ CGCG	Lu2,Ne1
M-EnuDI11	GCGC	Lu2
M-FokI	GGm ⁶ ATG and Cm ⁶ ATCC	La6,Lo3,Lu2,Ma8,Nw1
M-FspI	TGCGCA	Me1
M-FV3	??m ⁵ C??	Es1 (Frog virus)
M-HaeII	RGCGCY	Lu2,Sl3
M-HaeIII	GGm ⁵ CC ^b	Lu2,Ma5,Sl3
M-HapII	Cm ⁵ CGG	Wa1
M-HgaI	GACGC (m^5C)	Lu2,Nw1
M-HgiAI	GGWGCW	Lu2
M-HgiCI	GGYRCm ⁵ C	Er1
M-HgiCII	GGWCM ⁵ C	Er1
M-HgiEI	GGWCM ⁵ C	Er1
M-HhaI	Gm ⁵ CGC	Ba9,Ca3,Lu2,Sm1,Wu1,Za1
M-HhaII	Gm ⁶ ANTC	Ch1,Ke1,Ma3,Ma4,Sc9,Sm1
M-HincII	GTYRm ⁶ AC	Gr4,Mc8,Re2,Ro7
M-HindII	GTYRm ⁶ AC	Lu2,Re2,Ro6,Ro7
M-HindIII	m ⁶ AAGCTT	Lu2,Ro6,Ro7
M-HinfI	Gm ⁶ ANTC	Ch1,Lu2
M-HinPI	GCGC	Ba9,Lu2
M-HjaI	GATATC (m^6A)	Da1
M-HpaI	GTTAm ⁶ AC	Br8,Yo3
M-HpaII	Cm ⁵ CGG	Lu2,Ma5,Qu1,Wi2,Yo2
M-HphI	Tm ⁵ CACC	Mc8,Ne2,Ne4
M-H2	GGCC GCNCG GDGCHC	La8 (Bacillus phage)
M-KpnI	GGTm ⁶ ACC	Ki5
M-Kpn2I	TCCGGA	Po6
M-MboI	Gm ⁶ ATC	Mc8
M-MboII	GAAGm ⁶ A	Mc12,Ne4,Ne2
Mammals	m ⁵ CG ^b	Be6 (Mouse)
M-MspI	m ⁵ CCGG ^b	Eh2,Je2,Lu2,Nw2,Wa1,Wa5
M-MstI	TGCGCA	Me1
M-MvaI	Cm ⁴ CWGG	Ki3,Po6
M-MwoI	GCN ₇ GC (m^4C)	Lu2,Lu4
M-NaeI	CCCGGC	Lu2,Va1
Neurospora	??m ⁵ C??	Se2

Methylase ^a	Specificity ^a	References
M·NcoI	CCATGG (m ⁶ C)	Lu2, Va1
M·NdeI	CATATG (m ⁶ A)	Si1
M·NgoMVI	GGNNCC ^b	Pi5
M·NgoI	RGCGCY ^b	Ri1
M·NgoPI	RG ^m CGCY ^b	Su2
M·NgoII	GG ^m SCC ^b	Ko5, Ri1
M·NgoAI	GG ^m SCC ^b	Pi3
M·NgoPII	GG ^m SCC ^b	Su3, Su4
M·NgoIII	CCGCGG ^b	Ko5, Ri1
M·NgoIV	G ^m SCCGG ^b	Ch2, Ko15, Ri1
M·NgoV	GGNN ^m SCC ^b	Ko5, Pi2
M·NgoVI	G ^m ATC ^b	Ko5
M·NgoVII	G ^m CWGC ^b	Ko5
M·NgoBI	T ^m SCAC ^b	Pi3
M·NgoBII	GTAN ₅ ^m CTC ^b	Pi3
M·NlaI	GGCC	Mo3
M·NlaII	C ^m ATG	La1, Lu2, Mo3
M·NlaIV	G ^m SCCGG ^c	Lu2
M·NlaV	GGNN ^m SC	Mo3
M·NlaX	??mC??	La1
M·PaeR7I	CTCG ^m AG	Gi3, Th1, Th2
M·PgiI	G ^m ATC	Ba10
M·PstI	CTGC ^m AG	Le1, Wa3, Wa4, Wa6
M·PvuII	CAG ^m CTG	Bi1, Ta2
M·Rch4273I	GTCG ^m AC	Ba6, Ye1
M·RsrI	GA ^m ATTC	Ba5, Ka10
M·SacII	CCGCGG	Lu2
M·SalI	GTCG ^m AC	Lu2, Ro4, Ro5
M·Sau3A	GAT ^m SC	Se1
M·Sau96I	GGN ^m SC	Lu2, Ne1, Sz1
M·SfiI	GGCCN5GGCC (m ⁴ C)	Ba8
M·SfiI	GGW ^m SC	Ka5, Ka6
M·SmaI	CC ^m CGGG	He1, Po6
M·SphI	GCATGC	Lu2
M·Sso47I	G ^m AATTC	Ka9, Bu4
M·Sso47II	C ^m CNGG	Ka9, Ni1, Ni3
M·SspMQI	m ⁵ CG	Nu1, Pi5, Re3
M·StyI	CCWWGG	Co8
M·StyLI	CAG ^m AG	Re1
M·StySBI	G ^m AGN ₆ R ^m TYG ^b	Fu1, Fu3, Ga3, Na1, Na2
M·StySPI	A ^m ACN ₆ G ^m TRC ^b	Fu1, Fu3, Na1, Na2
M·StySQ	A ^m ACN ₆ R ^m TAYG ^b	Fu1, Fu3
M·StySJ	G ^m AGN ₆ G ^m TRC ^b	Ga3
M·TaqI	TCG ^m AG	Lu2, Mc3, Sa3, Sl2
M·TthHBI	TCG ^m AG	Mc3, Sa3
M·TthI	TCG ^m AG	Sa3, Va6
Tetrahymena	??m ⁶ A??	Ca2, Go1
M·XbaI	TCTAG ^m AG	Lu2, Mc13, Va1
M·XmaI	CCCGGG (m ⁴ C)	Ba8
M·XmaIII	CGG ^m CCC	Mc8, Tr2
M·XmnI	GAAN ₄ TTC	Fe1

NOTES a. See footnote "a" of Table I. b. See footnote "b" of Table I.

TABLE III: Methylation sensitivity of Type II DNA methyltransferases.

Methylase (specificity) ^a	Not blocked by prior modification at ^b	Blocked by prior modification at ^b	References
M·AluI (AG ^m CT)		AG ^m CT	Bu5
M·BamHI (GGAT ^m CC)	GG ^m ATCC	GGATC ^m C	La7, Mc10
M·BsiI (GGAT ^m CC) ^c	GG ^m ATCC		Le2
M·CfrI (CAG ^m CTG)		CAG ^m CTG	Bu5
M·ClaI (ATCG ^m AT)	m ⁶ ATCGAT AT ^m SCGAT m ⁵ CATG [#]		M9, Mc11, We1
M·CviAII		----	Ne1
M·CviBIII (TCG ^m AG)	T ^m SCGA		Mc10, Va4
M·EcoRI (GA ^m ATTC)	GAAT ^m SC	G ^m AATTC	Br2
M·EcoRII (Cm ⁵ CWGG)		C ^m 4CWGG	Bu4
M·Eco dam (G ^m ATC)	GAT ^m SC ^c GAT ^m SC ^c GAT ^m SC		Mc10
M·EokIA (GG ^m ATG) ^c	CATC ^m SC	CAT ^m SCC	Ne4
M·HhaI (G ^m CGC)	GCG ^m SC		Po3, Po4, Sc2
M·HhaII (G ^m ANTC)	GANT ^m SC		Ro1
M·HpaII (Cm ⁵ CGG)		m ⁵ CCGG	Mc10
M·HphI (T ^m SCACC)	GGTG ^m AG		Mc9, Mc10
M·MboI (G ^m ATC)	GAT ^m SC		Mc10
M·MboII (GAAG ^m AG)	T ^m SC ^m CTT ^m SC		Mc10
M·MspI (m ⁵ CCGG)		C ^m SCGG	Mc10
M·MvaI (Cm ⁴ CWGG)	C ^m SCWGG m ⁵ C ^m SCWGG		Bu4
M·PvuII (CAG ^m CTG)		CAG ^m CTG	Ne1
M·EcoT2 dam (G ^m ATY)	GAT ^m SC		Bu5
M·EcoT4 dam (G ^m ATC)	GAT ^m SC		Do2, Mi1
M·TaqI (TCG ^m AG)		T ^m SCGA ^c	Sc4
			Mc7

a. See footnote "a" of Table I.

b. An enzyme is classified as insensitive to methylation if it methylates the modified sequence at a rate that is at least one tenth the rate at which it methylates the unmodified sequence. An enzyme is classified as sensitive to methylation if it is inhibited at least twenty-fold by methylation relative to the unmethylated sequence.

c. See footnote "b" of Table I.

TABLE IV: Isoschizomer/isomethylator pairs that differ in their sensitivity to sequence-specific methylation.

Methylated sequence ^c	Restriction isoschizomer pairs ^{a,b}		References
	Cut by	Not cut by	
m ⁵ CATG	CviAII	NlaIII	Ne10
m ⁴ CCGG	MspI	HpaII	Ne1
Cm ⁵ CGG	MspI	HpaII, HpaII	En2, Mc11
Cm ⁴ CGG	MspI	HpaII	Bu6
CC ^m SCGGG	XmaI, Cfr9I	SmaI	Bu6
Cm ⁵ CWGG	BstNI, MvaI	EcoRII ^f	Bu4
Gm ⁶ ATC	Sau3A, EnuEI	MboI, NdeII	Ge1, Lu1, Mc9, Ro3
GAT ^m SC	MboI, NdeII	Sau3A	Ne4
GAT ^m SC	MboI	Sau3A	Ne4
GGC ^m SC	HaeIII	NgoPII	Su4
GGTAC ^m SC	KpnI	Asp718I	Mu1
GGTAm ⁵ Cm ⁵ C	KpnI	Asp718I	Ne4
GGW ^m SC	AflI	AvaII, Eco47I	B3, Ja5, Wh2
RG ^m ATCY	XhoII, BsiYI	MflI	Mc9, Ne4
RGAT ^m SCY	BsiYI	XhoII	Ne4
Tm ⁵ CCGGA	AccIII	BspMII, MroI	La2, Sc2
TC ^m SCGGA	AccIII	BspMII, MroI	Sc2
TCCGG ^m AG	BspMII, MroI	AccIII	Ke3, Ne4
TCCGG ^m AG	Sbo13I, SpoI	NruI	Mc11, Ne4
TT ^m SCGAA	AsuII, CblI	Csp45I, SspRFI	Sc10, Mu2
CGW ^m Cm ⁵ CG	CspI	RsrII	Q3

Restriction isomethylator pairs^{d,e}

Methylated sequence ^c	Restriction isomethylator pairs ^{d,e}	References
Tm ⁵ CGA	M·CviBIII (TCG ^m AG) M·TaqI	We2

a. In each row the first column lists a methylated sequence, the second column lists an isoschizomer that cuts this sequence, and the third column lists an isoschizomer that does not cut this sequence.

b. An enzyme is classified as insensitive to methylation if it cuts the methylated sequence at a rate that is at least one tenth the rate at which it cuts the unmethylated sequence. An enzyme is classified as sensitive to methylation if it is inhibited at least twenty-fold by methylation relative to the unmethylated sequence.

c. See footnote "a" of Table I.

d. In each row the first column lists a methylated sequence, the second column lists an isomethylator that modifies this sequence, and the third column lists an isomethylator that does not modify this sequence.

e. An enzyme is classified as insensitive to methylation if it modifies the methylated sequence at a rate that is at least one tenth the rate at which it modifies the unmethylated sequence. An enzyme is classified as sensitive to methylation if it is inhibited at least twenty-fold by methylation relative to the unmethylated sequence.

f. See footnote "b" of Table I.

TABLE V: List of restriction systems referred to in this paper.^a

CC	CviPI
RGCY	CviJI
CCGC	AgI
CATG	CviAII, NlaIII
CCTC	MnlI
AGCT	AhaI
CCGG	BsuFI, BsuOI, HpaII, HpaII, MspI
CCGG	AccII, BspI, BstUI, BsuEII, FnuDII, ThaI
Gm ⁶ ATC	DpnI, NruI, NmuDI, NmuEI
GATC	Bce243I, BspPI, Bsp67I, BspAI, BspPII, BspGII, BstEIII, BstXII, CpaI, CviI, CviAI, DpnII, FnuAII, FnuCI, FnuEI, MboI, MmeII, MnoIII, MosI, MuiI, NdeII, NfiI, NlaII, NsiAI, NsiAI, NsiAI, PstI, Sau3A, SinMI
GCGC	HhaI, HinfI
GGCC	BsuRI, HaeIII, NgoPII
GTAC	CviOI, RsaI
TCGA	TaqI, TthI, TthI
TAA	MseI
CCNGG	SbfI
CCNNGG	BsaJI
CCN ₇ GG	BstI
CTNAG	DdeI
GANTC	CviBI, HhaII, HinfI
CCNCC	Cfr13I, Sau96I
GGWGG	AacI, AorI, ApyI, AunBI, AunBI, BinSI, BspNI, BstGII, BstNI, Cfr5I, CfrII I, EcoII, EcoRII, EcoRII, Eco27I, Eco38I, MphI, MvaI, TaqXI
CCSGG	BclI, NciI
GCAGC	BbvI
GGWCC	AvaII, Bme216I, Eco47I, HgiCII, HgiEI, SinI
AGACC	EcoPI
ACCTGC	BspMI
CAGCAG	EcoPI5
CATCC	EcoI
GAAGA	MboII, NcuI
GAAGAC	BbsI
GAAGAG	EarI
GAATGC	BsmI
GACCGA	TaqII
and CACCCA	
GACGC	HgaI
GATGC	SfaNI
GGATC	AlwI, BlnI
GTCTC	BsmAI
TCACC	HphI, NgoBI
CGTCTC	Esp3I
CGRYCG	BstEI
CYCGRG	AquI, Aval
GDGCHC	Bsp1286I
GRGCGC	AhaI
GRGCGC	AcsII, BbiII, BanII, BsaHI
GRGCGC	HgiIII
GTMKAC	AacI
GTACAC	HinCII
GWGCWC	HpaI
RCCGGY	BstFI, Cfr10
RCCGCGY	HaeII, NgoPI
RGATCY	BstYI, MgiI, XhoII
YACGTR	BsaAI
YGGCCR	CfrI, EacI
WCGGW	Bca77I
RGNCCY	PpuMI
RGWCCY	DraII
AAGCTT	HindIII
ACCGGT	AgeI
ACGCGT	MluI
ACTAGT	SpeI
AGATCT	BglII, NciI
AGCGCT	AviII, Eco47III
AGGCGT	Sml
AGTACT	RliI
ATCGAT	BanIII, BspXI, BspDI, ClaI
ATGCAT	NsiI
CAGCTG	Cfr6I, PvuII
CATATG	NdeI
CCATGG	NcoI
CCCGGG	Cfr9I, SmaI, XmaI
CCGCGG	SacII
CGATCG	BmaDI, PvuI, RshI, XorII
CGGCCG	EagI, XmaIII
CGTACG	BstWI, PfuI, SphI
CTCGAG	BsuMI, BsuRII, PaeR7I, XhoI
CTGCAG	BsuBI, PstI, SfiI
CTTAAG	AflII
GAATTC	EcoRI, RsaI, Sso47I
GACGTC	AatII
GAGCTC	Ecl136II, SacI, SstI
GATATC	EcoRV
GATATC	SphI
GCCGGC	Mlu9273II, NaeI, NgoWI
GCGCGC	BssHII
GCTAGC	NheI
GGATCC	BamHI, BamFI, BamKI, BamNI, BstI, BstI, BstI 503I
GGCGCC	RheI, KasI, NaeI
GGTACC	Acc65I, Asp718I, KpnI
GGGCC	ApaI
GTATAC	BstI107I
GTGCAC	RliI, Rch4273I, SalI
GTGAAC	ApaLI, BspI
TCATGA	HpaI
TCCGGA	BspHI, BspXI
TCCGGA	AccIII, BspEI, BspMII, Kpn2I, MroI
TCCGGA	AmaI, Mlu9273I
TCTAGA	NruI, SalDI, Sbo13I, SphI
TGATCA	XbaI
TCCGCA	AtuCI, BclI, BspXII, BstGI, CpeI
	EspI

TGGCCA	BalI, MscI
TTCGAA	AsuII, BstBI, CblI, Csp45I, SspRFI
TTTAAA	DraI
CAGN ₃ CTG	AlwNI
CCAN ₆ TGG	PfIMI, BstXI
CCTNAGG	Bsu36I, MstII
GAAN ₄ TTC	XmnI
GACN ₃ GTC	Eam1105I
GACN ₄ GTC	DrdI
GATN ₄ ATC	BsaBI, MamI
GCCN ₄ GGC	BglI
GCTNAGC	EspI
GGTNACC	BstEII, EcaI
CGGWCCG	CspI, RsrII
AACN ₆ GTGC	EcoK
AACN ₆ GTGC	StySPI
ACN ₄ GTAYC	BacI
GAAN ₆ RTCG	EcoR124
GAAN ₇ RTCG	EcoR124/3
GAGN ₇ ATGC	EcoE
GAGN ₇ GTCA	EcoA
GAGN ₆ RTAYG	StySBI
TCAN ₇ ATTTC	EcoDXXI
TGAN ₆ TGCT	EcoB
TTAN ₇ GTCY	EcoD
CRGCGGYG	SgrAI
GCCCGGGC	SrfI
GCGCGCGC	NciI
GGCGGGCC	EcoI
GGCGGGCC	AclI
GTTTAAAC	PmeI
GGCCN ₅ GGCC	SfiI

Note:

a. Restriction systems in Table V are arranged by recognition sequence length and alphabetically by recognition sequence to aid in identifying isoschizomers.

REFERENCES

- An1. Ando T., Hayase E., Ikawa S. and Shitaka T.: Microbiology-1982, D Schlessinger, Ed., Amer. Soc. Microbiol., Washington DC, 1982, pp66-69.
- Ba1. Babeyron T. Kean K. and Forterre P.: J. Bacteriol. 160 (1984) 586-590.
- Ba2. Bachi B., Reiser J. and Pirrotta V.: J. Mol. Biol. 128 (1979) 143-163.
- Ba3. Backman K.: Gene 11 (1980) 167-171.
- Ba4. Balganesch T.S., Reiners L., Lauster R., Noyer-Weidner M., Wilke K. and Trautner T.A.: EMBO J. 6 (1987) 3543-3549.
- Ba5. Ballard B., Stephenson F., Boyer H. and P. Greene P.: (personal communication).
- Ba7. Barra R., Chiong M., Gonzalez E. and Vasquez C.: Biochem. J. 255 (1988) 699-703.
- Ba8. Barsomian J.M., Card C.O. and Wilson G.G.: (unpublished).
- Ba9. Barsomian J.M., Card C.O. and Wilson G.G.: Gene 74 (1988) 5-7.
- Ba10. Banas J.A., Ferretti J.J. and Progulsk-Fox A.: Nucleic Acids Res. 19 (1991) 4189-4192.
- Be1. Behrens B., Noyer-Weidner M., Pawlek B., Lauster R., Balganesch T.S. and Trautner T. A.: EMBO J. 6 (1987) 1137-1142.
- Be2. Behrens B., Pawlek B., Morelli G. and Trautner T.A.: Mol. Gen. Genet. 189 (1983) 10-16.
- Be3. Ben-Hatter and Jiricny J.: Nucleic Acids Res. 16 (1988) 4160.
- Be4. Benner J.S.: (unpublished observation).
- Be5. Benner J.S. and Schildkraut I.: (personal communication).
- Be6. Bestor T., Laudano A., Mattaliano R. and Ingram V.: J. Mol. Biol. 203 (1988) 971-983.
- Bh1. Bhagwat A.: (personal communication).
- Bi1. Bickle T.A.: (personal communication).
- Bi2. Bickle, T.A.: Nucleases (1980) S.M Linn and R.J. Roberts, Eds., Cold Spring Harbor Laboratory, New York, pp85-108.
- Bi3. Bickle, T.A.: Gene Amplification and Analysis, Volume 1 (1980), J.Chirikjian and T.S. Papas, Eds., Elsevier, N.Y., pp1-32.
- Bi4. Bingham A.H.A., Atkinson T., Sciaky D. and Roberts R.J.: Nucleic Acids Res. 5 (1978) 3457-3467.
- Bi5. Bitinaite J.B., Klimasauskas S.J., Butkus V.V. and Janulaitis A.A.: FEBS Lett. 182 (1985) 509-513.
- Bl1. Blumenthal R.M., Gregory S.A. and Cooperider J.S.: J. Bacteriol. 164 (1985) 501-509.
- Bo1. Bonventre J.: (unpublished results).
- Bo2. Borck K., Beggs J.D., Brammer W.J., Hopkins A.S. and Murray N.E.: Mol. Gen. Genet. 146 (1976) 199-207.
- Bo3. Bougueleret L., Schwarzstein M., Tsugita A. and Zabeau M.: Nucleic Acids Res. 12 (1984) 3659-3676.

- Bo4. Boyd A.C., Charles I.G., Keyte J.W., and Brammar W.J.: Nucleic Acids Res. 14 (1986) 5255–5274.
- Bo5. Boyer H.W., Chow L.T., Dugaiczky A., Hedgepeth J. and Goodman H.M.: Nature New Biol. 244 (1973) 40–43.
- Bo6. Bourbonniere M. and Nalbantoglu J.: Nucleic Acids Res. 19 (1991) 4774.
- Br1. Brennan C.A., Van Cleve M.D. and Gumpert R.I.: J. Biol. Chem. 261 (1986) 7270–7278.
- Br2. Brennan C.A., Van Cleve M.D. and Gumpert R.I.: J. Biol. Chem. 261 (1986) 7279–7286.
- Br3. Brenner V., Venetianer P. and Kiss A.: Nucleic Acids Res. 18 (1990) 355–359.
- Br4. Bron S., Murray K. and Trautner T.A.: Mol. Gen. Genet. 143 (1975) 13–23.
- Br5. Brooks J.E.: Methods in Enzymology 152 (1987) 113–141.
- Br6. Brooks J.E., Blumenthal R.M. and Gingeras T.R.: Nucleic Acids Res. 11 (1983) 837–851.
- Br7. Brooks J.E. and Hattman S.: J. Mol. Biol. 126 (1978) 381–394.
- Br8. Brooks J.E. and Roberts R.J.: Nucleic Acids Res. 10 (1982) 913–934.
- Bu1. Buhk H.J., Behrens B., Taylor R., Wilke K., Prada J.J., Gunthert U., Noyer-Weidner M., Jentsch S. and Trautner T.A.: Gene 29 (1984) 51–61.
- Bu2. Busslinger M., deBeor E., Wright S., Grosveld F.G. and Flavell R.A.: Nucleic Acids Res. 11 (1983) 3559–3569.
- Bu3. Butkus V.: (personal communication).
- Bu4. Butkus V., Klimasauskas S., Kersulyte D., Vaitkevicius D., Lebionka A. and Janulaitis A.: Nucleic Acids Res. 13 (1985) 5727–5746.
- Bu5. Butkus V., Klimasauskas S., Petrauskiene L., Maneliene Z., Lebionka A. and Janulaitis A.: Biochim. Biophys. Acta 909 (1987) 201–207.
- Bu6. Butkus V., Petrauskiene L., Maneliene Z., Klimasauskas S., Laucys V. and Janulaitis A.: Nucleic Acids Res. 15 (1987) 7091–7102.
- Bu7. Buryanov Ya.I., Bogdarina, I.G. and Bayev, A.A.: FEBS Lett. 88 (1978) 251–254.
- Bu8. Buryanov, Ya.I., Nestrenko V.F. and Vagabova L.M.: Dokl. Akad. Nauk SSSR 227 (1976) 1472–1475.
- Bu9. Buryanov Ya.I., Zakharchenko V.N. and Bayev A.A.: Dokl. Akad. Nauk SSSR 259 (1981) 1492–1495.
- Ca1. Camp R. and Schildkraut I.: (unpublished results).
- Ca2. Capowski E.E., Wells J.M. and Karrer K.M.: Gene 74 (1988) 103–104.
- Ca3. Caserta M., Zacharias W., Nwankwo D., Wilson G.G. and Wells R.D.: J. Biol. Chem. 262 (1987) 4770–4777.
- Ca4. Casjens S., Hayden M., Jackson E. and Deans R.: J. Virology 45 (1983) 864–867.
- Ch1. Chandrasegaran S., Lunnen, K.D., Smith H.O. and Wilson G.G.: Gene 70 (1988) 387–392.
- Ch2. Chien R., Stein D., So M. and Seifert H.: (personal communication).
- Cl1. Clarke C.M. and Hartley B.S.: Biochem. J. 177 (1979) 49–62.
- Co1. Colasanti J. and Sundaresan V. (1991) Nucleic Acids Res. 19: (in press).
- Co2. Cooney C.A.: Nucleic Acids Res. 18 (1990) 3667.
- Co3. Cooney C.A., Eykholt R.L. and Bradbury E.M. J. Mol. Biol. 204 (1988) 889–901.
- Co4. Cornish-Bowden A.: Nucleic Acids Res. 13 (1985) 3021–3030.
- Co5. Coulby J. and Sternberg N.: Gene 74 (1988) 191.
- Co6. Cowan G.M., Gann A.A.F. and Murray N.E.: Cell 56 (1989) 103–109.
- Co7. Cowan J. and Murray N.E.: (personal communication).
- Co8. Colson (personal communication).
- Da1. Danaher R.J. and Stein D.C.: Gene 89 (1990) 129–132.
- Da2. Daniel A.S., Fuller-Pace F.V., Legge D.M. and Murray N.E.: J. Bacteriol. 170 (1988) 1775–1782.
- Da3. Daniel A.S. and Murray N.E.: (personal communication).
- De1. De la Campa A.G., Kale P., Springhorn S.S. and Lacks S.A.: J. Mol. Biol. 196 (1987) 457–469.
- Di1. Dila D. and Raleigh E.A.: Gene 74 (1988) 23–24.
- Di3. Dingman D.W.: J. Bact. 172 (1990) 6156–6159.
- Do1. Dobritsa A.P. and Dobritsa S.V.: Gene 10 (1980) 105–112.
- Do2. Doolittle M.M. and Sirotkin K.: Biochim. Biophys. Acta 949 (1988) 240–246.
- Dr1. Dreiseikelman B., Eichenlaub R. and Wackernagel W.: Biochim. Biophys. Acta 562 (1979) 418–428.
- Du1. Dugaiczky A., Hedgepeth J., Boyer H.W. and Goodman H.M.: Biochemistry 13 (1974) 503–512.
- Dy1. Dybvig K., Swinton D., Maniloff J. and Hattman S.: J. Bacteriol. 151 (1982) 1420–1424.
- Eh1. Ehrlich M.: (unpublished results).
- Eh2. Ehrlich M. and Wang R.Y.H.: Science 212 (1981) 1350–1357.
- Eh3. Ehrlich M., Wilson G.G., Kuo K.C. and Gehrke C.W.: J. Bacteriology 169 (1987) 939–943.
- Es1. Essani K., Goorha R. and Allan Granoff.: Gene 74 (1988) 71–72.
- Fe1. Feehery R.: (personal communication).
- Fe2. Feher Z., Kiss A. and Venetianer P.: Nature 302 (1983) 266–268.
- Fi1. Fisherman J., Gingeras T.R. and Roberts R.J.: (unpublished results).
- Fl1. Fliess A., Wolfes H., Seela F. and Pingoud A. Nucleic Acids Res. 16 (1988) 11781–11793.
- Er1. Erdmann D. and Kroger M.: (unpublished).
- Fo1. Forney J.A. and Jack W.E.: (unpublished).
- Fu1. Fuller-Pace F.V., Bullas L.R., Delius H. and Murray, N. E.: Proc. Natl. Acad. Sci. USA 81 (1984) 6095–6099.
- Fu2. Fuller-Pace F.V., Cowan G.M. and Murray N.E.: J. Mol. Biol. 186 (1985) 65–75.
- Fu3. Fuller-Pace F.V. and Murray N.E.: Proc. Natl. Acad. Sci. USA 83 (1986) 9368–9372.
- Ga1. Gaido M., Prostko C.R. and Strobl J.S.: J. Biol. Chem. 263 (1988) 4832–4836.
- Ga2. Gaido M. and Strobl J.S.: Arch. Microbiol. 146 (1987) 338–340.
- Ga3. Gann A.A.F., Campbell A.A.B., Collins J.F., Coulson A.F.W. and Murray N.E.: Mol. Microbiol. 1 (1987) 13–22.
- Ga4. Gautier F., Bunemann H. and Grotjahn L.: Eur. J. Biochem. 80 (1977) 175–183.
- Ge1. Gelinas R.E., Myers P.A. and Roberts R.J.: J. Mol. Biol. 114 (1977) 169–180.
- Gh1. Ghosh S.S., Obermiller P.S., Kwok T.J. and Gingeras T.R.: Nucleic Acids Res. 18 (1990) 5063–5068.
- Gi1. Gingeras T.R.: (unpublished observations).
- Gi2. Gingeras T.R., Blumenthal R.M., Roberts R.J. and Brooks J.E.: In J. Zelinka and J.Balan, Eds., Metabolism, Enzymology and Nucleic Acids, 4th Proc. Int. Symp., Slovak. Sci., Bratislava, CSSR, 1982, pp329–340.
- Gi3. Gingeras T.R. and Brooks J.E.: Proc. Natl. Acad. Sci. USA 80 (1983) 402–406.
- Go1. Gorovsky M.A., Hattman S. and Plegler G.L.: J. Cell Biol. 56 (1973) 697–701.
- Go2. Gossen J.A. and Vijg J.: Nucleic Acids Res. 19 (1988) 9343.
- Go3. Gough J.A. and Murray N.E.: J. Mol. Biol. 166 (1983) 1–19.
- Gr1. Grachev S.A., Mamaev S.V., Gurevich A.L., Igoshun A.V., Kolosov M.N. and Slyusarenko A.G.: Bioorg. Khim.: 7 (1981) 628–630.
- Gr2. Greene P.J., Gupta M., Boyer H.W., Brown W.E. and Rosenberg J.M.: J. Biol. Chem. 256 (1981) 2143–2153.
- Gr3. Gromova E.S., Kubareva E.A., Yolov A.A. and Nikolskaya I.I.: (unpublished observations).
- Gr4. Gruenbaum Y., Cedar H. and Razin A.: Nucleic Acids Res. 9 (1981) 2509–2515.
- Gu1. Guha S.: J. Bacteriology 163 (1985) 573–579.
- Gu2. Guha S.: Gene 74 (1988) 77–81.
- Gu3. Gunthert, U.: (unpublished observations).
- Gu4. Gunthert U., Lauster R. and Reiners L.: Eur. J. Biochem. 159 (1986) 485–492.
- Gu5. Gunthert U., Reiners L. and Lauster R.: Gene 41 (1986) 261–270.
- Gu6. Gunthert U., Strom K. and Bald R.: Eur. J. Biochem. 90 (1978) 581–583.
- Gu7. Gunthert U. and Trautner T.A.: Curr. Topics Microbiol. Immunol. 108 (1984) 11–22.
- Ha1. Hattman S., Keister T. and Gottehrer A.: J. Mol. Biol. 124 (1978) 701–711.
- Ha2. Hattman S., Brooks J.E. and Masurekar M.: J. Mol. Biol. 126 (1978) 367–380.
- Ha3. Hattman S., Van Ormondt H. and De Waard A.: J. Mol. Biol. 119 (1978) 361–376.
- Ha4. Hattman S., Wilkinson J., Swinton D., Schlagman S., Macdonald P. M. and Mosig G.: J. Bacteriol. 164 (1985) 932–937.
- Ha5. Hanish J. and McClelland M.: Nucleic Acids Res. 19 (1991) 829–832.

- Ha6. Hanish J. and McClelland M. *Nucleic Acids Res.* 18 (1990) 3287–3291.
- He1. Heidmann S., Seifert W., Kessler C. and Domdey H.: *Nucleic Acids Res.* 17 (1989) 9783–9796.
- He3. Heitman J. and Model P.: *J. Bacteriol.* 169 (1987) 3243–3250.
- He2. Herman G.E. and Modrich P.: *J. Biol. Chem.* 257 (1982) 2605–2612.
- Ho1. Hofer B.: *Nucleic Acids Res.* 11 (1988) 5206.
- Ho2. Hofer B. and Kuhlein B.: *Nucleic Acids Res.* 17 (1989) 8009.
- Ho3. Howard K., Card C., Benner J.S., Callahan H.L., Maunus R., Silber K., Wilson G.G. and Brooks J.E.: *Nucleic Acids Res.* 14 (1986) 7939–7951.
- Hu1. Huang L-H., Farnet C.M., Ehrlich K.C. and Ehrlich M.: *Nucleic Acids Res.* 10 (1982) 1579–1591.
- Hu2. Humberlin M., Suri B., Rao D.N., Hornby D.P., Eberle H., Priplil T., Kenel S. and Bickle T.: *J. Mol. Biol.* 200 (1988) 23–29.
- Ik1. Ikawa S., Shibata T., Ando T. and Saito H.: *Mol. Gen. Genet.* 177 (1980) 359–368.
- Ja1. Jacobs D. and Brown N.L.: (unpublished observations).
- Ja2. Jacobs D., and Brown N.L.: *Biochem. J.* 238 (1986) 613–616.
- Ja3. Janulaitis A.: (personal communication).
- Ja4. Janulaitis A., Klimasauskas S., Petrusyte M. and Butkus V.: *FEBS Lett.* 161 (1983) 131–134.
- Ja5. Janulaitis A., Petrusyte M. and Butkus V.: *FEBS Lett.* 161 (1983) 213–216.
- Ja6. Janulaitis A., Petrusyte M., Jaskeleviciene B., Krayev A.S., Scryabin K.G. and Bayev A.A.: *Dokl. Akad. Nauk SSSR* 257 (1981) 749–750.
- Ja7. Janulaitis, A., Povilionis P. and Sasnauskas K.: *Gene* 20 (1982) 197–204.
- Je1. Jentsch S.: *J. Bacteriol.* 156 (1983) 800–808.
- Je2. Jentsch S., Gunthert U. and Trautner T.A.: *Nucleic Acids Res.* 9 (1981) 2753–2759.
- Ka1. Kan N.C., Lautenberger J.A., Edgell M.H. and Hutchison III C.A.: *J. Mol. Biol.* 130 (1979) 191–209.
- Ka2. Kang S., Choi W.S. and Yoo O.J.: *Biochem. Biophys. Res. Commun.* 145 (1987) 482–487.
- Ka3. Kaplan D.A. and Nierlich D.P.: *J. Biol. Chem.* 250 (1975) 2395–2397.
- Ka4. Kaput J. and Snider T.W.: *Nucleic Acids Res.* 7 (1979) 2303–2322.
- Ka5. Karreman C. and de Waard A.: *J. Bacteriol.* 170 (1988) 2527–2532.
- Ka6. Karreman C. and de Waard A.: *J. Bacteriol.* 170 (1988) 2533–2536.
- Ka7. Karreman C., Tandeau de Marsac N. and de Waard A.: *Nucleic Acids Res.* 14 (1986) 5199–5205.
- Ka8. Karreman C. and de Waard A.: *J. Bact.* 172 (1989) 266–272.
- Ka9. Karyagina A.S., Lunin V.G. and Nikolskaya I.I.: *Gene* 87 (1990) 113–118.
- Ka10. Kaszubska W., Aiken C.R. and Gumpert R.I.: *Gene* 74 (1988) 83–84.
- Ke1. Kelly S., Kaddurah-Daouk R. and Smith H.O.: *J. Biol. Chem.* 260 (1985) 15339–15344.
- Ke2. Keshet E. and Cedar H.: *Nucleic Acids Res.* 11 (1983) 3571–3580.
- Ke3. Kessler C. and Holtke H-J.: *Gene* 33 (1985) 1–102.
- Ki1. Kim E.L. and Maliuta S.S.: *FEBS Lett.* 255 (1989) 361–364.
- Ki2. Kiss A. and Baldauf F.: *Gene* 21 (1983) 111–119.
- Ki3. Kiss A., Posfai G., Keller C.C., Venetianer P. and Roberts R.J.: *Nucleic Acids Res.* 13 (1985) 6403–6421.
- Ki4. Kita K., Nobutsugu H., Oshima A., Kadonishi S. and Obayashi A.: *Nucleic Acids Res.* 13 (1985) 8685–8693.
- Ki5. Kiss A., Finta C., and Pal Venetianer: *Nucleic Acids Res.* 19 (1991) 3460.
- Kl1. Klimasauskas S., Butkus V. and Janulaitis A.: *Mol. Biol. (Mosk).* 21 (1987) 87–92.
- Kl3. Klimasauskas S., Timinskas A., Menkevicius S., Butkiene D., Butkus V. and Janulaitis A.: *Eksperim. Biolog. Vilnius* (in press).
- Ko1. Koncz C., Kiss A. and Venetianer P.: *Eur. J. Biochem.* 89 (1978) 523–529.
- Ko2. Koob M., Grimes E., and Szybalski W.: *Science* 241 (1988) 1084–1086.
- Ko3. Korch C. and Hagblom P.: *Eur. J. Biochem.* 161 (1986) 519–524.
- Ko4. Korch C., Hagblom P. and Normark S.: *J. Bacteriol.* 161 (1985) 1236–1237.
- Ko5. Korch C., Hagblom P. and Normark S.: *J. Bacteriol.* 155 (1983) 1324–1332.
- Ko6. Kosykh V. G., Bur'yanov Ya.I. and Bayev A.A.: *Mol. Gen. Genet.* 178 (1980) 717–718.
- Ko7. Kosykh V.G., Glinskaite I., Bur'yanov Ya.I. and Bayev A.A.: *Dokl. Akad. Nauk SSSR* 265 (1982) 727–730.
- Ko8. Kosykh V.G., Solonin A.S., Bur'yanov Ya.I. and Bayev A.A.: *Biochim. Biophys. Acta* 655 (1981) 102–106.
- Kr1. Kretz P.L., Reid C.H., Greener A., J.M.Short (1989) *Nucleic Acids Res.* 17: 5409.
- Kr2. Kramarov V.M. and Smolyaninov V.V.: *Biokhimiya* 46 (1981) 1526–1529.
- Ku3. Kubareva E.A., Gromova E.S., Romanova E.A., Oretskaya T.S., Shabarova Z.A.: *Bioorg. Khimiya (Russ.)* 16 (1990) 501–506.
- Ku1. Kubareva E.A., Pein C-D., Gromova E.S., Kuznezova S.A., Tashlitzki V.N., Cech D. and Shabarova Z.A.: *Eur. J. Biochem.* 175 (1988) 615–618.
- Ku2. Kupper D., Jian-Guang Z., Kiss A. and Venetianer P.: *Gene* 74 (1988) 33.
- La1. Labbe D., Holtke H.J. and Lau P.C.K.: *Mol. Gen. Genet.* 224 (1990) 101–110.
- La2. Labbe S., Xia Y. and Roy P.H.: *Nucleic Acids Res.* 16 (1988) 7184.
- La3. Lacks S. and Greenberg B.: *J. Mol. Biol.* 114 (1977) 153–168.
- La4. Lacks S.A., Mannarelli B.M., Springhorn S.S. and Greenberg B.: *Cell* 46 (1986) 993–1000.
- La5. Lacks S.A. and Springhorn S.S.: *J. Bacteriol.* 157 (1984) 934–936.
- La6. Landry D., Looney M.C., Feehery G.R., Slatko B.E., Jack W.E. and Schildkraut I.: *Gene* 77 (1989) 1–10.
- La7. Landry D.: (unpublished observations).
- La8. Lange C., Noyer-Weidner M, Trautner T.A., Weinewr M., and Zahler S.A.: (submitted).
- La9. Larimer F.W.: *Nucleic Acids Res.* 15 (1987) 9087.
- La10. Lautenberger J.A., Kan N.C., Lackey D., Linn S., Edgell M.H. and Hutchinson III C.A.: *Proc. Natl. Acad. Sci. USA* 75 (1978) 2271–2275.
- La11. Lautenberger J.A. and Linn S.: *J. Biol. Chem.* 247 (1972) 6176–6182.
- Le1. Lee S.H. and Rho H.M.: *Korean J. Genet.* 7 (1985) 42–48.
- Le2. Levy W.P. and Welker N.E.: *Biochemistry* 20 (1981) 1120–1127.
- Li1. Li J-K and Tu J. *Nucleic Acids Res.* 19 (1991) 4770.
- Lo1. Lodwick D., Ross H.N.M., Harris J.E., Almond J.W. and Grant W.D.: *J. Gen. Microbiol.* 132 (1986) 3055–3059.
- Lo2. Loenen W.A.M., Daniel A.S., Braymer H.D. and Murray N.E.: *J. Mol. Biol.* 198 (1987) 159–170.
- Lo3. Looney M.C., Moran L.S., Jack W.E., Feehery G.R., Brenner J.S., Slatko B.E. and Wilson G.G.: *Gene* 80 (1989) 193–208.
- Lu1. Lui A.C.P., McBride B.C., Vovis G.F. and Smith M.: *Nucleic Acids Res.* 6 (1979) 1–15.
- Lu2. Lunnen K.D., Barsomian J.M., Camp R.R., Card C.O., Chen S.Z., Croft R., Looney M.C., Meda M.M., Moran L.S., Nwankwo D.O., Slatko B.E., Van Cott E.M. and Wilson G.G.: *Gene* 74 (1988) 25–32.
- Lu3. Lunnen K. (unpublished).
- Lu4. Lunnen K.D., Morgan R.D., Timan C.J., Krzycki J.A., Reeve J.N. and Wilson G.G.: *Gene* 77 (1989) 11–20.
- Ly1. Lynn S.P., Cohen L.K., Gardner J.F. and Kaplan S.: *J. Bacteriol.* 138 (1979) 505–509.
- Ma1. Macdonald P.M. and Mosig G.: *EMBO J.* 3 (1984) 2863–2871.
- Ma2. MacNeil D.J.: *J. Bact.* 170 (1988) 5607–5612.
- Ma3. Mann M.B.: *Gene Amplification and Analysis*, Vol. 1 (1981) J. Chirikjian, Ed., Elsevier, New York, pp229–237.
- Ma4. Mann M.B., Rao R.N. and Smith H.O.: *Gene* 3 (1978) 97–112.
- Ma5. Mann M.B. and Smith H.O.: *Nucleic Acids Res.* 4 (1977) 4211–4221.
- Ma6. Mannarelli B.M., Balganesch T.S., Greenberg B., Springhorn S.S. and Lacks S.A.: *Proc. Natl. Acad. Sci. USA* 82 (1985) 4468–4472.
- Ma7. Maher L.J., Wold B., and Dervan P.B.: *Science* 245 (1989) 725–730.
- Ma8. Matvienko N.I., Kramarov V.M. and Irismetov A.A.: *Bioorg. Khim.* 11 (1985) 953–956.
- Ma9. Matvienko N.I., Kramarov V.M., and Pachkunov D.M.: *Eur. J. Biochem.* 165 (1987) 565–570.
- Ma10. May M.S. and Hattman S.: *J. Bacteriol.* 122 (1975) 129–138.
- Ma11. Marsh S.J. and Simcox T.: (unpublished results).
- Mc1. McClelland M.: (unpublished results).

- Mc3. McClelland M.: Nucleic Acids Res. 9 (1981) 6795–6804.
- Mc2. McClelland M.: Nucleic Acids Res. 9 (1981) 5859–5866.
- Mc4. McClelland M.: J. Mol. Evol. 19 (1983) 346–354.
- Mc5. McClelland M.: Nucleic Acids Res. 10 (1983) r169–r173.
- Mc6. McClelland M., Kessler L. and Bitner M.: Proc. Natl. Acad. Sci. USA 81 (1984) 983–987.
- Mc7. McClelland M. and Nelson M.: (unpublished results).
- Mc8. McClelland M. and Nelson M.: Nucleic Acids Res. 13 (1985) r201–r207.
- Mc9. McClelland M. and Nelson M.: Gene Amplification and Analysis, Vol. 5 (1987) J. Chirikjian, Ed., Elsevier, NY, pp257–282.
- Mc10. McClelland M. and Nelson M.: Gene 74 (1988) 169–176.
- Mc11. McClelland M. and Nelson M.: Gene 74 (1988) 291–304.
- Mc12. McClelland M., Nelson M. and Cantor C.R.: Nucleic Acids Res. 13 (1985) 7171–7182.
- Mc13. McClelland M. and Patel Y.: (unpublished observations).
- Me1. Meda M.M. and Perler F.B.: (unpublished).
- Me2. Meisel et al.: Nucleic Acids Res. 19 (1991) 3997.
- Mi1. Miner Z. and Hattman S.: J. Bacteriol. 170 (1988) 5177–5184.
- Mi2. Miner Z., Schlagman S.L. and Hattman S.: Nucleic Acids Res. 17 (1989) 8149–8158.
- Mo1. Modrich P.: Quart. Rev. Biophys. 12 (1979) 315–369.
- Mo2. Molloy P.L. and Watt F.: Nucleic Acids Res. 16 (1988) 2335.
- Mo3. Morgan R.: (unpublished observations).
- Mo4. Morrison M.: Ph.D. Thesis, Univ. of Illinois (1991).
- Mu1. Mural R.J.: Nucleic Acids Res 15 (1987) 9085.
- Mu2. Murakami M., Ozawa O., Kanematsu T. and Yomada Y.: Nucleic Acids Res. 19 (1990) 3458.
- My1. Myers P.A. and Roberts R.J.: (unpublished results).
- Na1. Nagaraja V., Shepherd J.C.W., Pripfl T. and Bickle T.A.: J. Mol. Biol. 182 (1985) 579–587.
- Na2. Nagaraja V., Shepherd J.C.W. and Bickle T.A.: Nature 316(1985) 371–372.
- Na3. Nardone G.G. and Chirikjian J.G.: J. Biol. Chem. (1984) 10357–10362.
- Na4. Narva K.E., Wendell D.L., Skrdla M.P. and Van Etten J.L.: Nucleic Acids Res. 15 (1987) 9807–9823.
- Na5. Nathans D. and Smith H.O.: Ann. Rev. Biochem. 44 (1974) 273–293.
- Ne1. Nelson M.: (unpublished results).
- Ne2. Nelson M., Christ C. and Schildkraut I.: Nucleic Acids Res. 12 (1984) 5165–5173.
- Ne3. Nelson M. and McClelland M.: Nucleic Acids Res. 15 (1987) r219–r230.
- Ne4. Nelson M. and McClelland M.: Nucleic Acids Res. 17 (1989) r398–415.
- Ne5. Nelson M. and McClelland M.: (unpublished observations).
- Ne6. Nelson M. and Schildkraut I.: Methods in Enzymology 155 (1987) 31–48.
- Ne7. Nelson J.M., Miceli S.M., Lechevalier M.P. and Roberts R.J.: Nucleic Acids Res. 18 (1990) 2061–2064.
- Ne8. Nesterenko V.F., Bur'yanov Ya.I. and Bayev A. A.: Dokl. Akad. Nauk SSSR 250 (1980) 1265–1267.
- Ne9. Newman A.K., Rubin R.A., Kim S.H. and Modrich P.: J. Biol. Chem. 256 (1981) 2131–2139.
- Ne10. Nelson M., Zhang Y., Niefeldt J. and Van Ertan J.L. (1992) Nucleic Acids Res. (submitted).
- Ne11. Nelson M. and McClelland M.: Nucleic Acids Res. 19 (1991) r2045–2071.
- Ni1. Nikolskaya I.I., Karpetz L.Z., Kartashova I.M., Lopatina, N.G., Skripkin E. A., Suchkov S.V., Uporova T.M., Gruber I.M. and Debov S.S.: Mol. Genet. Mikrobiol. i Virusol. 12 (1983) 5–10.
- Ni2. Nikolskaya I.I., Lopatina N.G., Antikeicheva N.V. and Debov S.S.: Nucleic Acids Res. 7 (1979) 517–528.
- Ni3. Nikolskaya I.I., Lopatina N.G., Suchkov S.V., Kartashova I.M. and Debov S.S.: Biochem. Int. 9 (1984) 771–781.
- Ni4. Nikolskaya I.I., Lopatine N.G., Sharkova E.V., Suchkov S.V., Somodi P., Foldes I. and Debov S.S.: Biochem. Int. 10 (1985) 405–413.
- No1. Noyer-Weidner M., Jentsch S., Kupsch J., Bergbauer M. and Trautner T.A.: Gene 35 (1985) 143–150.
- No2. Noyer-Weidner M., Jentsch S., Pawlek B., Gunthert U. and Trautner T.A.: J. Virol. 46 (1983) 446–453.
- No3. Noyer-Weidner M., Pawlek B., Jentsch S., Gunthert U. and Trautner T. A.: J. Virol. 38 (1981) 1077–1080.
- Nu1. Nur I., Szyf M., Razin A., Glaser G., Rottem S. and Razin S.J.: Bacteriol. 164 (1985) 19–24.
- Nw1. Nwankwo D.O. and Wilson G.G.: Mol. Gen. Genet. 209 (1987) 570–574.
- Nw2. Nwankwo D.O. and Wilson G.G.: Gene 64 (1988) 1–8.
- On1. Ono A. and Ueda T.: Nucleic Acids Res. 15 (1987) 219–231.
- Pa1. Patel Y., Schildkraut I. and McClelland M.: (unpublished observations).
- Pa2. Patel Y., Nelson M. and McClelland M.: (unpublished observations).
- Pe1. Pech M., Streeck R.E. and Zachau H.G.: Cell 18 (1979) 883–893.
- Pe2. Petrosyte M. and Janulaitis A.: Bioorg. Khim. 7 (1981) 1885–1887.
- Pi1. Piekawicz A. and Goguen J.D.: Eur. J. Biochem. 154 (1986) 295–298.
- Pi2. Piekawicz A. and Stein D.C.: (personal communication).
- Pi3. Piekawicz A., Yuan R. and Stein D.C.: Nucleic Acids Res. 16 (1988) 5957–5972.
- Pi4. Piekawicz A., Yuan R. and Stein D.C.: Nucleic Acids Res. 16 (1988) 9868.
- Pi5. Piekawicz A., Yuan R. and Stein D.C.: Nucleic Acids Res. 17 (1989) 10132.
- Pi6. Pirrotta V.: Nucleic Acids Res. 3 (1976) 1747–1760.
- Po1. Posfai G., Baldauf F., Erdei S., Posfai J., Venetianer P. and Kiss A.: Nucleic Acids Res. 12 (1984) 9039–9049.
- Po2. Posfai G., Kiss, A., Erdei, S., Posfai, J. and Venetianer, P.: J. Mol. Biol. 170 (1983) 597–610.
- Po3. Posfai, G. and Szybalski W.: Nucleic Acids. Res. 16 (1988) 6245.
- Po4. Posfai G. and Szybalski W.: Gene 74 (1988) 179–181.
- Po5. Posfai J., Bhagwat A.S., Posfai G. and Roberts R.J.: Nucleic Acids Res. 17 (1989) 2421–2436.
- Po6. Povilonis P., Vaisvila R., Lubys A. and Janulaitis A.: (personal communication).
- Pr1. Prere M.F. and Fayet O.: Ann. Inst. Pasteur Microbiol. 136A (1985) 323–338.
- Pr2. Price C. and Bickle T.A.: (unpublished).
- Pr3. Price C., Shepherd J.C.W. and Bickle T.A.: EMBO J. 6 (1987) 1493–1497.
- Qi1. Qiang B-Q.: (personal communication).
- Qi2. Qiang B-Q. and Nelson M.: (personal communication).
- Qi3. Qiang B-Q., McClelland M., Poddar S., Spokauskas A. and Nelson M. (submitted).
- Qu1. Quint A. and Cedar H.: Nucleic Acids Res. 9 (1981) 633–646.
- Ra1. Raleigh E.A., Murray N.E., Revel H., Blumenthal R.M., Westaway D., Reith A.D., Rigby P.W.J., Elhai J. and Hanahan D.: Nucleic Acids Res. 16 (1988) 1563–1575.
- Ra2. Raleigh E.A. and Wilson G.: Proc. Natl. Acad. Sci. USA 83 (1986) 9070–9074.
- Ra3. Razin A., Urieli S., Pollack Y., Gruenbaum Y. and Glaser G.: Nucleic Acids Res. 8 (1980) 1783–1792.
- Re1. Rees P.A. and Brenner J.S.: (unpublished).
- Re2. Rees P., Nwankwo D.O., Wilson G.G. and J. Benner J.S.: Gene 74 (1988) 37.
- Re3. Renbaum P., Abrahamove D., Fainsod A., Wilson G.G., Rottem S. and Razin A.: Nucleic Acids Res. 18 (1990) 1145–1152.
- Re4. Revel H.R. and Georgeopoulos C.P.: Virology 39 (1969) 1–17.
- Re5. Reuter et al.: Gene (1990) 95:161–162.
- Ri1. Ritchot N. and Roy P.H.: Gene 86 (1990) 103–106.
- Ri2. Richards D.F., Linnett P.E., Oultram J.D., and Young M.: J. Gen. Micro. 134 (1988) 3151–3157.
- Ro1. Roberts R.J.: (unpublished results).
- Ro2. Roberts R.J.: Nucleic Acids Res. 11 (1983) r135–r167.
- Ro3. Roberts R.J.: Nucleic Acids Res. 16 (1988) r271–r313.
- Ro4. Rodicio M. and Chater K.F.: Gene 74 (1988) 39–42.
- Ro5. Rodicio M. and Chater K.F.: Mol. Gen. Genet. 213 (1988) 346–353.
- Ro6. Roy P.H. and Smith H.O.: J. Mol. Biol. 81 (1973) 427–444.
- Ro7. Roy P.H. and Smith H.O.: J. Mol. Biol. 81 (1973) 445–459.
- Ru1. Rubin R.A. and Modrich P.J.: J. Biol. Chem. 252 (1977) 7265–7272.
- Sa1. Sain B. and Murray N.E.: Mol. Gen. Genet. 180 (1980) 35–46.
- Sa2. Sano H. and Sager R.: Eur. J. Biochem. 105 (1980) 471–480.
- Sa3. Sato S., Nakazawa K. and Shinomiya T.: J. Biochem. 88 (1980) 737–747.
- Sc1. Schertzer E., Auer B. and Schweiger M.: J. Biol. Chem. 262 (1987) 15225–15231.
- Sc2. Schildkraut I., Morgan R. and Looney M.E.: (unpublished results).

- Sc3. Schlagman S.L., Miner Z., Feher Z. and Hattman S.: *Gene* 73 (1988) 517–530.
- Sc4. Schlagman S.L. and Hattman S.: *Gene* 22 (1983) 139–156.
- Sc5. Schlagman S.L. and Hattman S.: *Nucleic Acids Res.* 17 (1989) 9101–9112.
- Sc6. Schlagman S., Hattman S., May M.S. and Berger L.: *J. Bacteriol.* 126 (1976) 990–996.
- Sc7. Schneider-Scherzer E., Auer B., De Groot E.J. and Schweiger M.: *J. Biol. Chem.* 265 (1990) 6086–6091.
- Sc8. Schnetz K. and Rak B.: *Nucleic Acids Res.* 16 (1988) 1623.
- Sc9. Schonher B., Kelly S. and Smith H.O.: *Gene* 24 (1983) 227–236.
- Sc10. Schoenfeld T., and Leland D.: (pers. comm.).
- Sc11. Schoenfeld T., Mead D.A., and Fiant M.: *Nucleic acids Res.* 17 (1989) 4417.
- Sc12. Sciaky D. and Roberts R.J.: (unpublished results).
- Se1. Seeber S., Kessler C. and Gotz F.: *Gene* 94 (1990) 37–43.
- Se2. Selker E.U., Cambareri E.B., Garrett P.W., Haack K.R., Jensen B.C. and Schabtach E.: *Gene* 74 (1988) 109–111.
- Se3. Servos S., Silva C., Dougan G., and Charles I.G. *Nucleic Acids Res.* 19 (1991) 183
- Sh1. Shibata T., Ikawa S. and Ando T.: *Microbiology-1982*, D. Schlessinger, Ed., pp71–74.
- Sh2. Shimizu-Kadota M. and Shibahara-Sone H.: *Agric. Biol. Chem.* 53 (1989) 2841–2842.
- Sh3. Shields S.L., Burbank D.E., Grabherr R. and Van Etten J.L.: *Virology* 176 (1990) 16–24
- Si1. Silber K., Polisson C., Rees P., and Benner J.S.: *Gene* 74 (1988) 43–44.
- Sk1. Skrzypek E. and Piekarowicz A.: (unpublished).
- Sl1. Sladek T.L., Nowak J.A. and Maniloff J.: *J. Bacteriol.* 165 (1986) 219–225.
- Sl2. Slatko B.E., Benner J.S., Jager-Quinton T., Moran L.S., Simcox T.G., Van Cott E.M. and Wilson G.G.: *Nucleic Acids Res.* 15 (1987) 9781–9796.
- Sl3. Slatko B.E., Croft R., Moran L. and Wilson G.G.: *Gene* (1988) 45–50.
- Sm1. Smith H.O.: *Science* 205 (1979) 455–462.
- Sm2. Smith H.O. and Nathans D.: *J. Mol. Biol.* 81 (1973) 419–423.
- Sm3. Smith H.O., Annau T.M. and Chandrasegaran S.: *Proc. Natl. Acad. Sci. USA* 87 (1990) 826–830.
- Sm4. Smith. M. (pers. comm.).
- So1. Som S., Bhagwat A.S. and Friedman S.: *Nucleic Acids Res.* 15 (1987) 313–332.
- So2. Sohail A., Bhagwat A.S. and Roberts R.J.: (unpublished).
- So3. Song Y-H., Rueter T. and Geiger R.: *Nucleic Acids Res.* 16 (1988) 2718.
- St1. Stefan C., Xia Y., and Van Etten J.L.: *Nucleic Acids Res.* (1991) (in press).
- St2. Sternberg N.: *J. Bacteriol.* 164 (1985) 490–493.
- St3. Streeck R.E.: *Gene* 12 (1980) 267–275.
- St4. Striebel H.M., Schmitz G.G., Kaluza K., Jarsch M. and Kessler C.: *Gene* 91 (1990) 95–100.
- St5. Strobl J.S. and Gaido M.: (unpublished results).
- St6. Strobl J.S. and Thompson E.B.: *Nucleic Acids Res.* 12 (1984) 8073–8084.
- St7. Sturm R.A. and Yaciuk P.: *Nucleic Acids Res.* 17 (1989) 3615.
- Su1. Sugisaki H., Maekawa Y., Kanazawa and Takanami M.: *Nucleic Acids Res.* 10 (1982) 5747–5752.
- Su2. Sullivan K.M. and Saunders J.R. (1988). In 'Gonococci and Meningococci' (1988) 329–334.
- Su3. Sullivan K.M. and Saunders J.R.: *Nucleic Acids Res.* 16 (1988) 4369–87.
- Su4. Sullivan K.M. Saunders J.R.: *Mol. Gen. Genet.* 216 (1989) 380–387.
- Sz1. Szilak L., Venetianer P. and Kiss A.: *Nucleic Acids Res.* (1990) 4659–4664.
- Sz2. Szynter L.A. and Brooks J.E.: *Gene* 74 (1988) 53.
- Sz3. Szynter L.A., Slatko B., Moran L., O'Donnell K.H. and Brooks J.E.: *Nucleic Acids Res.* 15 (1987) 8249–8266.
- Sz4. Szomolanyi E., Kiss A. and Venetianer P.: *Gene* 10 (1980) 219–225.
- Ta1. Tasserion-de Jong J.G., Aker J. and Giphart-Gassler M.: *Gene* 74 (1988) 147–149.
- Ta2. Tao T., Wlatter J., Brennan K.J., Cotterman M.M. and Blumenthal R.M.: *Nucleic Acids Res.* 17 (1989) 4161–4176.
- Ta3. Tautz N., Kaluza G., Lane F., Frey B., Schmitz G., Jarsch M., Ankenbauer W., and Kessler C.: (unpublished).
- Th1. Theriault G. and Roy P.H.: *Gene* 19 (1982) 355–359.
- Th2. Theriault G., Roy P.H., Howard K.A., Benner J.S., Brooks J.E., Waters A.F. and Gingeras T.R.: *Nucleic Acids Res.* 13 (1985) 8441–8461.
- Tr1. Tran-Betcke A., Behrens B., Noyer-Weidner M. and Trautner T.A.: *Gene* 42 (1986) 89–96.
- Tr2. Trautner T.A.: *Current Topics Microbiol. Immunol.* 108 (1984) 11–22.
- Tr3. Trautner T.A., Pawlek B., Gunthert U., Canosi U., Jentsch S. and Freund M.: *Mol. Gen. Genet.* 180 (1980) 361–367.
- Tr4. Trautner T.A., Balganesch T.S., and Pawlek B.: *Nucleic Acids Res.* 16 (1988) 6649–6658.
- Ur1. Urieli-Shoval S., Gruenbaum Y. and Razin A.: *J. Bacteriol.* 153 (1983) 274–280.
- Va1. Van Cott E.M. and Wilson G.G.: *Gene* 74 (1988) 55–59.
- Va2. Van Cott E.M. and Wilson G.G.: (unpublished).
- Va3. Van der Ploeg L.H.T. and Flavell R.A.: *Cell* 19 (1980) 947–958.
- Va4. Van Etten J.L.: (personal communication).
- Va5. Vanyushin B.F. and Dobritsa A.P.: *Biochim. Biophys. Acta* 407 (1975) 61–72.
- Va6. Vasquez C. and Vicuna R.: *Arch. Biol. Med. Exp.* 15 (1982) 417–421.
- Ve1. Venetianer P. and Kiss A.: *Gene Amplification and Analysis*, Vol. 1 (1981) J.Chirikjian, Ed., Elsevier, New York, 1981. pp209–215.
- Vi1. Vinogradova M.N., Gomova E.S., Uporova T.M., Nikolskaya I.I., Shabarova Z.A., Debov S.S.: *Doklady Akad. Nauk. SSSR* 295 (1987) 732–736.
- Vo1. Vovis G.F. and Lacks S.: *J. Mol. Biol.* 115 (1977) 525–538.
- Wa1. Waalwijk C. and Flavell R.A.: *Nucleic Acids Res.* 5 (1978) 3231.
- Wa2. Walder R.Y.: *Fed. Proc.* 41 (1982) A5425.
- Wa3. Walder, R.Y., Hartley J.L., Donelson J.E. and Walder J.A.: *Proc. Natl. Acad. Sci. USA* 78 (1981) 1503–1507.
- Wa4. Walder R.Y., Hartley J.L., Donelson J.E. and Walder J.A.: *Gene Amplification and Analysis*, Vol. 1 (1981) J. Chirikjian, Ed., Elsevier, New York, pp217–227.
- Wa5. Walder R.Y., Langtim C.J., Chatterjee R. and Walder J.A.: *J. Biol. Chem.* 258 (1983) 1235–1241.
- Wa6. Walder R.Y., Walder J.A. and Donelson J.E.: *J. Biol. Chem.* 259 (1984) 8015–8026.
- Wa7. Walter, J., Noyer-Weidner M. and Trautner T.A. *EMBO J.* (1990) 1007–1014.
- Wa8. Wang R.Y.H., Zhang X-Y., Khan R., Zhou Y., Huang L-H. and Ehrlich M.: *Nucleic Acids Res.* 14 (1987) 9843–9860.
- We1. Weil M.D. and McClelland M.: *Proc. Natl. Acad. Sci. USA* 86 (1989) 51–55.
- We2. Weil M.D., Nelson M. and McClelland M.: (unpublished)
- Wh1. Whitehead P.R. and Brown N.L.: *FEBS Lett.* 155 (1983) 97–101.
- Wh2. Whitehead P.R. and Brown N.L.: *J. Gen. Microbiol.* 131 (1985) 951–958.
- Wh3. Whitehead P., Jacobs D. and Brown N.L.: *Nucleic Acids Res.* 14 (1986) 7031–7045.
- Wi1. Wiatr C.L. and Witmer H.J.: *J. Virol.* 52 (1984) 47–54.
- Wi2. Wigler M., Levy D. and Perucho M.: *Cell* 24 (1981) 33–40.
- Wi3. Wilke K., Rauhut E., Noyer-Weidner M., Lauster R., Pawlek B., Behrens B. and Trautner T.A.: *EMBO J.* 7 (1988) 2601–2609.
- Wi4. Wilson G.G.: *Gene* 74 (1988) 281–289.
- Wo1. Wong K.K. and McClelland M.: *Nucleic Acids Res.* 19 (1991) 1081–1085.
- Wo2. Woodcock D.M., Crowther P.J., Diver W.P., Graham M., Batemen C., Baker D.J. and Smith S.S.: *Nucleic Acids Res.* 16 (1988) 4465–4482.
- Wu1. Wu J.C. and Santi D.V.: *Nucleic Acids Res.* 16 (1988) 703–717.
- Xi1. Xia Y., Burbank D.E., Uher L., Rabussay D. and Van Etten J.L.: *Mol. Cell. Biol.* 6 (1986) 1430–1439.
- Xi2. Xia Y., Burbank D.E., Uher L., Rabussay D. and Van Etten J.L.: *Nucleic Acids Res.* 15 (1987) 6075–6090.
- Xi3. Xia Y., Burbank D.E. and Van Etten J.L.: *Nucleic Acids Res.* 14 (1986) 6017–6030.
- Xi4. Xia Y., Morgan R., Schildkraut I. and Van Etten J.L.: *Nucleic Acids Res.* 16 (1988) 9477–9487.
- Xi5. Xia Y., Narva K.E. and Van Etten J.L.: *Nucleic Acids Res.* 15 (1987) 10063.
- Xi6. Xia Y. and Van Etten J.L.: *Mol. Cell Biol.* 6 (1986) 1440–1445.

- Xu1. Xu G., Kapfer W., Walter J. and Trautner T.A.: (unpublished).
- Ya1. Yang Y. and Li Q.: *Nucleic Acids Res.* 18 (1989) 3083.
- Ye1. Yebra M.J., Novella I.S., Barbes C., Aparicio J.F., Martin C.G., Hardisson C. and Sanchez J.: *J. Gen. Microbiol.* 137 (1991) 1279–84.
- Yo1. Yolov A.A., Vinogradova M.N., Gromova E.S., Rosenthal A., Cech D., Veiko V.P., Metelev V.G., Buryanov Ya.I., Bayev A.A. and Shabarova Z.A.: *Nucleic Acids Res.* 13 (1985) 8983–8998.
- Yo2. Yoo O.J. and Agarwal K.L.: *J. Biol. Chem.* 255 (1980) 6445–6449.
- Yo3. Yoo O.J., Dwyer-Halquist P. and Agarwal K.L.: *Nucleic Acids Res.* 10 (1982) 6511–6520.
- Yo4. Yoshimori R., Roulland-Dussoix D. and Boyer H.W.: *J. Bacteriol.* 112 (1972) 1275–1279.
- Yo5. Youssoufian H., Hammer S.M., Hirsch M.S. and Mulder C.: *Proc. Natl. Acad. Sci. USA* 79 (1982) 2207–2210.
- Yo6. Youssoufian H. and Mulder C.: *J. Mol. Biol.* 150 (1981) 133–136.
- Za1. Zacharias W., Larson J.E., Kilpatrick M.W. and Wells R.D.: *Nucleic Acids Res.* 12 (1984) 7677–7692.
- Zi1. Zieger M., Patillon M., Roizes G., Lerouge T., Dupret D. and Jeltsch J.M.: *Nucleic Acids Res.* 15 (1987) 3919.