CORRESPONDENCE

Septic and Aseptic Complications of Corticosteroid Injections: An Assessment of 278 Cases Reviewed by Expert Commissions and Mediation Boards From 2005 to 2009

by Prof. Dr. med. Christian Holland, Lothar Jaeger, Ulrich Smentkowski, Dr. med. Beate Weber, Dr. med. Christina Otto in volume 24/2012

Low-dose Analgesic Radiotherapy Is a Real Alternative

As board members of the working group “Gutartige Erkrankungen [benign disorders]” within the German Society of Radiation Oncology (DEGRO, Deutsche Gesellschaft für Radioonkologie), we read the original article by Holland et al. with great interest. The article shows that the risks associated with cortisone injections—a popular measure in the setting of painful skeletal disorders—are not as low as is commonly assumed (1). We are practicing radiation oncologists and would therefore unreservedly support the authors’ crucial conclusion—namely, that, concerning patient safety, the indication for invasive therapeutic options should always be critically defined and patients should be informed about associated risks.

In view of the ageing population and the corresponding increase in painful degenerative disorders of joints and entheses, low dose radiotherapy offers a low-risk, genuinely conservative, non-invasive therapeutic alternative. This treatment is administered to many patients every day. A patterns of care study published in 2004 showed that 23 752 patients with degenerative disorders receive low-dose analgesic radiotherapy in Germany every year (2) and that the trend is upwards. Another patterns of care study showed that in Germany in 2007, 4544 patients with painful osteoarthritis of the knee received low-dose radiotherapy. In 25% of patients this treatment resulted in a complete resolution of pain, and a moderate to notable reduction in pain was achieved in 55% of patients (3). A current randomized study in patients with painful heel spur also showed a significant advantage for a total dose of 6 Gy compared to a very low total dose of 0.6 Gy, thus showing a clinical effect of the fractionation and dosage that is widely used in Germany (4). Finally it should be mentioned that low-dose analgesic radiotherapy is not named in the medical expert committees and mediation boards generally, and that it is a accredited service covered by the health insurers in Germany.

DOI: 10.3238/arztebl.2013.0010a

REFERENCES

1. Holland C, Jaeger L, Smentkowski U, Weber B, Otto C: Septic and aseptic complications of corticosteroid injections: an assessment of 278 cases reviewed by expert commissions and mediation boards from 2005 to 2009. Dtsch Arztebl Int 2012; 109(24): 425–30.

2. Seegenschmiedt MH, Micke O, Willich N, et al.: Radiation therapy for nonmalignant diseases in Germany. Strahlenther Onkol 2004; 180: 718–30.
3. Mücke R, Seegenschmiedt MH, Heyd R, et al.: Strahlentherapie bei schmerzhafter Kniegelenksarthrose – Ergebnisse einer deutschen Patterns of Care Studie. Strahlenther Onkol 2010; 186: 7–17.
4. Niewald M, Seegenschmiedt MH, Micke O, et al.: Randomized multi-center trial on the effect of radiotherapy on plantar fasciitis (painful heel spur) comparing a standard dose to a very low one – mature results after 12 months’ follow-up. Int J Radiat Oncol Biol Phys 2012; [in press].

Dr. med. Ralph Mücke
Klinikum Lippe GmbH, Lemgo
ralph.muecke@klinikum-lippe.de

Prof. Dr. med. Oliver Micke, Franziskus Hospital Bielefeld
Prof. Dr. med. Ulrich Schäfer, Klinikum Lippe GmbH, Lemgo
Prof. Dr. med. Michael Heinrich Seegenschmiedt, Strahlentzentrum Hamburg, Klinikum Lippe GmbH, Lemgo

Conflict of interest statement

The authors declare that no conflict of interest exists.

In Reply:

As its title indicates, our article aimed exclusively to raise awareness of risks that have really been known for a long time. In individual cases, these are repeatedly overlooked, although they sometimes result in severe damage to the patient’s health, as well as imposing financial burdens on doctors found guilty of medical malpractice.

We were able merely to hint at the necessary assessment by the treating physician as to whether less complication-prone, “alternative,” treatment methods may be an option. Going into any detail whatsoever would have exceeded the remit of our article.

Low-dose analgesic radiotherapy, such as Mücke et al mention in the letter to the editor, is one of many possible alternatives in certain disorders—obviously not in every single one for which cortisone injections are indicated.

DOI: 10.3238/arztebl.2013.0010b

REFERENCES

1. Holland C, Jaeger L, Smentkowski U, Weber B, Otto C: Septic and aseptic complications of corticosteroid injections: an assessment of 278 cases reviewed by expert commissions and mediation boards from 2005 to 2009. Dtsch Arztebl Int 2013; 109(24): 425–30.

Prof. Dr. med. Christian Holland
Ärztekammer Nordrhein, Düsseldorf
gak@aekno.de

Conflict of interest statement

Ulrich Smentkowski has received travel expenses and honoraria for speaking from Bayer. Professor Holland, Lothar Jaeger, Dr Weber und Dr Otto declare that no conflict of interest exists.