Published in final edited form as:

ACS Chem Biol. 2013 January 18; 8(1): 268. doi:10.1021/cb300701e.

Addendum to Potentiation of the Kv1 family K⁺ channel by cortisone analogs

Yaping Pan¹, Elena J. Levin¹, Matthias Quick^{2,3}, Ming Zhou^{1, *}

¹Department of Physiology and Cellular Biophysics, College of Physicians and Surgeons, Columbia University, 630 West 168th Street, New York, NY 10032; ²Department of Psychiatry and Center for Molecular Recognition, Columbia University, 630 West 168th Street, New York, NY 10032; ³New York State Psychiatric Institute, Division of Molecular Therapeutics, 1051 Riverside Drive, New York, NY 10032

*Correspondence to M.Z. (mz2140@columbia.edu)

The authors inadvertently missed including the following acknowledgements section in the published article: Pan et al. *ACS Chem. Biol.*, **2012**, 7 (10), pp 1641–1646 (DOI: 10.1021/cb300233y)

Acknowledgments

This work was supported by the US National Institutes of Health (HL086392, DK088057, and GM98878 to M.Z.), the Irma T. Hirsch Research Award (M.Z.), and the American Heart Association (12EIA8850017 to M.Z. and 0826067D to Y.P.). M.Z. is grateful to R. MacKinnon for support and advice.