ERRATUM

Erratum to: Anterior Elongation as a Minimally Invasive Alternative for Sagittal Imbalance—A Case Series

Luis Marchi, MS · Leonardo Oliveira, BS · Rodrigo Amaral, MD · Carlos Castro, MD · Thiago Coutinho, MD · Etevaldo Coutinho, MD · Luiz Pimenta, MD, PhD

Published online: 20 June 2012
© Hospital for Special Surgery 2012

Erratum to: HSSJ DOI 10.1007/s11420-011-9226-z

There are errors in Table 2. The corrected table is reproduced below:

Table 2 Spinopelvic parameters

	Preoperative	6 months	p value
Focal lordosis (°)	2.3 (7.7)	27.1 (6.7)	< 0.001 ^a
Global lumbar lordosis (°)	17.7 (4.8)	39.9 (8.9)	< 0.001 ^a
SVA (cm)	11.8 (5.3)	6.2 (4.0)	< 0.001 ^a
Sacral Slope (°)	20.1 (5.8)	29.4 (10.3)	0.004 ^a
Pelvic Tilt (°)	35.2 (5.2)	23.8 (4.3)	0.009 ^a

Results are presented as the mean (standard deviation)

^a Statistically significant

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11420-011-9226-z>.

L. Marchi, MS · L. Oliveira, BS · R. Amaral, MD · C. Castro, MD ·
T. Coutinho, MD · E. Coutinho, MD · L. Pimenta, MD, PhD (✉)
Department of Minimally Invasive Surgery,
Instituto de Patologia da Coluna,
Vergueiro Street 1421, Room 305, 04101-000, São Paulo, SP, Brazil
e-mail: luizpimenta@luizpimenta.com.br

L. Marchi, MS
Department of Imaging Diagnosis,
Universidade Federal de São Paulo, São Paulo, Brazil

L. Pimenta, MD, PhD
Department of Neurosurgery,
University of California, San Diego, CA, USA