Erratum: Across-site patterns of modulation detection: Relation to speech recognition [J. Acoust. Soc. Am. 131, 4030–4041 (2012)]

Soha N. Garadat, Teresa A. Zwolan, and Bryan E. Pfingst
Department of Otolaryngology, University of Michigan, Ann Arbor, Michigan 48109

(Received 26 April 2013; accepted 30 April 2013)
 [http://dx.doi.org/10.1121/1.4807575]

PACS number(s): 43.66.Ts, 43.66.Fe, 43.71.Es [ADP]

Table II on page 4037 is incorrect. The wrong table was submitted during the review/revision process. The corresponding Fig. 7 and the text in the published paper are correct. The correct table is below.

TABLE II. Percent correct scores for consonants and vowels. Mean and standard deviation for the 12 listeners are shown for each condition.

A. Consonants					
MAP	0 SNR	5 SNR	10 SNR	15 SNR	Quiet
Best MDT	25 ± 11	37 ± 13	46 ± 17	49 ± 14	61 ± 14
Worst MDT	24 ± 9	31 ± 11	39 ± 11	45 ± 11	52 ± 10
B. Vowels					
MAP	0 SNR	5 SNR	10 SNR	15 SNR	Quiet
Best MDT	22 ± 12	38 ± 15	49 ± 11	53 ± 12	56 ± 9
Worst MDT	20 ± 13	34 ± 14	39 ± 16	43 ± 11	50 ± 10