Introduction

Cite this article: Bai CL and Wang C. 2013
Molecular nanostructure and nanotechnology.
Phil Trans R Soc A 371: 20130263.
<http://dx.doi.org/10.1098/rsta.2013.0263>

One contribution of 17 to a Theme Issue
'Molecular nanostructure and
nanotechnology'.

Subject Areas:
nanotechnology

Author for correspondence:
Chen Wang
e-mail: wangch@nanocr.cn

Molecular nanostructure and nanotechnology

Chunli Bai¹ and Chen Wang²

¹Chinese Academy of Sciences, Beijing, People's Republic of China

²National Center for Nanoscience and Technology, Beijing,
People's Republic of China

This Theme Issue exemplifies the significant progress that has been made in our understanding of the formation and nature of molecular assemblies, and the consequent construction of functional nanostructures. The diversity of nanostructures derived from molecular assemblies is a manifestation of a convergence of research interests in the physical, chemical, material and biological sciences. The discussions of the characteristics of the various molecular assemblies presented in this Theme Issue reflect the diverse nature of the interactions between the various building blocks; this versatility leads to a wide variety of molecular nanomaterials which have a broad range of technological applications.

Molecular assembly is generally considered to be an ideal strategy when seeking to construct a functional nanostructure via a 'bottom-up' approach as this allows the incorporation of a rich variety of designed building blocks. The outcome of the molecular self-assembly process depends upon a variety of factors including: the nature of the functional groups present on the assembling molecules, the temperature at which the molecules assemble, the environment in which the process occurs (e.g. ultra-high vacuum or solution) and the concentration of the building blocks (Mali & De Feyter [1], Yan *et al.* [2]). Therefore, each of these parameters can have a significant influence on the nature of the nanomaterial produced and be critical for the extent of its practical utility owing to, for example, its magnetic (Wang *et al.* [3]) or optical (Liu *et al.* [4]) properties.

The intrinsic diversity in the chemical functionality of building blocks requires an understanding of the principles of assembly at all levels, that is, from the molecules to the nanoparticles and beyond. Complementary interactions between building blocks are the major factors in determining the stability of a molecular assembly and are the key to understanding the nature of a phase-separated molecular assembly, the heterogeneity

of structures in a multi-component assembly and the influence of the environment on the kinetics of product formation. A variety of intermolecular interactions, such as hydrogen bonding, van der Waals forces, covalent and coordinate bonds, have been used successfully in the designed assembly of polymeric architectures (Xu *et al.* [5]). Hydrogen bonding has the advantages of selectivity and directionality, and is an important interaction in many systems, e.g. those containing carboxylate groups, whereas van der Waals forces are the dominant interactions in the molecular interactions of molecules that involve a long linear alkane chain (Yan *et al.* [2]). These interactions are faithfully reflected in the structural analysis of peptide assemblies relating to various degenerative diseases (Yang & Wang [6]).

The potential applications of molecular nanostructures are manifold and, as illustrated in this Theme Issue, increasing rapidly. Block copolymers are showing considerable promise in photolithographic approaches to the generation of semiconductor devices that may lead to advances in computing power beyond those predicted by Moore's law (Gu *et al.* [7]). Another promising application can be observed in the development of high efficacy drug delivery systems derived from controlled-release drugs encapsulated in polymeric micelles (Wang *et al.* [8]). Also, RNA nanotechnology has emerged as a new field with the production of nanoparticles which show considerable promise in molecular-scale computing (Qiu *et al.* [9]). Microporous organic frameworks can possess a large internal surface area yet exhibit a high stability; some of these materials bind greenhouse gases from dry air (Pei *et al.* [10]) and others have been used as the host of a dye in the photoanode of a solar cell (Liu *et al.* [11]). With an amazingly rich variety of molecularly decorated nano/micro structures, the exploratory efforts in various environmental and chemical processes can be very rewarding (Zhao *et al.* [12]). Further examples of the potential applications of molecular self-assembly in nanotechnology have arisen in the field of plastic electronics including the construction of nanowires, field-effect transistors, photodetectors and optical waveguides (Xie *et al.* [13]). The incorporation with novel nanostructures such as conducting graphene (Zhu *et al.* [14]) in sensory structures (Wang *et al.* [15]) is key for developing novel devices based on molecular nanotechnology.

Thus, this dynamic field of interdisciplinary science is experiencing major developments and generating an exciting range of novel materials, many of which have exciting possible application implications. The dedicated efforts reflected in this Theme Issue also indicate a number of genuine challenges towards tangible technological impacts. The fundamental insights of molecular nanotechnology for overcoming the limiting factors, such as control of assembly kinetics, stability of assembly architectures, availability of materials suitable for assembly processes, etc., will be key for shaping the future trends in this field. We are confident that, for the foreseeable future, the advances achieved in the control of molecular assembly will continue, thereby generating new and strategically important applications of the resultant nanotechnology.

Acknowledgements. We are grateful for the communications with Prof. Dave Garner that led to the production of this Theme Issue. Also, we sincerely thank Prof. Steven De Feyter and Thomas Russell and all of our Chinese colleagues for their valuable contributions to, and creative scientific perspectives of, molecular nanostructures and nanotechnology presented in this Theme Issue.

References

1. Mali KS, De Feyter S. 2013 Principles of molecular assemblies leading to molecular nanostructures. *Phil. Trans. R. Soc. A* **371**, 20120304. (doi:10.1098/rsta.2012.0304)
2. Yan H-J, Liu J, Wang D, Wan L-J. 2013 Two-dimensional self-assemblies of telechelic organic compounds: structure and surface host-guest chemistry. *Phil. Trans. R. Soc. A* **371**, 20120302. (doi:10.1098/rsta.2012.0302)
3. Wang B-W, Wang X-Y, Sun H-L, Jiang S-D, Gao S. 2013 Evolvement of molecular nanomagnets in China. *Phil. Trans. R. Soc. A* **371**, 20120316. (doi:10.1098/rsta.2012.0316)
4. Liu Y, Li C, Liu Y, Tang Z. 2013 Helical silver(I)-glutathione biocoordination polymer nanofibres. *Phil. Trans. R. Soc. A* **371**, 20120307. (doi:10.1098/rsta.2012.0307)

5. Xu H, Chen D, Wang S, Zhou Y, Sun J, Zhang W, Zhang X. 2013 Macromolecular self-assembly and nanotechnology in China. *Phil. Trans. R. Soc. A* **371**, 20120305. (doi:10.1098/rsta.2012.0305)
6. Yang Y, Wang C. 2013 Single-molecule studies on individual peptides and peptide assemblies on surfaces. *Phil. Trans. R. Soc. A* **371**, 20120311. (doi:10.1098/rsta.2012.0311)
7. Gu X, Gunkel I, Russell TP. 2013 Pattern transfer using block copolymers. *Phil. Trans. R. Soc. A* **371**, 20120306. (doi:10.1098/rsta.2012.0306)
8. Wang J, Xing X, Fang X, Zhou C, Huang F, Wu Z, Lou J, Liang W. 2013 Cationic amphiphilic drugs self-assemble to the core-shell interface of PEGylated phospholipid micelles and stabilize micellar structure. *Phil. Trans. R. Soc. A* **371**, 20120309. (doi:10.1098/rsta.2012.0309)
9. Qiu M, Khisamutdinov E, Zhao Z, Pan C, Choi J-W, Leontis NB, Guo P. 2013 RNA nanotechnology for computer design and *in vivo* computation. *Phil. Trans. R. Soc. A* **371**, 20120310. (doi:10.1098/rsta.2012.0310)
10. Pei C, Ben T, Guo H, Xu J, Deng F, Xiang Z, Cao D, Qiu S. 2013 Targeted synthesis of electroactive porous organic frameworks containing triphenyl phosphine moieties. *Phil. Trans. R. Soc. A* **371**, 20120312. (doi:10.1098/rsta.2012.0312)
11. Liu J, Yang Q, Li M, Zhu W, Tian H, Song Y. 2013 Organic dye-sensitized spongy-like TiO₂ photoanode for dye-sensitized solar cells. *Phil. Trans. R. Soc. A* **371**, 20120314. (doi:10.1098/rsta.2012.0314)
12. Zhao T, Zhao Y, Jiang L. 2013 Nano-/micro-structure improved photocatalytic activities of semiconductors. *Phil. Trans. R. Soc. A* **371**, 20120303. (doi:10.1098/rsta.2012.0303)
13. Xie L-H, Yang S-H, Lin J-Y, Yi M-D, Huang W. 2013 Fluorene-based macromolecular nanostructures and nanomaterials for organic (opto)electronics. *Phil. Trans. R. Soc. A* **371**, 20120337. (doi:10.1098/rsta.2012.0337)
14. Zhu H, Ji D, Jiang L, Dong H, Hu W. 2013 Tuning electrical properties of graphite oxide by plasma. *Phil. Trans. R. Soc. A* **371**, 20120308. (doi:10.1098/rsta.2012.0308)
15. Wang Y, Li T, Yang H. 2013 Nanofabrication, effects and sensors based on micro-electro-mechanical systems technology. *Phil. Trans. R. Soc. A* **371**, 20120315. (doi:10.1098/rsta.2012.0315)