Published in final edited form as:

J Am Chem Soc. 2013 July 10; 135(27): 10178. doi:10.1021/ja403136h.

Correction

Design and Characterization of 1D DNA Nanotubes and 2D Periodic Arrays Self-Assembled from DNA Multi-Helix Bundles

Tong Wang, Daniel Schiffels, Sergio Martinez Cuesta, Deborah Kuchnir Fygenon, and Nadrian Seeman*

[*J. Am. Chem. Soc.*, **2012**, *134*, 1606–1616]

Page 1608. The second to last sentence of the Introduction should note that the enhancement in stiffness is less than expected from a naïve model.

Specifically, the text should read:

Here, we show that the stiffness of nanotubes constructed from these motifs depends critically on the relative positions of sticky ends. When the sticky ends are staggered, the duplexes external to the basic 6HB motif enhance the stiffness, though measured persistence lengths are less than expected based on a naïve mechanical model. In addition to 1D arrangements, we show that the new motifs are capable of forming 2D arrays.

Page 1611. Figure 5 should be replaced with the corrected version (see below), the estimated persistence lengths of 6HB+2 and 6HB+3 should be corrected, and the reader should be referred to (additional) Supplementary Information.

Specifically, the text should read:

The estimated persistence lengths for 6HB, 6HB+2, and 6HB+3 are 2.7, 6.0, and 7.7 μm , respectively (Figure 5 (corrected)). (See additional Supporting Information for a detailed derivation of the estimates.)

Page 1611–1612. The corrected estimates of persistence length are significantly larger than the measured values. The associated text should be changed to reflect the disagreement.

Specifically, the text should read:

As expected, the motifs with extra duplexes (6HB+2, 6HB+3) are more rigid than the 6HB motif. However, the measured persistence lengths of the all three nanotubes are significantly smaller than the estimates. The disagreement is most pronounced for 6HB. This low stiffness might be due, in part, to the phasing of nicks in the DNA backbone.

Page 1615. The first paragraph of the discussion should be similarly amended to reflect the fact that the corrected estimates are significantly larger than the measured values.

Specifically, the text should read:

The stiffening of the 6HB motif by the addition of external helices suggests that it might be possible to strengthen it further by further reinforcement. Since measured persistence lengths are all significantly less than expected, such reinforcements may be essential to future applications. In addition, we found that the relative placement of sticky ends affects the rigidity of nanotubes self-assembled from cyclic DNA motifs:

Page 1616. The Supporting Information paragraph should be amended to include a reference to the material in the new file.

Specifically, the text should read:

Sequences of the molecules used in this work, histograms of the contour length of the different kinds of DNA nanotubes and an explanation of our persistence length estimation, including explicit derivation of the equations in Corrected Figure 5. This material is available free of charge via the Internet at <http://pubs.acs.org>

JA207976q

Supplementary Material

Refer to Web version on PubMed Central for supplementary material.

Figure 5.

Estimation of the persistence lengths of nanotubes: (A) 6HB, (B) 6HB+2, and (C) 6HB+3. In the cases of 6HB+2 and 6HB+3, assuming two perpendicular bend axes, as indicated by the dotted lines, any bending of nanotubes can be treated as a combination of bends about those two axes. Thus, the overall persistence length was estimated to be the average of the persistence lengths calculated for each of the bend axes. For 6HB+2, estimates were calculated using $r = 1 \text{ nm}$, $R_1 = 2 \text{ nm}$, and $R_2 = 4 \text{ nm}$. For 6HB+3, estimates were calculated using $r = 1 \text{ nm}$, $R_1 = 2 \text{ nm}$, and $R_2 \approx 3.5 \text{ nm}$.