bmj.com news roundup

Full versions of these stories are available at: bmj.com/content/vol328/issue7440/#NEWS_ROUNDUP

Oestrogen only arm of women's health initiative trial is stopped

The oestrogen only study of the women's health initiative study sponsored by the US National Institutes of Health has been stopped early because of a slightly increased risk of stroke among women in the trial. The study included only women who did not have a uterus.

Dr Barbara Alving, director of the women's health initiative and acting director of the National Heart, Lung, and Blood Institute, said the study was stopped because treatment with oestrogen neither increased nor decreased the risk of heart disease, a question the study sought to answer.

The study, which involved nearly 11 000 women, showed that oestrogen only treatment did not increase the risk of breast cancer during the seven years of the study and reduced the risk of hip fracture. Oestrogen did, however, slightly increase the risk of stroke, and in women who were 65 or over it seemed to increase the risk of dementia.

Janice Hopkins Tanne *New York*

The statement from the National Institutes of Health asking women in the study to stop treatment is at www.nhlbi.nih.gov/new/press/04-03-02.htm

GM foods should be submitted to further studies, says BMA

More research is needed to show that genetically modified (GM) food crops and ingredients are safe for people and the environment and that they offer real benefits over traditionally grown foods, says a BMA report.

The report calls for more long term research into the potential of GM food to cause allergies, although it acknowledges that preliminary, short term studies of GM foods have not shown any health risks. It says that more research is also

Responses of black patients and white patients to antihypertensive drugs are similar, study shows

The responses of black patients with high blood pressure to commonly used classes of antihypertensive drugs are more similar than previously thought to the responses of white patients, indicates a meta-analysis published last week.

A Medline search (from 1983 to March 2003) and a manual trawl of references to randomised trials identified 15 studies. These studies, which included information on the effect of antihypertensive drugs on blood pressure in black patients and white patients, involved a total of 9307 white and 2902 black patients whose treatments lasted from four to 18 weeks. The studies' findings were pooled separately for each category of antihypertensive drug.

The change in diastolic blood pressure was similar in 83% to 93% of white and black patients, according to the class of antihypertensive drug (*Hypertension* 2004;43:566-72).

The results showed that 90% (95% confidence interval 81% to 99%) of white and black patients overall who were treated with diuretics had similar falls in diastolic blood pressure. The percentages of patients who responded similarly were 90% (83% to 97%) for β blockers, 95% (92% to 98%) for calcium channel blockers, and 81% (76% to 86%) for angiotensin converting enzyme inhibitors.

Susan Mayor *London*

needed on the impact of GM foods in vulnerable groups, such as babies, elderly people, and people with chronic diseases, and that the health effects generally of GM foods should be closely monitored.

The report says: "The BMA shares the view [with the Royal Society] that there is no robust evidence to prove that GM foods are unsafe, but we endorse the call for further research and surveillance to provide convincing evidence of safety and benefit."

Zosia Kmietowicz *London*

Genetically Modified Food and Health: A Second Interim Statement is accessible at www.bma.org.uk/GMFoods

Authors reject interpretation linking autism and MMR vaccine

Ten of the 13 authors of the research paper that first raised the possibility of a link between the measles, mumps, and rubella (MMR) vaccine and autism (*Lancet* 1998;351:637-41), resulting in a major fall in the number of children being vaccinated in the United Kingdom, "retracted" this interpretation of their findings in a statement published last week (*Lancet* 2004;363:750).

They said, "The main thrust of the paper was the first

description of an unexpected intestinal lesion in the children reported... We wish to make it clear that in this paper no causal link was established between MMR vaccine and autism as the data were insufficient. However, the possibility of such a link was raised and consequent events have had major implications for public health. In view of this, we consider now is the appropriate time that we should together formally retract the interpretation placed upon these findings in the paper."

Dr Ian Gibson, chair of the House of Commons science and technology committee was disparaging about the decision to retract merely the implications placed upon the findings in the paper, rather than the entire paper.

"How can you partially retract something?" he asked. "I think they should have retracted the whole paper. You don't publish papers like that with all sorts of ideas. I'm surprised they got it through the peer review process. I think they [the *Lancet*] should have held back and asked for further work to be done on it. It is a sample of 12."

He said his committee intended to write to the *Lancet* and other medical journals, including the *BMJ*, outlining their concerns.

Susan Mayor *London*

WMA calls for retired academics to teach in developing world

The World Medical Association (WMA) has called for retired medical academics to consider registering on a new database that has been set up to help universities in developing countries.

The retired academics database was launched last autumn by the Association of Commonwealth Universities in London.

Since the database opened for universities to use in September 2003 a quarter of the requests have been for subject areas in medicine, but the number of medical academics registering has been small. Of the 700 academic staff registered on