ERRATUM

to the article Sustained TL1A (*TNFSF15*) expression on both lymphoid and myeloid cells leads to mild spontaneous intestinal inflammation and fibrosis (DOI: 10.1556/EuJMI.3.2013.1.2)

Libo Zheng^{1,2}, Xiaolan Zhang², Jeremy Chen¹, Ryan Ichikawa¹, Kori Wallace¹, Charalabos Pothoulakis³, Hon Wai Koon³, Stephan R. Targan^{1,*} and David Q. Shih^{1,*}

¹F. Widjaja Foundation, Inflammatory Bowel and Immunobiology Research Institute, Cedars-Sinai Medical Center, Los Angeles, CA 90048, USA

²Department of Gastroenterology, The Second Hospital of Hebei Medical University, Shijiazhuang, Hebei 050000, China

³Center for Inflammatory Bowel Diseases, David Geffen School of Medicine, UCLA, Los Angeles, CA 90095, USA

Received: May 29, 2013

After the publication of this article, we discovered that the version of Figure 3b included in the article is incorrect due to it being done for a separate project. Please see the correct Figure 3b file here. This change does not affect the summary data for Figure 3c, statistical analysis, or figure legend.

Fig. 3b. Sustained Tl1a expression led to an increased expression of activation and gut homing marker on *Tl1a-Tg* T cells.

* Corresponding author: Stephan R. Targan, MD and David Q. Shih, MD/PhD. F. Widjaja Foundation, Inflammatory Bowel and Immunobiology Research Institute, 8700 Beverly Blvd., Suite 4065, Los Angeles, CA 90048, USA; Phone: (310) 423-7724; E-mails: targans@cshs.org and david.shih@csmc.edu