Holt-Oram syndrome is an autosomal dominant disorder. The underlying genetic defect was found on the long arm of chromosome 12. Mutation in the TBX-3 and TBX-5 genes lead to a wide range of phenotypes typical of HOS.^{1,3}

The review of orthopaedic sign in the literature remains poor.⁴ Frequent signs are radial ray abnormalities, absent or abnormal radius, upper limb-transverse elements missing, and various thumb anomalies. Occasional signs are scoliosis, abnormal ribs, hypertelorism, scapula anomalies, and pectus excavatum, which were absent in our patient.

Arrhythmias have also been reported in HOS. Most of the patients who present with arrhythmias have anatomical heart anomalies. Around 39% of the patients with HOS show no anatomical heart anomalies but only ECG abnormalities. Electrocardiogram abnormalities include right bundle branch block (RBBB), wandering pacemaker, sinus node dysfunction, atrial fibrillation/flutter, paroxysmal supraventricular tachycardia (PSVT), and Wolff-Parkinson-White syndrome (WPW).

Ostium secundum ASD is the most common in patients with HOS⁵ followed by VSD. The severity of the cardiac spectrum is not always proportional to that of the upper limb deformity. Anomalies of the great vessels have also been associated with HOS (vena cava, subclavian artery, coarctation

of aorta, and hypoplastic aortic arch). But, it is worth emphasising that the spectrum of this syndrome is still growing as there are miles to go because this is a relatively rare syndrome with only about 300 cases been reported till date worldwide. Hence, it is rather too premature to say that the above association (HOS with TOF) is really a rare association. The whole aim of publishing this case is to add on to the present spectrum of this syndrome.

References

1. Basson CT, Cowley GS, Solomon SD, et al. The clinical and genetic spectrum of the Holt-Oram Syndrome (Hand-Heart Syndrome). *N Engl J Med* 1994;330:885–91.
2. Zhang KZ, Sun QB, Cheng TO. Holt-Oram Syndrome in China: a collective review of 18 cases. *Am Heart J* 1986;111:572–7.
3. Li QY, Newbury-Ecob RA, Terrett JA, et al. Holt-Oram syndrome is caused by mutations in TBX5, a member of the Brachyury (T) gene family. *Nat Genet* 1997;15:21–9.
4. Weber M, Wenz W, van Riel A, et al. The Holt-Oram syndrome. Review of the literature and current orthopaedic treatment concepts. *Z Orthop Ihre Grenzgeb* 1997;135:368–75.
5. Sletten LJ, Pierpont ME. Variation in severity of cardiac disease in Holt-Oram syndrome. *Am J Med Genet* 1996;65:128–32.

Obituary

Dr. A.K. Thakur, Patna

Dr. A.K. Thakur, the doyen of cardiology in the state of Bihar died on 19th December 2011. He is considered the father of modern cardiology in Bihar. He is closely associated with the establishment and development of Indira Gandhi Institute of Cardiology, Patna. He was instrumental in developing the cardiology training programme at the same institute. Born in 1937, Dr. Thakur did his MBBS and MD at Patna and received Cardiology training at Manchester, UK. After his retirement from government service he established a Private Hospital for Cardiology called the “Heart Hospital” and continued his services to public. He actively participated in CSI activities throughout. He is survived by wife, two children and two grandchildren.

Compiled by
Dr. Ajay Kumar Sinha
Patna