reviews

BOOKS • CD ROMS • ART • WEBSITES • MEDIA • PERSONAL VIEWS • SOUNDINGS

Ten Minutes for the Family: Systemic Interventions in Primary Care

Eia Asen, Dave Tomson, Peter Tomson, Venetia Young

Routledge, £16.99, pp 224
ISBN 0 415 30189 0

Rating: ★★★

Ten minutes seems a ridiculously short time in which to attempt to tackle the always complex health problems of a single individual. To use the same allotted time to take on the interacting and compounding problems of a whole family might seem absurdly ambitious. Yet any general practitioner knows the astonishing amount of suffering, endurance, and meaning that can be revealed and contained within a single consultation of this length. Three of the four authors of this book have substantial experience of working in UK general practice, where 10 minute appointments are standard.

This deliberately pragmatic book is full of practical wisdom that can be taken straight off the page and into the consulting room.

The book is grounded in systemic theory and an understanding that the symptoms of illness are not to be found confined within individuals but are generated and expressed in the space between them, within family myths, and the ritualised interactions between different family members. All of us grow up with a number of family stories, which are told repeatedly and which come to represent the family's image of itself. The process by which such stories are selected from the multitude of different events happening each day in the life of a family has much to tell about the relationships within the family. Some of the stories can become rigid, constraining, and damaging. By seeking to enrich the bare bones of the family myths that often dictate recurring patterns in family behaviour, the clinician can help to reveal new possibilities and different ways of seeing the same events.

For the authors the key clinical attribute is curiosity, with the stream of questions that it engenders and its power to stimulate the commitment of doctors. Circular and reflexive questions elicit a series of answers that open up new possibilities, not only for the clinician, but also, more importantly, for the patient and his or her family. Triadic

questions seek to draw out information about how a third person sees the relationship between two others; they provide a means whereby absent family members can be brought into the consulting room to offer new insights.

The book is packed with schematic but convincing case stories, which demonstrate the scope of questioning. The reader is given a whole range of suggested wordings that can be used with individuals, couples, and whole families. The choice of words is always intensely individual and many of those suggested will seem awkward to some readers, but the enthusiasm of the authors is infectious and their encouragement to select and try just two or three is persuasive.

Ten Minutes for the Family also demonstrates the use of simple visual techniques, such as genograms and family circle drawings, that provide the basis of further questions and yet more opportunities for understanding and change. I finished reading at the weekend; by Wednesday I had drawn two genograms for patients that I have known for many years and I had asked at least three triadic questions. Not a revolution, but I understand more and, more importantly, the patients seemed to find it helpful.

Iona Heath *general practitioner, London*
iona.heath@dsl.pipex.com

Pain: The Science and Culture of Why We Hurt

Marni Jackson

Bloomsbury, £7.99, pp 384
ISBN 0 7475 6558 9

Rating: ★

A colleague in my specialty once wrote a great aphorism: "The human body is not at all like a machine: it is more like a weather system, inherently unstable and unpredictable." Pain is one of those parts of human experience where the interaction of

body, mind, and—if you believe in such things—spirit or soul do not have clear boundaries. Pain can be a simple somatic experience, but such a pure experience is rare, and the norm is that the experience is somatopsychic. Hence there are insights into pain and its concomitant suffering from outside the clinical and laboratory sciences.

Marni Jackson has attempted a bold project: to try to encapsulate both the science and culture of what happens when we experience pain. In a relatively short book, and given that she has put her own experiences at the centre of the work, it is little surprise that she falls some considerable way short of her goal. Another difficulty is that in trying to relate such a broad subject in terms of her own experience she necessarily misses incorporating the broad range of experience outside her own. The result is a rather eclectic mix of subjects. In trying to be illustrative with the examples and objective with the evidence she attempts to square a particularly unsquarable circle. The philosopher Ludwig Wittgenstein had much to say about pain, but the one dictum of his that she might usefully employ would

be, "Whereof one cannot speak, thereof one must be silent." She is given to rather aimless speculation—an occupational hazard, I guess, in a journalist.

The strength of the book is that it does impart the subjective nature of pain—pain is what the patient says it is. The text, however, is vexatious. The author has the irritating habit of referring to the likes of neurophysiologist Ronald Melzack as "Ron" throughout the book, in much the same way that used car salesmen use your first name in an overly familiar way.

Marni Jackson is to be commended for trying to make the experience of pain intelligible to a broad readership in terms that are not mechanistic or reductionist and that incorporate a holistic approach. There is a huge need for a book that looks in a circumspect and balanced way at the cultural, psychological, and scientific aspects of pain management and that frames it in a humane, patient centred way. Unfortunately, this is not that book.

Paul Keeley *consultant in palliative medicine, Glasgow Royal Infirmary*

Items reviewed are rated on a 4 star scale
(4=excellent)

PERSONAL VIEWS

Escape from normality

Labels shape lives. We label ourselves in hundreds of ways: short, tall, fat, thin, woman, man, and on and on. We imbue doctors with the power to alter or even trump our own self labels: diseased, healthy, diabetic, depressed, sometimes even girl or boy, man or woman. But none of us—doctors or patients—escapes the grasp of cultural norms and morality, especially in the behavioural sciences.

As a young boy, I already had labelled myself as “wrong.” I had not *done* wrong; I *was* wrong. All was unclear why until the summer of 1963, when I found four obscure books in a nearby university library. In one, written in the 1920s by a German sexologist, I first read the term “transsexual.” Its definition fitted me perfectly. I hated that, and I spent most of the rest of that summer rereading the text, hoping that if I read hard enough, perhaps I could convince myself that I was not reading about me. Even at 12, I knew I could not carry the labels of “normal” and “transsexual” simultaneously.

Seventeen years later, my quest for normality had taken me through a career in

journalism, a failed marriage, and then into medical school. There, on a winter's day in 1980, I lingered at the speaker's podium to ask “just a couple of personal questions” of the professor who had just spoken on “variations in gender and sexuality.”

Two weeks later, at the professor's invitation, I walked into the University of Minnesota programme in human sexuality and sat down with her and her patients in a support group. The patients were eight large-boned, over muscled women dressed—to a woman—in floral prints. They spoke and behaved extremely effeminately—Northern Plains caricatures of Southern belles. We seemed to share little except our mutual self labels of “transsexual.” I never returned.

Six weeks, a battery of psychological tests, and four interviews later, I was informed of the criteria I would have to meet in order to receive a doctor's diagnosis of “transsexualism” and to receive the critical support of the programme's committee of experts, without which I could proceed no further toward gender transition and reassignment surgery.

Among the criteria were the core Standards of Care that had just been published by sexologist Harry Benjamin and fellow experts from around the world: be engaged in psychotherapy; undergo a one year “real life test,” ideally, before hormone therapy began, in which I would have to live and function full time as a woman; take hormone therapy, then conjugated oestrogen at a massive dose of 7.5 mg/day.

In addition, the Minnesota experts had four more requirements. I was told I had to assume a “hyperfeminine” appearance and behaviours; seek sexual relationships with men; seek to marry a man postoperatively; and quit medical school because it was obvious at that time that transsexuals could not be effective physicians.

I was clearly androgynous in appearance. I still was unsure of my sexual orientation. I loved being a student doctor. But most of all, I was a very good patient. I never once questioned the experts' authority or expertise about something I had lived with all my life. They were, after all, world class experts. In my mind, they were right, I had been wrong, and whatever I was—whoever I was—I was not transsexual. Denied a diagnosis, I was relieved. If not “transsexual,” then perhaps “normal” was me, after all. Denial fosters fallacious logic.

Twenty two more years, another marriage, the birth of two daughters, 12 years of antidepressants, and one suicide attempt later, I walked into the Ingersoll Gender Center in Seattle and sat down among 15

women in various stages of gender transition. No one wore floral prints. No expert was present. Some were beautiful, some were not. Two were doctors. I connected immediately. Within six months, I was living full time as a woman. Nine more months and two professionals' letters of support later, I underwent gender reassignment surgery.

So much has changed in the treatment of transsexualism. The Standards of Care are now in their sixth version, and what few criteria remain are now “guidelines” and “recommendations,” not requirements. The 17 person committee that writes the standards includes at least four transsexuals, including physicians. Still, most of the criteria continue to await testing by clinical trials.

As for the Minnesota standards that were the ultimate reason why I delayed treatment for another two decades, they have been cast aside. Transsexuals are encouraged to behave as themselves instead of as drag queen-like caricatures of women. Diagnosis is independent of sexual orientation. (Cross sectional studies suggest that about half of male-to-female transsexuals identify as lesbian, while most female-to-male transsexuals identify as heterosexual.) And transsexual physicians exist and thrive. I have now met eight others in the Seattle area alone.

As a patient with this chronic condition, I have seen the medical and psychological professions step down from the podium of patriarchy. Especially in the behavioural sciences, we now often start from the assumption that the patient's self label is correct. We are more open to uncertainty, even acknowledging that a diagnosis or label is often a point in time along the journey of a lifetime. And we are more candid in admitting that we observe through the filter of our own culture. In the areas of gender identity, professionals today are less gatekeepers than they are patient advocates.

In 1980 I was denied a label that I knew was correct in 1963. By 2002, the label had been restored. I don't regret or bemoan the 22 year delay in treatment. Along with the experts, I have learnt more about transsexualism. I have received gifts of love, friendship, family, and fulfilling work. I have come to know myself better. And I have learnt that the word “normal” belongs to a vocabulary of childhood.

Joanne Roberts internist and palliative medicine physician, Everett, Washington
Joanne0402@yahoo.com

This article also appears in the April issue of *BMJ USA*

Within six months,
I was living full
time as a woman

Transsexual
physicians exist
and thrive

Hit parade

bmj.com

These articles scored the most hits on the *BMJ*'s website in the week of publication

FEBRUARY

- Paper: Randomised controlled trial of labouring in water compared with standard of augmentation for management of dystocia in first stage of labour**
BMJ 2004;328:314 9188 hits
- Editor's choice: Nothingness: the role of journals**
BMJ 2004;328:(28 February) 6012 hits
- Paper: Treatments of homosexuality in Britain since the 1950s—an oral history: the experience of patients**
BMJ 2004;328:427 5834 hits
- Editorial: What doesn't work and how to show it**
BMJ 2004;328:473 4507 hits
- Editorial: Why do doctors use treatments that do not work?**
BMJ 2004;328:474-5 4309 hits
- Editorial: Where are we now with hormone replacement therapy?**
BMJ 2004;328:357-8 4250 hits
- News: GlaxoSmithKline staff told not to publicise ineffectiveness of its drug**
BMJ 2004;328:422 3847 hits
- Editor's choice: Lessons from medicine's shameful past**
BMJ 2004;328:(21 February) 3716 hits
- Editor's choice: Abusing patients by denying them choice**
BMJ 2004;328:(14 February) 3417 hits
- Editorial: Absence of evidence is not evidence of absence**
BMJ 2004;328:476-7 3402 hits

The evidence base: rock of certainty or shifting sands?

I have a problem with evidence based medicine. This I know is a serious confession and could amount to professional misconduct, but in mitigation let me explain. The case I have is my own, so I will presume to tell you a little about myself.

After some years as a principal in general practice I joined the pharmaceutical industry. My medical history is unremarkable apart from two episodes of major depression, the first in my early thirties. For this I was given amitriptyline. The drug had no perceptible effect on the depression, but I became completely unable to concentrate, and my short term memory was seriously impaired. I had always done a lot of woodwork, but I found now that in the few seconds between taking a measurement and applying it to a piece of wood I had forgotten it.

However, the most disabling effect—one that I have never seen described—was a distancing from reality. I seemed to be living in a mental cocoon from which the outside world could be reached only with conscious effort. No one had warned me about driving a car, and on several occasions I avoided a serious crash only at the last second through a painful effort to get a proper awareness of my surroundings. The doctors' response was that this was because I was still depressed and that the dose must be increased.

After three or four months I simply stopped taking the drug, and after 24 hours of near manic euphoria I felt much better, having now to cope only with the depression. I was referred for psychotherapy. Whether this prolonged or shortened the depression there is no way of telling, but apart from the expense and time it didn't seem to do much harm.

When I joined the pharmaceutical industry, and later when running a clinical trials organisation, overseeing clinical trials was a large part of my job. I then realised for the first time how ineffective "effective" drugs actually are. A study may show that a treatment is effective, in that it shows a statistically significant positive response, even though less than half the patients receive any real benefit. The other patients may experience only the adverse effects or no effects. In one double blind, randomised study comparing a new antidepressant with amitriptyline and with placebo we were disconcerted to find that the best treatment was placebo. This study, in common with many other "negative" studies, was never published. Publication bias is probably greater than allowed for. But, more importantly, what is the meaning of "effective"?

My problem is not so much with evidence based medicine as with its users

Towards the end of my time with the clinical trials organisation I again developed full blown depression. Despite my account of my previous treatment with antidepressants I was put on tricyclics, the earlier history being considered irrelevant and misleading. I had depression and the evidence base was clear that antidepressants were effective.

All the old toxic effects returned, and some new ones. I was used to designing things in my head, and often I did this in bed before I went to sleep. I could design quite complex structures, turning them round and handling them in my mind in such detail that I could go straight to work on them the next day without need for drawings or other preparation. Now I was unable—without much confused thought and many blunders—to make even the simplest object.

I also have a benign familial tremor, inherited from my father. Before it had been mild and easily compensated for, but it now became so gross that I could not hold a cup or glass. I also became unsteady on my feet, partly because of trembling in my legs and partly because of loss of balance. At night I often staggered and occasionally fell.

After about four months, with the depression unimproved, I determined to stop treatment. This caused consternation. I was persuaded to take mianserin, fluoxetine, and a monoamine oxidase inhibitor, none of which had any benefit.

At this point I was referred to a consultant psychiatrist, who dismissed all previous treatments as misconceived. I was put on amitriptyline in escalating doses. I was now almost a zombie, and so far as I could distinguish the illness from the treatment there was no improvement in the depression. In desperation I stopped taking the tablets. After a day of euphoria I felt much better.

Why did I allow myself to be subjected to this treatment? With depression there is loss of self esteem and loss of will. Those treating me relied completely on the evidence base and were authoritative in the certainty of their advice.

So you see the problem I have with evidence based medicine. The evidence is not understood. Perhaps my problem is not so much with evidence based medicine as with its users, who find in it a useful but sometimes dangerous rock of certainty in an uncertain world. I'm sorry, colleagues, but you've still got to observe, and you've still got to think.

John Dewhurst retired pharmaceutical physician, Wokingham, Berkshire
John.Dewhurst@ukgateway.net

SOUNDINGS

On covering one's mouth (when yawning)

A simple observational study recently found that 67.5% of medical students attending morning conference did not cover their mouth while yawning.

The data are still with the statisticians, who raised several problems. Could the extreme boredom of attending these conferences have induced excessive yawning and biased the results? Were genders and races adequately represented in the study? Can the results be extrapolated to livelier conferences? Was there a distinction drawn between the students on call the night before and those partying only until 2 am? And was the study adequately powered to yield a meaningful result?

There were legal issues. Was the study conducted under a valid approved protocol? There was indeed an old one, but it had expired two weeks earlier. The older study had been approved only for 50 subjects, and now 55 had been studied, a misdemeanour that may have to be reported to the federal watchdogs. The consent form was also inadequate, written in legalese, so that no medical student could possibly understand it.

It was also unfortunate that no preliminary review of the literature had been done. Imagine spending precious resources only to find out later that an identical study had already appeared in an important publication such as the *Journal of Uvula Deformity*.

Indeed the ethics committee was a main sticking point. It felt that students were a captive audience and that their privacy had been violated. Would the outcome influence their end of term evaluations? One member of the committee thought that the results should be placed in a locked box and never be published.

There was also inadequate bacteriological input. Was it better to contaminate the palm of the hand with bacteria rather than blow them into the atmosphere? What about budding deans and other medical politicians, doomed to be always shaking hands?

It was concluded that the study smacked of elitism and health fascism. For tonsils are sometimes less unsightly than elbows. And exposing one's uvula in public may be no worse than baring one's ankles and knees.

George Dunne attending physician, Cook County Hospital, Chicago, USA