CORRESPONDENCE

Does the Pharmaceutical Industry Influence Guidelines? Two Examples From Germany

by Dr. med. Gisela Schott, Claudia Dünneberger, MPH, Prof. Dr. med. Bernd Mühlbauer, Prof. Dr. med. Wilhelm Niebling, Dipl.-Biol. Henry Pachl, Prof. Dr. med. Wolf-Dieter Ludwig in volume 35–36/2013

Confirming the Hypothesis at any Cost?

The question of conflicts of interest in the context of guidelines is an important one. Accusations of influenceability and the effects this has on a guideline should, however, be brought only with the utmost degree of caution. Unfortunately, the article by Schott et al. on the topic of competing interests (1) is subject to serious flaws.

The charge that efalizumab was judged more favorably in the S3 guideline than etanercept is easily countered by looking at the different strengths of recommendation for efalizumab (↑) and etanercept (↑↑), which Schott et al. do not mention anywhere in their article. If any influence had existed then the medication would certainly not have received the weakest strength of recommendation of all the biologicals.

The UK's Health Technology Assessment (HTA) based guidance from the National Institute for Health and Clinical Excellence (NICE) was compared with a German S3 guideline. Differences in methodology were ignored. NICE guidelines correspond to legal directives and are far more strict than German guidelines, which intentionally often leave extra scope for making decisions. To base accusations of influenceability on a unilateral comparison of publications that are not comparable does not constitute good scientific practice.

Positive mentions of efalizumab in other HTAs/guidelines (German Institute of Medical Documentation and Information, Deutsches Institut für Medizinische Dokumentation und Information [DIMDI]): "rapid onset of effectiveness", in the British Association of Dermatologists' guideline ("For patients with latent tuberculosis demyelinating disease, efalizumab should be considered the treatment of choice") are not mentioned in the discussion (2, 3). Negative statements regarding efalizumab in the German guideline (for example, the risk of rebound) that have no corresponding elements in the NICE guidance are not listed at all.

The statement in the discussion, that the authors of the NICE guideline had "no conflicts of interest," is incorrect (J Baker/C E M Griffiths: numerous conflicts of interest) (4). The conflicts of interest of the British experts should have also been systematically checked out, not only those of the German experts.

Why did the authors not contact the guideline group in advance to ask for a position statement? It would have been easy to explain the reasons for the putative differences to the NICE guideline. Science grows through discourse. This should, however, be based on careful research.

We are ready and would be happy to convince Schott et al. in a personal discussion that their hypotheses do not hold.

DOI: 10.3238/arztebl.2014.0035a

REFERENCES

1. Schott G, Dünneberger C, Mühlbauer B, Niebling W, Pachl H, Ludwig WD: Does the pharmaceutical industry influence guidelines? Two examples from Germany. *Dtsch Arztebl Int* 2013; 110(35–36): 575–83.
2. Claes C, Kulp W, Greiner W, Graf von der Schulenburg JM, Werfel T: Therapie der mittelschweren und schweren Psoriasis. HTA-Bericht 34. http://portal.dimdi.de/de/hta/hta_berichte/hta129_bericht_de.pdf (last accessed on 27 September 2013).
3. Smith CH, Anstey AV, Barker JN, et al.: British Association of Dermatologists guidelines for use of biological interventions in psoriasis 2005. *Br J Dermatol* 2005; 153: 486–97.
4. National Institute for Health and Clinical Excellence: Appraisals Committee Meeting: Minutes. www.nice.org.uk/niceMedia/pdf/TAC_110505_confirmed.pdf (last accessed on 27 September 2013).

On behalf of the German psoriasis guideline group 2006:

PD Dr. med. Alexander Nast

AWMF-Leitlinienberater, Leiter der Division of Evidence Based Medicine, Klinik für Dermatologie, Venerologie und Allergologie, Charité – Universitätsmedizin Berlin
alexander.nast@charite.de

Prof. Dr. med. Berthold Rzany SC.M.

AWMF-Leitlinienberater, RZANY & HUND, Privatpraxis für Dermatologie und Ästhetische Medizin, Berlin

Conflict of interest statement

PD Dr Nast is the first author of the psoriasis guideline. At the time when the guideline was published he had no conflicts of interest to declare.

Since the guideline was published he has received contract honoraria from Pfizer, the current manufacturers of etanercept, and study support from Wyeth (now Pfizer). Furthermore he is a member of the working group on conflicts of interest of the AWMF (the Association of Scientific Medical Societies in Germany [Arbeitsgemeinschaft der wissenschaftlichen medizinischen Fachgesellschaften]).

Professor Rzany is a coauthor of the psoriasis guideline. At the time the guideline was published in 2006 he acted as a consultant to Sero and Wyeth (now Pfizer). He declares that currently no conflict of interest exists.

No Robust Argument

Almost all the arguments listed by Schott et al. (1) as the basis for their criticism of the evaluation of efalizumab are invalid. The cited NICE guidance TA103 (2) is not a guideline but a technical appraisal (3) of the cost effectiveness of efalizumab and etanercept; it is therefore not comparable to a clinical guideline. Contrary to their statement (Table 2 in the article)—"efalizumab is explicitly recommended for induction therapy. This recommendation is inconsistent with the drug's approval status"—the authors omit to mention that:

- The S3 guideline stipulates strict adherence to the indication for biologicals (p34),
- Efalizumab, with the weakest strength of recommendation (↑), carries a lower rating than etanercept (↑↑)
- The guideline equally restricts the use of efalizumab ("Therapy should not be continued if an improvement of at least 50% of the initial findings is not observed after the first 12 weeks of treatment") as the TA 103 (p5, 1.4): "Further treatment with efalizumab is not recommended in patients unless their psoriasis has responded adequately at 12 weeks..."

The assertions in Table 2 of the article, that the NICE guideline "contains no statement concerning the effects of efalizumab on health-related quality of life [...] and concerning the efficacy

of efalizumab in previously treated patients,” are incorrect. The TA 103 documents (p 13, 4.1.2.2.): “DLQI outcomes were reported in four trials, all of which reported a statistically significantly greater reduction in patients taking efalizumab” and comments regarding efalizumab and etanercept (p 18) that “... these drugs ... were as effective in patients who had not responded to other available treatments as in those who were treatment naive” (2).

The allocation of evidence levels was done methodically under the supervision of the AWMF and strictly according to AWMF regulations (4). The recommendation for efalizumab (on a grey underlay) requires a consensus based statement from all authors. Schott et al. should be invited to submit a correction.

DOI: 10.3238/arztebl.2014.0035b

REFERENCES

- Schott G, Dünneberger C, Mühlbauer B, Niebling W, Pacht H, Ludwig WD: Does the pharmaceutical industry influence guidelines? Two examples from Germany. *Dtsch Arztebl Int* 2013; 110(35–36): 575–83
- TA 103 Etanercept and efalizumab for the treatment of adults with psoriasis. NICE Technology appraisal guidance 103 – Issued: July 2006. <http://guidance.nice.org.uk/TA103> (last accessed on 23 September 2013).
- About NICE. What we do. Evidence-based guidance and advice. www.nice.org.uk/aboutnice/whatwedo/what_we_do.jsp (last accessed on 23 September 2013).
- Leitlinien-Manual von AWMF und der „äzq“. www.awmf.org/leitlinien/awmf-regelwerk/awmf-publikationen-zu-leitlinien/leitlinien-manual.html (last accessed on 23.9.2013).

On behalf of the German psoriasis guideline group 2006.

Prof. Dr. med. univ. Jörg C. Prinz

Klinik und Poliklinik für Dermatologie und Allergologie, München
Joerg.Prinz@med.uni-muenchen.de

Dr. med. Volker Streit

Buchholz

Conflict of interest statement

Professor Prinz has received consultancy fees (advisory board) from Novartis, Wyeth, Pfizer, Serono, Abbott, Janssen-Cilag, and Actelion. He has received speaker honoraria from Biogen-Idec, Novartis, Wyeth, Pfizer, Merk-Serono, Essex pharma, MSD, Galdema, Centocor, Abbott, and Janssen-Cilag/Janssen-Ortho. He has received study support (third party funding) from Wyeth, Merk-Serono, Essex pharma, Centocor, Abbott, and Janssen-Cilag/Janssen-Ortho. Additionally, he has received non-monetary resources from Biogen-Idec and Wyeth.

Dr Streit has received consultancy fees (advisory board) from Serono, Wyeth, and Abbott. He has received speaker honoraria from Wyeth and Abbott. He has received study support (third party funding) from Wyeth and Abbott.

Information Advantage or Conflicts of Interest?

The German Society of Dermatology welcomes the editorial initiative on the part of *Deutsches Ärzteblatt* to tackle the subject of competing interests in the context of guideline development and to explain this to its readers. It is just a shame that the promising editorial highlighting the problem is followed by an article whose results section is insufficiently thoroughly worked out and whose reporting is biased, on the alleged influence that pharmaceutical companies exert over the guideline authors’ therapeutic recommendations, and that, by linking these to accusations of falsification in a context that has nothing to do with the topic. In readers this increases the subjective impression that Germany’s doctors are easily manipulated.

As representatives from a specialist society that is jointly responsible for guideline development, we see not only that work

deemed excellent at the time is being discredited but also that the reputation of renowned colleagues is unjustly being questioned. The article from the Drug Commission of the German Medical Association, with Schott as the first author, which was sponsored by sponsored by the German Medical Assembly (Deutscher Ärztetag) in the framework of an initiative to promote health services research (Förderinitiative Versorgungsforschung) of the German Medical Association (Bundesärztekammer), may be a useful journalistic contribution, but as an original scientific article in a journal such as *Deutsches Ärzteblatt* it cannot be accepted without raising objections. In addition to the comments returned by the respective guideline authors, the question remains of the validity of a guideline that has been developed by “well read” authors without any experience in clinical research or critical consulting activities. Especially the latter provides the wherewithal for assessing recent studies as a result of practical dealings with the substances under investigation, and with their potential risk profiles, in the context of a continuous information system on all their side effects. The subject of the current debate is therefore not only the demand for total impartiality but also the fact that valuable expertise in terms of innovative treatments is being dispensed with.

DOI: 10.3238/arztebl.2014.0036a

REFERENCES

- Schott G, Dünneberger C, Mühlbauer B, Niebling W, Pacht H, Ludwig WD: Does the pharmaceutical industry influence guidelines? Two examples from Germany. *Dtsch Arztebl Int* 2013; 110(35–36): 575–83.

Prof. Dr. med. Roland Kaufmann

Präsident der Deutschen Dermatologischen Gesellschaft
Zentrum der Dermatologie der Johann Wolfgang Goethe-Universität
Frankfurt/Main
kaufmann@em.uni-frankfurt.de

Conflict of interest statement

Professor Kaufmann has received study support (third party funding) from LEO, Roche, Novartis, AB Science, Abbott, Almirall, Amgene, Basilea, BMS, Cellgene, GSK, Regenerone, Janssen-Cilag, Lefi, Meda, Merz, Sciderm and Pfizer.

Manipulated Evidence?

The authors critically discussed the important question of conflicts of interest in the context of guidelines (1). However, we share the political responsibility and are deeply disappointed that this article passed the control systems of the coauthors and of *Deutsches Ärzteblatt*, as it does not do any justice at all to this difficult and responsible topic. In particular, the S3 guideline on psoriasis met with ubiquitous praise at the time, as an excellent example of high-quality work; it also formed the basis for an international guideline.

A biased selection of citations, omission of relevant information, and invalid conclusions create in uninformed readers the impression of a characterization of efalizumab that is too positive, and the blame for that is laid squarely at the guideline authors’ feet, for being too close to the pharmaceutical industry.

The authors omitted to say that efalizumab is described in the guideline, as well as in the comparator guideline, as the weakest biological agent.

Furthermore, the authors hold the guideline responsible for the increase in prescriptions of efalizumab; but this increase is true for all biologicals in the same time period, as at this time, a new class of substance placed the focus on the systemic therapy of

severely affected patients that had been underprovided for up to that point and who are subject to a high degree of suffering.

The authors construct an association between the guideline and the incorrect prescribing of efalizumab in psoriatic arthritis, although this drug is not suitable for that very purpose, according to the guideline. The “independent” guideline cited as a comparator is not comparable; it is a comparison of the efficacy of two medical drugs on the basis of a health technology assessment.

We would ask *Deutsches Ärzteblatt*, but also the coauthors and the Drug Commission of the German Medical Association, to discuss appropriately the criticisms regarding the article and to print an appropriate explanation of the real facts. An extensive critique is available at www.derma.de.

DOI: 10.3238/arztebl.2014.0036b

REFERENCES

1. Schott G, Dünneberger C, Mühlbauer B, Niebling W, Pacht H, Ludwig WD: Does the pharmaceutical industry influence guidelines? Two examples from Germany. *Dtsch Arztebl Int* 2013; 110(35–36): 575–83.

Dr. med. Klaus Strömer

Präsident des Berufsverband der Deutschen Dermatologen e.V. (BVDD)
drstroemer@t-online.de

Dr. med. Michael Reusch

Past-Präsident Berufsverband der Deutschen Dermatologen e.V. (BVDD)

Conflict of interest statement

Dr Strömer has received travel expenses and lecture honoraria from Serono, Janssen-Cilag, Pfizer, Essex, Abbott, and Biogen-Idec.

Dr Reusch has received conference fees and travel expenses from Abbott.

Transparency Is Key

The article (1) deals with the highly relevant topic of conflicts of interest among guideline authors. On the basis of a guideline published seven years ago, the authors drew their conclusions about the potential influence on a single therapeutic recommendation by means of a comparison with British “guidance.”

The German psoriasis guideline was pioneering in Germany in terms of declaring conflicts of interest. Declaring competing interests became the rule for S3 guidelines only five to six years later (2). The approach to conflicts of interest that is stipulated by the Association of Scientific Medical Societies in Germany (Arbeitsgemeinschaft der wissenschaftlichen medizinischen Fachgesellschaften, AWMF) nowadays is mostly consistent with international standards—for example, those of the US Institute of Medicine (3). What the AWMF does not stipulate, however, is that no one in the guideline development group is allowed to have any links to industry (4). The intention is not to exclude relevant expertise per se. Inspired by the rules, many lively, open, and mostly constructive discussions take place in Germany’s guideline groups. The decision in favor of a certain process for handling conflicts of interest should remain with the groups and should be reported transparently.

It is questionable, however, whether the 2006 guideline that was arbitrarily selected for this article—with its rather daringly constructed association (which was interpreted in a partially biased way) of a recommendation and a link of the authors to the pharmaceutical industry—will prompt a constructive, critical handling of the subject among guideline authors or whether it will trigger a trend—triggered by fears—towards a lack of trans-

parency. Furthermore, reducing the problem to the industry links of guideline authors does not do justice to this complex subject.

There is no simple solution to this problem. For this reason, transparency regarding conflicts of interest and the handling of the guideline development group are crucial for the credibility of future guidelines.

DOI: 10.3238/arztebl.2014.0037a

REFERENCES

1. Schott G, Dünneberger C, Mühlbauer B, Niebling W, Pacht H, Ludwig WD: Does the pharmaceutical industry influence guidelines? Two examples from Germany. *Dtsch Arztebl Int* 2013; 110(35–36): 575–83.
2. Langer T, Conrad S, Fishman L, et al.: Conflicts of interest among authors of medical guidelines: an analysis of guidelines produced by German specialist societies. *Dtsch Arztebl Int* 2012; 109: 836–42.
3. Institute of Medicine of the National Academies: Clinical Practice Guidelines We Can Trust. www.iom.edu/~media/Files/Report%20Files/2011/Clinical-Practice-Guidelines-We-Can-Trust/Clinical%20Practice%20Guidelines%202011%20Insert.pdf (last accessed on 27 September 2013).
4. Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF) – Ständige Kommission Leitlinien: Das AWMF-Regelwerk Leitlinien. www.awmf.org/leitlinien/awmf-regelwerk.html (last accessed on 27 September 2013).

Dr. med. Markus Follmann MPH MSc

Bereichsleiter Leitlinien und EbM, Deutsche Krebsgesellschaft, Berlin
follmann@krebsgesellschaft.de

Conflict of interest statement

The author declares that no conflict of interest exists.

In Reply:

The correspondents’ letters relate to the second part of our publication (1), in which we investigated possible effects of financial ties of guideline authors with pharmaceutical companies—using as our example the S3 guideline on the treatment of psoriasis with efalizumab. All comments were submitted by colleagues who were directly or indirectly involved in developing this guideline.

In response to the criticism expressed by Dr Nast and Professor Rzany, we wish to point out that, according to NICE, technology appraisals (TAs) are “recommendations on the use of new and existing medicines and treatments” (<http://guidance.nice.org.uk/TA>); in implementing these appraisals, clinicians have to take into consideration a patient’s individual circumstances (www.nice.org.uk/nicemedia/pdf/TA104guidance.pdf). In the same way as S3 guidelines, TAs are developed following the principles of evidence based medicine (EBM). In our opinion, therefore, the guidance is comparable to an S3 guideline. The focus of our work was not the evaluation of efalizumab compared with etanercept, but the differing evaluations of efalizumab in two guidelines whose authors had financial ties to pharmaceutical manufacturers (S3) or not (NICE guidance). The members of the guideline committee at NICE did not have competing interests, but invited guests at a hearing did (www.nice.org.uk/niceMedia/pdf/TAC_110505_confirmed.pdf). We do not criticize the inclusion of experts with competing interests with regard to targeted questions. They should, however, not be included in any balloting. In our comparison we aimed to restrict ourselves to independent guidelines that provide clinical recommendations. For this reason we did not consider the guideline from the British Association of Dermatologists (whose authors have manifold competing interests), nor the Health

Technology Assessment report from DIMDI (no clinical recommendations regarding efalizumab).

Our invitation to have a discussion with the authors of the S3 guideline, which we extended in 2011 after presenting some of our results at the EBM conference in Berlin, still stands, of course.

In response to Prinz and Streit: in contrast to the S3 guideline, the NICE guidance describes, in a neutral fashion, study results regarding a questionnaire that aims to collect data on quality of life in skin disorders (Dermatology Life Quality Index, DLQI), which has been subject to criticism (www.nature.com/jid/journal/v132/n1/pdf/jid2011238a.pdf). With regard to previously treated patients, the NICE guidance includes an expert opinion that relates to the patients included in the studies.

In response to Strömer and Reusch, we wish to point out that we think that an association between the publication of the guideline and the increase in the use of efalizumab is entirely within the realm of the possible. The dissertation in which the S3 guideline was evaluated under the supervision of the leading guideline authors includes a pertinent discussion. Regarding the use of efalizumab in psoriatic arthritis, a self critical comment says: “[...] in this aspect, the guideline’s recommendations will have to be made even clearer” (2).

We did not “arbitrarily” select the psoriasis guideline, as Follmann suspects. The background was the heterogeneous prescribing behavior among dermatologists with regard to efalizumab, which became obvious from cost effectiveness audits as well as from their own statements. And all this at a time when efalizumab was still on the market, and without any knowledge of the numerous industrial ties of the authors.

Follmann emphasizes—as does Kopp in her editorial (3)—that the guideline under study was published in 2006. The AWMF published its recommendations for handling conflicts of interest in April 2010. Recent studies have shown that these recommendations are still not being put into practice to a sufficiently high extent and that the handling of declared conflicts of interest is not unequivocally regulated (4, 5).

Even in the current version of the psoriasis guideline, published in 2011, the AWMF recommendations were followed to an unsatisfactory degree (www.psoriasis-leitlinie.de/uploads/pdf/Pso_LL_COI.pdf):

- The majority of authors report numerous ties to pharmaceutical manufacturers.
- The authors themselves confirm, however, that in their opinion, this does not result in any conflicts of interest.
- The project manager of the guideline is an expert who declares acting as a consultant to the pharmaceutical industry.

A “critical consultancy”, such as mentioned by Kaufmann, is an illusion, in our opinion (6).

In conclusion, we wish to mention a recent publication that presents eight criteria that may serve as warning signs of biases of guideline recommendations (7). These include:

- The sponsor is a specialty society that receives substantial financial funding from the pharmaceutical industry;
- Several members of the guideline groups have financial conflicts of interest;
- The guideline has not been externally validated.

We think that adhering to these criteria is important in order to avoid negative effects of financial conflicts of interest on the quality of guidelines and in order to simultaneously establish an independent guideline culture, which focuses primarily on the patients’ benefit.

DOI: 10.3238/arztebl.2014.0037b

REFERENCES

1. Schott G, Dünneberger C, Mühlbauer B, Niebling W, Pacht H, Ludwig WD: Does the pharmaceutical industry influence guidelines? Two examples from Germany. *Dtsch Arztebl Int* 2013; 110(35–36): 575–83.
2. Hofelich V: Ergebnisse zur Evaluation der S3-Leitlinie zur Therapie der Psoriasis vulgaris in Deutschland: www.diss.fu-berlin.de/diss/servlets/MCRFileNodeServlet/FUDISS_derivate_000000006571/Promotion_online.pdf. Dissertation; Klinik für Dermatologie, Venerologie und Allergologie der Medizinischen Fakultät Charité – Universitätsmedizin Berlin, Januar 2010 (last accessed: 1 November 2013).
3. Kopp I: Conflicts of interest—an ever present challenge. *Dtsch Arztebl Int* 2013; 110(35–36): 573–4.
4. Langer T, Conrad S, Fishman L, et al.: Conflicts of interest among authors of medical guidelines: an analysis of guidelines produced by german specialist societies. *Dtsch Arztebl Int* 2012; 109: 836–42.
5. Schmutz S: Angaben zu Interessenkonflikten in Leitlinien der AWMF. Masterarbeit im Weiterbildenden Masterstudiengang „Master of Public Health“, Berlin School of Public Health, Charité – Universitätsmedizin Berlin, vorgelegt am 31. Mai 2013.
6. Sisonondo S, Doucet M: Publication ethics and the ghost management of medical publication. *Bioethics* 2010; 24: 273–83.
7. Lenzer J, Hoffman JR, Furberg CD, Ioannidis JP, Guideline Panel Review Working Group: Ensuring the integrity of clinical practice guidelines: a tool for protecting patients. *BMJ* 2013; 347: f5535.

Dr. med. Gisela Schott

Dipl.-Biol. Henry Pacht

Prof. Dr. med. Wolf-Dieter Ludwig

Arzneimittelkommission der deutschen Ärzteschaft, Berlin
gisela.schott@akdae.de

Claudia Dünneberger, MPH

Berlin School of Public Health, Charité, Universitätsmedizin Berlin

Prof. Dr. med. Bernd Mühlbauer

Institut für Pharmakologie, Klinikum Bremen-Mitte gGmbH

Prof. Dr. med. Wilhelm Niebling

Lehrbereich Allgemeinmedizin, Albert-Ludwigs-Universität Freiburg i. Breisgau

Prof. Dr. med. Wolf-Dieter Ludwig

Klinik für Hämatologie, Onkologie und Tumorummunologie, HELIOS Klinikum Berlin-Buch

Conflict of interest statement

Dr. Schott is employed by Arzneimittelinformationsdienst AID e.V.

Ms. Dünneberger, M.P.H., has an employment relationship with the German Private Health Insurance Association (Verband der privaten Krankenversicherung).

Mr. Pacht, Dipl.-Biol., is employed by Arzneimittelinformationsdienst AID e.V.

Prof. Mühlbauer, Prof. Niebling, and Prof. Ludwig state that they have no conflicts of interest.