such in our article. The purpose of our pilot study was to ascertain the role of this modality in imaging decision making for established hepatic focal lesions.

REFERENCES

1. Joshi P, George RA, Tyagi AK, Sinha A. Efficacy of contrast enhanced grey scale ultrasound in characterisation of hepatic focal lesions: a pilot study. *Med J Armed Forces India*. 2014;70: 230–236.
2. Trillaud H, Bruel JM, Valette PJ, et al. Characterization of focal liver lesions with SonoVue®-enhanced sonography: International multicenter-study in comparison to CT and MRI. *World J Gastroenterol*. 2009;15:3748–3756.

Surg Cdr P. Joshi
Classified Specialist (Radiodiagnosis), INHS Asvini, Colaba,
Mumbai, 400005, India
E-mail address: piyushjoshi@hotmail.com

Available online 18 October 2014

DOI of original article: <http://dx.doi.org/10.1016/j.mjafi.2014.08.017>

0377-1237/\$ – see front matter
© 2014, Armed Forces Medical Services (AFMS). All rights reserved.
<http://dx.doi.org/10.1016/j.mjafi.2014.09.008>

Letter to the Editor

Dear Editor,

I read with great interest the article on 'Patient satisfaction with services of the outpatient department' by Mohd Athar et al published in *Med J Armed Forces India* 2014; 70: 237–242.¹ Patient satisfaction as a marker of care outcome has been recognized and accepted and several services hospitals are recording and monitoring satisfaction data as routine procedure.

Various survey instruments are available in published literature and one study instrument has been developed and utilized by the authors in the present study. However, a question remains as to the applicability of this instrument in the entire AFMS and psychometric properties of the instrument utilized.

Case –mix adjustment is vital for valid comparisons to be made across hospital networks or with predetermined performance measures and the same would have added more value to the study.

There are doubts about point-of-service date collection adopted in the study, as objectivity of patient responses may be compromised by apprehensions among patient population in service hospitals due to absence of alternative service options. Follow-up survey via mail or telephone could have been

a better option for the study and may have yielded results with higher validity.

REFERENCES

1. Mohd Athar, Chakravarty A. Patient satisfaction with services of the outpatient department. *Med J Armed Forces India*. 2014;70: 237–242.

Col B.C. Nambiar
Senior Registrar & OC Tps, Military Hospital Jhansi,
C/o 56 APO, India
E-mail address: bcnamby@yahoo.co.in

Available online 11 October 2014

DOI of original article: <http://dx.doi.org/10.1016/j.mjafi.2013.06.010>

0377-1237/\$ – see front matter
© 2014, Armed Forces Medical Services (AFMS). All rights reserved.
<http://dx.doi.org/10.1016/j.mjafi.2014.09.003>

Reply

Dear Editor,

We would like to thank the reader for the valuable comments on article titled "Patient satisfaction with services of the outpatient department".¹

The study instrument was developed based on the guidance taken from various validated instruments available in published literature and has a high Cronbach's alpha coefficient value of 0.96, thus indicating high internal consistency of the instrument. However, Principal Component analysis with