HIV Research for Prevention
HIV R4P Abstracts
28–31 October, 2014
Cape Town, South Africa

Oral Abstract Sessions

B Cell Immunogen Design	A7–A9
Microbicides: Male Partner Engagement and Sexual Behaviors.....	A9–A11
Animal Model Studies of Microbicides and Injectables.....	A11–A14
Innate Immunity.....	A14–A16
Vaccine, Viral Latency, and Cure	A16–A19
B Cell Repertoires for Protection	A19–A21
Risk and Prevention for MSM.....	A21–A24
Correlates of Protection and Exposure.....	A24–A26
Engaging, Recruiting and Retaining Trial Participants	A26–A29
Bacterial Vaginosis and HSV-2: Impact on Genital Immunity	A29–A31
Vaccine Development: Emerging Insights.....	A31–A34
Towards Broadly Neutralizing Antibody Induction.....	A34–A36
ARV Exposure & Efficacy in the Genital Tract	A36–A39
Host Factors: Injury, Acquisition and Infection.....	A39–A41
PrEP and Microbicide Adherence in Women	A41–A44
Novel Vaccine Concepts	A44–A46
Mucosal Target and Effector Cells.....	A46–A48
Evaluation of Novel Interventions	A49–A51
Good Participatory Practices in HIV Prevention	A51–A53
Reproductive Hormones and HIV Risk.....	A53–A55
Viral Transmission Studies.....	A55–A58
Cell and Tissue Models of ARVs for Prevention	A58–A60
Pregnancy Intentions, Safe Conception and PMTCT	A60–A62
Mucosal Responses.....	A62–A64
Adjuvants and Immunogens	A64–A67
Microbicides and Multipurpose Prevention Technologies	A67–A69
PrEP: Self-testing, Safety and Modeling.....	A69–A71
Treating and Preventing: The Role of ARVs.....	A71–A74
T Cell Immunity	A74–A76
Antibody Functions and Protection	A76–A79

Poster Discussions

Community Engagement and Advocacy	A80–A82
Correlates of Protection in Highly Exposed Seronegative People	A82–A83
Preclinical and Clinical Vaccine Trials.....	A84–A86
Behavioral and Social Sciences.....	A86–A88
Glycans and Antibody Effector Functions	A88–A90
Policy, Advocacy and Modeling	A90–A92

Poster Presentation Themes

Acute Seroconversion.....	A93–A94
Community Engagement and Advocacy.....	A94–A97
Correlates of Protection and Exposure.....	A97–A100
Correlates of Protection in Highly Exposed Seronegative People	A100
Family Planning.....	A100–A103
Financial Incentives.....	A103–A105
Good Participatory Practices and Community Involvement.....	A105–A108
HIV Care.....	A108–A109
HIV Testing and Counseling.....	A110–A117
Immunogens.....	A117–A122
Informed Consent	A122–A124
Innate Immunity.....	A124–A130
Key Populations.....	A130–A137
MPT Development.....	A137–A141
Novel Formulations, Agents and Microbicides.....	A141–A151
Passive Antibody Functions	A151–A155
Post-exposure Prophylaxis.....	A155
Preclinical Evaluation of Vaginal Films and Gels.....	A155–A158
PrEP Implementation.....	A158–A161
PrEP: Resistance, Modeling and Acceptability	A161–A162
Product Acceptability and Adherence.....	A163–A164
Resistance and Treatment Failure	A164–A166
Retention and Adherence in Trials.....	A166–A173
T-Cell (CD4 & CD8) Responses.....	A173–A181
Transmission and Viral Diversity.....	A181–A185
Vaccine Clinical Trials.....	A185–A193
Adjuvants.....	A194–A196
Behavioral and Social Sciences.....	A196
Circumcision and Acceptability	A196–A199
Condoms: Attitudes, Use and How to Increase	A199–A201
Drug Transporters.....	A201–A202
Ethics and the Law	A202–A203
Evaluation of Novel Compounds in Cell-Based Systems.....	A203–A207
Glycans and Antibody Effector Functions	A207–A212
HIV Drug Resistance <i>In Vitro</i>	A212–A213
HIV Incidence and Prevalence	A213–A217
Immunogenetics.....	A217–A220
Innovations in Vaccine and Microbicides Studies in Lab and Monitoring	A220–A223
Molecular Epidemiology	A223–A228
Mucosal Immune Activation and Inflammation	A228–A240
Novel Vaccine and Prevention Concepts	A240–A251
Participation in Trials: Willingness, Benefits and Challenges.....	A251–A255
Policy, Advocacy and Modeling	A255–A260
Preclinical Evaluation of Biomedical Agents in Animal Models Tissues Explants	A261–A265
Pregnancy and PMTCT	A265–A268
PrEP Trials: Preparing for Demos, Participant Experiences	A268–A271
Resource Tracking and Economics	A271–A273

Risk Perception	A273–A276
Sexually Transmitted Infections	A276–A281
Tenofovir Gel: Acceptability and Adherence	A281–A284
Therapeutic Vaccine and Viral Latency	A284–A285
Treatment as Prevention: Initiation, Adherence, and Monitoring on ARV	A285–A289
Vaginal Rings: Baseline Characteristics, Impact on Condoms and Flora	A289–A290
Abstract Author Index	A292–A312

Oral Abstract Sessions

B Cell Immunogen Design

OA01.01

Structure-based Design of Trimeric V1V2 Antigens

Jason Gorman¹, Yongping Yang¹, Aliaksandr Druz¹, Ulrich Baxa², Peter D. Kwong¹

¹NIH/NIAID/VRC, Structural Biology Section, Bethesda, MD, United States, ²NIH/NCI, Cancer Research Technology Program, Frederick, MD, United States

Background: Broadly neutralizing antibodies (bNAbs) targeted against V1V2 of HIV-1 Env are among the most prevalent elicited by natural infection and require less somatic mutation than those targeting other sites, making antibodies of this class attractive targets of elicitation for an HIV-1 vaccine. The quaternary specificity exhibited by V1V2 bNAbs necessitates the development immunogens that effectively mimic the trimeric cap of the functional native spike.

Methods: Recent structural work has defined the trimeric orientation of the V1V2 domains at the apex of the viral spike, the V1V2 cap. This V1V2 trimeric supersite was transplanted onto heterologous trimeric scaffolds and screened for binding to quaternary specific antibodies.

Results: Here we present a trimeric V1V2 cap which recapitulates the quaternary alignment of the three V1V2 domains present in the native spike, as assessed by binding to quaternary specific V1V2-directed bNAbs. High throughput screening of over a hundred constructs revealed a single trimerization domain capable of presenting an appropriate mimic of the V1V2 cap. Antibody binding was observed to multiple strains transplanted onto the trimeric scaffold while gp120s of the same strain did not bind. The transplanted V1V2 construct was able to bind V1V2-bNAbs from multiple donors and importantly this trimeric construct bound only to a single fab as observed with V1V2-directed antibodies on the HIV-1 Spike.

Conclusions: Recent structural studies of HIV-1 trimers have provided data to allow rational design of quaternary supersite transplants onto scaffolds. High throughput screening with V1V2-directed antibodies identified a construct which presents the V1V2 cap in an antigenically similar manner to that observed with the BG505.SOSIP. The scaffolded protein provides a simplified, well behaved alternative for use as a probe and a candidate immunogen to focus the immune response on this specific epitope.

OA01.02

A Native Linked Soluble Trimer of the HIV-1 Spike Displaying Antigenic and Structural Mimetic Properties

Shailendra K. Sharma¹, Natalia de Val², Shridhar Bale³, Javier Guenaga¹, Andrew B. Ward², Richard T. Wyatt¹

¹IAVI Neutralizing Antibody Center at The Scripps Research Institute, Department of Immunology and Microbial Science,

La Jolla, CA, United States, ²The Scripps Research Institute, Department of Integrative Structural and Computational Biology, La Jolla, CA, United States, ³The Scripps Research Institute, Department of Immunology and Microbial Science, La Jolla, CA, United States

Background: Soluble mimetics of the HIV Env spike are of interest for structure/function studies and immunogenic analysis. The BG505 SOSIP trimers are the new structural gold standard, displaying an excellent antigenic profile, molecular homogeneity and stability, allowing 5–6 Å structural resolution. These trimers require furin co-expression, contain unnatural cysteines and are purified by 2G12-affinity chromatography. Many uncleaved gp140 trimers that maintain gp120-gp41 covalent linkage by mutation of the cleavage site are suboptimal in their structural organization, resulting in recognition by non-neutralizing mAbs.

Methods: Here, we describe covalent peptide linkage of gp120 to gp41 to create uncleaved but well-ordered trimers. The design rationale was to provide flexibility at the cleavage site to allow native rearrangement of gp120 and gp41 trimeric subunits mimicking the endogenous furin cleavage event. We began this process by using a flexible linker using one to three repeats of G₄S linking JRFL gp120 to gp41. Env deletion at residue 664 increased expression and an E168K mutation was added to restore PG9/16 recognition. The native flexible-linked (NFL) trimers were expressed in 293F cells and screened by a panel of trimer-preferring bNAbs.

Results: Little trimer-associated recognition was observed, but introduction of a I-to-P change in gp41 resulted in increased recognition by trimer-preferring bNAbs, especially with two repeats of the flexible linker. These trimers were purified by lectin-affinity and size-exclusion chromatography, followed by negative selection, to isolate well-ordered JRFL NFL trimers as confirmed by negative stain EM. Octet binding analysis revealed recognition by most bNAbs but low recognition by non-broad mAbs that was confirmed by EM 3D reconstructions of very well-ordered trimers.

Conclusions: “Uncleaved” JRFL gp140-NFL2P trimers mimic cleaved trimers in their antigenic properties and represent an exciting new soluble spike design potentially applicable to other Envs.

OA01.03

A Recombinant HIV Envelope Trimer Selects for Quaternary Dependent Antibodies Targeting the Trimer Apex

Devin Sok¹, Marit J. van Gils², Matthias Pauthner¹, Karen L. Saye-Francisco¹, Jessica Hsueh¹, Bryan Brinye¹, Jean-Philippe Julien¹, Peter S. Lee¹, Yuanzi Hua¹, John P. Moore³, Ian A. Wilson¹, Rogier W. Sanders², Dennis R. Burton⁴

¹Scripps Research Institute, La Jolla, CA, United States, ²University of Amsterdam, Academic Medical Center, Amsterdam, Netherlands, ³Weill Medical College of Cornell University, Department of Microbiology and Immunology, New York, CA, United States, ⁴Scripps Research Institute, Department of Immunology and Microbial Science, La Jolla, CA, United States

Background: Broadly neutralizing antibodies (bNAbs) targeting the trimer apex of HIV envelope (Env) are favored candidates