Published in final edited form as:

Blood Cells Mol Dis. 2010 October 15; 45(3): 246–265. doi:10.1016/j.bcmd.2010.07.012.

Hematologically important mutations: X-linked chronic granulomatous disease (third update)

Dirk Roos¹, Douglas B. Kuhns², Anne Maddalena³, Joachim Roesler⁴, Juan Alvaro Lopez⁵, Tadashi Ariga⁶, Tadej Avcin⁷, Martin de Boer¹, Jacinta Bustamante⁸, Antonio Condino-Neto⁹, Gigliola Di Matteo¹⁰, Jianxin He¹¹, Harry R. Hill¹², Steven M. Holland¹³, Caroline Kannengiesser¹⁴, M. Yavuz Köker¹⁵, Irina Kondratenko¹⁶, Karin van Leeuwen¹, Harry L. Malech¹⁷, László Marodi¹⁸, Hiroyuki Nunoi¹⁹, Marie-José Stasia²⁰, Anna Maria Ventura²¹, Carl T. Witwer¹², Baruch Wolach²², and John I. Gallin¹⁷

¹Sanquin Research, and Landsteiner Laboratory, Academic Medical Centre, University of Amsterdam, Plesmanlaan 125, 1066 CX, Amsterdam, The Netherlands ²SAIC-Frederick, Inc., NCI Frederick, Frederick, MD, USA ³GeneDx, Gaithersburg, MD, USA ⁴Dept of Pediatrics, University Hospital Carl Gustav Carus, Dresden, Germany ⁵School of Microbiology, University of Antioquia, Medellin, Colombia ⁶Dept of Pediatrics, Hokkaido University Graduate School of Medicine, Sapporo, Japan ⁷Department of Allergology, Rheumatology and Clinical Immunology, University Children's Hospital, Ljubljana, Slovenia ⁸Laboratory of Human Genetics of Infectious Diseases, INSERM, U550, and René Descartes University, Necker Medical School, Paris, France ⁹Dept of Immunology, Institute of Biomedical Sciences, University of São Paulo, São Paulo, Brazil ¹⁰Dept of Public Health and Cellular Biology, Tor Vergata University, Rome, Italy ¹¹Lung Function Lab, Pediatric Research Institute, Beijing Children' Hospital affiliated to Capital Medical University, Beijing, People's Republic of China ¹²Depts of Pathology, Pediatrics and Medicine, University of Utah, and the ARUP Institute for Clinical and Experimental Pathology, Salt Lake City, UT, USA ¹³Laboratory of Clinical Infectious Disease, National Institute of Allergy and Infectious Diseases, NIH, Bethesda, MD, USA ¹⁴Assistance Publique des Hôpitaux de Paris, Bichat-Claude Bernard Hospital, Hormonal Biochemistry and Genetic Service, Paris, F-75018, and INSERM, Biomedical Research Center Bichat-Beaujon, U773, Paris, F-75018, France ¹⁵Immunology Laboratory and Cappadocia Transplant Centre, University of Erciyes, Kayseri, Turkey ¹⁶Dept of Clinical Immunology, Russian Children's Clinical Hospital, Moscow, Russia ¹⁷Laboratory of Host Defenses, National Institute of Allergy and Infectious Diseases, NIH, Bethesda, MD, USA (HMALECH@niaid.nih.gov) ¹⁸Dept of Infectiology and Pediatric Immunology, Medical and Health Science Center, University of Debrecen, Debrecen, Hungary ¹⁹Dept of Reproductive and Developmental Medicine, Division of Pediatrics, Faculty of Medicine, University of Miyazaki, Miyazaki, Japan ²⁰Chronic Granulomatous Disease Diagnosis and Research Centre,

© 2010 Elsevier Inc. All rights reserved.

Correspondence: Dirk Roos, Ph.D., Sanquin Research, Plesmanlaan 125, 1066 CX Amsterdam, The Netherlands. Tel. 00-31-20-5123317, Fax 00-31-20-5123310, d.roos@sanquin.nl.

Publisher's Disclaimer: This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

University Hospital Grenoble, Therex-TIMC/Imag UMR CNRS 5525, University J. Fourier, Grenoble, France ²¹Department of Biomedicine of Development Age, University of Bari, Bari, Italy ²²Dept of Pediatrics and Laboratory for Leukocyte Function, Meir Medical Centre, Kfar Saba, Israel

Abstract

Chronic Granulomatous Disease (CGD) is an immunodeficiency disorder affecting about 1 in 250,000 individuals. The disease is caused by a lack of superoxide production by the leukocyte enzyme NADPH oxidase. Superoxide is used to kill phagocytosed micro-organisms in neutrophils, eosinophils, monocytes and macrophages. The leukocyte NADPH oxidase is composed of five subunits, of which the enzymatic component is gp91-*phox*, also called Nox2. This protein is encoded by the *CYBB* gene on the X chromosome. Mutations in this gene are found in about 70% of all CGD patients. This article lists all mutations identified in *CYBB* in the X-linked form of CGD. Moreover, apparently benign polymorphisms in *CYBB* are also given, which should facilitate the recognition of future disease-causing mutations.

Keywords

gp91^{phox}; chronic granulomatous disease; mutation; *CYBB*; NADPH oxidase; X-linked disease

The most common form of chronic granulomatous disease (CGD) is caused by mutations in the X-linked gene (*CYBB*, located at Xp21.1, OMIM *300481) for the protein gp91-*phox* (also known as Nox2). This protein is one of two subunits of flavocytochrome *b*₅₅₈ (the other is p22-*phox*) and is an essential component of the phagocyte NADPH oxidase system. In previous tables we listed 343 mutations in *CYBB* known to cause X-linked CGD (X91 CGD; OMIM #306400) (1). In the present, updated tables 338 newly identified mutations have been added (marked with * in the last column). Mutations that have not been previously published elsewhere are marked as “unpubl.”. Table 1 includes missense mutations, nonsense mutations, splice site mutations, deletions and insertions that have been precisely defined. Mutations that lead to missplicing of mRNA, whether nucleotide substitutions, insertions or deletions, have all been tabulated as splice-site mutations. Table 2 includes larger deletions affecting the gp91^{phox} gene, some of which also cause other diseases. Where possible we have cross-referenced the mutations indicated here with those in an X-CGD database that lists X91 CGD patients by accession number. This database contains additional biochemical, genetic and clinical information and is available at <http://www.uta.fi/imt/bioinfo/CYBBbase/>. Moreover, information can also be found in the HGMD database at <http://www.hgmd.cf.ac.uk/ac/search.php>. Additional information about these mutations and about CGD in general can also be found in recent reviews (2–6) and in the cited literature. An update article with the mutations causing the autosomal recessive forms of CGD has recently been published separately (7). Table 3 contains the known polymorphisms in *CYBB*. It is important to realize that SNPs and other sequence variants available on the internet are not necessarily functionally neutral. Table 4 summarizes the total number of kindreds with X-CGD patients included in this study, the total number of X-

CGD patients, the total number of different mutations and the total number of mutations unique for one kindred, arranged according to type of mutation.

We have used the standard notation for differentiating the various phenotypes of X-linked CGD, X91^o, X91⁻, and X91⁺, where the superscript denotes whether the level of gp91-*phox* protein is undetectable (^o), diminished (⁻) or normal (⁺), as determined by immunoblot analysis and/or spectral analysis. The designation X91[?] indicates that the level of gp91-*phox* protein expression has not been determined. The respective proteins can be non-functional, exert residual activity, or in case of (⁻) be fully functional. The nucleotide numbering system we have used is based on the cDNA sequence and follows the convention that +1 is the A of the ATG initiator codon. This differs from the numbering of the GenBank sequence, which starts at A-12 (subtract 12 from GenBank sequence number to make the initiator A +1). Moreover, GenBank incorrectly denotes Met65 as the start codon of protein translation. The notation of the mutations follows the recommendations of the Human Genome Variation Society (8) (see also www.hgvs.org/mutnomen). The consequences of the mutations for protein composition have been checked with the Mutalyzer program (www.lovd.nl/mutalyzer) (9).

Acknowledgements

We thank the CGD Research Trust, London, UK, for financial support. LM thanks B. Tóth (Debrecen) for helpful contribution to this work. ACN thanks Edgar Borges de Oliveira Jr, PhD, for excellent work, and Fundação de Amparo a Pesquisa do Estado de São Paulo for financial support (FAPESP, Grant 2005/59568). This work was supported in part by the Slovenian Research Agency (Grant L3-0624). CK thanks Prof. M.A. Gougerot-Pocidalo for performing Western blot analysis of NADPH oxidase subunits and measurement of respiratory burst in patients' polymorphonuclear neutrophils. DR thanks Dr. Paul Heyworth for providing information on unpublished mutations.

This project has been funded in part with federal funds from the National Cancer Institute, National Institutes of Health, under Contract No. HHSN261200800001E. The content of this publication does not necessarily reflect the views or policies of the Department of Health and Human Services, nor does mention of trade names, commercial products, or organizations imply endorsement by the U.S. Government.

References

1. Heyworth PG, Curnutte JT, Rae J, Noack D, Roos D, van Koppen E, Cross AR. Hematologically important mutations: X-linked chronic granulomatous disease (second update). *Blood Cells Mol Dis*. 2001; 27:16–26. [PubMed: 11162142]
2. Roos, D.; Kuijpers, TW.; Curnutte, JT. Chronic granulomatous disease. In: Ochs, HD.; Smith, CIE.; Puck, JM., editors. *Primary immunodeficiency diseases, a molecular and genetic approach*. 2nd edition. New York: Oxford University Press; 2007. p. 525-549.
3. Stasia MJ, Li XJ. Genetics and immunopathology of chronic granulomatous disease. *Semin Immunopathol*. 2008; 30:209–235. [PubMed: 18509647]
4. Martire B, Rondelli R, Soresina A, Pignata C, Broccoletti T, Finocchi A, Rossi P, Gattorno M, Rabusin M, Azzari C, Dellepiane RM, Pietrogrande MC, Trizzino A, Di Bartolomeo P, Martino S, Carpino L, Cossu F, Locatelli F, Maccario R, Pierani P, Putti MC, Stabile A, Notarangelo LD, Ugazio AG, Plebani A, De Mattia D. Clinical features, long-term follow-up and outcome of a large cohort of patients with chronic granulomatous disease: an Italian multicenter study. *Clin. Immunol*. 2008; 126:155–164. [PubMed: 18037347]
5. Jones LB, McGrogan P, Flood TJ, Gennery AR, Morton L, Thrasher A, Goldblatt D, Parker L, Cant AJ. Chronic granulomatous disease in the United Kingdom and Ireland: a comprehensive national patient-based registry. *Clin. Exp. Immunol*. 2008; 152:211–218. [PubMed: 18410635]

6. Van den Berg JM, van Koppen E, Åhlin A, Belohradsky BH, Bernatowska E, Corbeel L, Espanol T, Fischer A, Kurenko-Deptuch M, Mouy R, Petropoulou T, Roesler J, Seger R, Stasia MJ, Valerius NH, Weening RS, Wolach B, Roos D, Kuijpers TW. Chronic granulomatous disease: the European experience. *PLoS ONE*. 2009; 4:e5234. [PubMed: 19381301]
7. Roos D, Kuhns DB, Maddalena A, Bustamante J, Kannengiesser C, de Boer M, van Leeuwen K, Köker MY, Wolach B, Roesler J, Malech HL, Holland SM, Gallin JI, Stasia MJ. Hematologically important mutations: The autosomal recessive forms of chronic granulomatous disease (second update). *Blood Cells Mol. Dis.* 2010; 44:291–299. [PubMed: 20167518]
8. Den Dunnen JT, Antonarakis SE. Mutation nomenclature extensions and suggestions to describe complex mutations: a discussion. *Hum. Mutat.* 2000; 15:7–12. [PubMed: 10612815]
9. Wildeman M, van Ophuizen E, den Dunnen JT, Taschner PE. Improving sequence variant descriptions in mutation databases and literature using the Mutalyzer sequence variation nomenclature checker. *Hum. Mutat.* 2008; 29:6–13. [PubMed: 18000842]
10. Newburger PE, Skalnik DG, Hopkins PJ, Eklund EA, Curnutte JT. Mutations in the promoter region of the gene for gp91-*phox* in X-linked chronic granulomatous disease with decreased expression of cytochrome *b558*. *J. Clin. Invest.* 1994; 94:1205–1211. [PubMed: 8083361]
11. Roos D, De Boer M, Kuribayashi F, Meischl C, Weening RS, Segal AW, Åhlin A, Nemet K, Hossle JP, Bernatowska-Matuszkiewicz E, Middleton-Price H. Mutations in the X-linked and autosomal recessive forms of chronic granulomatous disease. *Blood*. 1996; 87:1663–1681. [PubMed: 8634410]
12. Rae J, Newburger PE, Dinanuer MC, Noack D, Hopkins PJ, Kuruto R, Curnutte JT. X-linked chronic granulomatous disease: Mutations in the *CYBB* gene encoding the gp91^{phox} component of the respiratory burst oxidase. *Am. J. Hum. Genet.* 1998; 62:1320–1331. [PubMed: 9585602]
13. Stasia MJ, Brion JP, Boutonnat J, Morel F. Severe clinical forms of cytochrome *b*-negative chronic granulomatous disease (X91) in 3 brothers with a point mutation oin the promoter region of *CYBB*. *J. Inf. Dis.* 2003; 188:1593–1603. [PubMed: 14624387]
14. Defendi F, Decleva E, Martel C, Dri P, Stasia MJ. A novel point mutation in the *CYBB* gene promoter leading to a rare $\times$ minus chronic granulomatous disease variant--impact on the microbicidal activity of neutrophils. *Biochim Biophys Acta*. 2009; 1792:201–210. [PubMed: 19708127]
15. Kuribayashi F, Kumatori A, Suzuki S, Nakamura M, Matsumoto T, Tsuji Y. Human peripheral eosinophils have a specific mechanism to express gp91-*phox*, the large subunit of cytochrome *b558*. *Biochem. Biophys. Res. Commun.* 1995; 209:146–152. [PubMed: 7726828]
16. Suzuki S, Kumatori A, Haagen I-A, Fujii Y, Sadat MA, Jun HL, Tsuji Y, Roos D, Nakamura M. PU. 1 as an essential activator for the expression of gp91^{phox} gene in human peripheral neutrophils, monocytes, and B lymphocytes. *Proc. Natl. Acad. Sci. (USA)*. 1998; 95:6085–6090. [PubMed: 9600921]
17. Ishibashi F, Nunoi H, Endo F, Matsuda I, Kanegasaki S. Statistical and mutational analysis of chronic granulomatous disease in Japan with special reference to gp91^{phox} and p22^{phox} deficiency. *Hum. Genet.* 2000; 106:473–481.
18. Weening RS, De Boer M, Kuijpers TW, Neefjes VM, Hack WW, Roos D. Point mutations in the promoter region of the *CYBB* gene leading to mild chronic granulomatous disease. *Clin. Exp. Immunol.* 2000; 122:410–417. [PubMed: 11122248]
19. Roos D, Curnutte JT, Hossle JP, Lau YL, Ariga T, Nunoi H, Dinanuer MC, Gahr M, Segal AW, Newburger PE, Giacca M, Keep NH, van Zwieten R. X-CGDbase: A database of X-CGD-causing mutations. *Immunol. Today*. 1996; 17:517–521. [PubMed: 8961628]
20. Di Matteo G, Giordani L, Finocchi A, Ventura A, Chiriaco M, Blancato J, Sinibaldi C, Plebani A, Soresina A, Pignata C, Dellepiane RM, Trizzino A, Cossu F, Rondelli R, Rossi P, De Mattia D, Martire B. Molecular characterization of a large cohort of patients with chronic granulomatous disease and identification of novel *CYBB* mutations: an Italian multicenter study. *Mol. Immunol.* 2009; 46:1935–1941. [PubMed: 19410294]
21. Vieira AP, Vasconcelos J, Fernandes JC, Antunes H, Basto AS, Macedo C, Zaman A, Santos E, Melo JC, Roos D. Lymphadenopathy after BCG vaccination in a child with chronic granulomatous disease. *Pediatr. Dermatol.* 2004; 21:646–651. [PubMed: 15575848]

22. Wolach B, Gavrieli R, de Boer M, Gottesman G, Ben-Ari J, Rottem M, Schlesinger Y, Grisaru-Soen G, Etzioni A, Roos D. Chronic granulomatous disease in Israel: clinical, functional and molecular studies of 38 patients. *Clin. Immunol.* 2008; 129:103–114. [PubMed: 18708296]
23. Kannengiesser C, Gérard B, El Benna J, Henri D, Kroviarski Y, Chollet-Martin S, Gougerot-Pocidallo MA, Elbim C, Grandchamp B. Molecular epidemiology of chronic granulomatous disease in a series of 80 kindreds: identification of 31 novel mutations. *Hum. Mutat.* 2008; 29:E132–E149. [PubMed: 18546332]
24. Oh HB, Park JS, Lee W, Yoo SJ, Yang JH, Oh SY. Molecular analysis of X-linked chronic granulomatous disease in five unrelated Korean patients. *J. Korean Med. Sci.* 2004; 19:218–222. [PubMed: 15082894]
25. Dusi S, Nadalini KA, Donini M, Zentilin L, Wientjes FB, Roos D, Giacca M, Rossi F. Nicotinamide adenine dinucleotide phosphate oxidase assembly and activation in EBV-transformed B lymphoblastoid cell lines of normal and chronic granulomatous disease patients. *J. Immunol.* 1998; 161:4968–4974. [PubMed: 9794433]
26. Roesler J, Heyden S, Burdelski M, Schäfer H, Kreth HW, Lehmann R, Paul D, Marzahn J, Gahr M, Rösen-Wolff A. Uncommon missense and splice mutations and resulting phenotypes in German patients with X-linked chronic granulomatous disease. *Exp. Hematol.* 1999; 27:505–511. [PubMed: 10089913]
27. von Goessel H, Hossle JP, Seger R, Gungor T. Characterization of 17 new cases of X-linked chronic granulomatous disease with seven novel mutations in the *CYBB* gene. *Exp. Hematol.* 2006; 34:528–535. [PubMed: 16569599]
28. Markelj G, Debeljak M, Pašić S, Čižnár P, Janda A, Freiburger T, Šedivá A, Avčin T. Molecular analysis in 25 patients with chronic granulomatous disease from Central/Eastern Europe and characterization of nine novel mutations in the *CYBB* gene. *Clin. Exp. Immunol.* 2008; 154(Suppl. 1):148–149.
29. Hill HR, Augustine NH, Pryor RJ, Reed GH, Bagnato JD, Tebo AE, Bender JM, Pasi BM, Chinen J, Hanson IC, de Boer M, Roos D, Wittwer CT. Rapid genetic analysis of X-linked chronic granulomatous disease by high-resolution melting. *J. Mol. Diagn.* 2010; 12:368–376. [PubMed: 20228266]
30. Kim JG. Overly-specific mutation of the gp91-*phox* gene in chronic granulomatous disease. *Clin. Exp. Immunol.* 2008; 154202(Suppl.1) (Abstr. A083).
31. Condino-Neto A, Newburger PE. Interferon-gamma improves splicing efficiency of *CYBB* gene transcripts in an interferon-responsive variant of chronic granulomatous disease due to a splice site consensus region mutation. *Blood.* 2000; 95:3548–3554. [PubMed: 10828042]
32. De Boer M, Bolscher BGJM, Dinuer MC, Orkin SH, Smith CI, Åhlin A, Weening RS, Roos D. Splice site mutations are a common cause of X-linked chronic granulomatous disease. *Blood.* 1992; 80:1553–1558. [PubMed: 1520880]
33. Lee PP, Chan KW, Jiang L, Chen T, Li C, Lee TL, Mak PH, Fok SF, Yang X, Lau YL. Susceptibility to mycobacterial infections in children with X-linked chronic granulomatous disease: a review of 17 patients living in a region endemic for tuberculosis. *Pediatr. Infect. Dis. J.* 2008; 27:224–230. [PubMed: 18277931]
34. Roos, D. The molecular basis of chronic granulomatous disease. In: Gupta, S.; Griscelli, C., editors. *New concepts in immunodeficiency diseases*. Chichester, U.K: J. Wiley; 1993. p. 311
35. Stasia MJ, Bordigoni P, Floret D, Brion JP, Bost-Bru C, Michel G, Gatel P, Durant-Vital D, Voelckel MA, Li XJ, Guillot M, Maquet E, Martel C, Morel F. Characterization of six novel mutations in the *CYBB* gene leading to different sub-types of X-linked chronic granulomatous disease. *Hum. Genet.* 2005; 116:72–82. [PubMed: 15538631]
36. Glaser J, Gahr M, Munnethal A, Mann O, von Eiff M, Pausch J. [Chronic granulomatosis: a rare differential diagnosis in liver granulomas in adulthood] *Dtsch. Med. Wochenschr.* 1995; 120:646–648.
37. Curnutte JT. Chronic granulomatous disease: the solving of a clinical riddle at the molecular level. *Clin. Immunol. Immunopathol.* 1993; 67:S2–S15. [PubMed: 8500277]
38. Agudelo-Flórez P, Prando-Andrade CC, López JA, Costa-Carvalho BT, Quezada A, Espinosa FJ, de Souza Paiva MA, Roxo P Jr, Grumach A, Jacob CA, Carneiro-Sampaio MM, Newburger PE,

- Condino-Neto A. Chronic granulomatous disease in Latin American patients: clinical spectrum molecular genetics *Pediatr. Blood Cancer*. 2006; 46:243–252.
39. Gérard B, El Benna J, Alcain F, Gougerot-Pocidalo MA, Grandchamp B, Chollet-Martin S. Characterization of 11 novel mutations in the X-linked chronic granulomatous disease (*CYBB* gene). *Hum. Mutat*. 2001; 18:163–166. [PubMed: 11462241]
 40. Wolach B, Scharf Y, Gavrieli R, de Boer M, Roos D. Unusual late presentation of X-linked chronic granulomatous disease in an adult female with a somatic mosaic for a novel mutation in *CYBB*. *Blood*. 2005; 105:61–66. [PubMed: 15308575]
 41. Jirapongsananuruk O, Niemela JE, Malech HL, Fleisher TA. *CYBB* mutation analysis in X-linked chronic granulomatous disease. *Clin. Immunol*. 2002; 104:73–76. [PubMed: 12139950]
 42. Barese C, Copelli S, Zandomeni R, Oleastro M, Zelazko M, Rivas EM. X-linked chronic granulomatous disease: first report of mutations in patients of Argentina. *J. Pediatr. Hematol. Oncol*. 2004; 26:656–660. [PubMed: 15454837]
 43. Curnutte, JT.; Orkin, SH.; Dinuer, MC. Genetic disorders of phagocyte function. In: Stamatyannopoulos, G.; Nienhuis, AW.; Majerus, PW.; Varmus, H., editors. *The molecular basis of blood diseases*. Philadelphia: W.B Saunders; 1994. p. 493
 44. Ariga T, Furuta H, Cho K, Sakiyama Y. Genetic analysis of 13 families with X-linked chronic granulomatous disease reveals a low proportion of sporadic patients and a high proportion of sporadic carriers. *Pediatr. Res*. 1998; 44:85–92. [PubMed: 9667376]
 45. Cross AR, Heyworth PG, Rae J, Curnutte JT. A variant X-linked chronic granulomatous disease patient (X91⁺) with partially functional cytochrome *b*. *J Biol. Chem*. 1995; 270:8194–8200. [PubMed: 7713925]
 46. Cross AR, Heyworth PG, Rae J, Curnutte JT. Correction to: A variant X-linked chronic granulomatous disease patient (X91⁺) with partially functional cytochrome *b*. *J. Biol. Chem*. 1995; 270:17056.
 47. Roos D. The genetic basis of chronic granulomatous disease. *Immunol. Rev*. 1994; 138:121–157. [PubMed: 8070813]
 48. Thrasher AJ, Keep NH, Wientjes F, Segal AW. Chronic granulomatous disease. *Biochim. Biophys. Acta*. 1994; 1227:1–24. [PubMed: 7918677]
 49. Porter CD, Kuribayashi F, Parkar MH, Roos D, Kinnon C. Detection of gp91-*phox* precursor protein in B-cell lines from patients with X-linked chronic granulomatous disease as an indicator for mutations impairing cytochrome *b*₅₅₈ biosynthesis. *Biochem J*. 1996; 315:571–575. [PubMed: 8615831]
 50. Ariga T, Sakiyama Y, Tomizawa K, Imajoh-Ohmi S, Kanegasaki S, Matsumoto S. A newly recognized point mutation in the cytochrome *b*₅₅₈ heavy chain gene replacing alanine⁵⁷ by glutamic acid, in a patient with cytochrome *b* positive X-linked chronic granulomatous disease. *Eur. J. Pediatr*. 1993; 152:469–472. [PubMed: 8101486]
 51. Bolscher BGJM, De Boer M, De Klein A, Weening RS, Roos D. Point mutations in the β -subunit of cytochrome *b*₅₅₈ leading to X-linked chronic granulomatous disease. *Blood*. 1991; 77:2482–2487. [PubMed: 1710153]
 52. Curnutte, JT. Disorders of phagocyte function. In: Hoffman, R.; Benz, EJ., Jr; Shattil, SJ.; Furie, B.; Cohen, HJ.; Silberstein, LE., editors. *Hematology: basic principles and practice*. New York: Churchill Livingstone; 1995. p. 792
 53. Teimourian S, Rezvani Z, Badalzadeh M, Kannengiesser C, Mansouri D, Movahedi M, Zomorodian E, Parvaneh N, Mamishi S, Pourpak Z, Moin M. Molecular diagnosis of X-linked chronic granulomatous disease in Iran. *Int. J. Hematol*. 2008 May; 87:398–404. [PubMed: 18322777]
 54. Nanda A, Romanek R, Curnutte JT, Grinstein S. Assessment of the contribution of the cytochrome *b* moiety of the NADPH oxidase to the transmembrane H⁺ conductance of leukocytes. *J. Biol. Chem*. 1994; 269:27280–27285. [PubMed: 7525551]
 55. Hui YF, Chan SY, Lau YL. Identification of mutations in seven Chinese patients with X-linked chronic granulomatous disease. *Blood*. 1996; 88:4021–4028. [PubMed: 8916969]

56. Jurkowska M, Kurenko-Deptuch M, Bal J, Roos D. The search for a genetic defect in Polish patients with chronic granulomatous disease. *Arch. Immunol. Ther. Exp. (Warsz)*. 2004; 52:441–446. [PubMed: 15577746]
57. Khaldi H, Marchand-Adam S, Kannengiesser C, Fabre A, Debray MP, Danel C, Gougerot-Pocidal MA, El Benna J, Humbert M, Aubier M, Crestani B. *Eur. Respir. J.* 2009; 33:1498–1502. [PubMed: 19483051]
58. Brunner J, Dockter G, Rösen-Wolff A, Roesler J. X-linked chronic granulomatous disease (CGD) caused by an intra-exonic splice mutation (*CYBB* exon 3, c.262G->A) is mimicking juvenile sarcoidosis. *Clin. Exp. Rheumatol.* 2007; 25:336–338. [PubMed: 17543165]
59. Lewis EM, Singla M, Sergeant S, Koty PP, McPhail LC. X-linked chronic granulomatous disease secondary to skewed $\times$ chromosome inactivation in a female with a novel *CYBB* mutation and late presentation. *Clin. Immunol.* 2008; 129:372–380. [PubMed: 18774749]
60. Brouha B, Meischl C, Ostertag E, de Boer M, Zhang Y, Neijens H, Roos D, Kazazian HH Jr. Evidence consistent with human L1 retrotransposition in maternal meiosis I. *Am. J. Hum. Genet.* 2002; 71:327–336. [PubMed: 12094329]
61. Patiño PJ, Perez JE, Lopez JA, Condino-Neto A, Grumach AS, Botero JH, Curnutte JT, García de Olarte D. Molecular analysis of chronic granulomatous disease caused by defects in *gp91-phox*. *Hum. Mutat.* 1999; 13:29–37. [PubMed: 9888386]
62. Vilaiphan P, Chatchatee P, Ngamphaiboon J, Tongkobpetch S, Suphapeetiporn K, Shotelersuk V. Nonsense mutations of the *CYBB* gene in two Thai families with X-linked chronic granulomatous disease. *Asian Pac. J. Allergy Immunol.* 2007; 25:243–247. [PubMed: 18402298]
63. Tsuda M, Kaneda M, Sakiyama T, Inana I, Owada M, Kiryu C, Shiraishi T, Kakinuma K. A novel mutation at a probable heme-binding ligand in neutrophil cytochrome *b558* in atypical X-linked chronic granulomatous disease. *Hum. Genet.* 1998; 103:377–381. [PubMed: 9856476]
64. Kaneda M, Sakubara H, Ohtake A, Nishida A, Kiryu C, Kakinuma K. Missense mutations in the *gp91^{phox}* gene encoding cytochrome *b558* in patients with cytochrome *b* positive and negative X-linked chronic granulomatous disease. *Blood.* 1999; 93:2098–2104. [PubMed: 10068684]
65. Chollet-Martin S, Lopez A, Gaud C, Henry D, Stos B, El Benna J, Chedevile G, Gendrel D, Gougerot-Pocidal MA, Grandchamp B, Gérard B. Severe X-linked chronic granulomatous disease in two unrelated females. *Eur. J. Pediatr.* 2007; 166:153–159. [PubMed: 17089090]
66. Lun A, Roesler J, Renz H. Unusual late onset of X-linked chronic granulomatous disease in an adult woman after unsuspecting childhood. *Clin. Chem.* 2002; 48:780–781. [PubMed: 11978610]
67. Ariga T, Sakiyama Y, Furuta H, Matsumoto S. Molecular genetic studies of two families with X-linked chronic granulomatous disease: mutation analysis definitive determination of carrier status in patient's sisters. *Eur. J. Haematol.* 1994; 52:99–102. [PubMed: 7907031]
68. Noack D, Heyworth PG, Newburger PE, Cross AR. An unusual intronic mutation in the *CYBB* gene giving rise to chronic granulomatous disease. *Biochim. Biophys. Acta.* 2001; 1537:125–131. [PubMed: 11566256]
69. Bustamante J, Aksu G, Vogt G, de Beaucoudrey L, Genel F, Chappier A, Filipe-Santos O, Feinberg J, Emile JF, Kutukculer N, Casanova JL. BCG-osis and tuberculosis in a child with chronic granulomatous disease. *J. Allergy Clin. Immunol.* 2007; 120:32–38. [PubMed: 17544093]
70. Meischl C, de Boer M, Åhlin A, Roos D. A new exon created by intronic insertion of a rearranged LINE-1 element as the cause of chronic granulomatous disease. *Eur. J. Hum. Genet.* 2000; 8:697–703. [PubMed: 10980575]
71. Jendrossek V, Ritzel A, Neubauer B, Heyden S, Gahr M. An in-frame triplet deletion within the *gp91-phox* gene in an adult X-linked chronic granulomatous disease patient with residual NADPH-oxidase activity. *Eur. J. Haematol.* 1997; 58:78–85. [PubMed: 9111587]
72. Yamada M, Suzuki Y, Fukumura S, Miyazaki T, Ikeda H, Okura Y, Takezaki S, Kawamura N, Ariga T. Somatic mosaicism detected in two patients with X-linked chronic granulomatous disease. *Clin. Exp. Immunol.* 2008; 154(Suppl. 1):153. [PubMed: 18778361]
73. Rump A, Rösen-Wolff A, Gahr M, Seidenberg J, Roos C, Walter L, Günther V, Roesler J. A splice-supporting intronic mutation in the last bp position of a cryptic exon within intron 6 of the *CYBB* gene induces its incorporation into the mRNA causing chronic granulomatous disease (CGD). *Gene.* 2006; 371:174–181. [PubMed: 16516412]

74. Noack D, Heyworth PG, Curnutte JT, Rae J, Cross AR. A novel mutation in the *CYBB* gene resulting in an unexpected pattern of exon skipping and chronic granulomatous disease. *Biochim. Biophys. Acta.* 1999; 1454:270–274. [PubMed: 10452961]
75. Rabbani H, De Boer M, Åhlin A, Sundin U, Elinder G, Hammarström L, Palmblad J, Smith CI, Roos D. A 40-base-pair duplication in the *gp91-phox* gene leading to X-linked chronic granulomatous disease. *Eur. J. Haematol.* 1993; 51:218–222. [PubMed: 7694872]
76. Curnutte JT, Hopkins PJ, Kuhl W, Beutler E. Studying $\times$ inactivation. *Lancet.* 1992; 339:749. [PubMed: 1347621]
77. Lee WI, Jaing TH, Hsieh MY, Kuo ML, Lin SJ, Huang JL. Distribution, infections, treatments and molecular analysis in a large cohort of patients with primary immunodeficiency diseases (PIDs) in Taiwan. *J. Clin. Immunol.* 2006; 26:274–283. [PubMed: 16783466]
78. Köker MY, Sanal O, De Boer M, Tezcan I, Metin A, Ersoy F, Roos D. Mutations of chronic granulomatous disease in Turkish families. *Eur. J. Clin. Invest.* 2007; 37:589–595. [PubMed: 17576211]
79. Bu-Ghanim HN, Segal AW, Keep NH, Casimir CM. Molecular analysis in three cases of X91 variant chronic granulomatous disease. *Blood.* 1995; 86:3575–3582. [PubMed: 7579466]
80. Lin SJ, Huang YF, Chen JY, Heyworth PG, Noack D, Wang JY, Lin CY, Chiang BL, Yang CM, Liu CC, Shieh CC. Molecular quality control machinery contributes to the leukocyte NADPH oxidase deficiency in chronic granulomatous disease. *Biochim. Biophys. Acta.* 2002; 1586:275–286. [PubMed: 11997079]
81. Anderson-Cohen M, Holland SM, Kuhns DB, Fleisher TA, Ding L, Brenner S, Malech HL, Roesler J. Severe phenotype of chronic granulomatous disease presenting in a female with a de novo mutation in *gp91-phox* and a non familial, extremely skewed $\times$ chromosome inactivation. *Clin. Immunol.* 2003; 109:308–317. [PubMed: 14697745]
82. Rösen-Wolff A, Soldan W, Heyne K, Bickhardt J, Gahr M, Roesler J. Increased susceptibility of a carrier of X-linked chronic granulomatous disease (CGD) to *Aspergillus fumigatus* infection associated with age-related skewing of lyonization. *Ann. Hematol.* 2001; 80:113–115. [PubMed: 11261321]
83. Stasia MJ, Lardy B, Maturana A, Rousseau P, Martel C, Bordigoni P, Demareux N, Morel F. Molecular and functional characterization of a new X-linked chronic granulomatous disease variant (X91⁺) case with a double missense mutation in the cytosolic *gp91-phox* C-terminal tail. *Biochim. Biophys. Acta.* 2002; 1586:316–330. [PubMed: 11997083]
84. Bionda C, Li XJ, van Bruggen R, Eppink M, Roos D, Morel F, Stasia MJ. Functional analysis of two-amino acid substitutions in *gp91-phox* in a patient with X-linked flavocytochrome *b558*-positive chronic granulomatous disease by means of transgenic PLB-985 cells. *Hum. Genet.* 2004; 115:418–427. [PubMed: 15338276]
85. Yoshida LS, Saruta F, Yoshikawa K, Tatsuzawa O, Tsunawaki S. Mutation at histidine 338 of *gp91^{phox}* depletes FAD and affects expression of cytochrome *b558* of the human NADPH oxidase. *J. Biol. Chem.* 1998; 273:27879–27886. [PubMed: 9774399]
86. Ariga T, Sakiyama Y, Matsumoto S. Two novel point mutations in the cytochrome *b558* heavy chain gene, detected in two Japanese patients with X-linked chronic granulomatous disease. *Hum. Genet.* 1994; 94:441. [PubMed: 7927345]
87. Wolach B, Ash S, Gavrieli R, Stark B, Yaniv I, Roos D. Acute lymphoblastic leukemia in a patient with chronic granulomatous disease and a novel mutation in *CYBB*: first report. *Am. J. Hematol.* 2005; 80:50–54. [PubMed: 16138344]
88. Leusen JH, Meischl C, Eppink MH, Hilarius PM, de Boer M, Weening RS, Ahlin A, Sanders L, Goldblatt D, Skopczynska H, Bernatowska E, Palmblad J, Verhoeven AJ, van Berkel WJ, Roos D. Four novel mutations in the gene encoding *gp91-phox* of human NADPH oxidase: consequences for oxidase assembly. *Blood.* 2000; 95:666–673. [PubMed: 10627478]
89. Ariga T, Sakiyama Y, Matsumoto S. A 15-base pair (bp) palindromic insertion associated with a 3-bp deletion in exon 10 of the *gp91^{phox}* gene, detected in two patients with X-linked chronic granulomatous disease. *Hum. Genet.* 1995; 96:6–8. [PubMed: 7607656]
90. Bakri FG, Martel C, Khuri-Bulos N, Mahafzah A, El-Khateeb MS, Al-Wahadneh AM, Hayajneh WA, Hamamy HA, Maquet E, Molin M, Stasia MJ. First report of clinical, functional, and

- molecular investigation of chronic granulomatous disease in nine Jordanian families. *J. Clin. Immunol.* 2009; 29:215–230. [PubMed: 18773283]
91. Dinanuer MC, Curnutte JT, Rosen H, Orkin SH. A missense mutation in the neutrophil cytochrome *b* heavy chain in cytochrome-positive X-linked chronic granulomatous disease. *J. Clin. Invest.* 1989; 84:2012–2016. [PubMed: 2556453]
 92. Schapiro BL, Newburger PE, Klempner MS, Dinanuer MC. Chronic granulomatous disease presenting in a 69-year-old man. *N. Engl. J. Med.* 1991; 325:1786–1790. [PubMed: 1719419]
 93. Leusen JHW, De Boer M, Bolscher BGJM, Hilarius PM, Weening RS, Ochs HD, Roos D, Verhoeven AJ. A point mutation in gp91^{phox} of cytochrome *b*₅₅₈ of the human NADPH oxidase leading to defective translocation of the cytosolic proteins p47^{phox} and p67^{phox}. *J. Clin. Invest.* 1994; 93:2120–2126. [PubMed: 8182143]
 94. Azuma H, Oomi H, Sasaki K, Kawabata I, Sakaino T, Koyano S, Suzutani T, Nunoi H, Okuno A. A new mutation in exon 12 of the gp91^{phox} gene leading to cytochrome *b*-positive X-linked chronic granulomatous disease. *Blood.* 1995; 85:3274–3277. [PubMed: 7756659]
 95. Jirapongsananuruk O, Noack D, Boonchoo S, Thepthai C, Chokephaibulkit K, Visitsunthorn N, Vichayanond P, Luangwedchakarn V, Likasitwattanukul S, Piboonpocanun S. A novel mutation of the *CYBB* gene resulting in severe form of X-linked chronic granulomatous disease. *Asian Pac. J. Allergy Immunol.* 2007; 25:249–252. [PubMed: 18402299]
 96. DeMore JP, Dong Y, Lewis DB, Gern JE, Seroogy CM. A novel missense mutation in *CYBB* gene in chronic granulomatous disease. *J. Allergy Clin. Immunol.* 2007; 119(Suppl. 1):S257.
 97. Al-Muhsen S, Al-Hemidan A, Al-Shehri A, Al-Harbi A, Al-Ghoniaim A, Al-Saud B, Al-Mousa H, Al-Dhekri H, Arnaout R, Al-Mohsen I, Alsmadi O. Ocular manifestations in chronic granulomatous disease in Saudi Arabia. *J Am Ass Pediatr Ophtalm. Strabismus.* 2009; 13:396–399.
 98. Chien SC, Lee CN, Hung CC, Tsao PN, Su YN, Hsieh FJ. Rapid prenatal diagnosis of X-linked chronic granulomatous disease using a denaturing high-performance liquid chromatography (DHPLC) system. *Prenat. Diagn.* 2003; 23:1092–1096. [PubMed: 14691999]
 99. Peng J, Redman CM, Wu X, Song X, Walker RH, Westhoff CM, Lee S. Insights into extensive deletions around the *XK* locus associated with McLeod phenotype and characterization of two novel cases. *Gene.* 2007; 392:142–150. [PubMed: 17300882]
 100. Francke U, Ochs HD, de Martinville B, Giacalone J, Lindgren V, Distèche C, Pagon RA, Hofker MH, van Ommen GJ, Pearson PL, Wedgwood RJ. Minor Xp21 chromosome deletion in a male associated with expression of Duchenne muscular dystrophy, chronic granulomatous disease, retinitis pigmentosa, and McLeod syndrome. *Am. J. Hum. Genet.* 1985; 37:250–267. [PubMed: 4039107]
 101. Royer-Pokora B, Kunkel LM, Monaco AP, Goff SC, Newburger PE, Baehner RL, Cole FS, Curnutte JT, Orkin SH. Cloning the gene for an inherited human disorder-chronic granulomatous disease- on the basis of its chromosomal location. *Nature.* 1986; 322:32–38. [PubMed: 2425263]
 102. Deardorff MA, Gaddipati H, Kaplan P, Sanchez-Lara PA, Sondheimer N, Spinner NB, Hakonarson H, Ficicioglu C, Ganesh J, Markello T, Loechelt B, Zand DJ, Yudkoff M, Lichter-Konecki U. Complex management of a patient with a contiguous Xp11.4 gene deletion involving ornithine transcarbamylase: a role for detailed molecular analysis in complex presentations of classical diseases. *Mol. Genet. Metab.* 2008; 94:498–502. [PubMed: 18524659]
 103. Frey D, Mächler M, Seger R, Schmid W, Orkin SH. Gene deletion in a patient with chronic granulomatous disease and McLeod syndrome: fine mapping of the *Xk* gene locus. *Blood.* 1988; 71:252–255. [PubMed: 3334897]
 104. Okubo Y, Tanaka T, Yoshikawa K, Hattori K, Kobayashi Y, Seno T, Okubo Y. A male infant of X-linked chronic granulomatous disease associated with the McLeod red cell phenotype. *J. Jpn. Pediatr. Soc.* 1992; 96:162–167.
 105. De Saint-Basile G, Bohler MC, Fischer A, Cartron J, Dufier JL, Griscelli C, Orkin SH. Xp21 DNA microdeletion in a patient with chronic granulomatous disease, retinitis pigmentosa, and McLeod phenotype. *Hum. Genet.* 1988; 80:85–89. [PubMed: 3417309]

106. Mahlaoui N, Dumont MD, Le Pennec PY, Frange P, Moshous D, Bierling P, Fischer A. Chronic granulomatous disease and McLeod syndrome: single center report of four cases. *Clin. Exp. Immunol.* 2008; 154(Suppl. 1):146.
107. Schuetz C, Hoenig M, Schulz A, Lee-Kirsch MA, Roesler J, Friedrich W, von Bernuth H. Successful unrelated bone marrow transplantation in a child with chronic granulomatous disease complicated by pulmonary and cerebral granuloma formation. *Eur. J. Pediatr.* 2007; 166:785–788. [PubMed: 17103189]
108. Faizunnessa NN, Tsuchiya T, Kumatori A, Kurozumi H, Imajoh-Ohmi S, Kanegasaki S, Nakamura M. A 25-kb deletion in the 5' region of the cytochrome *b558* heavy chain gene (*CYBB*) in a patient with X-linked chronic granulomatous disease. *Hum. Genet.* 1997; 99:469–473. [PubMed: 9099835]
109. Kumatori A, Faizunnessa NN, Suzuki S, Moriuchi T, Kurozumi H, Nakamura M. Nonhomologous recombination between the cytochrome *b558* heavy chain gene (*CYBB*) and LINE-1 causes an X-linked chronic granulomatous disease. *Genomics.* 1998; 53:123–128. [PubMed: 9790760]
110. Pelham A, O'Reilly MA, Malcolm S, Levinsky RJ, Kinnon C. RFLP and deletion analysis for X-linked chronic granulomatous disease using the cDNA probe: potential for improved prenatal diagnosis and carrier determination. *Blood.* 1990; 76:820–824. [PubMed: 1974472]
111. de Boer M, Bakker E, Van Lierde S, Roos D. Somatic triple mosaicism in a carrier of X-linked chronic granulomatous disease. *Blood.* 1998; 91:252–257. [PubMed: 9414292]
112. Rezvani Z, Mohammadzadeh I, Pourpak Z, Moin M, Teimourian S. *CYBB* gene mutation detection in an Iranian patient with chronic granulomatous disease. *Iran. J. Allergy Asthma Immunol.* 2005; 4:103–106. [PubMed: 17301431]
113. Kuribayashi F, de Boer M, Leusen JH, Verhoeven AJ, Roos D. A novel polymorphism in the coding region of *CYBB*, the human gp91-*phox* gene. *Hum. Genet.* 1996; 97:611–613. [PubMed: 8655140]

Table 1

Mutations in the *gp91^{phox}* gene *CYBB* that cause X-linked CGD

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CGD type	Accession number	Ref.	Kindr. (pat.) ^a
c.-69A>C	promoter	NA	X91 ⁻	A0089 A0090	[1, 10–12]	1(2)
c.-67T>C	promoter	NA	X91 ⁻	A0166 A0550 A0551 A0552	[1, 10–13]	2(4)
c.-67dupT	promoter	NA	X91 ^{-d}		[14]	1(2) *
c.-65C>T	promoter	NA	X91 ^{-d}	A0472 A0548 A0549	[1, 15–18]	2(3)
c.-64C>T	promoter	NA	X91 ^{-d}	A0546	[1, 16–18] unpubl.	2(5)
c.1A>G	missense	p.Met1Val; startcodon lost	X91 ^o	A0242	[1, 19–20] unpubl.	4(4)
c.2T>A	missense	p.Met1Lys; startcodon lost	X91 ⁻	A0411	[1]	1(1)
c.2T>G	missense	p.Met1Arg; startcodon lost	X91 ⁻	A0412	[1]	1(1)
c.6dupG	insertion	p.Asn3GlnfsX6	X91 ^o	A0346	[21] unpubl.	2(2) *
c.8dupA	insertion	p.Asn3LysfsX6	X91 ^o		[22]	1(1) *
c.11G>A	nonsense	p.Trp4X	X91 ^o	A0260 A0490	[1, 11,23]	3(3)
c.12G>A	nonsense	p.Trp4X	X91 ^o	A0108 A0491 A0492 A0493	[1, 12,19] unpubl.	5(6)
c.14_27del14	deletion	p.Val6LeufsX24	X91 ^o	A0305	[1]	1(1)
c.23_26dupAGGG	insertion	p.Leu10GlyfsX26	X91 ^o	A0334	[1]	1(1)
c.27delG	deletion	p.Leu10SerfsX12	X91 [?]		unpubl.	1(1) *
c.27dupG	insertion	p.Leu10AlafsX25	X91 [?]	A0557	[24]	1(1) *
c.40delG	deletion	p.Val14SerfsX8	X91 ^o	A0079	[1, 19,25]	1(1)
c.42_45dupCATT	insertion	p.Leu16HisfsX20	X91 [?]	A0619	[20]	1(1) *
c.45+1G>C ^f	splice site	del. exon 1? p.Met1_Ile15del? no start protein prod.	X91 ^o	A0223	[1, 26]	1(1)
c.45+1G>A ^f	splice site	del. exon 1? p.Met1_Ile15del?	X91 ^o	A0592	[27, 28] unpubl.	3(3) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CgID type	Accession number	Ref.	Kindr. (pat.) ^a
		no start protein prod.				
c.45+1G>T ^f	splice site	del. exon 1? p.Met1_Ile15del? no start protein prod.	X91°		[29]	1(1) *
c.45+1delG ^f	splice site	del. exon 1	X91°		[30]	1(1) *
c.45+5G>A ^f	splice site	del. exon 1? p.Met1_Ile15del no start protein prod.	X91°/-	A0003	[1, 11] unpubl.	2(2)
c.45+5_7delGTA ^f	splice site	del. exon 1? p.Met1_Ile15del? no start protein prod.	het ^b		unpubl.	1(1) *
c.45+6T>C ^f	splice site	del. exon 1? p.Met1_Ile15del? no start protein prod.	X91-	A0134 A0135	[1, 12, 19, 31]	1(2)
c.45+907_908ins~5800 ^j	insertion	ins. 117bp in mRNA after exon 1 > p.Leu16PheX	X91°		unpubl.	1(1) *
c.46-14_-11delTTCT	splice site	del. exon 2	X91°		unpubl.	1(1) *
insGAA ^f		p.Leu16 Gly47del				
c.46-11T>G ^f	splice site	del. exon 2? p.Leu16_Gly47del?	X91°		[23]	1(1) *
c.46-2A>G ^f	splice site	del. exon 2 p.Leu16_Gly47del	X91?	A0498 A0499	[1] unpubl.	3(4)
c.46-1G>A ^f	splice site	del. exon 2 p.Leu16_Gly47del	X91°	A0224 A0500	[1, 11, 32]	2(2)
c.46-1G>T ^f	splice site	del. exon 2? p.Leu16_Gly47del?	X91?	A0593	[27]	1(1) *
c.46-1G>C ^f	splice site	del. exon 2 p.Leu16_Gly47del	X91?	A0625	[33]	1(1) *
c.47delT	deletion	p.Leu16ArgfsX6	X91°	A0214	[1, 4, 10, 34]	1(1)
c.49delG	deletion	p.Val17PhefsX5	X91°	A0215	[1, 11]	1(1)
c.52dupT	insertion	p.Trp18LeufsX17	X91°	A0349	[1]	1(1)
c.53G>A	nonsense	p.Trp18X	X91° 1 het ^b	A0563	[23, 35]	2(2) *
c.54G>C	missense	p.Trp18Cys	X91-	A0083	[1, 1136]	1(1)
c.58G>C	missense	p.Gly20Arg	X91°	A0136 A0376	[1, 11, 12, 37]	2(2)

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CgID type	Accession number	Ref.	Kindr. (pat.) ^a
c.58G>A	missense	p.Gly20Arg	X91°	A0647	unpubl. [20] unpubl.	2(2)*
c.66_70delCGTCTTinsA	deletion/ insertion	p.Asn22LysfsX38	X91°		[1]	1(1)
c.64_67dupAACG	insertion	p.Val23GlufsX13	X91°	A0298	[1, 11]	1(1)
c.80_83delTCTG	deletion	p.Val27GlyfsX33	X91°	A0327 A0328	[1] unpubl.	5(5)
c.83G>A	nonsense	p.Trp28X	X91° 1 het ^b	A0483 A0575 A0563	[1, 20, 38] unpubl.	4(4)
c.84G>A	nonsense	p.Trp28X	X91° 1 het ^b	A0477 A0478	[39] unpubl.	3(3)*
c.85delT	deletion	p.Tyr29IlefsX32	X91°		unpubl.	1(1)*
c.90C>A	nonsense	p.Tyr30X	X91°		[29]	1(1)*
c.90_92delCCGinsGGT	deletion/insertion	p.Tyr30X	X91° het ^b		[22, 40]	1(1)*
c.92_93insC	insertion	p.Val32GlyfsX3	X91°		[39] unpubl.	1(2)*
c.94delG	deletion	p.Val32PhefsX29	X91°		unpubl.	1(1)*
c.99T>A	nonsense	p.Tyr33X	X91°	A0024	[1, 11]	1(1)
c.105delT	deletion	p.Pro36HisfsX25	X91°		unpubl.	1(1)*
c.112A>T	nonsense	p.Lys38X	X91°		unpubl.	1(1)*
c.121delT	deletion	p.Tyr41ThrfsX20	X91°	A0018	[1, 11, 34] unpubl.	2(2)
c.121dupT	insertion	p.Tyr41LeufsX62	X91°	A0350	[1, 17]	1(1)
c.121T>G	missense	p.Tyr41Asp	X91°	A0495, A0544	[1, 41]	1(1)
c.125C>G	missense	p.Thr42Arg	X91°		unpubl.	1(1)*
c.126_130delAAGAAinsTT TC	deletion/ insertion	p.Arg43PhefsX18	X91°		unpubl.	1(1)*
c.127A>T	nonsense	p.Arg43X	X91°	A0261	[1, 11, 20] unpubl.	3(3)
c.134T>G	missense	p.Leu45Arg	X91°		unpubl.	1(1)*

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CgD type	Accession number	Ref.	Kindr. (pat.) ^a
c.141+1 delG ^f	splice site	del. exons 2 + 3 p.Leu16_Ala84del	X91°	A0216	[1, 11, 19]	1(1)
c.141+1G>A ^f	splice site	del. exon 2 p.Leu16_Gly47del	X91°	A0131 A0502 A0503	[1, 12, 19, 42] unpubl.	5(5)
c.141+1G>T ^f	splice site	del. exon 2 p.Leu16_Gly47del	X91°	A0138 A0154	[1, 12, 37] unpubl.	5(5)
c.141+2T>C ^f	splice site	del. exon 2 p.Leu16_Gly47del	X91°	A0506	[1] unpubl.	3(3)
c.141+2T>G ^f	splice site	del. exon 2 p.Leu16_Gly47del	X91°	A0501 A0504 A0505	[1, 12]	3(3)
c.141+5G>A ^f	splice site	del. exon 2 p.Leu16_Gly47del	X91°		[1, 26] unpubl.	2(2)
c.141+5G>T ^f	splice site	del. exon 2 p.Leu16_Gly47del	X91°	A0615	[20] unpubl.	2(2) *
c.141+5_-6delGT ^f	splice site	del. exon 2? p.Leu16_Gly47del?	X91°	A0225	[1, 11]	1(1)
c.142-12_-28del117 ^f	splice site	del. exon 3 p.Ser48_Ala84del	X91°		[1]	1(1)
c.142-12C>T ^f	splice site	del. exon 3? p.Ser48_Ala84del?	X91°		unpubl.	1(1) *
c.142-12delC insACCTCTTCTAG ^f	splice site	del. exon 3? p.Ser48_Ala84del?	X91°		unpubl.	1(1) *
c.142-2A>G ^f	splice site	del. exon 3 p.Ser48_Ala84del	X91°	A0105	[1, 43]	1(1)
c.142-2A>T ^f	splice site (created)	del. TCAG from exon 3 p.Ile15TrpfsX6	X91°		[1]	1(1)
c.142-1G>C ^f	splice site	del. exon 3? p.Ser48_Ala84del?	X91°		[42]	1(2) *
c.142-1G>A ^f	splice site	del. exon 3 + w.t. p.Ser48_Ala84del	X91°	A0616	[20]	1(1) *
c.142_159del18/ insCCTGCCTGAATTTC (dup173_186)T ^e	deletion/ insertion splice site?	p.Ser48_Ala53del insProAlaX	X91°	A0599 A0600 A0601	[27] unpubl.	1(3) *
c.143C>G ^e	nonsense	p.Ser48X	X91°		[28] unpubl.	2(2) *
c.158C>A	missense	p.Ala53Asp	X91-	A0050 A0352	[1, 11]	1(2)

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CyD type	Accession number	Ref.	Kindr. (pat.) ^a
c.159dupC	insertion	p.Arg54GlnfsX49	X91°	A0160	[1, 12,19] unpubl.	1(1)
c.160 165delAGGGCC	deletion	p.Arg54_Ala55del	X91°	A0322	[39] unpubl.	2(2) *
c.160A>G	missense	p.Arg54Gly	X91+	A0243	[1, 19]	1(1)
c.161G>T	missense	p.Arg54Met	X91+	A0455	[1, 17,44]	2(2)
c.162G>C	missense	p.Arg54Ser	X91+	A0133	[1, 11,45, 46]	1(1)
c.164C>A	missense	p.Ala55Asp	X91°	A0353	[1, 23,44] unpubl.	3(3)
c.167C>T	missense	p.Pro56Leu	X91-	A0244,A0245 A0304	[1, 11, 47 49]	2(3)
c.170C>A	missense	p.Ala57Glu	X91+	A0069	[1, 4, 17, 44, 50] unpubl.	2(2)
c.175T>C	missense	p.Cys59Arg	X91°	A0175, A0176	[1, 12,19] unpubl.	2(3)
c.176G>T	missense	p.Cys59Phe	X91-	A0362	[1]	1(1)
c.176G>A	missense	p.Cys59Tyr	het ^b	A0363	[1]	1(1)
c.177C>G	missense	p.Cys59Trp	X91°	A0246 A0541	[1, 19,39]	2(2)
c.177C>A	nonsense	p.Cys59X	X91°		unpubl.	1(1) *
c.185delT	deletion	p.Phe62SerfsX5	X91°	A0614	[20]	1(1) *
c.189C>G	missense	p.Asn63Lys	X91°	A0413 A0414	unpubl.	2(3) *
c.190T>C	missense	p.Cys64Arg	X91°	A0247	[1,19] unpubl.	2(2)
c.192C>A	nonsense	p.Cys64X	X91°	A0364	[1,27]	1(1)
c.194T>G	missense	p.Met65Arg	X91°		unpubl.	1(2) *
c.195dupG	insertion	p.Leu66AlafsX37	X91°	A0196 A0197	[1,11,12]	1(2)
c.197T>C	missense	p.Leu66Pro	X91?		[28]	1(1) *
c.210dupA	insertion	p.Val71SerfsX32	X91?		unpubl.	1(1) *
c.217C>T	nonsense	p.Arg73X	X91° 1 het ^b	A0008 A0188 A0262 A0263 A0456 A0457 A0458 A0459 A0567	[1, 11, 17, 26, 38, 39, 51–53] unpubl.	25(25)

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CgD type	Accession number	Ref.	Kindr. (pat.) ^a
c.226delC	deletion	p.Leu76CysfsX32	X91 [?]		unpubl.	1(2) *
c.242delG	deletion	p.Gly81ValfsX27	X91 ^o	A0011	[1,11] unpubl.	2(2)
c.242dupG	insertion	p.Ser82PhefsX21	X91 ^o		unpubl.	1(1) *
c.251delC (3' end of exon 3) ^f	splice site	del. exon 3 p.Ser48_Ala84del	X91 ^o	A0110	[1, 12, 52, 54]	1(1)
c.252G>A (3' end of exon 3) ^f	splice site	del. exon 3 p.Ser48_Ala84del	X91 ^{o/-} 1 het ^b	A0022 A0063 A0100 A0127 A0193 A0226 A0227 A0228 A0229 A0230 A0231 A0354 A0355 A0356 A0357 A0534 A0577 A0578 A0633 A0634 A0642	[1, 11, 12, 17, 20, 23, 29, 33, 38, 49, 55–58] unpubl.	44(53)
c.252G>T (3' end of exon 3) ^f	splice site	del. exon 3 p.Ser48_Ala84del	X91 [?]		[23] unpubl.	2(2) *
c.252+1G>A ^f	splice site	del. exon 3 p.Ser48_Ala84del	X91 ^o	A0510	[1,42] unpubl.	3(3)
c.252+1G>T ^f	splice site	del exon 3 p.Ser48_Ala84del	X91 ^o	A0509	[1]	1(1)
c.252+1G>C ^f	splice site	del exon 3 p.Ser48_Ala84del	X91 [?]		unpubl.	1(1) *
c.252+2T>C ^f	splice site	del exon 3? p.Ser48_Ala84del?	X91 [?]		unpubl.	1(1) *
c.252+2dupT ^f	splice site	del exon 3 p.Ser48_Ala84del	X91 ^o		[1]	2(2)
c.252+5G>A ^f	splice site	del exon 3 p.Ser48_Ala84del	X91 ^o	A0023 A0507 A0508 A0594	[1, 27, 29, 32] unpubl.	8(10)
c.252+5G>C ^f	splice site	del exon 3? p.Ser48_Ala84del?	X91 ^o	A0148	[1,12,54]	1(1)
c.253-875_336+~800del ^f	deletion	del exon 4 p.Cys85_Ser112del	X91 ^o		[1]	1(1)
c.253-8A>G ^f	splice site (created)	insTCCAAAG into exon 4 p.Cys85SerfsX20	X91 ^o		[1,12]	1(1)

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CyD type	Accession number	Ref.	Kindr. (pat.) ^a
c.253-3A>G ^f	splice site (created)	insA G into exon 4 p.Cys85SerfsX24	het ^b		[59] unpubl.	2(2) *
c.253-1G>A ^f	splice site (created)	del14 from exon 4 p.Cys85SerfsX13	X91 [?]	A0626	[33, 55] unpubl.	2(2) *
c.253-1G>T ^f	splice site	del exon 4? p.Cys85ArgfsX15?	X91 [?]		unpubl.	1(1) *
c.255C>A	nonsense	p.Cys85X	X91 ^o	A0365	[1]	1(1)
c.262_263ins2.1 kb	insertion	p.Thr88LysX? ^c	X91 ^o	A0299	[1, 19, 60]	1(1)
c.271C>T	nonsense	p.Arg91X	X91 ^o 1 het ^b	A0029 A0149 A0178 A0264 A0265 A0266 A0460 A0461 A0462 A0463 A0464 A0643	[1, 11, 12, 17, 22, 43, 53, 61, 62] unpubl.	24(25)
c.275delG	deletion	p.Arg92AsnfsX16	X91 [?]		unpubl.	1(1) *
c.286_290dupAGGAA	insertion	p.Asn97LysfsX13	X91 ^o		[39]	1(1) *
c.295delA	deletion	p.Thr99ProfsX9	X91 ^o	A0097	[1, 11, 12]	1(1)
c.296_306del11insTCC	deletion/ insertion	p.Thr99IlefsX21	X91 ^o		unpubl.	1(3) *
c.301C>T	missense	p.His101Tyr	X91 ⁻	A0381	[1, 17, 63, 64]	1(1)
c.302A>G	missense	p.His101Arg	X91 ^o 1 het ^b	A0017 A0248	[1, 11, 51]	2(2)
c.318G>A	nonsense	p.Trp106X	X91 ^o	A0015 A0479 A0586	[1, 11, 27, 61]	3(3)
c.320T>G	missense	p.Met107Arg	X91 ⁻	A0410	unpubl.	2(2) *
c.321dupG	insertion	p.Ile108AspfsX15	X91 ^o	A0057	[1, 11]	1(1)
c.327_328delAC	deletion	p.Leu110SerfsX12	X91 ^o	A0210	[1, 11] unpubl.	2(2)
c.330_331delTC	deletion	p.His111LeufsX11	X91 [?]		unpubl.	1(1) *
c.330_331delTCinsAT	deletion/ insertion	p.His111Tyr	X91 ^o		unpubl.	1(1) *
c.334T>C	missense	p.Ser112Pro	X91 [?]		[28]	1(1) *
c.337+1G>C ^f	splice site	del exon 4? p.Cys85ArgfsX15?	X91 [?]	A0595	[27]	1(1) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CGD type	Accession number	Ref.	Kindr. (pat.) ^a
c.337+1G>A ^f	splice site	del exon 4? p.Cys85ArgfsX15?	X91 [?]		unpubl.	1(1) *
c.337+1G>T ^f	splice site	del exon 4 p.Cys85ArgfsX15	X91 ^o		unpubl.	1(1) *
c.337+2dupT ^f	splice site	del exon 4? p.Cys85ArgfsX15?	X91 [?]		unpubl.	1(1) *
c.337+5dupG ^f	splice site	del exon 4? p.Cys85ArgfsX15?	X91 ^o		unpubl.	1(1) *
c.338-2A>C ^f	splice site	del exon 5? p-Ala113GlufsX3?	X91 ^o	A0232	[1,19]	1(1)
c.338-2A>G ^f	splice site	del. exon 5 p-Ala113GlufsX3	X91 ^o	A0514	[1,29] unpubl.	2(2)
c.338-1G>A ^f	splice site	del exon 5 p-Ala113GlufsX3	X91 ^o	A0512 A0513	[1,17,44] unpubl.	2(2)
c.339delG	deletion	p.Ile114PhefsX14	X91 ^o		unpubl.	1(1) *
c.343C>T	missense	p.His115Tyr	X91 [?]	A0383	unpubl.	1(1) *
c.345C>A	missense	p.His115Gln	X91 [?]	A0382	[1]	1(1)
c.354delA	deletion	p.His119IlefsX9	X91 ^o	A0103	[1,12,19]	1(1)
c.356dupA	insertion	p.His119GlnfsX4	X91 ^o	A0007	[1,11]	1(1)
c.356A>G	missense	p.His119Arg	X91 ^o	A0384 A0385	[1,12]	2(2)
c.359T>C	missense	p.Leu120Pro	X91 ^o	A0249	[1,11]	1(1)
c.360 375del16	deletion	p.Phe121ValfsX2	het ^b		unpubl.	1(1) *
c.370G>T	nonsense	p.Glu124X	X91 ^o		unpubl.	1(1) *
c.374G>A	nonsense	p.Trp125X	X91 [?]		unpubl.	1(1) *
c.375G>A	nonsense	p.Trp125X	X91 ^o	A0564	[35]	1(1) *
c.375G>T	missense	p.Trp125Cys	X91 [?]	A0480	[1]	1(1)
c.382_385dupAATG	insertion	p-Ala129GlufsX6	X91 ^o		unpubl.	1(1) *
c.388delC	deletion	p.Arg130GlufsX10	X91 [?]		[22] unpubl.	2(2) *
c.388C>T	nonsense	p.Arg130X ⁱ	X91 ^o 2 het ^b	A0065 A0113 A0267 A0268 A0269 A0270 A0271 A0272	[1, 11, 12, 17, 20, 22, 23, 27, 39, 49, 65] unpubl.	41(44)

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CGD type	Accession number	Ref.	Kindr. (pat.) ^a
				A0427 A0428 A0429 A0430 A0431 A0432 A0587 A0596		
c.388 389insT	insertion	p.Arg130LeufsX4	X91°	A0080	[1,19]	1(1)
c.389G>C	missense	p.Arg130Pro	X91°		unpubl.	1(1) *
c.389G>T	missense	p.Arg130Leu + partial outslicing exon 5	X91-		unpubl.	1(1) *
c.394_406del13	deletion	p.Asn132LeufsX4	X91-		unpubl.	1(1) *
c.398delA	deletion	p.Asn133IlefsX7	het ^b	A0543	[66]	1(1) *
c.411T>A	nonsense	p.Tyr137X	X91?		unpubl.	1(1) *
c.412 418delTCAGTAG	deletion	p.Ser138HisfsX21	X91°		unpubl.	1(1) *
c.413C>A	nonsense	p.Ser138X	X91°		unpubl.	2(2) *
c.422T>C	missense	p.Leu141Pro	X91°	A0559	[23, 24]	2(2) *
c.424T>C	missense	p.Ser142Pro	X91°	A0465	[1] unpubl.	2(2)
c.425C>T	missense	p.Ser142Phe	X91°		[42]	1(1) *
c.425 426delCT	deletion	p.Ser142X	X91°		unpubl.	1(2) *
c.439 440delAG	deletion	p.Arg147AlafsX3	X91?		[27]	1(1) *
c.442C>T	nonsense	p.Gln148X	X91°	A0273 A0420	[1, 17, 52] unpubl.	3(3)
c.442_443delCAmsT	deletion/ insertion	p.Gln148X	X91°	A0111	[1,52]	1(1)
c.446dupA	insertion	p.Asn149LysfsX2	X91°	A0139	[1,12,52]	1(1)
c.448G>T	nonsense	p.Glu150X	het ^b		unpubl.	1(1) *
c.450 451delAA	deletion	p.Ser151fsX13	X91°		unpubl.	1(1) *
c.455 456delAT	deletion	p.Tyr152SerfsX12	X91°	A0332	[1]	1(1)
c.456T>A	nonsense	p.Tyr152X	X91°	A0124 A0644	[1, 12, 19, 62]	2(2)
c.458T>G	missense	p.Leu153Arg	X91°		unpubl.	1(2) *
c.461delA	deletion	p.Asn154IlefsX7	X91°		unpubl.	1(1) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CgD type	Accession number	Ref.	Kindr. (pat.) ^a
c.466G>A	missense	p.Ala156Thr	X91 ⁻	A0055 A0137 A0187	[1, 11, 12, 51, 52]	3(3)
c.469C>T	nonsense	p.Arg157X	X91 ^o 1 het ^b	A0074 A0075 A0095 A0098 A0152 A0177 A0274 A0275 A0276 A0277 A0433 A0434 A0565 A0566 A0567 A0568	[1, 11, 12, 20, 23, 35, 43, 44, 61, 67] unpubl.	26(30)
c.472_475delAAGA	deletion	p.Lys158GlufsX2	X91 ^o	A0311	[1]	1(1)
c.475_481delAGAA TAA ^e	deletion	p.Ile160ThrfsX10	X91 [?]		[28]	1(1) [*]
c.479dupT	insertion	p.Asn162GlufsX3	X91 [?]	A0335	[1]	1(1)
c.482A>G (3' end of exon 5) ^f	splice site	multiple splice products	X91 ⁻	A0179 A0180	[1,52]	1(2)
c.482_483+4 delAGGTAA ^f	splice site	del exon 5? p. Ala113GlufsX3?	X91 ^o	A0181	[1,12]	1(1)
c.483G>T (3' end of exon 5) ^f	splice site	del exon 5 p. Ala113GlufsX3	X91 ^o	A0233	[1,11]	1(1)
c.483+1G>A ^f	splice site	del exon 5 p. Ala113GlufsX3	X91 ^o	A0515	[1, 23, 42] unpubl.	4(5)
c.483+1G>T ^f	splice site	del exon 5 p. Ala113GlufsX3	X91 ^o	A0115 A0234 A0516 A0517	[1, 11, 12, 19, 49] unpubl.	6(6)
c.483+2T>C ^f	splice site	del exon 5? p. Ala113GlufsX3?	X91 ^o	A0164	[1, 43]	1(1)
c.483+3A>T ^f	splice site	del exon 5 p. Ala113GlufsX3	X91 ^o	A0009	[1, 32]	1(1)
c.483+5G>A ^f	splice site	del exon 5? p. Ala113GlufsX3?	X91 ⁻	A0140 A0141	[1,19,26]	1(2)
c.483+978G>T ^f	splice site (created)	ins parts of intron 5 multiple splice products	X91 [?]	A0606	[68, 69]	2(2) [*]
c.483+1880_+1881ins836 ^{c,f}	splice site (created)	multiple splice products	X91 ^o		[1, 70]	1(1)
c.484-100_674+291del581 ^f	deletion	del. exon 6 (p.Asn162ThrfsX15)	X91 [?]		[20]	1(1) [*]
c.484-?_897+?dup ^h	insertion	p.Asn162_Lys299dup	X91 ^o		unpubl.	1(1) [*]

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CGD type	Accession number	Ref.	Kindr. (pat.) ^a
c.484-3C>A ^f	splice site	del exon 6 p.Asn162ThrfsX15	X91 ⁻		unpubl.	1(2) *
c.484-2A>T ^f	splice site	del exon 6? p.Asn162ThrfsX15?	X91 [?]		unpubl.	1(1) *
c.517delC	deletion	p.Leu173CysfsX16	X91 ^o	A0217	[1,11]	1(1)
c.535G>A	missense	p.Gly179Arg	X91 ^o	A0375	[1,25]	1(1)
c.535G>T	nonsense	p.Gly179X	X91 ^o		unpubl.	2(2) *
c.536G>A	missense	p.Gly179Glu	X91 [?]		unpubl.	1(1) *
c.548 559del12	deletion	p.Thr183_Leu186del	X91 [?]		unpubl.	1(1) *
c.553T>C	missense	p.Cys185Arg	X91 [?]		unpubl.	1(1) *
c.554delG	deletion	p.Cys185SerfsX4	X91 ^o	A0218	[1,19]	1(1)
c.555C>A	nonsense	p.Cys185X	X91 ^o	A0182 A0358	[1,12,19] unpubl.	3(3)
c.555_560dupCCTCAT	insertion	p.Leu188_Ile189dup	X91 [?]	A0585	[27]	1(1) *
c.5561_569delATTAAATTA T	deletion	p.Leu188_Ile190del	X91 ⁻		[1]	1(1)
c.565_568delATTA	deletion	p.Ile189SerfsX24	X91 ^o	A0309	[1] unpubl.	3(3)
c.573_581dupTTCCTCCAC	insertion	p.Thr191_Ser193dup	X91 ⁻		unpubl.	1(1) *
c.577T>C	missense	p.Ser193Pro	X91 ^o	A0627	[23,33] unpubl.	3(3) *
c.578C>T	missense	p.Ser193Phe	X91 ⁻	A0466	[1,27] unpubl.	2(2)
c.583 588dupAAAACC	insertion	p.Lys195_Thr196 dup	X91 ⁻		unpubl.	1(1) *
c.591_592ins4I	insertion	p.Arg198ThrfsX30	X91 ^o		[1]	1(1)
c.592delC	deletion	p.Arg198GlyfsX16	X91 ^o		unpubl.	1(1) *
c.595delA	deletion	p.Arg199GlyfsX15	X91 ^o	A0320	[1,12]	1(1)
c.597_604dup8 ^e	insertion	p.Phe202CysfsX15	X91 [?]		[28]	1(1) *
c.603C>G	nonsense	p.Tyr201X	X91 [?]		unpubl.	1(1) *
c.603delC	deletion	p.Phe202LeufsX12	X91 ^o	A0333	[1]	1(1)

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CyG type	Accession number	Ref.	Kindr. (pat.) ^a
c.606_608delTCGinsGG	deletion/ insertion	p.Phe202LeufsX12	X91°		[1,17]	1(1)
c.607G>T	nonsense	p.Glu203X	X91°	A0278	[1,11] unpubl.	2(2)
c.613T>A	missense	p.Phe205Ile	X91°	A0060	[1,33,55]	1(1)
c.614_632del19	deletion	p.Phe205SerfsX4	X91°		unpubl.	1(2) *
c.618G>A	nonsense	p.Trp206X	het ^b		unpubl.	1(1) *
c.621C>A	splice site (created)	del. part exon 6 p.Tyr207X	X91°	A0012	[1, 11, 32]	1(1)
c.625C>T	missense	p.His209Tyr	X91° ^{no}	A0006 A0387 A0388 A0389	[1, 11, 50] unpubl.	5(5)
c.625_626delCA	deletion	p.His209SerfsX16	X91°?	A0211	[1,19]	1(1)
c.626A>G	missense	p.His209Arg	X91°	A0386	[1,17] unpubl.	2(2)
c.627T>A	missense	p.His209Gln	X91°	A0125	[1, 12, 23, 52]	2(2)
c.628_631dupCATC	insertion	p.Leu211ProfsX16	X91° het ^b	A0597	[65]	1(1) *
c.632T>C	missense	p.Leu211Pro	X91°?		unpubl.	1(1) *
c.632T>G	missense	p.Leu211Arg	het ^b		unpubl.	1(1) *
c.636delT	deletion	p.Phe212LeufsX1	X91°		[29] unpubl.	2(2) *
c.646_648delTTC	deletion	p.Phe216del	X91°	A0010 A0058 A0085	[1,19, 47, 55, 71]	3(3)
c.664C>A	missense	p.His222Asn	X91°	A0390	[1,12]	1(1)
c.664C>T	missense	p.His222Tyr	X91°	A0394	[1,12]	1(1)
c.665A>G	missense	p.His222Arg	X91°	A0250 A0391 A0392 A0393	[1, 11, 12, 23, 26] unpubl.	6(6)
c.665A>T	missense	p.His222Leu	X91°?		unpubl.	1(1) *
c.667G>T	nonsense	p.Gly223X ⁱ	X91°		[72]	1(1) *
c.667_668delGG/insTT	deletion/ insertion	p.Gly223Leu	X91°?	A0109	[1,12,19]	1(1)
c.671C>G	missense	p.Ala224Gly	X91°	A0351	[1,17]	1(1)
c.674A>T	missense	p.Glu225Val	X91°		[42, 61]	2(2) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CGD type	Accession number	Ref.	Kindr. (pat.) ^a
c.674+1G>T ^f	splice site	del exon 6? p.Asn162ThrfsX15?	X91°		unpubl.	1(1) *
c.674+1G>A ^f	splice site	del exon 6 p.Asn162ThrfsX15	X91°		unpubl.	2(2) *
c.674+3G>C ^f	splice site	del exon 6? p.Asn162ThrfsX15	X91°		unpubl.	1(1) *
c.674+4A>G ^f	splice site	del exon 6 p.Asn162ThrfsX15	X91°		[29] unpubl.	2(2) *
c.674+4A>T ^f	splice site	del exon 6? p.Asn162ThrfsX15	X91°		unpubl.	1(2) *
c.674+4A>C ^f	splice site	del exon 6? p.Asn162ThrfsX15?	X91°		[28]	1(2) *
c.674+4_-7delAGTG ^f	splice site	multiple splice products	X91°	A0106	[1,12,19] unpubl.	5(6)
c.674+5G>A ^f	splice site	del exon 6 p.Asn162ThrfsX15	X91°	A0235	[1,11]	1(1)
c.674+5G>C ^f	splice site	del exon 6 p.Asn162ThrfsX15	X91°	A0519 A0561 A0562	[1,42]	4(7)
c.674+6T>A ^f	splice site	del exon 6? p.Asn162ThrfsX15?	X91°	A0518	[1,12]	1(1)
c.674+6T>C ^f	splice site	del exon 6 p.Asn162ThrfsX15	X91°		unpubl.	1(1) *
c.674+?_804+?del ^f	deletion	del exon 7 p.Arg226LeufsX5	X91°		[20]	1(1) *
c.674+921A>G ^f	splice site (created)	ins 56 of intron 6 into mRNA p.Glu225AspfsX2	X91°	A0581	[73]	1(1) *
c.675-999A>G ^f	splice site (created)	ins 94 of intron 6 into mRNA multiple splice products	X91°		[1, 74]	1(1)
c.675-24_690dup40	insertion	p.Gln231SerfsX23	X91°	A0301	[1, 75]	1(1)
c.675-2A>C ^f	splice site	del exon 7? p.Arg226LeufsX5?	X91°		unpubl.	1(1) *
c.675-1G>A ^f	splice site	del exons 6_7 p.Asn162_Met268del	X91°		unpubl.	1(1) *
c.676C>T	nonsense	p.Arg226X	X91° 1 het ^b	A0132, A0150, A0279, A0280 A0281, A0282,	[1, 11, 12, 17, 22, 23, 27, 39, 53, 76, 77]	57(63)

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CgID type	Accession number	Ref.	Kindr. (pat.) ^a
				A0283, A0284 A0435 A0436 A0437 A0438 A0439 A0440 A0441 A0442 A0588	unpubl.	
c.691C>T	nonsense	p.Gln231X	X91° 1 het ^b	A0421 A0422	[1, 20, 39] unpubl.	4(4)
c.700G>T	nonsense	p.Glu234X	X91°	A0607	[78]	1(1) *
c.703_704delAG	deletion	p.Ser235PhefsX5	X91°	A0120, A0212 A0323	[1, 11, 29, 52, 53] unpubl.	5(5)
c.706_707dupTT	insertion	p.Leu236PhefsX7	X91°	A0344	[1,17,44]	1(1)
c.713delT	deletion	p.Val238GlyfsX4	X91°?	A0628	[33]	1(1) *
c.716 720delATAAT	deletion	p.Ile241SerfsX3	X91°	A0117	[1,12,52]	1(1)
c.730T>A	missense	p.Cys244Ser	X91°?		[29]	1(1) *
c.730T>C	missense	p.Cys244Arg	X91-	A0171	[1,12,52] unpubl.	2(2)
c.730T>G	missense	p.Cys244Gly	X91-	A0359	[26]	1(1) *
c.731G>C	missense	p.Cys244Ser	X91-	A0251	[1,11,49,51]	1(1)
c.731G>A	missense	p.Cys244Tyr	X91-	A0252	[1, 61, 79] unpubl.	3(3)
c.732T>A	nonsense	p.Cys244X	het ^b		[23]	1(1) *
c.733G>T	nonsense	p.Glu245X	X91°		unpubl.	1(1) *
c.736C>T	nonsense	p.Gln246X	X91°	A0122 A0123 A0186 A0423	[1, 12, 19, 23, 78] unpubl.	7(10)
c.740_741delAAinsT	deletion/ insertion	p.Lys247IlefsX8	X91°	A0021	[1,19]	1(1)
c.742dupA	insertion	p.Ile248AsnfsX36	X91° 1 het ^b	A0002 A0061 A0062 A0121	[1, 11, 12, 17, 23, 33, 52, 54]	30(32)
				A0126 A0146 A0162 A0170 A0189 A0337 A0338 A0339 A0340 A0341 A0342 A0343 A0602 A0603	[55] unpubl.	

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CyD type	Accession number	Ref.	Kindr. (pat.) ^a
c.752G>A	nonsense	p.Trp251X	X91°	A0604	[1,11] unpubl.	2(2)
c.754G>T	nonsense	p.Gly252X	X91°		unpubl.	1(1) *
c.755delG	deletion	p.Gly252GlufsX3	X91°	A0195 A0219 A0220	[1, 12, 19, 20] unpubl.	4(5)
c.755_756delGA	deletion	p.Gly252GlufsX31	X91°		[42]	1(1) *
c.760dupA	insertion	p.Ile254AsnfsX30	X91°	A0128	[1,12,54]	1(1)
c.769T>C	missense	p.Cys257Arg	X91°		unpubl.	1(2) *
c.773delC	deletion	p.Pro258GlnfsX11	X91°		[42]	1(1) *
c.771C>A	nonsense	p.Cys257X	het ^b		[1]	1(1)
c.779C>G	missense	p.Pro260Arg	X91°		unpubl.	1(1) *
c.781 782delCA	deletion	p.Gln261ValfsX22	X91°	A0001	[1,11]	1(1)
c.781C>T	nonsense	p.Gln261X	X91°	A0020 A0286 A0424 A0425	[1,11] unpubl.	5(5)
c.785_804+1dup21del9ins2 ^f	splice site	del. exon 7 p.Arg226LeufsX5	X91°		unpubl.	1(1) *
c.788delC	deletion	p.Ala263ValfsX6	X91°	A0582	[27]	1(1) *
c.797delC	deletion	p.Pro266LeufsX3	X91°	A0316	[1,23,]	2(2)
c.799_800insAA	insertion	p.Pro267GlnfsX3	X91°		unpubl.	1(1) *
c.804+1G>A ^f	splice site	del exon 7 p.Arg226LeufsX5	X91°	A0522	[1, 77, 80]	2(2)
c.804+1G>T ^f	splice site	del exon 7 p.Arg226LeufsX5	X91°	A0523	[1] unpubl.	3(3)
c.804+2T>A ^f	splice site	del. exon 7 p.Arg226LeufsX5	X91°	A0005	[1, 32]	1(1)
c.804+2T>C ^f	splice site	del. exon 7 p.Arg226LeufsX5	X91°	A0236 A0237	[1,11] unpubl.	3(4)
c.805-2A>C ^f	splice site	del exon 8? p.Thr269_Lys299del?	X91°	A0238	[1,19]	1(1)
c.805-2A>T ^f	splice site	del. exon 8? p.Thr269_Lys299del?	X91°		unpubl.	1(1) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CgID type	Accession number	Ref.	Kindr. (pat.) ^a
c.805-2A>G ^f	splice site	del exon 8 p.Thr269_Lys299del	X91°	A0520	[1,17,44]	1(1)
c.805-1G>A ^f	splice site	del exon 8? p.Thr269_Lys299del?	X91°	A0521	[1,12] unpubl.	2(2)
c.805-1G>C ^f	splice site	del. exon 8? p.Thr269_Lys299del?	X91°		unpubl.	1(1) *
c.805-?f	splice site	del exon 8 p.Thr269_Lys299del	X91°		[1,25]	1(1)
c.810G>A	nonsense	p.Trp270X	X91°	A0624	[53] unpubl.	2(2) *
c.811A>T	nonsense	p.Lys271X	X91°		unpubl.	1(1) *
c.815G>A	nonsense	p.Trp272X	X91°	A0099 A0287 A0482	[1,12,19]	3(3)
c.816G>A	nonsense	p.Trp272X	X91°	A0047	[1,11]	1(1)
c.831_853del23	deletion	p.Met277IlefsX63	X91°		unpubl.	1(1) *
c.840T>A	nonsense	p.Tyr280X	X91°		unpubl.	1(1) *
c.844_874del31	deletion	p.Cys282AsnfsX21	X91°	A0536	unpubl.	1(1) *
c.845dupG	insertion	p.Cys282TrpfsX2	X91°		unpubl.	1(1) *
c.867G>A	nonsense	p.Trp289X	het ^b		[81]	1(1) *
c.868C>T	nonsense	p.Arg290X	X91° 2 het ^b	A0045 A0046 A0145 A0159 A0194 A0198 A0288 A0289 A0443 A0444 A0445 A0446 A0447 A0448 A0449 A0450 A0451 A0452 A0453 A0639	[1, 11, 12, 20, 23, 29, 33, 39, 42, 43, 49, 53, 61] unpubl.	38(42)
c.871 880del10	deletion	p.Ser291ArgfsX19	X91°	A0321	[1,17]	1(1)
c.883 887dupGTGGT	insertion	p.Ile297TrpfsX18	X91°		unpubl.	1(1) *
c.890_904del15	deletion	p.Ile297_Val301del	X91+	A0310	[1,25]	1(1)
c.894delC	deletion	p.Lys299ArgfsX14	het ^b		[82]	1(2) *
c.897G>C	missense splice site.?	p.Lys299Asn	X91-		unpubl.	1(1) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CyD type	Accession number	Ref.	Kindr. (pat.) ^a
c.897G>T	missense splice site?	p.Lys299Asn	X91 [?]	A0402	[1]	1(1)
c.897G>A (3' end of exon 8) ^f	splice site	del exon 8 p.Thr269_Lys299del	X91 [?]		[23] unpubl.	2(2) *
c.897+1G>A ^f	splice site	del exon 8 p.Thr269_Lys299del	X91 ^o	A0524	[1,29]	2(2)
c.897+1G>T ^f	splice site	del exon 8 p.Thr269_Lys299del	X91 ^o	A0239 A0240 A0303	[1,11,23]	3(4)
c.898-1G>A ^f	splice site	del exon 9? p.Val300AspfsX4?	X91 [?]		unpubl.	2(2) *
c.903dupC	insertion	p.Thr302HisfsX46	X91 ^o		unpubl.	1(1) *
c.904A>C	missense	p.Thr302Pro	X91 [?]		[23]	1(1) *
c.906 909delTCAC	deletion	p.His303LeufsX9	X91 [?]		unpubl.	1(1) *
c.907C>T	missense	p.His303Tyr	X91 ⁺		unpubl.	1(1) *
c.[907C>A;911C>G]	missense	p.[His303Asn; Pro304Arg]	X91 ⁺	A0538	[1, 83, 84]	1(2)
c.909C>A	missense	p.His303Gln	X91 ^o		unpubl.	1(7) *
c.911C>T	missense	p.Pro304Leu	X91 [?]		unpubl.	1(2) *
c.915delC	deletion	p.Phe305LeufsX8	X91 [?]	A0558	[24]	1(1) *
c.916A>T	nonsense	p.Lys306X	X91 ^o	A0290	[1,11]	1(1)
c.919A>C	missense	p.Thr307Pro	X91 ^o	A0469 A0590	[27, 39]	2(2) *
c.919delA	deletion	p.Thr307ProfsX6	X91 ^o	A0221	[1,11]	1(1)
c.[922 923insCCTTTCA; 935_937delTGA] ^e	deletion/ insertion	p.Ile308ProfsX39	X91 [?]		[1,12]	1(1)
c.922 923insGTTTC	insertion	p.Ile308SerfsX7	X91 ^o		[39]	1(1) *
c.925G>A	missense	p.Glu309Lys	X91 ⁻	A0101 A102 A0368 A0369 A0370 A0371 A0372	[1, 17, 20, 43] unpubl.	9(15)
c.925G>T	nonsense	p.Glu309X	X91 ^o		unpubl.	1(2) *
c.929T>C	missense	p.Leu310Pro	X91 ^o		unpubl.	1(1) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CyD type	Accession number	Ref.	Kindr. (pat.) ^a
c.931delC	deletion	p.Gln311ArgfsX2	X91 [?]		unpubl.	1(1) *
c.935T>G	missense	p.Met312Arg	X91 [?]	A0253	[1,11] unpubl.	2(2)
c.935T>A	missense	p.Met312Lys	X91 [?]	A0629	[33]	1(1) *
c.943_945delAAG	deletion	p.Lys315del	X91 ⁻	A0163 A0208 A0209	[1, 11, 12, 43, 48, 79] unpubl.	3(4)
c.948delG	deletion	p.Phe317SerfsX26	X91 ^o	A0222	[1,19]	1(1)
c.958delG	deletion	p.Glu320LysfsX23	X91 [?]		unpubl.	1(1) *
c.[958delG;962T>G]	deletion/ missense	p.Glu320LysfsX23	X91 ^o		unpubl.	1(1) *
c.958G>T	nonsense	p.Glu320X	X91 ^o	A0569	[35]	1(1) *
c.960delA	deletion	p.Val321TrpfsX22	X91 ^o	A0306	[1]	1(1)
c.965delG	deletion	p.Gly322AspfsX21	X91 ^o	A0118	[1,12,52]	1(1)
c.965G>A	missense	p.Gly322Glu	X91 ⁻	A0377	[1,12] unpubl.	2(2)
c.967C>T	nonsense	p.Gln323X	X91 ^o	A0067	[1, 17, 19]	1(1)
c.972C>A	nonsense	p.Tyr324X	X91 ^o		unpubl.	1(1) *
c.973A>T	missense	p.Ile325Phe	X91 ⁻	A0401	[1,12]	1(1)
c.979delG	deletion	p.Val327SerfsX16	X91 ^o	A0584	[27]	1(1) *
c.981_985delCAAGT	deletion	p.Lys328ProfsX18	X91 ^o		unpubl.	1(1) *
c.985T>C	missense	p.Cys329Arg	X91 ^o		[42]	1(1) *
c.992_997 delAGGTGTinsGGGGG	deletion/ insertion	p.Lys331ArgfsX12	X91 ^o		unpubl.	1(1) *
c.994delG	deletion	p.Val332CysfsX11	X91 ^o	A0571	[35]	1(1) *
c.997T>C	missense	p.Ser333Pro	X91 [?]	A0200	[1,12,52] unpubl.	2(2)
c.1006G>T	nonsense	p.Glu336X	X91 ^o	A0087 A088 A0291	[1, 20, 52]	4(5)
c.1010G>A	nonsense	p.Trp337X	X91 ^o	A0292 A0535	[1,11] unpubl.	3(3)
c.1011G>A	nonsense	p.Trp337X	X91 [?] 1 het ^b		[53] unpubl.	3(3) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CyG type	Accession number	Ref.	Kindr. (pat.) ^a
c.1012C>T	missense	p.His338Tyr	X91 ⁻	A0014 A0084 A0254 A0397 A0398	[1, 11, 26, 49, 80, 85] unpubl.	7(7)
c.1012C>A	missense	p.His338Asn	X91 [?]	A0396	[1]	1(1)
c.1013A>G	missense	p.His338Arg	X91 ⁺		unpubl.	2(4) *
c.1014C>A	missense	p.His338Gln	X91 [?]		unpubl.	3(3) *
c.1016C>A	missense	p.Pro339His	X91 ^{+/-}	A0070 A0096 A0416 A0417	[1, 11, 12, 17, 19, 22, 26, 29, 44, 86] unpubl.	11(13)
c.1016C>T	missense	p.Pro339Leu	X91 [?]		unpubl.	1(1) *
c.1016delC	deletion	p.Pro339LeufsX4	X91 [?]	A0317	[1]	1(1)
c.1016dupC	insertion	p.Thr341TyrfsX7	X91 ^o	A0347	[1, 22, 87]	1(2)
c.1022C>A	missense	p.Thr341Lys	X91 ⁺	A0255	[1, 19, 88]	1(1)
c.1022C>T	missense	p.Thr341Ile	X91 ⁻	A0470	[1]	1(1)
c.1025T>A	missense	p.Leu342Gln	X91 ^o	A0064 A0256 A0404	[1, 11, 33, 55] unpubl.	4(4)
c.1027A>C	missense	p.Thr343Pro	X91 ^o	A0591	[27] unpubl.	2(2) *
c.1030T>C	missense	p.Ser344Pro	X91 ^o		unpubl.	2(2) *
c.1030 I031insCT	insertion	p.Ala345ProfsX42	X91 ^o		unpubl.	1(2) *
c.1031C>T	missense	p.Ser344Phe	X91 ^o	A0467 A0468	[1, 17, 44] unpubl.	3(4)
c.1032delC	deletion	p.Ala345ProfsX41	X91 ^o	A0324 A0325	[1]	2(2)
c.1038delT	deletion	p.Glu347ArgfsX39	X91 ^o	A0129 A130 A0161 A0318	[1, 12, 19, 54] unpubl.	5(6)
c.1046delA	deletion	p.Asp349AlafsX37	X91 [?]		unpubl.	1(1) *
c.1061A>C	missense	p.His354Pro	X91 ^o		unpubl.	2(2) *
c.1061A>G	missense	p.His354Arg	X91 ⁻	A0399	unpubl.	1(2) *
c.1062_1071del10	deletion	p.His354GlnfsX29	X91 ^o	A0207	[1, 11]	1(1)
c.1063delA	deletion	p.Ile355SerfsX31	X91 ^o		[23]	1(1) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CGD type	Accession number	Ref.	Kindr. (pat.) ^a
c.1063_1070delATCCGCA T	deletion	p.Ile355ArgfsX15	X91 [?]		unpubl.	1(1) *
c.1067G>C	missense	p.Arg356Pro	X91 [?]	A0454	[12]	1(1) *
c.1075G>A	missense	p.Gly359Arg	X91 ^o	A0056 A0378	[1, 11, 23] unpubl.	3(4)
c.1076G>T	missense	p.Gly359Val	X91 [?]	A0379	[1]	1(1)
c.1076G>C	missense	p.Gly359Ala	X91 ⁻	A0611	[20]	1(1) *
c.1081T>C	missense	p.Trp361Arg	X91 ^o		[22] unpubl.	3(3) *
c.1082G>A	nonsense	p.Trp361X	X91 [?]		unpubl.	1(1) *
c.1083G>A	nonsense	p.Trp361X	X91 ^o	A0484	1, 23, 28	3(3)
c.1085C>T	missense	p.Thr362Ile	X91 ^o		unpubl.	2(3) *
c.1085C>G	missense	p.Thr362Arg	X91 [?]		unpubl.	1(1) *
c.1094T>C	missense	p.Leu365Pro	X91 ^o	A0405	[1] unpubl.	2(2)
c.1094dupT	insertion	p. Phe366ValfsX7	X91 ^o		unpubl.	1(1) *
c.1095delG	deletion	p.Phe366SerfsX20	X91 [?]		unpubl.	1(1) *
c.1105T>C	missense	p.Cys369Arg	X91 ⁺ het ^b	A0257	[1, 11, 88]	1(1)
c.1120C>T	nonsense	p.Gln374X	X91 ^o		unpubl.	2(2) *
c.1123G>T	nonsense	p.Glu375X	X91 ^o	A0610	[20] unpubl.	3(3) *
c.1129C>T	nonsense	p.Gln377X	X91 ^o	A0293	[1, 11]	1(1)
c.1136dupC	insertion	p.Trp380ValfsX5	X91 [?]		unpubl.	1(1) *
c.1139G>A	nonsense	p.Trp380X	X91 ^o	A0086 A0174	[1, 12, 52] unpubl.	3(3)
c.1140G>A	nonsense	p.Trp380X	X91 ^o		unpubl.	3(3) *
c.1144 1145insAGGT	insertion	p.Leu382GlnfsX4	het ^b		unpubl.	1(1) *
c.1147_1150delCCTA	deletion	p.Pro383ArgfsX2	X91 [?]	A0315	[1]	1(1)
c.1150_1151+2delAAGT ^f	splice site	del exon 9? p.Val300AspfsX4?	X91 ^o	A0156	[1, 23, 52, 53] unpubl.	9(9)

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CGD type	Accession number	Ref.	Kindr. (pat.) ^a
c.1151+4A>T ^f	splice site	del exon 9? p.Val300AspfsX4?	X91 [?]		unpubl.	1(1) *
c.1151+5G>A ^f	splice site	del exon 9? p.Val300AspfsX4	X91 ^o	A0525	[1] unpubl.	2(2)
c.1152-11T>G ^f	splice site	del exon 10/ins10 into exon 10> p.Ala488PhefsX12	X91 ⁻		[1,26]	1(2)
c.1152-2A>G ^f	splice site	del exon 10? p.Ile385SerfsX63?	X91 [?]	A0580	[38]	1(1) *
c.1152-2A>T ^f	splice site	del exon 10? p.Ile385SerfsX63?	X91 ^o		unpubl.	2(2) *
c.1152-1G>A ^f	splice site	alt splice site>1 nt del p.Ile385X	X91 ^o		unpubl.	2(2) *
c.1154T>G	missense	p.Ile385Arg	X91 ^o		unpubl.	1(1) *
c.1163delA	deletion	p.Asp388ValfsX17	X91 [?]		unpubl.	1(1) *
c.1165G>A	missense	p.Gly389Arg	X91 [?]		unpubl.	1(1) *
c.1166G>A	missense	p.Gly389Glu	X91 ^o	A0380	[1,17] unpubl.	2(2)
c.1166G>C	missense	p.Gly389Ala	X91 ⁻	A0004	[1,11,49,51]	1(1)
c.1166G>T	missense	p.Gly389Val	X91 [?]		unpubl.	1(1) *
c.1166_1170del insTGTTCAGC	deletion/ insertion	p.Gly389_Pro390del insValPheSer	X91 [?]		unpubl.	1(1) *
c.1167delG	deletion	p.Phe391LeufsX14	X91 [?]		unpubl.	1(1) *
c.1169C>T	missense	p.Pro390Leu	X91 ^o	A0258 A0259	[1,11] unpubl.	2(3)
c.1177delA	deletion	p.Thr393LeufsX12	X91 [?]		unpubl.	1(1) *
c.1180_1182delGCC/ins ATGTGATGAACACAT	deletion/ insertion	p.Ala394MetX2	X91 ^o	A0072 A0073	[1, 89]	1(2)
c.1186_1195del10	deletion	p.Glu396SerfsX6	X91 [?]		unpubl.	1(1) *
c.1190_1191delAT	deletion	p.Asp397GlyfsX5	X91 ^o	A0213	[1,11]	1(1)
c.1214T>G	missense	p.Met405Arg	X91 ^o	A0142	[1,12,19]	1(1)
c.1222G>A	missense	p.Gly408Arg	X91 [?]	A0157 A0158	[1,12,19]	2(3)
c.1222G>C	missense	p.Gly408Arg	X91 ⁺		[90]	1(1) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CyD type	Accession number	Ref.	Kindr. (pat.) ^a
c.1223G>A	missense	p.Gly408Glu	X91 ⁺ 1 het ^b	A0013 A0016 A0190 A0191	[1, 11, 12, 19, 88]	3(4)
c.1234G>A	missense	p.Gly412Arg	X91 [?]		unpubl.	1(1) *
c.1234G>C	missense	p.Gly412Arg	X91 ⁺		unpubl.	1(2) *
c.1235G>A	missense	p.Gly412Glu	X91 [?]		unpubl.	1(1) *
c.1234_1257dup24	insertion	p.Gly412Ile419dup	X91 [?]		[1]	1(1)
c.1237dupG	insertion	p.Val413GlyfsX18	X91 ^o 1 het ^b	A0144	[1, 12, 19] unpubl.	2(2)
c.1244C>A	missense	p.Pro415His	X91 ⁺	A0048 A049 A0076 A077 A0107	[1, 11, 12, 91]	3(5)
c.1244C>G	missense	p.Pro415Arg	X91 [?]	A0419	[1]	1(1)
c.1244C>T	missense	p.Pro415Leu	X91 ⁺	A0112	[1, 3, 12, 19] unpubl.	3(3)
c.1253C>A	missense	p.Ser418Tyr	X91 ^o		unpubl.	1(1) *
c.1255dupA	insertion	p.Ile419AsnfsX12	X91 [?]	A0574	[38]	1(1) *
c.1259T>C	missense	p.Leu420Pro	X91 ^o	A0406	[1, 17, 64]	1(1)
c.1264T>C	missense	p.Ser422Pro	X91 [?]	A0202	[1, 12, 19]	1(1)
c.1265C>A ^e	nonsense	p.Ser422X	X91 [?]		[23]	1(1) *
c.1265_1273delTCAGTCTG G	deletion	p.Ser422_Trp424del	X91 ⁻		unpubl.	1(1) *
c.1271G>A	nonsense	p.Trp424X	het ^b		unpubl.	1(1) *
c.1272delG	deletion	p.Trp424CysfsX11	X91 ^o	A0330	[1, 12]	1(1)
c.1272G>A	nonsense	p.Trp424X	X91 ^o	A0622 A0623	[53] unpubl.	4(4) *
c.1275C>G	nonsense	p.Tyr425X	X91 [?]	A0496	[1]	1(1)
c.1281T>G	nonsense	p.Tyr427X	X91 [?]		unpubl.	1(1) *
c.1284C>A	nonsense	p.Cys428X	X91 ^o	A0598	unpubl.	1(1) *
c.[1287delT;1290delC]	deletion	p.Asn429LysfsX23	X91 ^o	A0617	[20]	1(1) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	C/GD type	Accession number	Ref.	Kindr. (pat.) ^a
c.1294delA	deletion	p.Thr432ProfsX3	X91°		unpubl.	1(1) *
c.1309A>T	nonsense	p.Lys437X	X91°	A0403	[1,17] unpubl.	2(2)
c.1313delA ^f	deletion splice site?	p.Lys438ArgfsX64	X91°	A0053 A0054	[1,11] unpubl.	2(3)
c.1313_1314delAGinsT ^f	deletion/ insertion splice site?	p.Lys438IlefsX64	X91°	A0091	[1,12,19]	1(1)
c.1314delG ^f	deletion splice site?	p.Ile439SerfsX63	X91?		unpubl.	2(2) *
c.1314+1G>A ^f	splice site	del exon 10? p.Ile385SerfsX63?	X91? 1 het ^b	A0526 A0579	[1, 12, 38]	2(2)
c.1314+1G>T ^f	splice site	del exon 10 p.Ile385SerfsX63	X91?	A0529	[1]	1(1)
c.1314+1G>C ^f	splice site	del exon 10 p.Ile385SerfsX63	X91°		unpubl.	1(1) *
c.1314+2T>A ^f	splice site	del exon 10 p.Ile385SerfsX63	X91°	A0527	[1]	1(1)
c.1314+2T>G ^f	splice site	del exon 10 p.Ile385SerfsX63	het ^b		unpubl.	1(1) *
c.1314+4_+5AG>GC ^f	splice site	del exon 10 p.Ile385SerfsX63	X91 ⁻		unpubl.	1(1) *
c.1315-2A>C ^f	splice site	del exon 11? p.Ile439_Gln487del?	X91?		unpubl.	2(2) *
c.1315-1G>C ^f	splice site	del exon 11 p.Ile439_Gln487del	X91°	A0528	[1,12]	1(1)
c.1315-1G>T ^f	splice site	del. exon 11? p.Ile439_Gln487del?	X91?		unpubl.	1(1) *
c.1315delA ^f	deletion splice site?	p.Ile439SerfsX63	X91°	A0081	[1, 19, 25]	1(1)
c.1320C>A	nonsense	p.Tyr440X	X91?	A0151	[1,12,52]	1(1)
c.1320C>G	nonsense	p.Tyr440X	X91?		unpubl.	1(1) *
c.1326C>G	nonsense	p.Tyr442X	X91°	A0589	[27]	1(1) *
c.1327delT	deletion	p.Trp443GlyfsX59	X91?	A0630	[33]	1(1) *
c.1329G>A	nonsense	p.Trp443X	X91°	A0168 A0485	[1,12,52]	2(2)

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CGD type	Accession number	Ref.	Kindr. (pat.) ^a
c.1333T>C	missense	p.Cys445Arg	X91 [?]	A0605	unpubl.	1(1) *
c.1335C>A	nonsense	p.Cys445X	X91 ^o	A0361	[1] unpubl.	2(3)
c.1340delA	deletion	p.Asp447AlafsX55	X91 ^o		[23]	1(1) *
c.1348_1352delGCCCTT	deletion	p.Ala450X	X91 [?]	A0308	[1]	1(1)
c.1350delC	deletion	p.Phe451LeufsX51	X91 [?]	A0192	[1,12,19]	1(1)
c.1354C>T	nonsense	p.Glu452X	X91 ^o	A0373	[1,17]	1(1)
c.1357T>C	missense	p.Trp453Arg	X91 ^o	A0486 A0487 Kuhns unp	[1, 12, 23] unpubl.	3(3)
c.1357T>A	missense	p.Trp453Arg	X91 ^o	A0613	[20]	1(2) *
c.1357 1358delTG	deletion	p.Trp453ValfsX32	X91 ^o		unpubl.	1(1) *
c.1358G>A	nonsense	p.Trp453X	X91 ^o	A0488	[1,12,19]	1(1)
c.1359G>A	nonsense	p.Trp453X	X91 ^o	A0489	[1] unpubl.	2(3)
c.1363 1375del13	deletion	p.Ala455AsnfsX43	X91 ^o		unpubl.	1(1) *
c.1375C>T	nonsense	p.Gln459X	X91 ^o		Nunci unp	1(1) *
c.1382delT	deletion	p.Leu461ArgfsX41	X91 [?]		unpubl.	1(1) *
c.1384G>T	nonsense	p.Glu462X ⁱ	X91 ^o	A0374	[39, 72]	2(2) *
c.1396C>T	nonsense	p.Gln466X	X91 ^o	A0426	[1,17] unpubl.	2(2)
c.1399G>T	nonsense	p.Glu467X	X91 ⁻		unpubl.	1(2) *
c.1407-1414del8/ins TGTGTGTA ^e	deletion/ insertion	p.Asn470ValfsX14	X91 ^o		[1] unpubl.	1(2)
c.1415delG	deletion	p.Gly472AlafsX30	X91 ^o	A0092 A0493	[1,12,19]	1(2)
c.1421T>G	missense	p.Leu474Arg	X91 ⁻		unpubl.	1(1) *
c.1428C>A	nonsense	p.Tyr476X	X91 ^o	A0071	[1, 11, 17, 44, 86]	1(1)
c.1437C>A	nonsense	p.Tyr479X	X91 [?]	A0631	[33] unpubl.	3(3) *
c.1441A>C	missense	p.Thr481Pro	X91 ⁺		unpubl.	1(1) *
c.1447 1459del13	deletion	p.Trp483ArgfsX15	X91 ^o	A0331	[1,17]	1(1)
c.1448C>A	nonsense	p.Trp483X	X91 ^o		unpubl.	3(3) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CyG type	Accession number	Ref.	Kindr. (pat.) ^a
c.1449C>A	nonsense	p.Trp483X	X91°	A0294	[1,19]	1(1)
c.1455delG	deletion	p.Glu485AspfsX17	X91°	A0165	[1,12,19]	1(1)
c.1456dupT	insertion	p.Ser486PhefsX11	X91°	A0184 A0185	[1,12,19] unpubl.	2(3)
c.1461+1G>A ^f	splice site	del exon 11? p.Ile439_Gln487del?	X91°	A0241	[1,19] unpubl.	2(2)
c.1461+1G>T ^f	splice site	del exon 11 p.Ile439_Gln487del	X91°	A0530 A0560	[1, 24] unpubl.	3(4)
c.1461+2delT ^f	splice site	del exon 11? p.Ile439_Gln487del?	X91°		[29]	1(1) *
c.1461+668_1462-807del1558	deletion	intronic deletion; no phenotype	het ^{b,g}		[68]	1(1) *
c.1462-809_1586+819 del1753ins12	deletion/ insertion	del exon 12 p.Ala488TyrfsX11	X91°		[1, 68]	1(1)
c.1462-2A>G ^f	splice site	partial del exon 12 p.Ala488_Glu497del	X91+	A0078 A0104 A0531	[1, 92] unpubl.	3(4)
c.1462-2A>C ^f	splice site	(partial) del exon 12? p.Ala488_Glu497del?	X91+		unpubl.	1(1) *
c.1462-1G>A ^f	splice site	altern. splicing exon 12 G del exon 12 > p.Ala488Prof'sX14	X91°	A0532	[1]	1(1)
c.1462-?f	splice site	del exon 12 p.Ala488TyrfsX11	X91°		[1,17]	1(1)
c.1464delC	deletion	p.Asn489IlefsX13	X91°	A0114	[1,12,19]	1(1)
c.1484A>C	missense	p.His495Pro	X91-		unpubl.	1(2) *
c.1488_1490delTGA	deletion	p.Asp496del	X91+		unpubl.	1(1) *
c.1497delA	deletion	p.Asp500MetfsX2	X91°	A0312	[1,17]	1(1)
c.1498G>A	missense	p.Asp500Asn	X91-	A0366	unpubl.	1(3) *
c.1498G>C	missense	p.Asp500His	X91°	A0632	[23,33]	2(2) *
c.1498G>T	missense	p.Asp500Tyr	X91+	A0367	[23, 56]	2(3) *
c.1499A>G	missense	p.Asp500Gly	X91+	A0019	[1, 93]	1(1)
c.1500T>G	missense	p.Asp500Glu	X91+		[23]	1(1) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CGD type	Accession number	Ref.	Kindr. (pat.) ^a
c.1509delA	deletion	p.Gly504AlafsX2	X91°		[23] unpubl.	2(2) *
c.1514T>G	missense	p.Leu505Arg	X91+	A0408 A0573	[35, 39] unpubl.	3(3) *
c.1514T>C	missense	p.Leu505Pro	X91-	A0407	[1]	1(2)
c.1515 1525del11	deletion	p.Lys506PhefsX9	X91?		unpubl.	1(1) *
c.1519C>T	nonsense	p.Gln507X	X91°	A0116	[1,12,52]	2(5)
c.1521_1525delAAAGA /ins CATCTGGG	deletion/ insertion	p.Gln507_Thr509del /i nsHsilleTtpAla	X91+	A0068	[1, 94]	1(1)
c.1522_1523delAA	deletion	p.Lys508AspfsX10	X91?	A0313	[1]	1(1)
c.1523delA	deletion	p.Lys508ArgfsX25	X91°	A0314	[1,23,]	2(3)
c.1524 1527delGACT	deletion	p.Lys508AsnfsX24	X91?		unpubl.	1(1) *
c.1528_1529delTT	deletion	p.Leu510ValfsX8	X91°	A0143	[1,19] unpubl.	3(3)
c.1532_1538delATGGACGinsTTCA	deletion/ insertion	p.Tyr511_Arg513del/ insPheGln	X91?	A0645	[95]	1(1) *
c.1533T>A	nonsense	p.Tyr511X	X91°		[23]	1(1) *
c.1546T>A	missense	p.Trp516Arg	X91?		[23]	1(1) *
c.1546T>C	missense	p.Trp516Arg	X91°	A0494	[1, 64]	1(1)
c.1547G>A	nonsense	p.Trp516X	X91°	A0570	[35] unpubl.	3(3) *
c.1548G>T	missense	p.Trp516Cys	X91?	A0094	[1,12,19]	1(1)
c.1548G>A	nonsense	p.Trp516X	X91°	A0295 A0296	[1,19] unpubl.	3(3)
c.1549delG	deletion	p.Asp517IlefsX16	X91°		unpubl.	1(1) *
c.1555G>T	nonsense	p.Glu519X	X91°	A0059	[1,33,55]	1(1)
c.1561A>T	nonsense	p.Lys521X	X91°	A0025	[1,11]	1(1)
c.1565delC	deletion	p.Thr522LysfsX11	X91°	A0326	[1, 12, 34]	1(1)
c.1570 1586+?del	deletion	p-Ala524X	X91°		unpubl.	1(1) *
c.1571C>T	missense	p-Ala524Val	X91°		[96] unpubl.	2(2) *
c.1578delA	deletion	p.Gln526HfsfsX7	X91°	A0319	[56]	1(1) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CGD type	Accession number	Ref.	Kindr. (pat.) ^a
c.1579dupC	insertion	p.His527ProfsX3	X91°		[23]	1(1) *
c.1585_1586+9del111f	splice site	del 17 from 3' exon 12 p.Ala524TyrfsX11	X91-	A0572	[35]	1(1) *
c.1586+1G>Cf	splice site	del exon 12? p.Ala488TyrfsX11?	X91?		unpubl.	1(1) *
c.1586+3A>Tf	splice site	del exon 12? p.Ala488TyrfsX11?	X91?		unpubl.	1(1) *
c.1587-2A>Gf	splice site	altern splicing G insert exon 13 > p.Asn529LysfsX12	X91°	A0533	[1, 17, 61] unpubl.	3(4)
c.1598_1600delGAG	deletion	p.Gly533del	X91-		[28] unpubl.	2(2) *
c.1600_1614del15	deletion	p.Val534_Gly538del	X91-	A0329	[1]	1(1)
c.1601T>A	missense	p.Val534Asp	X91?	A0147	[1,12,19]	1(1)
c.1603_1609delTTCTCTCT	deletion	p.Phe535ValfsX10	X91°		unpubl.	1(1) *
c.1607dupT	insertion	p.Cys537LeufsX4	X91?	A0345	[1]	1(1)
c.1609T>C	missense	p.Cys537Arg	X91+	A0199 A0545	[1, 12, 19, 41] unpubl.	2(2)
c.1611_1612delTG	deletion	p.Cys537TrpfsX3	X91°		[23]	1(1) *
c.1618delG	deletion	p.Glu540LysfsX7	X91°	A0537	[97] unpubl.	2(3) *
c.1622_1625dupCCTT	insertion	p.Leu542PhefsX4	X91°	A0183	[1,12,19]	1(1)
c.1625T>C	missense	p.Leu542Ser	X91°	A0082	[1,19,26]	1(1)
c.1637T>C	missense	p.Leu546Pro	X91+	A0409	[1,26]	1(1)
c.1637T>G	missense	p.Leu546Arg	X91-		unpubl.	1(1) *
c.1642A>T	nonsense	p.Lys548X	X91?		unpubl.	1(1) *
c.1645C>T	nonsense	p.Gln549X	X91?	A0297	[1,19]	1(1)
c.1658delA	deletion	p.Ser554LeufsX24	X91?		unpubl.	1(1) *
c.1661_1662delCT	deletion	p.Ser554X	X91?		[29]	1(1) *
c.1662dupT	insertion	p.Glu555X	X91°	A0302 A0348 A0556	[1, 19, 24] unpubl.	3 (5)
c.1662_1663insGT	insertion	p.Glu555ValfsX23	X91?		unpubl.	1(1) *

cDNA Nucleotide (or Splice Site) change	Mutation	Amino acid change	CGID type	Accession number	Ref.	Kindr. (pat.) ^a
c.1663_1693dup31	insertion	p.Phe565X	X91 [?]	A0300	[1, 39, 79]	2(2)
c.1678G>T	nonsense	p.Gly560X	X91 [?]		unpubl.	1(1) *
c.1679delG	deletion	p.Gly560GlufsX17	X91 ^o	A0307	[77, 80, 98]	3(3) *
c.1682-1712del31	deletion	p.Val561AspfsX6	X91 ^o	A0155	[1,12,19] unpubl.	2(2)
c.1694dupT	insertion	p.Asn566GlnfsX28	X91 ⁻		unpubl.	1(1) *
c.1702G>A	missense	p.Glu568Lys	X91 ⁺	A0259	[1,19,88]	1(1)

Acc. #, accession number in the X-CGID database (see text);

* mutation added since last tabulation; unpubl., not previously published; ND, not determined; NA, not applicable; del, deletion; ins, insertion; dup, duplication; bp, base pairs; AA, amino acids; w.t., wild type.

^aNumber of unrelated kindreds and (number of patients).

^bFemale heterozygote patient or female heterozygote relative of a deceased patient.

^cDue to insertion of a LINE-1 element [60,70].

^dThese promoter mutations lead to loss of gp91-*phox* expression on neutrophils and monocytes, but normal expression on eosinophils [14–16,18].

^eCorrected after consultation of the author.

^fPosition of introns in *CYBB*: intron 1 c.45_46; intron 2 c.141_142; intron 3 c.252_253; intron 4 c. 337_338; intron 5 c.483_484; intron 6 c.674_675; intron 7 c.804_805; intron 8 c.897_898; intron 9 c.1151_1152; intron 10 c.1314_1315; intron 11 c.1461_1462; intron 12 c.1586_1587.

^gThis woman is a triple mosaic carrier of two different mutations and the wild-type of *CYBB* (68).

^hDue to unequal crossing over between a GT repetition at the 3' region of intron 5 and a GT repetition at the 5' region of intron 8 (Van Leeuwen, Stasia, et al., unpublished).

ⁱTwo patients with c.388C>T (Kuhns et al., unpubl.), one patient with c.667G>T and one patient with c. 1384G>T [72] have somatic mosaicism of cells with the mutated *CYBB* sequence and a small proportion of reverse mutated cells with the wild-type *CYBB* sequence.

^jThis patient has a *TMF1* retrogene insertion in *CYBB* intron 1, resulting in an extra exon between exon 1 and 2 in the *CYBB* mRNA. This extra exon contains TAG as the second codon (De Boer et al., unpublished).

Table 2
Large (1 exon) deletions in the *CYBB* region known to cause X-linked CGD

Approximate size of deletion (associated disease)	Affected exon(s)	CGD Type	Acc. #	Ref	Kim (pat)
~6000 kb (+DMD, McLeod)	NA	X91°		unpubl.	1(1)*
~5650 kb (+DMD, RP, McLeod)	NA	X91°		[99]	1(1)*
~5,000 kb (+DMD, RP, McLeod)	NA	X91°	A0030	[1, 100]	1(1)
~4,000 kb (+DMD, McLeod)	NA	X91°	A0031	[1, 101]	1(1)
~3900 kb (+OTC, RP, McLeod)	NA	X91?		[102]	1(1)*
~3500 kb (+OTC, McLeod)	NA	X91°		unpubl.	1(1)*
913kb	del promoter_ exon 1	X91°		[1, 12]	1(1)
~800 kb (+ McLeod)	NA	X91°	A0032	[1, 103]	1(1)
~800 kb (+McLeod)	NA	X91°		unpubl.	1(1)*
~550 kb (+McLeod)	NA	X91°		[20]	1(1)*
~500 kb (+RP, McLeod)	NA	X91°		[1, 104]	1(1)
~500 kb (+RP, McLeod)	NA	X91°	A0066	[1, 17]	1(1)
~500 kb	NA	X91°		[20]	1(1)*
ND (+ RP, McLeod)	NA	X91°	A0033	[1, 105]	1(1)
~450 kb (+McLeod)	NA	X91°		unpubl.	3(4) ^{a*}
ND (+McLeod)	NA	X91°		unpubl.	1(1)*
ND (+McLeod)	NA	X91°		[29]	1(1)*
ND (+McLeod)	NA	X91°		[29]	1(1)*
ND (+McLeod)	del exons 1_13	X91?		[106]	1(1)*
ND (+McLeod)	del exons 1_13	X91?		[106]	1(1)*
ND (+McLeod)	del exons 1_13	X91?		[106]	1(1)*
ND (+McLeod)	del exons 1_13	X91?		[106]	1(1)*
~320 kb (+ DMD, McLeod)	NA	X91°		[1, 12]	1(1)
~320 kb (+McLeod)	NA	X91°		unpubl.	1(1)*
>300 kb (+McLeod)	del exons 1_13	X91°		unpubl.	1(1)*

Approximate size of deletion (associated disease)	Affected exon(s)	CGD Type	Acc. #	Ref	Kin (pat)
>300 kb (+McLeod)	del exons 1_13	X91°		unpubl.	1(1)*
>150 kb (+McLeod)	del exons 1_13	X91°		unpubl.	1(1)*
>150 kb (+McLeod)	del exons 1_13	X91°		unpubl.	1(1)*
>100 kb (+McLeod)	del exons 1_3	X91°		unpubl.	1(1)*
>100 kb (+McLeod)	del exons 1_13	X91°		[107]	1(3)*
~100 kb	del exons 1_13	X91°		unpubl.	1(1)*
~80 kb	del exons 1_13	X91°		unpubl.	1(2)*
> 60 kb (+McLeod)	del exons 1_3	X91?		[20]	1(2)*
>>30 kb (+ DMD + McLeod)	NA	X91°	A0119	[1,12]	1(1)
>27 kb (+McLeod)	del. exons 1_13	X91o	A0035	[1, 11, 19]	1(1)
>27 kb	del exons 1_13 ^a	X91°	A0034 A0036 A0037 A0038 b A0119 A0153 A0167 A0169 A0201	[1, 11, 12, 20, 23, 29, 54] unpubl.	30 ^a (32)
25 kb	del promoter_ exon 7	X91°		[1, 17, 108, 109]	1(1)
>20 kb	del exons 1_10	X91°	A0039 b	[1,11]	1(1)
>20 kb	del exons 1_10	X91°		unpubl.	1(1)*
ND	del promoter_ exon 4	X91°		unpubl.	1(1)*
~19 kb	del exons 6_13	X91°		[1]	1(3)
>15 kb	del exons 4_13	X91°	A0040	[1,19]	1(1)
~14 kb	del exons 4_9	X91°	A0026	[1, 34]	1(1)
>13 kb	del exons 6_13	X91°	A0041	[1, 110]	1(2)
>13 kb	del exons 6_13	X91°		unpubl.	1(1)*
ND	del exons 7_13	X91?		unpubl.	1(1)*
>10 kb	del exons 8_13	X91°	A0042	[1,11]	1(1)
>10 kb	del exons 8_13	X91°		[1]	1(1)
~10 kb	del exons 7_12	X91° (het ^b)		unpubl.	1(1)*
~10kb	del exons 7_11	X91°		[1]	1(1)

Approximate size of deletion (associated disease)	Affected exon(s)	CGD Type	Acc. #	Ref	Kin (pat)
>9 kb	del exons 9_13	X91°		[1]	1(1)
ND	del exons 6_8	X91°		[29]	1(1)*
ND	del. exons 4_6	X91?		unpubl.	1(1)*
7 kb	del exons 3_4	X91°		[1,17]	1(1)
>6.5 kb	del exons 11_13	X91°	A0043	[1,11]	1(1)
~6 kb	del exons 12_13	X91°	A0044	[1, 67]	1(1)
>5.3 kb	del exons 1_3	X91°	A0204	[1,19]	1(1)
ND	del exons 1_3	X91°		[56]	1(2)*
~4.3 kb	del exons 11_13	X91°	A0172 A0173	[1, 52]	1(2)
ND	del. exons 11–13	X91?		unpubl.	1(1)*
ND	del exons 7_8	X91°		unpubl.	1(1)*
~3.5 kb	del exons 6_7	X91°	A0028 c	[1,34,111]	1(1)
~3.2kb	del exon 6	X91°		[1]	1(1)
~3.2 kb	del exon 7	X91?	A0205	[1,11]	1(1)
~3 kb	del exon 5	X91°	A0027 c	[1,34,111]	1(1)
~3 kb	del exon 7	X91?		unpubl.	1(2)*
~2.2 kb	del exon 5	X91°	A0206	[1,19]	1(1)
~2 kb	del exon 3	X91°		[1]	1(1)
~2 kb	del exon 7	X91°		[23]	1(1)*
ND	del exon 3	X91?		unpubl.	1(1)*
~2 kb	del promoter_ exon 1	X91°		[1]	1(1)
ND	del promoter_ exon 1	X91?		[23]	1(1)*
~2 kb	del exon 8	X91°		[1] unpubl.	2(2) ^a
2 kb	del exons 12_13	X91°		[1,17]	1(1)
~2 kb	del. exon 7	X91°		[23]	1(1)*
ND	del. exon 7	X91?		unpubl.	1(1)*
~1.1 kb	del exon 6	X91?		[23]	1(2)*

Approximate size of deletion (associated disease)	Affected exon(s)	CGD Type	Acc. #	Ref	Kim (pat)
~1 kb	del intron 12_ 3'UTR	X91°	A0203	[1,101] unpubl.	1(1)
ND	del exon 9	X91?		unpubl.	1(1)*
ND	del. exon 9	X91?		unpubl.	1(1)*
0.35 kb	del exon 3	X91°		[1]	1(2)
0.22 kb	del promoter	X91°		[1]	1(1)

^aThese mutations are not necessarily identical.

^bPatients A0038 and A0039 are brothers with different deletions.

^cPatients A0027 and A0028 are brothers with different deletions; their mother has both mutations and the wild-type *CYBB* sequence (triple mosaic) [34,111].

DMD, Duchenne muscular dystrophy; RP, X-linked retinitis pigmentosa; OTC, ornithine transcarbamylase deficiency; McLeod, McLeod hemolytic anemia; 3'UTR, 3' untranslated region.

Table 3Known polymorphisms in the *CYBB* gene

Nucleotide change	Effect	Approximate frequency
c.-270C/A	N.A.	unknown [112]
c.141+48C/G	N.A.	unknown (Maddalena, unpubl.)
c.142-12C/T	N.A.	unknown (internet, unpubl.)
c.484-60delT	N.A.	unknown (Jianxin He, unpubl.)
c.484-4G/A	splice	unknown [1]
c.654C/A	silent (p.Gly218)	2% A in sub-Saharan Africans (internet, unpubl.)
c.804+118A/G	N.A.	unknown (Maddalena, unpubl.)
c.1002G/A	silent (p.Lys334)	4% A in sub-Saharan Africans (internet, unpubl.) [1]
c.1090G/C	p.364Gly/Arg	unknown [1,113]
c.1414G/A	p.472Gly/Ser	2% A in Asians (internet, unpubl.)
c.1551T/A	p.517Asp/Glu	unknown (Hill, unpubl.) [1]
c.1581C/T	silent (p.His527)	unknown (Di Matteo, unpubl.)

Table 4

Total number of kindreds with X-CGD patients, total number of X-CGD patients, total number of different mutations and total number of mutations unique for one kindred

	Kindreds	Mutations
Deletions	281 (22.2%)	242 (35.6%)
Insertions	89 (7.0%)	54 (7.9%)
Deletion/insertions	19 (1.5%)	19 (2.8%)
Splice site mutations	247 (19.5%)	120 (17.6%) (2 undefined)
Missense mutations	246 (19.4%)	145 (21.3%)
Nonsense mutations	377 (29.8%)	96 (14.1%)
Promoter mutations	8 (0.6%)	5 (0.7%)
Total 1267 unrelated kindreds with 1415 patients		Total 681 different mutations in the patients (all large deletions considered different). Of these 681 mutations, 498 (73.1%) are unique for one kindred.