AUTHOR CORRECTION

Correction for Milillo et al., Rapid and Simultaneous Detection of *bla*_{KPC} and *bla*_{NDM} by Use of Multiplex Real-Time PCR

Michael Milillo, Yoon I. Kwak, Erik Snestrud, Paige E. Waterman, Emil Lesho, Patrick McGann

Multidrug-Resistant Organism Repository and Surveillance Network, Walter Reed Army Institute of Research, Silver Spring, Maryland, USA

Volume 51, no. 4, p. [1247–1249](#), 2013. Page 1248, Table 1, “Sequence” column, “NDMMP-F” row: “GCCCAATATTATGCACCC” should read “GGCCACACCAGTGACAATATC.”

Page 1248, Table 1, “Sequence” column, “NDMMP-R” row: “GTCGCCAGTTTCCATTTG” should read “AGGCAGCCACCAAAAGC.”

Citation Milillo M, Kwak YI, Snestrud E, Waterman PE, Lesho E, McGann P. 2015. Correction for Milillo et al., Rapid and simultaneous detection of *bla*_{KPC} and *bla*_{NDM} by use of multiplex real-time PCR. J Clin Microbiol 53:1460. doi:10.1128/JCM.00373-15.

Copyright © 2015, American Society for Microbiology. All Rights Reserved. doi:10.1128/JCM.00373-15