Technical Section [TECHNICAL NOTES AND TIPS

Preventing intramedullary guidewire migration using an electrosurgery scratchpad

HU Khan, LA David

Maidstone and Tunbridge Wells NHS Trust, UK

CORRESPONDENCE TO

Hayat Khan, E: khaney22@hotmail.com

During intramedullary nailing, a guidewire is passed into the medullary canal, across the fracture, over which reamers increase the size of the canal. The purpose of reaming is to allow as large a nail as possible to be passed, increasing bending and torsional rigidity. During reaming, the guidewire inconveniently backs out of the canal as the reamer is removed. In order to prevent this, an adhesive electrosurgery scratchpad can be stuck to the palm of a glove to push on the free end of the guidewire while the reamer is being removed (Fig 1). The metallic face of the scratchpad provides an ideal counterpressure surface.

Figure 1 Electrosurgery scratchpad stuck to the palm of a glove pushing on guidewire

A new method to pass a suture through an outer table calvarial tunnel

S Al-Benna

Institute of Surgery and Innovation, London, UK

CORRESPONDENCE TO

Sammy Al-Benna, E: sammyalbenna@doctors.org.uk

BACKGROUND

Surgical lifting procedures use suspension sutures. Stable and reliable techniques for facial soft tissue suspension that eliminate the need for costly permanent or temporary anchoring screws are advantageous.

TECHNIQUE

A 4mm drill with a guarded stop is used to make two burr holes in the outer table that are 6mm apart. Once these holes have created a calvarial tunnel, the tip of a 27G hypodermic needle is bent using two needle holders to create a fish hook shape (Fig 1). The fish hook is passed into the exit aperture of the calvarial tunnel and then through the tunnel until it is visible in the entry aperture. The end of the suspension suture is passed into the entry aperture, caught by the fish hook and drawn out through the exit aperture (Fig 2).

Figure 1 The tip of a hypodermic needle is bent to create a fish hook shape.