CORRESPONDENCE

IgG4-Related Autoimmune Diseases: Polymorphous Presentation Complicates Diagnosis and Treatment

by PD Dr. rer. med. Alexander Kleger, Prof. Dr. med. Thomas Seufferlein, Prof. Dr. med. Martin Wagner, Prof. Dr. med. Andrea Tannapfel, Prof. Dr. med. Thomas K. Hoffmann, Prof. Dr. med. Julia Mayerle in issue 8/2014

Unsuitable Terminology

Referring to manifestations of IgG4-associated disease of the salivary glands, the authors (1) use the terms Mikulicz disease and Küttner's tumor; however, this is somewhat unfortunate as it may cause misunderstandings. Therefore, we see the need to comment on it.

The so-called Mikulicz disease is a synonym for various inflammatory salivary gland conditions, and, as its meaning is rather obscure, has led to confusion over decades. Recently, evidence was provided that the case described by Mikulicz in 1892 of a man with multifocal tumor-like swellings of the salivary and lacrimal glands was very likely the presentation of a multifocal MALT lymphoma of the salivary glands (2, 3). The preserved histological drawings show that in the original case presented by Mikulicz, the patient did not have an IgG4-associated disease. For the reasons stated above, there is a consensus that this term should no longer be used. Unfortunately, the historical term of Mikulicz disease is currently experiencing a renaissance in the context of IgG4-associated disease for no good reason.

The term "Küttner's tumor" is a historical synonym for severe late manifestations of chronic sclerosing sialadenitis of the submandibular gland, frequently associated with sialolithiasis. Only a presumably small percentage of these cases of chronic sclerosing sialadenitis (2% in a European study) showed a histomorphologic overlap with IgG4-associated disease. Therefore, the term Küttner's tumor cannot be used as a general synonym for IgG4-associated disease of the salivary glands (4).

Based on an international consensus, the general term "IgG4-associated disease of...." should be used together with the affected organ, for example, the salivary glands. The two historical terms should not be used as synonyms.

DOI: 10.3238/arztebl.2015.0444a

REFERENCES

1. Kleger A, Seufferlein T, Wagner M, Tannapfel A, Hoffmann TK, Mayerle J: IgG4-associated autoimmune diseases—polymorphous presentation complicates diagnosis and treatment. *Dtsch Arztebl Int* 2015; 112: 128–35.
2. Mikulicz J: Ueber eine eigenartige symmetrische Erkrankung der Tränen- und Mundspeicheldrüsen. *Beiträge zur Chirurgie*. In:

Festschrift gewidmet Theodor Billroth. Stuttgart: Ferdinand Enke 1892; 610–30.

3. Ihrler S, Harrison JD: Mikulicz's disease and Mikulicz's syndrome: Analysis of the original case report of 1892 in the light of current knowledge identifies a MALT lymphoma. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2005; 100: 334–9.
4. Harrison JD, Rodriguez-Justo M: Commentary on IgG4-related sialadenitis: Mikulicz's disease, Küttner's tumors, and eponymy. *Histopathology*. 2011; 58: 1164–6.

Prof. Dr. med. Orlando Guntinas-Lichius

HNO-Klinik, Universitätsklinikum Jena
orlando.guntinas@med.uni-jena.de

Prof. Dr. med. Stephan Ihrler

Labor für Dermatohistologie und Oralpathologie, München
ihrler@dermpath-muenchen.de

In Reply:

We welcome the comments of Guntinas-Lichius and Ihrler on the uncritical use of the terms "Mikulicz disease" and "Küttner's tumor" in the context of IgG4-associated disease.

Particularly the term Mikulicz disease has been increasingly used, especially in recent years, in an unspecific and uncritical way, even at times wrongly in relation to Sjögren's syndrome. Whether or not it is related to IgG4-associated disease has been discussed many times, but as of yet there is no evidence available to clarify this point, and this also applies to the various isolated case reports related to otological, laryngeal and tracheal manifestations.

This confusion in the use of these terms is most prevalent in the English medical literature and results most likely from a lack of reading and interpretation of the German primary literature. Space restrictions did not permit to include a detailed discussion of the differences between the terms in our manuscript, as it was originally planned; therefore, the letter of Guntinas-Lichius and Ihrler ideally complements our article.

DOI: 10.3238/arztebl.2015.0444b

REFERENCES

1. Kleger A, Seufferlein T, Wagner M, Tannapfel A, Hoffmann TK, Mayerle J: IgG4-associated autoimmune diseases—polymorphous presentation complicates diagnosis and treatment. *Dtsch Arztebl Int* 2015; 112: 128–35.

On behalf of the authors:

Prof. Dr. med. Thomas Seufferlein

Klinik für Innere Medizin I
Universitätsklinikum Ulm
thomas.seufferlein@uniklinik-ulm.de

Conflict of interest statement

The authors of both contributions declare that no conflict of interest exists