Published in final edited form as:

J Health Commun. 2016 ; 21(2): 135–138. doi:10.1080/10810730.2015.1128021.

An argument for ecological research and intervention in health communication

Meghan Bridgid Moran, PhD¹, Lauren B. Frank, PhD², Nan Zhao, PhD³, Carmen Gonzalez, PhD⁴, Prawit Thainiyom, MA⁵, Sheila T. Murphy, PhD⁵, and Sandra J. Ball-Rokeach, PhD⁵

¹School of Communication, San Diego State University

²School of Communication, Portland State University

³Department of Public Health, California State University, Los Angeles

⁴Department of Communication, University of Washington

⁵Annenberg School for Communication & Journalism, University of Southern California

Ecological approaches to understanding and changing health behavior are becoming increasingly common (Gehlert et al., 2007; Mabry, Olster, Morgan, & Abrams, 2008). Such approaches account for the multiple contexts that influence health behavior and the interactions between these contexts. While traditionally health communication scholarship has focused primarily on individual-level determinants of health such as beliefs and attitudes (Dutta, 2008; Neuhauser & Kreps, 2003), researchers are expanding their scope of inquiry to include more macro-level contexts such as family, peers, neighborhood, as well as the broader culture or society (Lee, 2012; Niederdeppe, Gollust, Jarlenski, Nathanson, & Barry, 2013). Given these exciting new avenues, we put forward a framework to further advocate for ecological health communication scholarship.

While our thinking is informed by a long history of scholarship¹, our conceptualization of ecological scholarship most closely aligns with the assumptions underlying Bronfenbrenner's (Bronfenbrenner, 1977; Bronfenbrenner & Bronfenbrenner, 2009) ecological framework for human development. This framework emphasizes the multiple contexts that influence behavior. The individual-level context, consisting of factors such as personality traits, beliefs, and attitudes, is most commonly studied by health communication scholars. Beyond the individual-level is the microsystem, or the immediate social environment in which an individual lives, including peers and families. The exosystem consists of the broader social context, such as one's neighborhood, and institutions and systems, such as the mass media and political system. Last, the macrosystem refers to broader shared societal and cultural norms values and ideologies. One critical assumption of ecological approaches is that factors across and within each context are interrelated and mutually influential (Sallis, Owen, &

Send correspondence to: Meghan Bridgid Moran, PhD, Assistant Professor, Department of Health, Behavior & Society, Johns Hopkins Bloomberg School of Public Health, 624 N. Broadway, Hampton House, #706, Baltimore, MD 21205, Telephone: 410-614-6872, Fax: N/A, mmoran@jhu.edu.

¹For example, Durkheim's (Durkheim, 1893) concepts of organic and mechanical solidarity, Lewin's (Lewin, 1951) work on ecological psychology, McLeroy et al's (McLeroy, Bibeau, Steckler, & Glanz, 1988) ecological model of health behavior and Stokols' (Stokols, 1992) social ecological model.

Fisher, 2008). Bronfenbrenner (Bronfenbrenner, 1977) describes the connection between micro-level settings (e.g. school and family) as a mesosystem; however, this interrelatedness exists across and within all contexts. Thus, we define ecological health communication scholarship as that which (1) acknowledges the multiple contexts, ranging from individual to macro (2) acknowledges the mesosystems that capture the interrelatedness of these contexts, and (3) seeks to understand how communication operates in these multiple contexts to affect health outcomes.

Why Ecological Health Communication Scholarship

There are several reasons it is imperative for the field of health communication to incorporate ecological perspectives. Foremost, an expanded scope of inquiry should result in theories, research and practice that are more likely to produce positive health outcomes. It is well-documented that health outcomes are affected by a wide range of micro-to-macro-level factors. For example, Stokols' (1992) social ecological model has spurred myriad interventions to improve health at multiple levels. If, as a field, we wish to effect positive health change, directing our efforts toward the full scope of factors that affect health is critical. Far too often, health communication campaigns fail to reach their goals (Neuhauser & Kreps, 2014; Snyder et al., 2004), frequently because they focus too narrowly on individual-level constructs (Dutta, 2008; Neuhauser & Kreps, 2003) and ignore the interpersonal, community and societal contexts in which individuals live. Moreover, the interrelatedness of different contexts can potentially magnify the effects of interventions. For example, a campaign seeking to promote breast cancer screening can better achieve its goal by not only increasing knowledge (an individual-level construct) but by also sparking interpersonal discussion (a micro-level construct) about screening (Southwell & Yzer, 2007; Southwell & Yzer, 2009). In this case, the knowledge change and interpersonal discussion should have an interactive effect and prompt behavior change that is greater than the mere additive effect of the two levels. Additionally, health communication interventions that go beyond the individual-level should produce more sustainable effects, since they operate through multiple pathways. Finally, we argue that communication is a fundamental social process that links together different contexts and facilitates trans-level effects. In other words, we view communication as a glue that binds together mesosystems. As such, communication scholars should be at the forefront of the science that seeks to understand the multiple and everyday contexts affecting health.

Beyond the Individual Level: A Brief Orienting Framework

To better orient scholars toward ecological health communication scholarship, we provide a brief framework that (1) highlights key communication-related constructs that scholars study at each level, (2) lists communication theories that serve as useful lenses for research at each level, and (3) identifies one empirical study exemplary of research at each level. There are myriad health communication studies that we could have included, but for simplicity's sake we selected one clear example of research at each level. We acknowledge that this framework is not meant to be a comprehensive overview of current health communication scholarship. While we find Bronfenbrenner's framework to be a parsimonious way to organize ecological health communication scholarship, there are other equally valid approaches.

Depending on the approach, different phenomena could be placed at different levels. Thus, the goal of this framework is not to argue that a given concept or study should exclusively be conceptualized at any one level. Rather, this framework seeks to highlight the scope of work being conducted in our field, demonstrate that the communication field has the theoretical and methodological expertise to conduct this work, and to inspire new ecological health communication research.

What Can Our Field Do to Advance Ecological Health Communication Scholarship?

Advance theory

While many communication theories examine phenomena at more macro levels, ecological work that theorizes interactions across levels is scarce. However, communication infrastructure theory (Kim & Ball-Rokeach, 2006a; Kim & Ball-Rokeach, 2006b), which examines “the interplay between communication environments, individuals, and communities” (Kim & Ball-Rokeach, 2006a, pp. 175), is one example of such work. Scholars have recently theorized CIT in the contexts of entertainment-education campaigns (Literat & Chen, 2014) and community-based interventions to reduce health disparities (Wilkin, 2013). Dutta's (Dutta, 2008) culture-centered approach similarly theorizes how the interactions between the individual, cultural and structural levels influence one's health, while Viswanath, Ramanadhan and Kontos' (Viswanath, Ramanadhan, & Kontos, 2007) structural influence model links higher-level structural and interpersonal determinants of health to both individual- and population-level health outcomes. Theories such as these can serve as roadmaps to guide ecological health communication scholarship.

Develop and use ecological measures and methods

Good measurement and methods are critical to advancing ecological health communication science, and communication scholars should start incorporating existing ecological tools into their work and developing new measures and methods. Analytical tools, such as multilevel modeling, that allow researchers to test relationships within and across contexts have been crucial to ecological research (Slater, Snyder, & Hayes, 2006). Geo-coding individuals to addresses (or other geographic location) creates many possibilities for ecological analysis: researchers with geographic data are able to incorporate community-level data (such as neighborhood poverty, ethnic heterogeneity, percent nonnative English speakers, etc.) with individual-level data and use multilevel modeling techniques to examine cross-level effects.

Additionally, metrics and methods that can capture communicative phenomena beyond simple individual-level exposure variables are needed. In particular, ecological health communication research must use a more grounded approach that captures the ways people experience everyday life and, in the process, captures the dynamics that may affect their health. If researchers do not connect with the people they study nor situate those individuals into the contexts in which they live, their capacity to capture the phenomenological features that affect health will be limited at best. The multilevel forces that shape individuals' health need to be directly observed whenever possible and a combination of quantitative and qualitative methods can be particularly valuable here. For example, our research team

developed a protocol for coding neighborhood-level patterns of communication via field observation. Coders assessed the presence of communication about health and community topics at multiple sites nominated by participants in a large-scale survey we conducted as potential health communication hotspots. On-going media surveillance of health-related topics is also instrumental if we are to conceptualize communication as a macro-level variable (Murphy, Hether, & Rideout, 2008; Smith, Choueiti, Scofield, & Pieper, 2013). Additionally, measures that can capture the mesosystem, such as the Communication Ecology metric (Ball-Rokeach, Gonzalez, Son, & Kligler-Vilenchik, 2012), which documents the connections between the various communication resources in an individual's life, are needed.

Teach our students to study health communication in ecological ways

To produce researchers and practitioners that take an ecological approach, it is essential that health communication curricula address the full scope of contexts that affect health behavior. Students should be taught to think about the multiple spheres that affect health outcomes, and should be taught ecological health behavior models (e.g. the social ecological model (Stokols, 1992; Stokols, 1996), the PEN-3 model (Airhihenbuwa, 1995), the triadic theory of influence (Flay & Petraitis, 1994), the social contextual model (Sorensen, Barbeau, Hunt, & Emmons, 2004)). Additionally, work from other disciplines can provide perspectives that can inform an ecological approach to health communication. Fields such as sociology, anthropology, political science, urban studies and critical/cultural studies can provide more macro-level perspectives, while fields such as neuroscience examine more micro-level phenomena. Finally, it is imperative that students be taught analytic and methodological techniques, such as multilevel modeling, and GIS that will enable them to investigate multilevel hypotheses. Exposing students (and, perhaps, ourselves) to multilevel scholarship and methods will allow them to understand the many contexts that influence health behavior and subsequently apply and advance communication research in such contexts.

Conclusion

An ecological approach to health behavior produces a more comprehensive understanding of the many factors that affect health outcomes. As a fundamental social process, communication is a key phenomenon across multiple levels of influence. As such, health communication scholarship can and should continue to expand its scope of inquiry towards more ecological contexts. By highlighting the importance of communication both within and across all levels that affect health, we have an opportunity to advance the impact of health communication scholarship within the broader literature on social determinants of health.

Acknowledgments

This work was supported by the National Cancer Institute (NCI) for Barriers to Cervical Cancer Prevention in Hispanic Women: A Multilevel Approach, an award to the University of Southern California (R01CA155326 - Murphy/Ball-Rokeach). The content is solely the responsibility of the authors and does not represent official views of the NCI or of the National Institute of Health.

References

- Airhihenbuwa, CO. Health and culture: Beyond the western paradigm. Thousand Oaks: SAGE; 1995.
- Ball-Rokeach, SJ.; Gonzalez, C.; Son, M.; Kligler-Vilenchik, N. Understanding individuals in the context of their environment: Communication ecology as a concept and method. Paper presented at the 62nd annual conference of the International Communication Association; Phoenix, AZ. 2012.
- Bronfenbrenner U. Toward an experimental ecology of human development. *American Psychologist*. 1977; 32(7):513–31.
- Bronfenbrenner, U.; Bronfenbrenner, U. The ecology of human development: Experiments by nature and design. Cambridge, MA: Harvard University Press; 2009.
- Durkheim, E. The division of labor in society. Halls, WD., translator. New York: Free Press; 1984. (Original work published 1893)
- Dutta, M. Communicating health: A culture-centered approach. Cambridge, UK: Polity; 2008.
- Flay BR, Petraitis J. The theory of triadic influence: A new theory of health behavior with implications for preventive interventions. *Advances in Medical Sociology*. 1994; 4:19–44.
- Gehlert, S.; Rebbeck, T.; Lurie, N.; Warnecke, R.; Paskett, E.; Goodwin, J. Cells to society: Overcoming health disparities. Washington DC: National Cancer Institute; 2007.
- Jung M, Bigman-Galimore CA, Viswanath K. Contextual effects of community mobilization and communication capacity as a positive factor for self-rated health status: A multi-level analysis. *International Journal of Public Health*. 2014; 59(2):289–299. [PubMed: 24362447]
- Kim Y, Ball-Rokeach SJ. Civic engagement from a communication infrastructure perspective. *Communication Theory*. 2006a; 16(2):173–197.
- Kim Y, Ball-Rokeach SJ. Community storytelling network, neighborhood context, and civic engagement: A multilevel approach. *Human Communication Research*. 2006b; 32(4):411–439.
- Lee C. The role of social capital in health communication campaigns: The case of the national youth anti-drug media campaign. *Communication Research*. 2014; 41(2):208–35.
- Lewin, K. Field theory in social science: Selected theoretical papers. Cartwright, D., editor. New York: Harper & Row; 1964.
- Literat I, Chen NN. Communication infrastructure theory and Entertainment-Education: An integrative model for health communication. *Communication Theory*. 2014; 24(1):83–103.
- Mabry PL, Olster DH, Morgan GD, Abrams DB. Interdisciplinarity and systems science to improve population health: A view from the NIH office of behavioral and social sciences research. *American Journal of Preventive Medicine*. 2008; 35(2):S211–S224. [PubMed: 18619402]
- Matsaganis MD, Golden AG, Scott ME. Communication infrastructure theory and reproductive health disparities: Enhancing storytelling network integration by developing interstitial actors. *International Journal of Communication*. 2014; 8(2014):1495–1515.
- McLeroy KR, Bibeau D, Steckler A, Glanz K. An ecological perspective on health promotion programs. *Health Education & Behavior*. 1988; 15(4):351–377.
- Mejia P, Dorfman L, Cheyne A, Nixon L, Friedman L, Gottlieb M, Daynard R. The origins of personal responsibility rhetoric in news coverage of the tobacco industry. *American Journal of Public Health*. 2014; 104(6):1048–1051. [PubMed: 24825205]
- Murphy, ST.; Hether, HJ.; Rideout, V. How healthy is prime time? An analysis of health content in popular prime time television programs. Kaiser Family Foundation, USC Annenberg Norman Lear Center's Hollywood, Health & Society; 2008.
- Neuhauser L, Kreps GL. Integrating design science theory and methods to improve the development and evaluation of health communication programs. *Journal of Health Communication*. 2014; 19(12):1460–1471. [PubMed: 25491581]
- Neuhauser L, Kreps GL. Rethinking communication in the E-health era. *Journal of Health Psychology*. 2003; 8(1):7–23. [PubMed: 22113897]
- Niederdeppe J, Gollust SE, Jarlenski MP, Nathanson AM, Barry CL. News coverage of sugar-sweetened beverage taxes: Pro-and antitax arguments in public discourse. *American Journal of Public Health*. 2013; 103(6):e92–e98. [PubMed: 23597354]

- Rimal RN, Sripad P, Speizer IS, Calhoun LM. Interpersonal communication as an agent of normative influence: A mixed method study among the urban poor in India. *Reproductive Health*. 2015; 12(71):1–12. [PubMed: 25561377]
- Sallis JF, Owen N, Fisher EB. Ecological models of health behavior. *Health Behavior and Health Education: Theory, Research, and Practice*. 2008; 4:465–486.
- Shim M, Kelly B, Hornik R. Cancer information scanning and seeking behavior is associated with knowledge, lifestyle choices, and screening. *Journal of Health Communication*. 2006; 11(S1):157–172. [PubMed: 16641081]
- Slater MD, Snyder L, Hayes AF. Thinking and modeling at multiple levels: The potential contribution of multilevel modeling to communication theory and research. *Human Communication Research*. 2006; 32(4):375–384.
- Smith, S.; Choueiti, M.; Scofield, E.; Pieper, K. Gender inequality in 500 popular films: Examining on-screen portrayals and behind-the-scenes employment patterns in motion pictures released between 2007-2012. University of Southern California Annenberg School for Communication & Journalism; 2013.
- Snyder LB, Hamilton MA, Mitchell EW, Kiwanuka-Tondo J, Fleming-Milici F, Proctor D. A meta-analysis of the effect of mediated health communication campaigns on behavior change in the united states. *Journal of Health Communication*. 2004; 9(S1):71–96. [PubMed: 14960405]
- Sorensen G, Barbeau E, Hunt MK, Emmons K. Reducing social disparities in tobacco use: A social-contextual model for reducing tobacco use among blue-collar workers. *American Journal of Public Health*. 2004; 94(2):230–239. [PubMed: 14759932]
- Southwell BG, Yzer MC. The roles of interpersonal communication in mass media campaigns. *Communication Yearbook*. 2007; 31(2007):419–51.
- Southwell BG, Yzer MC. When (and why) interpersonal talk matters for campaigns. *Communication Theory*. 2009; 19(1):1–8.
- Stokols D. Establishing and maintaining healthy environments: Toward a social ecology of health promotion. *American Psychologist*. 1992; 47(1):6–22. [PubMed: 1539925]
- Stokols D. Translating social ecological theory into guidelines for community health promotion. *American Journal of Health Promotion*. 1996; 10(4):282–298. [PubMed: 10159709]
- Viswanath, K.; Ramanadhan, S.; Kontos, EZ. Mass media and population health: A macrosocial view. In: Galea, SE., editor. *Macrosocial determinants of population health*. New York: Springer; 2007. p. 275-294.
- Wilkin HA. Exploring the potential of communication infrastructure theory for informing efforts to reduce health disparities. *Journal of Communication*. 2013; 63(1):181–200.

Table 1
Orienting framework for ecological health communication research

	Key constructs and processes	Relevant communication theories	Examples of research
Individual-level	<ul style="list-style-type: none"> Attitudes Beliefs Biological and physiological responses (e.g. hormonal change, blood pressure, immune response, neural activity, etc.) Emotions and affective responses Personality traits Self-efficacy 	<ul style="list-style-type: none"> Affection Exchange Theory Elaboration Likelihood Model Extended Parallel Processing Model Social Cognitive Theory, Theory of Reasoned Action/Planned Behavior/Integrative Model of Behavioral Prediction 	Shim, Kelly & Hornik's (2006) analysis of Health Information National Trends Survey (HINTS) data to understand how cancer-related information seeking and scanning behavior are associated with cancer-related knowledge and behaviors
Microsystem	<ul style="list-style-type: none"> Interpersonal discussion Social networks Group social norms 	<ul style="list-style-type: none"> Diffusion of Innovations Theory of Normative Social Behavior 	Rimal, Sripath, Speizer & Calhoun's (2015) examination of interpersonal communication as a moderator of the relationship between social norms and contraceptive use
Exosystem	<ul style="list-style-type: none"> Collective efficacy Community norms Community health communication capacity Neighborhood storytelling networks 	<ul style="list-style-type: none"> Communication Infrastructure Theory Structural Influence Model 	Jung, Bigman-Galimore & Viswanath's (2014) study of how individual community participation and community-level capacity for health communication and mobilization impacted residents self-reported health status
Macrosystem	<ul style="list-style-type: none"> Societal norms values and ideologies 	<ul style="list-style-type: none"> Agenda Setting Framing Knowledge Gap Hypothesis 	Mejia, Dorfman, Cheyne et al.'s (2014) analysis of rhetoric used by news organizations to report on the tobacco industry
Mesosystem	<ul style="list-style-type: none"> Cross-level interactions and connections 	<ul style="list-style-type: none"> Communication Infrastructure Theory Culture-Centered Approach 	Matsaganis, Golden & Scott's (2014) intervention to bridge a gap in communication between community residents and community-based health organizations