AUTHOR CORRECTION

Correction for Blomfeldt et al., Molecular Characterization of Methicillin-Sensitive *Staphylococcus aureus* Isolates from Bacteremic Patients in a Norwegian University Hospital

Anita Blomfeldt,^a Hege Vangstein Aamot,^{a,b} Arne N. Eskesen,^c Fredrik Müller,^d Stefan Monecke^{e,f}

Department of Microbiology and Infection Control, Akershus University Hospital, Lørenskog, Norway^a; Department of Clinical Molecular Biology and Laboratory Sciences (EpiGen), Division of Medicine, Akershus University Hospital and University of Oslo, Oslo, Norway^b; Department of Infectious Diseases, Akershus University Hospital, Lørenskog, Norway^c; Department of Microbiology, Oslo University Hospital, Rikshospitalet, University of Oslo, Oslo, Norway^d; Institute for Medical Microbiology and Hygiene, Medical Faculty Carl Gustav Carus, Dresden, Germany^e; Alere Technologies GmbH, Jena, Germany^f

Volume 51, no. 1, p. 345–347, 2013. Page 346, Table 1: Owing to misclassification of infections as hospital acquired (HA) or community acquired (CA), some entries in the third and fourth columns were wrong. The conclusions of the paper are unchanged, as the misclassifications went in both directions. The first four columns of the table should appear as follows.

<i>S. aureus</i> CC	No. (%) of patients with CC	No. of patients with condition or characteristic	
		HA infection	CA infection
CC45	31 (24.6)	10	21
CC15	24 (19.0)	13	11
CC30	19 (15.1)	6	13
CC5	12 (9.5)	7	5
CC8	8 (6.3)	4	4
Others (15 CCs) ^a	32 (25.4)	12	20
Total no. (%)	126 (100.0)	52 (41.3)	74 (58.7)

Citation Blomfeldt A, Aamot HV, Eskesen AN, Müller F, Monecke S. 2016. Correction for Blomfeldt et al., Molecular characterization of methicillin-sensitive *Staphylococcus aureus* isolates from bacteremic patients in a Norwegian university hospital. J Clin Microbiol 54:2404. doi:10.1128/JCM.01436-16.
Copyright © 2016, American Society for Microbiology. All Rights Reserved.