Published in final edited form as:

J Cancer Educ. 2017 March ; 32(1): 155–157. doi:10.1007/s13187-015-0901-5.

A picture really is worth a thousand words: Public engagement with cancer information on social media

Yulia A. Strekalova, PhD, MBA¹ and

STEM Translational Communication Center, College of Journalism and Communications,
University of Florida

Janice L. Krieger, PhD

STEM Translational Communication Center, College of Journalism and Communications,
University of Florida

Abstract

The National Cancer Institute (NCI) provides pertinent information about cancer prevention, treatment, and research advancements that is considered objective and accurate. NCI's presence on social media is an example of a growing effort in promoting and facilitating audience-engagement with evidence-based information about health and cancer. However, it is unknown what strategies are most effective for engaging audiences via this communication platform. To evaluate this important question, we analyzed data on posts, associated comments, and meta-data from official NCI Facebook page between July 2010 and February 2015 (end of data collection). Results show that audience engagement is associated with the format of cancer-related social media posts. Specifically, posts with photos received significantly more likes, comments, and shares than videos, links, and status updates. The findings have important implications for how social media can be more effectively utilized to promote public engagement with important public health issues.

Keywords

information dissemination; audience engagement; social media; cancer research

Background

The National Cancer Institute (NCI) is a source of objective, accurate, and pertinent information about cancer prevention, treatment, and research advancements. The proliferation of social media provides an opportunity to reach more audiences with evidence-based cancer information. The effectiveness of these dissemination efforts depends on the active consumer engagement with the provided information [1, 2]. However, it is still largely unknown what message strategies are most effective for engaging audiences via this communication platform. The goal of this study was to assess the role of information richness of the messages disseminated by the NCI through Facebook and the relative

¹Correspondence concerning this manuscript should be addressed to Yulia A. Strekalova, College of Journalism and Communications, University of Florida, Weimer 2016, Gainesville, FL, 32610, USA; yulias@ufl.edu.

effectiveness of these social media messages to promote engagement with cancer prevention and research information.

The Internet is a widely used as a convenient source of information and a channel used to help the public make informed healthcare decisions [3]. A recent study reported that 59% of cancer patients use the Internet and 7.5% use online fora as primary sources of health information [4]. Active health information-seeking is associated with higher levels of health literacy and health-enhancing behavior change [5–7]. Additionally, active engagement in information transfer leads to increased levels of health empowerment and self-efficacy [8–10].

Online information dissemination and outreach activities can be effective mechanisms to raise awareness of cancer research and existing cancer-related resources [11]. Social media also provide an ideal platform to assess audience base, audience engagement with information, and receive comments from more active information consumers. As effective search for health information still remains a problem for most information consumers [3], Facebook pages have a potential to create focused channels for their target audiences and thus help the discovery of relevant and reliable information on the Internet. However, the efforts to disseminate information through social media should include strategic plans to make the information appealing to target audiences. Social media comprise a unique medium for disseminating evidence-based cancer information to diverse stakeholders and facilitating active dialog about these topics [5, 12, 13].

Social media facilitate the exchange of information with varying degrees of richness. According to the theory of information richness (IRT), text is less rich than images and videos are considered richer than images, but the appropriate level of information richness is situation-dependent [14]. Guided by the IRT, we examined information exchange on the NCI Facebook page. Our guiding research questions were:

RQ₁: How is the information richness of a post associated with audience engagement?

RQ₂: What research-related posts are more effective for audience engagement?

Methods

The data included posts on the official NCI Facebook page between July 2010 and February 2015 (end of data collection), associated comments, and meta-data. Posts and associated comments were coded as research or non-research based on the presence of predefined keywords “study” OR “studies” OR “research” OR “trial” OR “paper” OR “article”. All key variables showed positively skewed distributions which could not be transformed. Therefore, non-parametric statistics were used to identify significance of the differences in user engagement by post type. The Kruskal-Wallis and Tamhane post hoc tests were used to compare audience engagement across the media forms.

Results

Data included 1,975 posts that generated 4,537 comments, 77,298 shares, and 145,462 likes. Table 1 shows additional descriptive statistics for these variables. Posts were shared in form of links, photos, videos, status updates, events, and music. Links to stories were the most popular messages type ($N = 1,319$, 66.8%) followed by photos ($N = 507$, 25.7%), videos ($N = 75$, 3.8%), and status updates ($N = 70$, 3.5%). Events and music posts accounted for less than 0.5% of shared content and were excluded from the analysis.

For RQ₁, user engagement varied significantly across post types for the number of posts, $\chi^2(3, N = 1,971) = 815.21, p < .01$ comments, $\chi^2(3, N = 1,971) = 377.84, p < .01$, and shares, $\chi^2(3, N = 1,971) = 889.62, p < .01$. Posts containing photos were associated with a significantly higher number of audience comments, shares, and likes than other strategies (i.e., videos, links, status updates).

For RQ₂, descriptive analysis showed that links ($N = 532$, 74.30%) and photos ($N = 138$, 19.30%) were the top two types of content for research-related posts followed by videos ($N = 29$, 4.1%) and status updates ($N = 17$, 2.4%). However, a chi-square test and a review of standardized residuals revealed that research-related posts came as links significantly more often than photos, $\chi^2(3, N = 1,971) = 31.90, p < .01$ compared to non-research posts. User engagement with research-related posts varied significantly across post types for comments, $\chi^2(3, N = 716) = 92.17, p < .01$, shares, $\chi^2(3, N = 716) = 225.28, p < .01$, and posts, $\chi^2(3, N = 716) = 185.29, p < .01$. Photos received more audience comments, shares, and likes compared to links and videos, but no differences were identified for status updates.

Discussion

Results of this exploratory study show that large audiences can be actively engaged through social media. However, the format of the shared information plays an important role in attracting attention and engagement. Messages with photos are more effective than videos, links, and status updates for encouraging public engagement with cancer-related content. Applied to the framework of the information richness theory (IRT) [14], these findings suggest both theoretical and practical implications related to the effective transfer and understanding of communicated information. This study allows formulating two theoretical propositions. First, information richness is situational with different levels of richness being more preferred by the audience. Second, information richness is a mediating variable for audience engagement.

Conclusions presented in this paper have high external validity. In a sense, information sharing and audience behavior observed on social media platforms constitute a natural social experiment that is highly generalizable for practical application as it is exposed to real-life moderators of behavior and accounts for possible situational confounding. With a number of possible data points generated in the process of communication on social media, a focused examination of a limited data set would be necessary for the examination of theory-driven research questions. The data analyzed in this study was limited to one source, the NCI Facebook page. While government organizations provide reliable, accurate information,

other Facebook pages are drawing much larger and, potentially, more diverse audiences. Future studies could provide a comparative analysis among several representative Facebook pages to confirm general trends in audience information behavior and engagement.

The type of the data analyzed and reported in this study presents a strength and a limitation. On the one hand, the data are non-intrusive and observational, but, on the other hand, it provides a limited opportunity for follow-up exploration of observed communication and information behavior. The analysis presented in this article provides evidence of the active information behavior by social media audiences but cannot capture passive information consumption and lurking. Continuing this line of research, surveys could help uncover latent audience motivations for active and passive information behavior. Furthermore, carefully designed experimental studies could provide evaluation of the effectiveness of focused communication strategies and individual message designs.

Practical implications of this research suggest that photos with short comments are the most effective in engaging information consumers, and greater use of this post type for research-related posts could encourage greater audience engagement with information about cancer studies and discoveries. At the same time, videos, sometimes viewed as a more effective, rich yet more expensive source of information [13], may not be as effective as a mechanism for active audience engagement on social media platforms. Production of videos is expensive, but they may be a more appropriate mode of communication when richer information is expected or has been shown to be more effective in achieving desired communication outcomes. However, based on the data presented in this study, organizations involved in the dissemination of information related to health and medical research could succeed in their audience engagement efforts by using messages with photos and pictures as more a more cost-effective communication strategy.

References

1. Zhenghao, Chen, Koh, Pang Wei, Ritter, Philip L., Lorig, Kate, Bantum, Erin O'Carroll, Saria, Suchi. Dissecting an Online Intervention for Cancer Survivors Four Exploratory Analyses of Internet Engagement and Its Effects on Health Status and Health Behaviors. *Health Education & Behavior*. 2015; 42:32–45. DOI: 10.1177/1090198114550822 [PubMed: 25288489]
2. Korda, Holly, Itani, Zena. Harnessing Social Media for Health Promotion and Behavior Change. *Health Promotion Practice*. 2013; 14:15–23. DOI: 10.1177/1524839911405850 [PubMed: 21558472]
3. Silk, Kami J., Perrault, Evan K., Nazione, Samantha, Pace, Kristin, Hager, Polly, Springer, Steven. Localized Prostate Cancer Treatment Decision-Making Information Online: Improving its Effectiveness and Dissemination for Nonprofit and Government-Supported Organizations. *Journal of Cancer Education*. 2013; 28:709–716. DOI: 10.1007/s13187-013-0515-8 [PubMed: 23907786]
4. Keinki C, Seilacher E, Ebel M, Ruetters D, Kessler I, Stellamanns J, Rudolph I, Huebner J. Information Needs of Cancer Patients and Perception of Impact of the Disease, of Self-Efficacy, and Locus of Control. *Journal of Cancer Education: The Official Journal of the American Association for Cancer Education*. 2015; doi: 10.1007/s13187-015-0860-x
5. Moorhead, S Anne, Hazlett, Diane E., Harrison, Laura, Carroll, Jennifer K., Irwin, Anthea, Hoving, Ciska. A New Dimension of Health Care: Systematic Review of the Uses, Benefits, and Limitations of Social Media for Health Communication. *Journal of Medical Internet Research*. 2013; 15doi: 10.2196/jmir.1933
6. Berkman, Nancy D., Sheridan, Stacey L., Donahue, Katrina E., Halpern, David J., Crotty, Karen. Low Health Literacy and Health Outcomes: An Updated Systematic Review. *Annals of Internal Medicine*.

- Medicine. 2011; 155:97–107. DOI: 10.7326/0003-4819-155-2-201107190-00005 [PubMed: 21768583]
7. Nutbeam, Don. Health literacy as a public health goal: a challenge for contemporary health education and communication strategies into the 21st century. *Health Promotion International*. 2000; 15:259–267. DOI: 10.1093/heapro/15.3.259
 8. Schulz, Peter J., Nakamoto, Kent. Health literacy and patient empowerment in health communication: The importance of separating conjoined twins. *Patient Education and Counseling*. 2013; 90:4–11. DOI: 10.1016/j.pec.2012.09.006 [PubMed: 23063359]
 9. Koskan, Alexis, Klasko, Lynne, Davis, Stacy N., Gwede, Clement K., Wells, Kristen J., Kumar, Ambuj, Lopez, Natalia, Meade, Cathy D. Use and Taxonomy of Social Media in Cancer-Related Research: A Systematic Review. *American journal of public health*. 2014; 104:e20–e37. DOI: 10.2105/AJPH.2014.301980 [PubMed: 24832403]
 10. Hibbard, Judith H., Greene, Jessica. What The Evidence Shows About Patient Activation: Better Health Outcomes And Care Experiences; Fewer Data On Costs. *Health Affairs*. 2013; 32:207–214. DOI: 10.1377/hlthaff.2012.1061 [PubMed: 23381511]
 11. Justice-Gardiner, Haley, Nutt, Stephanie, Rechis, Ruth, McMillan, Brooke, Warf, Rainy. Using New Media to Reach Hispanic/Latino Cancer Survivors. *Journal of Cancer Education*. 2011; 27:100–104. DOI: 10.1007/s13187-011-0267-2 [PubMed: 21877170]
 12. Kendall, Ho. Harnessing the Social Web for Health and Wellness: Issues for Research and Knowledge Translation. *Journal of Medical Internet Research*. 2014; 16doi: 10.2196/jmir.2969
 13. Neiger, Brad L., Thackeray, Rosemary, Van Wagenen, Sarah A., Hanson, Carl L., West, Joshua H., Barnes, Michael D., Fagen, Michael C. Use of Social Media in Health Promotion Purposes, Key Performance Indicators, and Evaluation Metrics. *Health Promotion Practice*. 2012; 13:159–164. DOI: 10.1177/1524839911433467 [PubMed: 22382491]
 14. Trevino, Linda Klebe, Lengel, Robert H., Daft, Richard L. Media Symbolism, Media Richness, and Media Choice in Organizations A Symbolic Interactionist Perspective. *Communication Research*. 1987; 14:553–574. DOI: 10.1177/009365087014005006

Table 1
Descriptive statistics of audience engagement with the NCI Facebook posts

	N (%)	M (SD)	CI (95%)
Overall user engagement with posts (<i>N</i> = 1975)			
Comments	4,537	2.30 (4.18)	2.11 – 2.48
Shares	77,298	39.14 (93.95)	35.01 – 43.27
Likes	145,462	73.65 (144.33)	67.28 – 80.02
Engagement with non-research posts (<i>N</i> = 1,259, 63.75%)			
Comments	3,293 (63.75%)	2.62 (4.67)	2.36 – 2.87
Shares	61,669 (72.58%)	48.98 (108.62)	42.98 – 54.99
Likes	107,871 (79.78%)	76.63 (163.77)	76.63 – 94.73
Engagement with research-related posts (<i>N</i> = 716, 36.25%)			
Comments	1,244 (36.25%)	1.74 (3.06)	1.51 – 1.96
Shares	15,629 (27.42%)	21.83 (54.61)	17.82 – 25.83
Likes	37,591 (20.22%)	52.50 (98.09)	45.30 – 59.70