Published in final edited form as:

Sci Stud Read. 2016 ; 20(2): 173–188. doi:10.1080/10888438.2015.1128435.

Eye-Movement Control in RAN and Reading

Victor Kuperman,

McMaster University and Haskins Laboratories

Julie A. Van Dyke, and

Haskins Laboratories

Regina Henry

McMaster University

Abstract

The present study examined the *visual scanning hypothesis*, which suggests that fluent oculomotor control is an important component underlying the predictive relationship between Rapid Automatized Naming (RAN) tasks and reading ability. Our approach was to isolate components of saccadic planning, articulation, and lexical retrieval in three modified RAN tasks. We analyzed two samples of undergraduate readers (age 17–27), we evaluated the incremental contributions of these components and found that saccadic planning to non-linguistic stimuli alone explained roughly one-third of the variance that conventional RAN tasks explained in eye-movements registered during text reading for comprehension. We conclude that the well-established predictive role of RAN for reading performance is in part due to the individual ability to coordinate rapid sequential eye-movements to visual non-linguistic stimuli.

Keywords

reading ability; rapid automatized naming; oculomotor control; visual scanning hypothesis; individual differences

The Rapid Automatized Naming (RAN) task is one of the best predictors of concurrent and later reading ability. In the standard version of the task, a participant is shown a grid of common objects, colors or alphanumeric symbols and is asked to name (say out loud) each item in the grid as quickly as possible. The speed at which a participant is able to name all of the items in the grid is highly correlated with his or her reading ability (Aarnoutse, van Leeuwe, & Verhoeven, 2005; Bowers & Swanson, 1991; Georgiou, Parrila, & Kirby, 2009; Georgiou, Parrila, Liao, 2008; Hu & Catts, 1998; Oakhill & Cain, 2012; Tan, Spinks, Eden, Perfetti & Siok, 2005; Schatschneider et al., 2005; Wolf, 1991; Wolf & Bowers, 1999; for a review see Norton & Wolf, 2012). Correlations as high as $r = .55$ have been observed between kindergarten performance in RAN and second grade decoding (Bowers & Swanson,

Correspondence concerning this article should be addressed to Victor Kuperman, Department of Linguistics & Languages, McMaster University, Togo Salmon Hall 626, 1280 Main St. W. Hamilton ON, L8S 4M2. Phone: (1)-905-5259140, x. 20384. vickup@mcmaster.ca.

This work was presented at the 21st Annual Meeting of the Society for Scientific Studies of Reading (Santa Fe, NM).

1991). Moreover, this predictive relationship appears to remain through adulthood, with correlations as high as $r = .53$ for adults aged 36–65 (Van den Bos, Zijlstra & Iutje Spelberg, 2002). In addition, studies have suggested that 60% to 75% of individuals with reading disabilities exhibit RAN deficits (de Groot, van den Bos, Minnaert, & van der Meulen, 2015; Katzir, Kim, Wolf, Morris & Lovett, 2008; Waber, Forbes, Wolf & Weiler, 2004; Wolf et al., 2002). These strong relationships, which hold across languages (Georgiou et al., 2008; Georgiou, Aro, Liao, & Parrila, 2015; Moll, Ramus, Bartling, Bruder, Kunze et al., 2014; Tan et al., 2005), together with the clinical efficiency of the task itself, which takes less than 5 minutes to administer, make understanding the causal underpinnings of the RAN-reading association a significant goal.

Much research in this direction has examined specific components of the RAN task. Wolf and Bowers (1999, p. 418; see also Wolf & Denckla, 2005, p. 2) enumerated seven subcomponents that are required for letter-naming:

- a) attentional processes to the stimulus; b) bihemispheric visual processes responsible for feature detection, visual discrimination, and pattern identification;
- c) integration of visual features and pattern information with stored orthographic representations; d) integration of visual and orthographic information with stored phonological representations; e) access and retrieval of phonological labels; f) activation and integration of semantic and conceptual information with all other input; and g) motoric activation leading to articulation.

The connection to phonological processing (components d–e) has received much attention, with some suggesting that RAN should be understood as an index of a core phonological processing deficit (e.g., Pennington, Cardoso-Martins, Green & Lefly, 2001; Torgesen, Wagner, Rashotte, Burgess & Hecht, 1997; Wagner, Torgesen & Rashotte, 1994). Others have examined the connection to orthographic processes (components c–d), suggesting that RAN deficits indicate weakness in orthographic-phonologic associations (e.g., Bowers & Newby-Clark, 2002; Compton, Olson, DeFries & Pennington, 2002; Wimmer, Mayringer, & Landerl, 2000). Still other studies have focused on visual aspects of the task (e.g., Compton, 2003; Jones, Branigan & Kelly, 2008; Moll & Jones, 2013), while others have examined articulatory components (e.g., Georgiou, Papadopoulos, Fella, & Parrila, 2012; Neuhaus, Foorman, Francis, & Carlson, 2001; Obregon, 1994).

An alternative approach has embraced the complexity of the task, conceptualizing RAN as a “microcosm or mini-circuit of the later developing reading circuitry” (Norton & Wolf, 2012; p. 430). On this view, RAN is predictive because it involves so many of the linguistic and perceptual processes involved in reading, including accessing phonological, orthographic, and semantic representations, integrating visual information and allocating working memory. Thus, one’s performance in the RAN task is an index of the ability to coordinate these multiple cognitive processes efficiently and accurately (Norton & Wolf, 2012; Wolf & Bowers, 1999; Wolf, Bowers, & Biddle, 2000).

The current study returns to the componential approach to investigate a component of RAN which was not explicitly articulated in the Wolf and Bowers’ letter-naming model and has received little direct attention: the role of oculomotor control. This component also

incorporates elements of the holistic approach advocated by Wolf and colleagues through the idea of coordination; oculomotor control requires the coordination of low-level motor planning with the higher-level cognitive processes of word recognition. However, by investigating coordination at the level of eye-movements, rather than between cognitive processes more generally, we are able to directly connect the RAN task to natural reading. Thus, we test the hypothesis that a substantial component of the predictive power of RAN comes through the fact that it is the only major reading skill assessment to incorporate the same oculomotor programming required in text reading (Kuperman & Van Dyke, 2011); namely, the ability to rapidly program saccades as the eyes move across the printed page. This hypothesis is related to the idea that RAN is predictive of reading because both require serial processing (Georgiou, Parrila, Cui, & Papadopoulos, 2013). However, we are interested specifically in participants' ability to coordinate rapid and sequential eye-movements across the RAN grid, and across the written page. Evidence supporting the importance of seriality in the RAN-reading association comes from studies showing that when each to-be-named item is shown individually (discrete RAN), instead of being presented serially, the RAN-reading relationship is reduced or non-existent (e.g., Bowers & Swanson, 1991; Jones, Branigan & Kelly, 2009; Logan, Schatschneider & Wagner, 2011; Stanovich, 1981; Torgesen, Wagner & Rashotte, 1994; Wagner et al., 1994; Wagner, Torgesen, Laughon, Simmons & Rashotte, 1993). Here, we suggest that seriality alone is not the key factor, as processing visual information in a text passage or in a RAN grid crucially involves the ability to direct the eyes through the material. We will refer to this hypothesis as the *visual scanning hypothesis* (cf. Protopapas, Altani & Georgiou, 2013).

Some evidence in support of this view is already available from the eye-movement literature. Previous research has revealed that RAN naming times correlate with individual differences in eye-movements during word or sentence reading. Longer naming times in RAN tend to come with more fixations per word, smaller saccades and increased refixation rates, as well as more frequent regressive saccades (Adler-Grinberg & Stark, 1978; Eden, Stein, Wood, & Wood, 1994; Elterman, Abel, Daroff, Dell'Osso, & Bornstein, 1980; Hawelka & Wimmer, 2005; Jones et al., 2009; Lefton, Nagle, Johnson & Fisher, 1979; Martos & Vila, 1990; Rayner, Slattery & Bélanger, 2010). A specific connection with eye-movements and RAN was observed by Kuperman & Van Dyke (2011), who found that RAN naming times were a strong predictor of *all* aspects of the per-word eye-movement record during sentence reading, accounting for even more variance than length and frequency of individual words. Additional evidence comes from a study by Doyle (2005), who found significant positive correlations ($.32 < r < .59$) between RAN performance and the percent of fixations and regressions during paragraph reading. Finally, studies that have examined eye-movements during the RAN task have found that they are analogous in many aspects to those registered during reading. For instance, eye-movement patterns in both tasks reveal systematic reductions in the uptake of foveal and parafoveal information in less proficient (including dyslexic) vs typical readers in both English and Chinese (for RAN, cf. Jones, Ashby, & Branigan, 2013; Pan, Yan, Laubrock, Shu, & Kliegl, 2013; Yan, Pan, Laubrock, Kliegl, & Shu, 2012; for reading see Veldre & Andrews, 2014). These reductions are thought to cause (a) increased difficulty of visually inspecting and recognizing the fixated target (i.e. word or symbol), (b) lack of efficiency or accuracy in planning a saccade to the upcoming target,

which leads to longer reading times and refixations of that target when it is foveated and (c) lower quality parafoveal preview of the upcoming target, which attenuates pre-activation of orthographic and phonological features of the target, thus impeding recognition. The studies above demonstrate similarities in the nature of oculomotor control and visual uptake between RAN and reading and lend support to the hypothesis that visual scanning constitutes an important component of the RAN-reading relationship.

To investigate this hypothesis further, we recorded eye-movements during text reading and in conventional RAN tasks requiring rapid naming of letters and digits. We then estimated the amount of variance each RAN task explains in eye-movements observed in a naturalistic reading task. The novel contribution of the current project is several-fold. First, our target population was that of (presumably) proficient university student readers, rather than commonly studied populations of children, clinical populations, or lower-literacy adults. As we expect this population to exhibit vast and (over-)trained reading experience, potential deficiencies of oculomotor control, lexical access or decoding are expected to be minor. Also, unlike most previous studies of the RAN-reading relationship, we used silent text reading for comprehension rather than single word naming as our task, and our dependent measure was eye-movements during silent reading rather than naming latencies, durations, or pauses between productions.

Our most significant contribution is the use of several new experimental RAN-like tasks, which were designed to strip away many of the above mentioned components that Wolf and Bowers (1999) associated with RAN. We conducted two studies with a largely overlapping design, which are reported jointly below. Table 1 summarizes the experimental conditions in both studies as well as the components that their execution requires. The Table also specifies which conditions occurred in each study.

Conventional rapid naming of letters and digits in Condition 1 (Letter-/Digit-Aloud) was administered here while eye-movements were recorded. This condition was expected to engage all critical components of RAN, including oculomotor control, retrieval of orthographic codes, their decoding into phonological codes, and speech planning and production. Tasks in Condition 2 (Letter-/Digit-Silent) presented participants with the same kind of letter or digit grids as used in standard RAN and Condition 1, but the instruction was to read the symbols *silently*, rather than name them. This manipulation stripped away the need to articulate the items in the grid and its contrast with Condition 1 aimed at isolating the role of speech production as a predictor of reading ability. Study 2 adopted a further modification to this condition, which contained *different* non-nameable symbols as items (Condition 3: Different-Silent): the instruction was to visually (and silently) inspect every symbol. The rationale for this manipulation was to create a spatial arrangement of visual stimuli that would elicit the same kind of ballistic oculomotor patterns as other RAN grids, but would eliminate the need for articulation, or retrieval of phonological codes. The contrast between Conditions 2 and 3 would highlight the unique role of retrieval of phonological labels and articulatory planning (though not execution) in the RAN-reading relationship. Importantly, the amount of variance explained by the Different-Silent condition would indicate the unique role of oculomotor control in co-determining eye-movements in passage reading. The presence of Condition 3 (Different-Silent) is then the critical difference

between our Study 1 and Study 2. Finally, Condition 4 (Identical-Silent) only differed from Condition 3 Different-Silent in that it used *identical* non-nameable symbols in the grid. We were interested in whether this condition, which required the same ballistic movements but provided weaker attentional cues than other RAN conditions, would be as predictive of eye movements in reading as Condition 3 Different-Silent. Again, the amount of variance explained by this condition would isolate the contribution of oculomotor control to reading behavior, while its contrast with Letter/Digit tasks in Condition 2 would show the unique contribution of linguistic information.

To sum up, we examine the relationship between individual variability in eye-movement behavior in RAN-like tasks and naturalistic passage reading, to reveal the relative contributions of oculomotor factors and linguistic information in passage reading. Of critical interest was whether characteristics of individual oculomotor control in RAN would independently account for a substantial portion of RAN variability in text reading, and thus corroborate the role of visual scanning in the RAN-reading relationship.

Studies 1 and 2

In two studies, we estimated contributions of all major components of the RAN task to behavioral indices of silent reading for comprehension. Study 1 has one important limitation in that its baseline oculomotor-control condition (Identical-Silent) is implemented with identical symbols (asterisk) in the RAN grid. The absence of varying attentional cues might be argued to elicit a different, *voluntary* kind of eye-movements in that condition rather than the *involuntary* (i.e. caused by external visual stimuli) eye-movements elicited during RAN or reading. This may both lower the magnitude of the effect of oculomotor processing on RAN and reading performance, and render the comparison across RAN-like tasks inadequate. Study 2 remedies this limitation with a new condition (Different-Silent) where a set of *different* non-nameable symbols is presented in the grid. Because of their similar design, the methods and most of the results of Studies 1 and 2 are presented jointly.

Methods

Participants

A total of 151 undergraduate students between 17–27 years-of-age participated for partial course credit: 65 (54 female) participants in Study 1 and 86 (73 female) participants in Study 2. None of the participants had been diagnosed with learning or cognitive impairments, and all had normal or corrected-to-normal vision. No language requirement was applied during the data collection. However, this analysis excludes two participants that started acquiring English only at age 4. Eye-movement records were unusable for an additional eleven participants because of excessive signal loss or accidental loss of stored data. The resulting pool contained 138 participants (53 in Study 1, including 42 female, and 85 in Study 2, including 72 female).

Materials—Materials consisted of our variations on the RAN task, as described above and in Table 1. See online supplementary materials, S1, for further details of materials and procedures. For quantifying individual patterns of natural text reading, we selected passages

7–11 from the Grey Oral Reading Test (GORT; Wiederholt & Bryant, 2001) to be read silently for comprehension. Passage 4 was used as a practice trial for all participants. Following each passage, participants read and answered 5 multiple choice comprehension questions (part of the standard GORT instrument). RAN tasks were presented first followed by the reading task for all participants. Materials and procedure of Study 2 are identical to those of Study 1, with a few exceptions, as described in the supplementary materials S1.

Variables—Table 2 describes the eye-movement dependent measures used in both Studies 1 and 2. Comprehension accuracy was assessed by the number of correct responses to questions following each text. Conventional RAN naming times were available from recordings taken during the RAN eye-tracking task. These were calculated as the duration of the acoustic signal from the onset of the first symbol production to the end of the articulation of the last symbol in the grid.

Results and Discussion

RAN: Eye movements

The unit of eye-movement analysis for the RAN conditions was a single symbol in a grid: a letter, digit, asterisk, or shape. After data trimming (described in the supplementary materials S2) the pool of observations consisted of 12,057 data points in Study 1 and 39,933 in Study 2. See Table 3 (rows 1–5) for descriptive statistics of all eye-movement variables in the studies. Due to hardware failure, speech production during Letter- and Digit-Aloud tasks was only recorded for 49 participants in Study 2 (eye-movements were recorded for all participants): correlations with naming times reported below were based on this subset of participants. In further analyses, eye-movements in RAN were aggregated by participant.

As expected, reading-aloud conditions showed longer total viewing times than their silent counterparts in Studies 1 and 2, consistent with the well-established finding that demands of articulation slow down silent reading and may also slow down oculomotor scanning to maintain a fairly short distance between the fixed word and the articulated one (e.g. Inhoff, Solomon, Radach, & Seymour, 2011; Pan et al., 2013). The Identical-Silent condition showed signs of increased processing effort compared with the other silent RAN conditions, as indicated by longer reading times and more frequent regressions. Particularly strong was the effect on skipping rate, showing an average of 36% of asterisks skipped in Study 1 and 24% in Study 2, as compared to 8% or 11% letters or digits skipped respectively in each study during silent RAN performance. We attribute this less controlled progression through the grid of asterisks to the absence of strong attentional cues provided by the varied content of typical RAN grids. This is consistent with the interpretation of Rayner and Fischer (1996), who suggested that lexical material (which we interpret as including letters and digits) affords top-down cues for where to move the eyes (for alternative explanations see Nuthmann & Engbert, 2009; Vitu, O'Regan, Inhoff, & Topolski, 1995). The finding of more effortful processing in the absence of linguistic cues has also been observed in the literature using the Landolt circles paradigm (Günther et al., 2012), where participants are looking for an open circle in a string of closed circles. Similar results are observed in z-string reading, a paradigm in which participants read sentences with every letter replaced with a z symbol,

such that a sentence *I wish you a Happy Birthday* yields a string *Z zzzz zzz z Zzzzz Zzzzzzz* (Nuthmann & Engbert, 2009; Rayner & Fischer, 1996; Vitu et al., 1995, see also Hutzler, Kronbichler, Jacobs, & Wimmer, 2006 for similar task).

RAN: Naming times

Naming times were defined as the time between the first and last articulations of symbols in a grid. Since the read-aloud grid of letters was 5×10 , and that of digits 4×9 , for parity we calculated the average naming time per symbol per participant in each grid. Table 3 (rows 6 and 7) reports the distribution of naming times in the Letter-Aloud and Digit-Aloud conditions respectively in Studies 1 and 2.

Text reading

The unit of analysis for the eye-movement data recorded during reading of GORT passages was the word. After trimming (see supplementary materials S2 for details), eye-movement measures were averaged by participant and text. Furthermore, the number of correct responses to comprehension questions was calculated for each participant and each text. Table 3 (row 8) reports distributions of total viewing time (TVT), regression (RR) and skipping rates (SR), while row 9 in Table 3 reports the distributions of correct answers to comprehension questions in Studies 1 and 2. Eye-movement measures and comprehension scores were averaged by participant and text.

Correlations of RAN behavior and reading behavior

Table 4 reports coefficients for all Pearson correlations that pitted eye-movements and naming times in RAN-like tasks against eye-movements and comprehension scores in GORT passage reading in Studies 1 and 2. P-values are reported after a family-wise correction of the respective p-values (applied using the *p.adjust* function of the *base* package of the *R* statistical software, R Core Team, 2014). See supplementary materials S3 for details.

The direction of the correlations was consistent across all measures: longer reading times, and higher regression or skipping rates in RAN-related tasks led to longer reading times and regression or skipping rates in text reading. To take an example from Study 1, considering only the asterisk grids (Identical-Silent), which is the most stripped down version of the RAN task, longer viewing times predicted that participants were slower in reading texts ($r = 0.15$, $p < 0.05$). In addition, making more regressions also came with a higher regression rate in text reading ($r = 0.24$, $p < 0.01$). Taking the data all together, it is clear that more efficient performance in any of the RAN tasks was associated with more efficient oculomotor behavior in reading. Magnitudes of correlations were in the weak to moderate range $|r| \leq .43$ in both studies, including the correlations with the accepted measure of RAN naming time assessed for the entire grid. This may appear at odds with the strong correlations (often in the range $r = [0.5-0.6]$) that are routinely found in the literature. We discuss this in the General Discussion.

We also calculated correlations among the different RAN-like tasks: see Table 5. In the interest of space, we only report correlations between total viewing times in all tasks. These

and other (unreported) correlations strongly suggest a relationship between the oculomotor control demonstrated in RAN when it is devoid of linguistic content (inspecting a grid of asterisks) and when symbols are recognized and their orthographic and phonological codes retrieved. Across Studies 1 and 2, strong positive correlations ($r > 0.5$) were observed between all eye-movement measures in all RAN tasks that required silent reading (Digit-, Letter-, Identical and Different- Silent). Correlations between oculomotor silent (Identical- and Different-) and reading-aloud tasks were mostly in the moderate range ($0.2 < r < 0.5$), while correlations between silent and reading-aloud Digit and Letter conditions were in the strong range $r > 0.57$. All correlational patterns hold true or become somewhat stronger even when RAN and GORT eye-movements are aggregated by participant (as opposed to the aggregation by participant and by text for GORT, see supplementary materials S2).

Hierarchical regression models: Study 1

Our RAN conditions are incremental in that more inclusive tasks incorporate all of the cognitive and physiological requirements of the less advanced tasks (see Table 1). Thus, we never expect that a less inclusive task (e.g. one that requires a specific kind of oculomotor control) explains more variance in reading behavior than a more inclusive task (e.g. one that additionally requires lexical access and symbol decoding). The critical question then is whether a less inclusive task explains a significant/substantial amount of variance in text reading behavior, and not whether it outperforms a more inclusive task. Thus, it is expected that tasks that implement pure oculomotor activity (e.g. Identical-Silent) would show weaker correlations with reading behavior, and explain less variance in reading behavior, than the tasks (e.g. Letter- and Digit-Silent) that additionally share with reading the need to access the mental lexicon and convert orthographic representations into phonological ones. In a series of hierarchical regression models we tested (a) whether oculomotor-control conditions independently explain a significant amount of variance in reading behavior and (b) whether those conditions accounted for a substantial portion of variance explained by more advanced RAN-like tasks.

Step 1 in all models estimated the amount of variance explained by any eye-movement measure (e.g. TVT, RR, or SR) in the most stripped down RAN task (Identical-Silent) as a predictor of any of the eye-movement measures of GORT passage reading. This amount is compared to the amount of variance by an intercept-only regression model fitted to the same measure in the GORT eye-movement record, and indicates whether the oculomotor component explains any variance beyond random noise. In addition, Study 2, Step 2 added the same measure from the Different-Silent condition. Steps 2a, 2b, and 2c in Study 1 (Table 6) and Steps 3a, 3b and 3c in Study 2 (Table 7) add as predictors the chosen eye-movement measure as observed in the Letter-Silent condition, Digit-Silent condition, or in both conditions, respectively. The hierarchical regression models report the amount of variance explained at each step, and its comparison with the amount of variance explained at the previous step. Thus, a significant gain in variance at Steps 2a–c as compared to Step 1 (Study 1) and Steps 3a–c compared to Step 2 in Study 2 would indicate a to-be-expected outcome: that RAN tasks that require processing linguistic information explain additional variance in reading behavior. Finally, at Steps 3a, 3b, and 3c in Study 1 (Table 6) and Steps 4a, 4b and 4c in Study 2 (Table 7) we added predictors of the same eye-movement variable

from the Letter-Aloud, Digit-Aloud or both conditions. The comparison of Steps 3a, b, and c with Step 2c in Study 1 and Steps 4a, b and c with Step 3 in Study 2, identified the role of speech production and fluency in codetermining eye-movement measures and comprehension in reading.

We selected for analysis those pairs of eye-movement measures from RAN and GORT reading that revealed the strongest role (i.e. the largest correlation coefficients) of the most inclusive RAN conditions, Letter- and Digit-Aloud. Tables 6 and 7 report hierarchical regression analyses for GORT total viewing time as a function of RAN total viewing time and regression rate; GORT regression rate as a function of RAN regression rate, and GORT skipping rate as a function of RAN total viewing time.

Hierarchical models presented in Table 6 and Table 7 revealed that the total amount of variance that even the most inclusive RAN tasks explained in the eye-movement measures registered during reading was fairly small, ranging between 5.8–19.7%. We discuss this further in the General Discussion. As expected, the bulk of variance in reading behavior was explained by the independent contribution of lexical symbol processing in Letter- and Digit-Silent conditions over and above the oculomotor demands of the RAN task (Study 1, Step 2; Study 2, Step 3). Interestingly, processing of digits consistently predicted more variance in RAN than that of letters; see General Discussion.

Crucially, the models showed that the Identical-Silent oculomotor condition (Step 1) explained 2–6% of the variance in eye-movement measures during text reading. This contribution was consistently significant and explained a substantial proportion of the total variance that RAN performance accounted for. This proportion ranged from 13% (model 2 in Table 7) to 93% (model 4), with a median of 45%.

We also reported (in parentheses in Table 7) the comparison between the model in Step 2 with the intercept-only model to test whether oculomotor conditions explained non-random variance when considered jointly. Furthermore, in Study 2, a comparison of Steps 1 and 2 indicated the role of attentional cues provided by the diverse (versus identical) visual stimuli.

We note that the model with GORT regression rate as a function of RAN regression rate showed the weakest performance of the oculomotor RAN conditions in Study 2 (1.6% of explained GORT variance in step 2 and 12% of total GORT variance explained by all RAN tasks). Yet the same model was the one where the oculomotor condition showed the strongest performance in Study 1 (5.9% of explained GORT variance in Step 1 and 93% of total GORT variance explained by all RAN tasks). This suggests that the specific relationship between regression rates in RAN and GORT is less stable than others and should not be over-interpreted.

General Discussion

The present study aims at identifying factors responsible for the widely acknowledged role of RAN as a strong predictor of reading ability, across ages, skill and ability levels. We examined the visual scanning hypothesis, which suggests that a key ability underlying RAN

predictivity is the need to rapidly engage and disengage visual stimuli in a consistent and efficient fashion—just as is required when reading natural texts (Kuperman & Van Dyke, 2011). To test this hypothesis, we implemented incremental RAN conditions, with each successively more complex grid including all cognitive demands that were required in the more basic ones. Demands of the RAN-like tasks ranged from basic oculomotor control in grids presenting non-nameable identical (Studies 1 and 2) or different (Study 2) shapes, to an additional demand to retrieve orthographic codes for letters or digits and decode them into phonological codes, to planning and execution of speech production of those letters or digits (Table 1).

We do recognize that compared to RAN-reading correlations typically reported in the literature, those reported here are relatively weak. For example, Protopapas et al. (2013) observed that digit forward-RAN accounted for 37% of variance in word reading fluency. We believe this apparent discrepancy stems from both our choice of population and task. It is not surprising that our sample, which represents the higher-end of the skill continuum, shows overall lower correlations between RAN and reading tasks. More importantly, however, it is not surprising that processes subserving single symbol recognition (including oculomotor coordination) explain less variance in our text reading task than in a word reading task. Indeed, in our data the average amount of variance explained by the total of all RAN-related read-silent conditions was 8% (median 9.2%) across Studies 1 and 2, which is on par with the amount of variance that RAN naming times explained in text reading fluency in Protopapas et al. (2013), viz. 7% explained by digit forward-and 6% by digit-backward RAN. The reasons for the magnitude difference in relation to word and text reading tasks are important to understand so that the RAN-reading relationship can be interpreted more meaningfully. We suggest that it arises from two sources. First, it must be recognized that text reading is more remote from the demands of RAN than is single word recognition, as it requires many additional processes, such as syntactic and discourse-level processing, inferential logic, world knowledge, working memory, etc. This task complexity will necessarily reduce the amount of variance associated with RAN. On the flip-side, RAN and word naming tasks have shared components that are not inherently present in text reading (i.e., articulation), and these will serve to inflate the magnitude of that relationship. Crucially for the current study, however, the factors likely responsible for our low-magnitude correlations are orthogonal to our goal, which is to establish whether the oculomotor component of RAN would play a significant role in the RAN-reading relationship, precisely during natural text reading. In support of this, we observed consistently strong correlations between eye-movements recorded in oculomotor-only conditions and in the more inclusive silent RAN tasks (all $r_s > 0.5$, all $p_s < 0.05$ after family-wise correction). This pattern reveals a substantial shared component between the RAN conditions: we argue that this component is the ability to efficiently coordinate rapid serial eye-movements over a grid. The finding is consistent with our previous work, which revealed RAN to be a ubiquitous predictor of per-word eye-movement measures during sentence reading, explaining more variance than linguistic variables like word length and frequency (Kuperman & Van Dyke, 2011). It confirms our speculative account of those initial results, which pointed to the fact that RAN is the only major reading skill assessment to incorporate the same oculomotor programming required in text reading.

While the current data provide support for the visual scanning hypothesis, we acknowledge a recent criticism of this idea. Protopapas et al. (2013) coined the phrase “visual scanning hypothesis” to summarize findings and interpretations of Clarke et al. (2005), Logan et al. (2011) and Kuperman and Van Dyke (2011). Protopapas et al. further proposed that the visual scanning hypothesis implicates “overlearned, automatized procedures effecting left-to-right-then-down control” as a predictive factor in the relation between RAN and reading fluency. Consequently, they argued that a backwards RAN condition (scanning right-to-left, bottom-to-top) would negate the visuo-oculomotor advantage that proficient readers may have, because more and less proficient readers would be equally unexperienced with coordinating serial eye-movements in the direction opposite to that of reading. Thus, the correlation between backwards RAN and reading should be significantly reduced if the visual scanning hypothesis were correct. In fact, they found that correlations between reading fluency and naming times in the standard and in the backwards versions of the task were equally strong. This finding, along with null effects observed for manipulations of presentation format (rows vs columns) and other arguments, led them to conclude that directionality (automatized or not) is irrelevant for the RAN-reading relationship.

We agree with the conclusions of Protopapas et al., but disagree with their suggestion that these findings provide evidence against the visual scanning hypothesis. We argue that the visual scanning hypothesis -- as defined here and envisioned in the papers that are credited with the hypothesis -- can easily accommodate Protopapas et al.’s findings. We maintain (a) that a substantial part of the variance shared by RAN and text reading is due to the shared requirement for coordinating rapid sequential eye-movements in recognition of visual objects, and (b) that an individual’s ability to meet this demand in an efficient and consistent way requires both cognitive control and motor coordination, both of which lead to better performance in RAN-like tasks and in text reading. Crucially, the question of directionality of visual scanning and how automatized it may be as a result of reading experience is orthogonal to the visual scanning hypothesis. We predict that better performance in *any* task requiring orchestration of rapid sequential eye-movements would correlate with better text reading, including counter-directed or vertical inspection of RAN-like grids or symbol/word lists¹. Hence, we believe that the Protopapas et al. findings of equally strong correlations between text reading fluency and forward and backward RAN conditions can rather be interpreted as *support* for the visual scanning hypothesis. Moreover, while the present paper does not manipulate scanning direction, we do demonstrate that RAN tasks implemented in the direction of reading reveal a noticeable independent role of oculomotor control, at least for skilled adult readers.

In conclusion, the current results present evidence in favor of the visual scanning hypothesis —the idea that a significant component underlying the RAN-reading relationship is the ability of the RAN task to index participants’ fluency and skill at moving their eyes sequentially across a printed page. Our data further point to the important role that linguistic knowledge has in directing eye movements. We found that eye movements were less efficient (longer fixations, higher regression and skipping rates) in the absence of linguistic

¹It is worth mentioning that of the three papers that Protopapas et al. credit with the visual scanning hypothesis only one mentions the direction of reading as a possible factor in the RAN-reading relationship (Logan et al., 2011).

cues. This observation is notable given the relative paucity of linguistic information available in the typical RAN task (limited to only letter or digit form cues for the to-be-produced phonological forms.) We take this as reflective of the broader importance that linguistic knowledge has in directing saccades during natural reading, where cues may range from lexical (e.g., word frequency, orthographic or phonological neighborhood) to contextual (e.g., predictability of a word in a given context, syntactic role in the sentence, or referential status in a discourse). Indeed, several models of eye movements explicitly incorporate a role for linguistic knowledge in directing attention or saccade planning and execution during reading (e.g., Engbert, Nuthmann, Richter, & Kliegl, 2005; Reichle, Rayner, & Pollatsek, 2003). The implication of the current results is that the predictability of RAN can best be understood as stemming from the task's ability to simultaneously account for variance associated with programming eye-movements during reading and the ease with which readers incorporate linguistic knowledge into those calculations.

Our primary findings are in support of a significant contribution of oculomotor control to the RAN-reading association, however three other findings in the current data deserve mention. First, the Digit-Silent condition consistently showed stronger correlations with, and explained more variance, in text-reading than the Letter-Silent condition, even though texts contained alphabetic, not numeric material. We link this observation to the more complex nature of phonological representations associated with digits than with letters: specifically they can be monosyllabic ("one") or bisyllabic ("seven"). Even though speech production was not required in Letter- and Digit-Silent conditions, speech planning is known to be ongoing even in silent reading (Abramson & Goldinger, 1997; Ashby & Clifton, 2005; Breen & Clifton, 2011).

Second, our hierarchical modeling revealed a negligible role of read-aloud RAN tasks in predicting text reading behavior. This may be expected given the silent character of text reading, and points to the unsuitability of using name-aloud tasks as predictors of *text* reading ability. As noted above, it is important to be aware that the shared articulatory component in standard RAN tasks and in word naming tasks will support high correlations between the two, however this correlation should not be interpreted as indicative of an equally strong relationship between standard RAN and text reading ability.

Finally, no RAN condition, however inclusive, showed a significant correlation with comprehension scores that gauge the reader's understanding of the entire passage. This suggests that the RAN-reading relationship is at its strongest when online processes of word recognition are considered, but has little bearing on higher-order inferential processes of building discourse-level representations of the passage, at least not for the highly proficient population tested here. This finding is consistent with our overall conclusion, which is that a significant proportion of the variance shared between RAN and reading is associated with the ability to rapidly engage and disengage visual stimuli in a consistent and efficient fashion during online text reading.

Conclusion

The observed patterns confirmed the overall connection between RAN and reading. More efficient performance in processing any version of the RAN grid (e.g. shorter fixations, fewer regressions or skips) predicted more efficient eye-movement behavior in text reading (cf. Table 3). Most significant for the visual scanning hypothesis, however, is that correlations between oculomotor-only RAN conditions with text reading behavior were of the same polarity and similar (generally, weaker) magnitude than the correlations between more inclusive RAN conditions and text reading behavior, see Table 5. The hierarchical regression analysis further revealed that oculomotor conditions (Identical-Silent in Study 1, or jointly Identical- and Different-Silent in Study 2) accounted for 2–6% (mean 3.5%) of variance in reading-for-comprehension eye-movements, while the maximum amount of variance that the most inclusive RAN tasks explained in reading eye-movements ranged between 6 and 20% (mean 10.7%). These oculomotor contributions were significant in all models. The contributions of conditions that implemented letter or digit recognition additionally accounted for an average of 9.2% (maximum 10%) and were significant. Evidence for the role of articulation is mixed and largely points at the negligibly small contribution of this component to explaining variance in natural reading (mean and median < 1%). While these figures appear small, weighed against the total variance that all the RAN conditions explained in GORT eye-movements, they are considerable: the oculomotor conditions accounted for an average of 34.5% (median 39.5%) of this total. Given the statistical reliability and the relative size of the contribution from oculomotor-only conditions, we conclude that planning and coordinating eye-movements is an important factor in explaining the RAN-reading relationship, even in the absence of linguistic information. Specifically, these findings highlight the importance of a readers' ability to engage and disengage visual stimuli in a sequence of rapid serial movements—a skill that is critical for successfully reading natural texts.

Supplementary Material

Refer to Web version on PubMed Central for supplementary material.

Acknowledgments

We thank Athanassios Protopapas and two anonymous reviewers for their insightful comments on earlier drafts of this manuscript.

This work has been supported by the Social Sciences and Humanities Research Council of Canada (SSHRC) Insight Development grant 430-2012-0488, the Natural Sciences and Engineering Research Council of Canada (NSERC) Discovery grant 402395-2012, the McMaster Arts Research Board funding, and the Early Research Award from the Ontario Ministry of Research and Innovation to the first author; the NIH R01 HD 073288 (PI Julie A. Van Dyke) to the first and second authors; and the SSHRC Graduate Fellowship to the third author.

References

- Aarnoutse C, van Leeuwe J, Verhoeven L. Early literacy from a longitudinal perspective. *Educational Review and Research*. 2005; 11:253–275.
- Abramson M, Goldinger SD. What the reader's eye tells the mind's ear: silent reading activates inner speech. *Perception & Psychophysics*. 1997; 59:1059–1068. [PubMed: 9360478]

- Adler-Grinberg D, Stark L. Eye movements, scanpaths, and dyslexia. *American Journal of Optometry and Physiological Optics*. 1978; 55(8):557–570. [PubMed: 742646]
- Ashby J, Clifton C Jr. The prosodic property of lexical stress affects eye movements during silent reading. *Cognition*. 2005; 96:B89–B100. [PubMed: 15913592]
- Bellocchi S, Muneaux M, Bastien-Toniazzo M, Ducrot S. I can read it in your eyes: What eye movements tell us about visuo-attentional processes in developmental dyslexia. *Research in Developmental Disabilities*. 2013; 34(1):452–460. [PubMed: 23041659]
- Bowers PG, Newby-Clark E. The role of naming speed within a model of reading acquisition. *Reading and Writing*. 2002; 15(1–2):109–126.
- Bowers PG, Swanson LB. Naming speed deficits in reading disability: Multiple measures of a singular process. *Journal of Experimental Child Psychology*. 1991; 51(2):195–219. [PubMed: 2033360]
- Breen M, Clifton C Jr. Stress matters: Effects of anticipated lexical stress on silent reading. *Journal of Memory and Language*. 2011; 64:153–170. [PubMed: 22707848]
- Carreiras, M.; Clifton, C. On the on-line study of language comprehension. In: Carreiras, M.; Clifton, C., editors. *The on-line study of sentence comprehension: Eyetracking, ERP, and beyond*. Psychology Press; 2004. p. 1-14.
- Compton DL. The influence of item composition on RAN letter performance in first-grade children. *The Journal of Special Education*. 2003; 37(2):81–94.
- Compton DL, Olson RK, DeFries JC, Pennington BF. Comparing the relationships among two different versions of alphanumeric rapid automatized naming and word level reading skills. *Scientific Studies of Reading*. 2002; 6(4):343–368.
- de Groot, van den Bos, Minnaert, van der Meulen. Phonological processing and word reading in typically developing and reading disabled children. *Scientific Studies of Reading*. 2015; 19:166–181.
- Denckla MB, Rudel RG. Rapid ‘automatized’ naming (RAN): Dyslexia differentiated from other learning disabilities. *Neuropsychologia*. 1976; 14(4):471–479. [PubMed: 995240]
- Doyle, RE. Master’s thesis. Georgia State University; Georgia US: 2005. The role of eye movements in the relationship between Rapid Automatized Naming and reading ability.
- Eden GF, Stein JF, Wood HM, Wood FB. Differences in eye movements and reading problems in dyslexic and normal children. *Vision Research*. 1994; 34(10):1345–1358. [PubMed: 8023443]
- Elterman RD, Abel LA, Daroff RB, Dell’Osso LF, Bornstein JL. Eye movement patterns in dyslexic children. *Journal of Learning Disabilities*. 1980; 13(1):16–21. [PubMed: 7373140]
- Engbert R, Nuthmann A, Richter EM, Kliegl R. SWIFT: a dynamical model of saccade generation during reading. *Psychological review*. 2005; 112(4):777. [PubMed: 16262468]
- Georgiou GK, Papadopoulos TC, Fella A, Parrila R. Rapid naming speed components and reading development in a consistent orthography. *Journal of Experimental Child Psychology*. 2012; 112(1):1–17. [PubMed: 22297121]
- Georgiou GK, Parrila R, Liao CH. Rapid naming speed and reading across languages that vary in orthographic consistency. *Reading and Writing*. 2008; 21(9):885–903.
- Georgiou GK, Parrila R, Cui Y, Papadopoulos TC. Why is rapid automatized naming related to reading? *Journal of Experimental Child Psychology*. 2013; 115:218–225. [PubMed: 23384823]
- Georgiou GK, Aro M, Liao CH, Parrila R. The Contribution of RAN Pause Time and Articulation Time to Reading Across Languages: Evidence From a More Representative Sample of Children. *Scientific Studies of Reading*. 2015; 19:135–144.
- Günther, T.; Kohlen, C.; Scharke, W.; Vollmar, J.; Heim, S.; Radach, R. Eye movement patterns indicate levels of word processing in sentence reading. Presented at the 19th Annual Meeting Society for the Scientific Study of Reading; Montreal. 2012a.
- Hawelka S, Gagl B, Wimmer H. A dual-route perspective on eye movements of dyslexic readers. *Cognition*. 2010; 115:367–379. [PubMed: 20227686]
- Henderson JM, Pollatsek A, Rayner K. Covert visual attention and extrafoveal information use during object identification. *Perception & Psychophysics*. 1989; 45(3):196–208. [PubMed: 2710617]

- Hillen R, Günther T, Kohlen C, Eckers C, van Ermingen-Marbach M, Sass K, ... Heim S. Identifying brain systems for gaze orienting during reading: fMRI investigation of the Landolt paradigm. *Frontiers in Human Neuroscience*. 2013; 7:384. [PubMed: 23908615]
- Hu CF, Catts HW. The role of phonological processing in early reading ability: What we can learn from Chinese. *Scientific Studies of Reading*. 1998; 2(1):55–79.
- Hutzler F, Kronbichler M, Jacobs AM, Wimmer H. Perhaps correlational but not causal: No effect of dyslexic readers' magnocellular system on their eye movements during reading. *Neuropsychologia*. 2006; 44(4):637–648. [PubMed: 16115655]
- Inhoff AW, Pollatsek A, Posner MI, Rayner K. Covert attention and eye movements during reading. *The Quarterly Journal of Experimental Psychology*. 1989; 41(1):63–89. [PubMed: 2710940]
- Inhoff AW, Solomon M, Radach R, Seymour BA. Temporal dynamics of the eye–voice span and eye movement control during oral reading. *Journal of Cognitive Psychology*. 2011; 23(5):543–558.
- Jones MW, Ashby J, Branigan HP. Dyslexia and fluency: Parafoveal and foveal influences on rapid automatized naming. *Journal of Experimental Psychology: Human Perception and Performance*. 2013; 39(2):554. [PubMed: 22924951]
- Jones MW, Branigan HP, Kelly ML. Visual deficits in developmental dyslexia: relationships between non-linguistic visual tasks and their contribution to components of reading. *Dyslexia*. 2008; 14(2): 95–115. [PubMed: 17874457]
- Jones MW, Branigan HP, Kelly ML. Dyslexic and nondyslexic reading fluency: Rapid automatized naming and the importance of continuous lists. *Psychonomic Bulletin & Review*. 2009; 16(3):567–572. [PubMed: 19451386]
- Katzir T, Kim YS, Wolf M, Morris R, Lovett MW. The varieties of pathways to dys-fluent reading comparing subtypes of children with dyslexia at letter, word, and connected text levels of reading. *Journal of Learning Disabilities*. 2008; 41(1):47–66. [PubMed: 18274503]
- Keenan JM, Betjemann RS. Comprehending the Gray Oral Reading Test without reading it: Why comprehension tests should not include passage-independent items. *Scientific Studies of Reading*. 2006; 10(4):363–380.
- Kuperman V, Van Dyke J. Effects of individual differences in verbal skills on eye-movement patterns during sentence reading. *Journal of Memory and Language*. 2011; 65:42–73. [PubMed: 21709808]
- Kuperman, V.; Van Dyke, J.; Ally, P. Tapping is a strong predictor of reading comprehension. Presentation at the 17th European Conference on Eye Movements; Lund, Sweden. 2013.
- Lefton LA, Nagle RJ, Johnson G, Fisher DF. Eye movement dynamics of good and poor readers: Then and now. *Journal of Literacy Research*. 1979; 11(4):319–328.
- Martos FJ, Vila J. Differences in eye movements control among dyslexic, retarded and normal readers in the Spanish population. *Reading and Writing*. 1990; 2(2):175–188.
- McConkie GW, Rayner K. Asymmetry of the perceptual span in reading. *Bulletin of the Psychonomic Society*. 1976; 8(5):365–368.
- Moll K, Ramus F, Bartling J, Bruder J, Kunze S, et al. Cognitive mechanisms underlying reading and spelling development in five European orthographies. *Learning and Instruction*. 2014; 29:65–77.
- Moll K, Jones M. Naming fluency in dyslexic and nondyslexic readers: Differential effects of visual crowding in foveal, parafoveal, and peripheral vision. *The Quarterly Journal of Experimental Psychology*. 2013; 66(11):2085–2091. [PubMed: 24161215]
- Neuhaus G, Foorman BR, Francis DJ, Carlson CD. Measures of information processing in rapid automatized naming (RAN) and their relation to reading. *Journal of Experimental Child Psychology*. 2001; 78(4):359–373. [PubMed: 11243694]
- Norton ES, Wolf M. Rapid automatized naming (RAN) and reading fluency: Implications for understanding and treatment of reading disabilities. *Annual Review of Psychology*. 2012; 63:427–452.
- Nuthmann A, Engbert R. Mindless reading revisited: An analysis based on the SWIFT model of eye-movement control. *Vision Research*. 2009; 49(3):322–336. [PubMed: 19026673]
- Oakhill JV, Cain K. The precursors of reading ability in young readers: Evidence from a four-year longitudinal study. *Scientific Studies of Reading*. 2012; 16(2):91–121.
- Obregón, M. Doctoral dissertation. Tufts University; 1994. Exploring naming timing patterns by dyslexic and normal readers on the serial RAN task.

- Pan J, Yan M, Laubrock J, Shu H, Kliegl R. Eye–voice span during rapid automatized naming of digits and dice in Chinese normal and dyslexic children. *Developmental Science*. 2013; 16(6):967–979. [PubMed: 24118721]
- Pennington BF, Cardoso-Martins C, Green PA, Lefly DL. Comparing the phonological and double deficit hypotheses for developmental dyslexia. *Reading and Writing: An Interdisciplinary Journal*. 2001; 14:707–755.
- Pollatsek A, Bolozky S, Well AD, Rayner K. Asymmetries in the perceptual span for Israeli readers. *Brain and Language*. 1981; 14:174–180. [PubMed: 7272722]
- Protopapas A, Altani A, Georgiou GK. RAN backward: A test of the visual scanning hypothesis. *Scientific Studies of Reading*. 2013; 17(6):453–461.
- R Core Team. R: A language and environment for statistical computing. R Foundation for Statistical Computing; Vienna, Austria: 2014. URL <http://www.R-project.org/>
- Rayner K. Eye movements in reading and information processing: 20 years of research. *Psychological Bulletin*. 1998; 124(3):372. [PubMed: 9849112]
- Rayner K. Eye movements and attention in reading, scene perception, and visual search. *The Quarterly Journal of Experimental Psychology*. 2009; 62(8):1457–1506. [PubMed: 19449261]
- Rayner K, Fischer MH. Mindless reading revisited: Eye movements during reading and scanning are different. *Perception & Psychophysics*. 1996; 58(5):734–747. [PubMed: 8710452]
- Rayner K, Slattery TJ, Bélanger NN. Eye movements, the perceptual span, and reading speed. *Psychonomic Bulletin & Review*. 2010; 17(6):834–839. [PubMed: 21169577]
- Rayner K, Well AD, Pollatsek A. Asymmetry of the effective visual field in reading. *Perception & Psychophysics*. 1980; 27(6):537–544. [PubMed: 7393701]
- Rayner K, Well AD, Pollatsek A, Bertera JH. The availability of useful information to the right of fixation in reading. *Perception & Psychophysics*. 1982; 31(6):537–550. [PubMed: 7122189]
- Reichle ED, Rayner K, Pollatsek A. The EZ Reader model of eye-movement control in reading: Comparisons to other models. *Behavioral and brain sciences*. 2003; 26(4):445–476. [PubMed: 15067951]
- Stanovich KE. Relationships between word decoding speed, general name-retrieval ability, and reading progress in first-grade children. *Journal of Educational Psychology*. 1981; 73(6):809.
- Swanson HL, Tranin G, Necoechea DM, Hammill DL. Rapid naming, phonological awareness, and reading: A meta-analysis of the correlational evidence. *Review of Educational Research*. 2003; 73:407–440.
- Schatschneider C, Fletcher JM, Francis DJ, Carlson CD, Foorman BR. Kindergarten prediction of reading skills: a longitudinal comparative analysis. *Journal of Educational Psychology*. 2004; 96:265–82.
- Tan LH, Spinks JA, Eden GF, Perfetti CA, Siok WT. Reading depends on writing, in Chinese. *Proceedings of the National Academy of Sciences of the United States of America*. 2005; 102(24):8781–8785. [PubMed: 15939871]
- Torgesen JK, Wagner RK, Rashotte CA. Longitudinal studies of phonological processing and reading. *Journal of Learning Disabilities*. 1994
- Torgesen JK, Wagner RK, Rashotte CA, Burgess S, Hecht S. Contributions of phonological awareness and rapid automatic naming ability to the growth of word-reading skills in second-to fifth-grade children. *Scientific Studies of Reading*. 1997; 1(2):161–185.
- van den Bos KP, Zijlstra BJ, Iutje Spelberg HC. Life-span data on continuous-naming speeds of numbers, letters, colors, and pictured objects, and word-reading speed. *Scientific Studies of Reading*. 2002; 6(1):25–49.
- Veldre A, Andrews S. Lexical quality and eye movements: Individual differences in the perceptual span of skilled adult readers. *The Quarterly Journal of Experimental Psychology*. 2014; 67(4):703–727. [PubMed: 23972214]
- Vitu F, O'Regan JK, Inhoff AW, Topolski R. Mindless reading: Eye-movement characteristics are similar in scanning letter strings and reading texts. *Perception & Psychophysics*. 1995; 57(3):352–364. [PubMed: 7770326]

- Waber DP, Forbes PW, Wolff PH, Weiler MD. Neurodevelopmental characteristics of children with learning impairments classified according to the double-deficit hypothesis. *Journal of Learning Disabilities*. 2004; 37(5):451–461. [PubMed: 15460351]
- Wagner RK, Torgesen JK, Rashotte CA. Development of reading-related phonological processing abilities: New evidence of bidirectional causality from a latent variable longitudinal study. *Developmental Psychology*. 1994; 30(1):73.
- Wagner, RK.; Torgesen, JK.; Rashotte, CA. Comprehensive test of phonological processing: CTOPP. Pro-Ed; 1999.
- Wagner RK, Torgesen JK, Laughon P, Simmons K, Rashotte CA. Development of young readers' phonological processing abilities. *Journal of Educational Psychology*. 1993; 85(1):83.
- Wiederholt, JK.; Bryant, BR. GORT 4—gray oral reading tests. Austin, TX: PRO-ED; 2001.
- Wimmer H, Mayringer H, Landerl K. The double-deficit hypothesis and difficulties in learning to read a regular orthography. *Journal of Educational Psychology*. 2000; 92(4):668.
- Wolf M. Naming speed and reading: The contribution of the cognitive neurosciences. *Reading Research Quarterly*. 1991:123–141.
- Wolf M, Bowers PG. The double-deficit hypothesis for the developmental dyslexias. *Journal of Educational Psychology*. 1999; 91:415–38.
- Wolf M, Bowers PG, Biddle K. Naming-speed processes, timing, and reading. A conceptual review. *Journal of Learning Disabilities*. 2000; 33(4):387–407. [PubMed: 15493099]
- Wolf M, O'Rourke AG, Gidney C, Lovett M, Cirino P, Morris R. The second deficit: An investigation of the independence of phonological and naming-speed deficits in developmental dyslexia. *Reading and Writing*. 2002; 15(1–2):43–72.
- Yan M, Pan J, Laubrock J, Kliegl R, Shu H. Parafoveal processing efficiency in rapid automatized naming: A comparison between Chinese normal and dyslexic children. *Journal of Experimental Child Psychology*. 2013; 115(3):579–589. [PubMed: 23499320]
- Zschornak, A.; Zeschmann, B. Landolt: Ein validiertes Lese-Paradigma zur Erfassung Kindlicher Blickbewegungen auf Sprachfreier Ebene. Heerlen: Hogeschool Zuyd - Opleiding Logopedie; 2008.

Table 1

Conditions and the RAN components they represent, as implemented in Studies 1 and 2.

Condition	Articulation	Activation of phonological codes	Retrieval of lexical information	Oculo motor coordination	Attentional cues	Implemented in:
1. Letter-/Digit-Aloud (conventional RAN)	+	+	+	+	+	Study 1 and 2
2. Letter-/Digit-Silent	-	+	+	+	+	Study 1 and 2
3. Different-Silent	-	-	-	+	+	Study 2 only: non-linguistic non-nameable symbols
4. Identical-Silent	-	-	-	+	-	Study 1: asterisks Study 2: a non-nameable shape

Table 2

Eye-movement dependent measures

Variable Name (Abbreviated Label)	Method of calculation	Interpretation
Total viewing time (TVT)	Summed duration of all fixations landing on a target	Total amount of cognitive effort of recognizing a target.
Regression Rate (RR)	Binary indicator of whether the participant looked back after fixating a target	How consistently the participant maintains forward movement through the grid.
Skipping rate (SR)	Binary indicator of whether a target is skipped or fixated	How consistently the participant fixates on targets in a serial fashion.

Note: A *target* refers to either a symbol (in the RAN tasks) or a word (in the reading task).

Table 3

Descriptive statistics of aggregate eye-movement measures during RAN grid inspection and naming, text reading and comprehension scores.

Condition	Measure	Study 1					Study 2				
		Min	Max	Median	Mean	SD	Min	Max	Median	Mean	SD
1. Letter-Aloud	TVT, ms	55	958	295	334.58	158.13	51	999	364	406.35	182.32
	RR	0	1	0	0.07	0.26	0	1	0	0.09	0.29
	SR	0	1	0	0.06	0.23	0	1	0	0.07	0.26
2. Digit-Aloud	TVT, ms	55	966	350	380.46	166.95	53	995	360	389.73	161.23
	RR	0	1	0	0.09	0.29	0	1	0	0.1	0.3
	SR	0	1	0	0.06	0.25	0	1	0	0.09	0.29
3. Identical Symbol-Silent	TVT, ms	53	983	311.50	345.94	180.30	52	997	338.5	369.44	174.28
	RR	0	1	0	0.14	0.34	0	1	0	0.11	0.31
	SR	0	1	0	0.36	0.48	0	1	0	0.24	0.43
4. Different Symbol-Silent	TVT, ms						58	997	362	390.42	175.03
	RR						0	1	0	0.11	0.31
	SR						0	1	0	0.14	0.35
4. Letter-Silent	TVT, ms	56	981	272	309.16	150.45	52	996	308	347.24	158.85
	RR	0	1	0	0.07	0.26	0	1	0	0.09	0.28
	SR	0	1	0	0.08	0.26	0	1	0	0.1	0.3
5. Digit-Silent	TVT, ms	51	997	283	319.59	153.04	55	996	309	345.3	156.12
	RR	0	1	0	0.09	0.28	0	1	0	0.08	0.27
	SR	0	1	0	0.10	0.30	0	1	0	0.11	0.31
6. Letter naming time (per symbol)	Production Time, s	0.22	0.76	0.34	0.36	0.09	0.26	0.77	0.41	0.43	0.1
7. Digit naming time (per symbol)	Production Time, s	0.25	0.64	0.39	0.40	0.08	0.26	0.57	0.42	0.42	0.07
8. GORT	TVT, ms	214.20	709.70	372.37	389.32	94.35	190.31	795.89	392.21	406.2	103.34
	RR	0.02	0.40	0.14	0.15	0.07	0	0.43	0.16	0.17	0.07
	SR	0.04	0.54	0.21	0.22	0.09	0	0.66	0.19	0.2	0.1
9. Comprehension score	Answers correct	0	5	4	3.54	1.29	0	5	3	3.34	1.27

Note. TVT – total viewing time, RR – regression rate, SR – skipping rate.

Table 4

Pearson's correlations of eye-movement measures and naming times recorded in RAN-related tasks with eye-movement measures and comprehension scores obtained in text reading.

Condition	Measure	Study 1				Study 2			
		GORT TVT	GORT RR	GORT SR	GORT Score	GORT TVT	GORT RR	GORT SR	GORT Score
1. Letter-Aloud	TVT	0.28 **	0.03	-0.19 **	-0.09	0.34 **	0.06	-0.12	-0.09
	RR	0.14 *	0.07	-0.21 **	-0.06	0.17 **	0.15 *	0.06	0.08
	SR	0.12	-0.04	0.1	-0.03	-0.11	0.03	0.18 **	0.08
2. Digit-Aloud	TVT	0.23 **	0.05	-0.17 *	-0.14*	0.43 **	0.15*	-0.15*	-0.09
	RR	0.07	0.01	0.04	-0.05	0.12*	0.18 **	0.07	0.07
	SR	-0.04	-0.11	0.16 *	-0.02	-0.02	0.07	0.24 **	0.08
3. Identical Symbol-Silent	TVT	0.15 *	-0.14	-0.15 *	-0.15*	0.24 **	0.09	-0.06	0.01
	RR	0.21 **	0.24 **	-0.12	-0.09	0.11*	-0.09	-0.05	-0.07
	SR	0.07	0	0.06	-0.08	0.06	-0.07	0.16 **	0.02
4. Different Symbol-Silent						0.21 **	0.1	0	-0.05
						-0.08	0.05	0.1	0.08
						-0.06	-0.05	0.21 **	0.08
5. Letter-Silent	TVT	0.26 **	0.03	-0.15 *	-0.11	0.37 **	0.09	-0.05	-0.01
	RR	0.16 *	0.09	-0.05	0.01	0.14 *	0.29 **	0.2 **	0.13
	SR	0.19*	-0.13	0.04	-0.03	0.03	0.07	0.2 **	0.07
6. Digit-Silent	TVT	0.3 **	0.04	-0.24 **	-0.13*	0.37 **	0.07	-0.04	-0.1
	RR	0.26 **	0.13	-0.05	0	0.21 **	0.23 **	0.06	-0.04
	SR	0.12	-0.09	0.18 *	-0.06	-0.03	0.1	0.4 **	0.04
7. Letter-Aloud	Production time	0.21 **	0.07	-0.2 **	-0.11	0.24 **	0.01	-0.06	-0.1
	Production time	0.18 **	0.09	-0.13 *	-0.15*	0.27 **	0.16*	-0.07	-0.15*

Note. RAN measures are averaged per participant. GORT eye-movement measures are averaged per participant per text. GORT comprehension scores per text. TVT – total viewing time, RR – regression rate, SR – skipping rate.

.10.0>
**
,.50>
*
,1.0 >
,

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

Table 5

Pearson's correlations of total viewing times recorded in RAN-related tasks.

	Letter-Aloud	Digit-Aloud	Identical-Silent	Different-Silent	Letter-Silent	Digit-Silent
Letter-Aloud	-	0.62/0.78	0.55/0.57	0.21	0.85/0.6	0.82/0.62
Digit-Aloud		-	0.41/0.40	0.39	0.57/0.78	0.60/0.69
Identical-Silent			-	0.71	0.68/0.57	0.67
Different-Silent				-	0.55	0.53
Letter-Silent					-	0.82/0.84
Digit-Silent						-

Note. All correlations were significant at the 0.05-level after the family-wise adjustment. Except for the Different-Silent condition only available in Study 2, all correlations are reported as *a/b*, where *a* is the correlation in Study 1 and *b* in Study 2. Condition Different-Silent is only present in Study 2.

Table 6

Hierarchical models for selected eye-movement measures in RAN and reading observed in Study 1.

Dependent variable	Predictors added	R ²	R ²	p-value
Model 1: GORT TVT				
<i>Step 1</i>	Identical-Silent TVT	0.023	0.023	0.017
<i>Step 2a</i>	Letter-Silent TVT	0.071	0.048	<0.001
<i>Step 2b</i>	Digit-Silent TVT	0.095	0.062	<0.001
<i>Step 2c</i>	Letter-Silent TVT + Digit-Silent TVT	0.098	0.065	<0.001
R ² ratio Step 1/Step 2c	23%			
Model 2: GORT RR				
<i>Step 1</i>	Identical-Silent RR	0.059	0.059	<0.001
<i>Step 2a</i>	Letter-Silent RR	0.061	0.002	>0.1
<i>Step 2b</i>	Digit-Silent RR	0.063	0.004	>0.1
<i>Step 2c</i>	Letter-Silent RR + Digit-Silent RR	0.063	0.004	>0.1
R ² ratio Step 1/Step 2c	93%			
Model 3: GORT SR				
<i>Step 1</i>	Identical-Silent TVT	0.024	0.024	0.016
<i>Step 2a</i>	Letter-Silent TVT	0.024	0.000	>0.1
<i>Step 2b</i>	Digit-Silent TVT	0.058	0.034	0.003
<i>Step 2c</i>	Letter-Silent TVT + Digit-Silent TVT	0.058	0.034	0.006
R ² ratio Step 1/Step 2c	41%			
Model 4: GORT TVT				
<i>Step 1</i>	Identical-Silent RR	0.043	0.043	0.001
<i>Step 2a</i>	Letter-Silent RR	0.060	0.017	0.041
<i>Step 2b</i>	Digit-Silent RR	0.088	0.045	<0.001
<i>Step 2c</i>	Letter-Silent RR + Digit-Silent RR	0.088	0.045	0.003
R ² ratio Step 1/Step 2c	49%			

Note. Reported are: the dependent variable of the model, predictors added at each step, amount of variance explained (R^2), increase in the amount of explained variance associated with the step (R^2), and statistical significance of the increase. Also reported is the ratio of variance explained by the oculomotor condition and cumulative variance explained by all RAN conditions.

Table 7

Hierarchical models for selected eye-movement measures in RAN and reading observed in Study 2.

Dependent variable	Predictors added	R ²	R ²	p-value
Model 1: GORT TVT				
<i>Step 1</i>	Identical-Silent TVT	0.060	0.060	<0.001
<i>Step 2</i>	Different-Silent TVT	0.062	0.002	0.346 (<0.001)
<i>Step 3a</i>	Letter-Silent TVT	0.138	0.076	<0.001
<i>Step 3b</i>	Digit-Silent TVT	0.143	0.081	<0.001
<i>Step 3c</i>	Letter-Silent TVT + Digit-Silent TVT	0.151	0.089	<0.001
<i>Step 4a</i>	Letter-Aloud TVT	0.167	0.016	0.013
<i>Step 4b</i>	Digit-Aloud TVT	0.197	0.046	<0.001
<i>Step 4c</i>	Letter-Aloud TVT + Digit-Aloud TVT	0.197	0.046	<0.001
R ² ratio Step 2/Step 3c	41%			
R ² ratio Step 2/Step 4c	31%			
Model 2: GORT RR				
<i>Step 1</i>	Identical-Silent RR	0.009	0.009	0.082
<i>Step 2</i>	Different-Silent RR	0.016	0.005	0.132 (0.071)
<i>Step 3a</i>	Letter-Silent RR	0.112	0.096	<0.001
<i>Step 3b</i>	Digit-Silent RR	0.073	0.057	<0.001
<i>Step 3c</i>	Letter-Silent RR + Digit-Silent RR	0.128	0.112	<0.001
<i>Step 4a</i>	Letter-Aloud RR	0.128	0.000	0.930
<i>Step 4b</i>	Digit-Aloud RR	0.129	0.001	0.490
<i>Step 4c</i>	Letter-Aloud RR + Digit-Aloud RR	0.129	0.001	0.752
R ² ratio Step 2/Step 3c	13%			
R ² ratio Step 2/Step 4c	12%			
Model 3: GORT TVT				
<i>Step 1</i>	Identical-Silent RR	0.012	0.012	0.041
<i>Step 2</i>	Different-Silent RR	0.027	0.015	0.024 (0.010)
<i>Step 3a</i>	Letter-Silent RR	0.054	0.027	0.002
<i>Step 3b</i>	Digit-Silent RR	0.092	0.065	<0.001
<i>Step 3c</i>	Letter-Silent RR + Digit-Silent RR	0.096	0.004	<0.001
<i>Step 4a</i>	Letter-Aloud RR	0.100	0.00	0.245
<i>Step 4b</i>	Digit-Aloud RR	0.097		0.632
<i>Step 4c</i>	Letter-Aloud RR + Digit-Aloud RR	0.100		0.508
R ² ratio Step 2/Step 3c	28%			
R ² ratio Step 2/Step 4c	27%			
Model 4: GORT SR				
<i>Step 1</i>	Identical-Silent SR	0.01	0.01	0.079
<i>Step 2</i>	Different-Silent SR	0.027	0.017	0.019 (<0.001)

Dependent variable	Predictors added	R ²	R ²	p-value
<i>Step 3a</i>	Letter-Silent SR	0.036	0.009	0.093
<i>Step 3b</i>	Digit-Silent SR	0.097	0.070	<0.001
<i>Step 3c</i>	Letter-Silent SR + Digit-Silent SR	0.097	0.070	<0.001
<i>Step 4a</i>	Letter-Aloud SR	0.107	0.010	0.078
<i>Step 4b</i>	Digit-Aloud SR	0.123	0.026	0.002
<i>Step 4c</i>	Letter-Aloud SR + Digit-Aloud SR	0.123	0.026	0.012
R ² ratio Step 2/Step 3c	28%			
R ² ratio Step 2/Step 4c	22%			

Note. Reported are: the dependent variable of the model, predictors added at each step, amount of variance explained (R²), increase in the amount of explained variance associated with the step (R²), and statistical significance of the increase. The p-value of the increase in step 2 is given in parentheses. Also reported is the ratio of variance explained by the oculomotor RAN conditions and cumulative variance explained by all RAN conditions.