Long-Term Survival on Medical Therapy Alone after Blunt-Trauma Aortic Regurgitation:

Report of a New Case with Summary of 95 Others

Toshimitsu Tsugu, MD, PhD
Mitsushige Murata, MD, PhD
Keitaro Mahara, MD, PhD
Shiro Iwanaga, MD, PhD
Keiichi Fukuda, MD, PhD

Aortic regurgitation resulting from blunt chest trauma has been reported only 95 times, to our knowledge. The noncoronary and right coronary cusps are the cardiac structures most often injured. Although the aortic leaflets can appear to be undamaged after nonpenetrating trauma, they can have pathologic abnormalities and insufficient function. Some cases of posttraumatic aortic regurgitation progress slowly. Aortic valve replacement is the optimal treatment. We present the case of a then-62-year-old man who has lived more than 5 years after blunt-trauma aortic regurgitation. His is the only case of long-term survival on medical therapy alone among the 96 cases summarized in this report. (Tex Heart Inst J 2016;43(5):446-52)

Key words: Aortic valve/ injuries/pathology; aortic valve insufficiency/diagnosis/etiology; thoracic injuries/complications; time factors; treatment outcome; wounds, nonpenetrating/ complications/pathology

From: Department of Cardiology (Drs. Mahara and Tsugu), Sakakibara Heart Institute, Fuchu 183-0003; Departments of Cardiology (Drs. Fukuda and Tsugu) and Laboratory Medicine (Dr. Murata), School of Medicine, Keio University, Tokyo 160-8582; and Department of Cardiology (Dr. Iwanaga), Saitama International Medical Center, Saitama 350-1298; Japan

Address for reprints: Toshimitsu Tsugu, MD, Department of Cardiology, Sakakibara Heart Institute, 3-16-1, Asahi-cho, Fuchu, Tokyo 183-0003, Japan

E-mail: tsugu917@gmail.com

© 2016 by the Texas Heart[®] Institute, Houston

Traumatic aortic regurgitation (AR), an infrequently reported sequela of blunt chest trauma, is characterized by a history of such trauma, a normal-appearing heart during post-trauma examination, subsequent aortic insufficiency of sudden onset, and the exclusion of other causes of aortic incompetence.¹ Traumatic AR has typically been diagnosed early after chest trauma; however, 18% of the reported cases were diagnosed after one year because of slowly progressive degenerative patterns. The noncoronary cusp (NCC) and right coronary cusp (RCC) were injured in 73% of reported instances. Aortic valve replacement (AVR) has led to a good prognosis (mortality rate, 1%). Aortic valvuloplasty has yielded poorer results, and previous outcomes from medical therapy alone were uniformly fatal. We report the case of our medically treated AR patient, and we summarize the other published reports of blunt-trauma AR.

Case Report

In July 2011, a 62-year-old man, who had never had heart murmurs during annual medical checkups, was driving his car on the highway and sustained a chest bruise from a stone that crashed through his windshield. At a subsequent clinical visit, no abnormalities were detected. However, 6 months later, he had a grade 3/6 diastolic murmur, audible at the left sternal border. At our hospital, he reported no chest discomfort. Transesophageal echocardiograms revealed moderate AR caused by prolapse of the RCC (Fig. 1). The diagnosis was traumatic AR, on the basis of the following criteria¹: the patient's history of trauma, his normal-appearing heart upon recent physical examination, the sudden onset of aortic insufficiency, and our exclusion of other causes of aortic incompetence. Transthoracic echocardiograms showed that the patient's left ventricular systolic diameter was 37 mm; diastolic diameter, 56 mm; and ejection fraction, 0.63. Surgical treatment did not seem to be indicated, and we prescribed medical therapy (olmesartan 20 mg/d and enalapril 5 mg/d). During the last 2 years, the patient's clinical and echocardiographic status has gradually deteriorated (Table I). Although surgical treatment is indicated at the time of this report, he declines to undergo an operation.

Discussion

Nonpenetrating cardiac traumas can result in rapid death from cardiac tamponade. From 1955 through 2015, 95 cases of AR after blunt trauma were described (Table

Fig. 1 Transesophageal echocardiograms. **A)** Midesophageal long-axis view (135° rotation) shows a flail right coronary cusp. **B)** Color-flow Doppler mode reveals the resultant moderate aortic regurgitation.

Ao = aorta; LV = left ventricle

II). Counting our patient, traumatic AR has been diagnosed in 85 men and 11 women (age range, 5–83 yr; median, 44 yr). The causes were automobile accidents in 49 instances, motorcycle accidents in 18, falls in 12, falling objects in 6, sports injuries in 4, and other causes in 7. The time from the index incident to the diagnosis of traumatic AR ranged from immediately to 10 years or longer: 34 cases were diagnosed within 3 days,^{2–34} 20 within 1 month,^{1,35–54} 12 within 3 months,^{45,55–64} 5 within 6 months,^{1,65–68} 4 within 1 year,^{32,69–71} 2 within 2 years,^{72,73} 2 within 3 years,^{74,75} 5 in over 5 years,^{65,76–78} and 12 after

TABLE I. Progression of Traumatic Aortic Regurgitation in Our Patient

Variable	Years after Blunt Trauma			
	3	3.5	4	4.5
Systolic blood pressure (mmHg)	116	142	125	128
Diastolic blood pressure (mmHg)	75	81	67	46
NYHA functional class	II	II	II	III
Brain natriuretic peptide (pg/mL)	40	46	49	11
Cardiothoracic ratio (%)	45	49	49	49
LV end-systolic diameter (mm)	37	43	44	45
LV end-diastolic diameter (mm)	56	61	62	62
LV ejection fraction	0.63	0.57	0.58	0.50
Aortic regurgitation grade	Moderate–severe	Severe	Severe	Severe

LV = left ventricular; NYHA = New York Heart Association

an unspecified duration.^{79–88} Early diagnoses (within 3 d) were 35% of the total; in the other patients, AR apparently progressed slowly.

Table III shows which cardiac structures were injured. Chief among these were the NCC and the RCC (in 71 of 96 instances). The left coronary cusp—injured far less often—might be protected by its coronary arteries, which perfuse a large area and might serve as buffers against high hydrostatic pressures.

We summarize the treatment outcomes of the 96 patients, in Table IV. Of 70 patients who underwent AVR, 62 had a good outcome, and only 1 patient died (mortality rate, 1%). The other 7 outcomes were unspecified. Aortic valvuloplasty yielded good outcomes in 13 of 20 patients, new-onset AR murmurs in 4, and 2 deaths. In stark contrast, of the 6 patients who were prescribed medical therapy alone, only our patient survived—now longer than 5 years.

On macroscopic examination, the aortic leaflets can appear to be undamaged when instead they are pathologically abnormal,¹⁸ and this can cause valvular insufficiency. German and colleagues¹³ reported up to an 80% recurrence of aortic insufficiency after valvuloplasty and recommended AVR for treating traumatic AR. Some authors^{31,32,78} have reported good results after valvuloplasty, but the long-term outcomes in those cases are unknown.

Our patient's experience and our review of the earlier cases indicate that AR from blunt trauma can gradually worsen. Therefore, patients thus affected should be

TABLE II. Summary of the 96 Reported Cases of Traumatic Aortic Regurgitation

Reference	Age (yr), Sex	Cause of Trauma	Injured Structure	Treatment	Outcome
Leonard JJ, et al. ³⁵ (1955)	17, M	Kicked by horse	NA	Hufnagel valve	Good
McCormack LJ and Proudfit WL ³⁶ (1956)	45, M	Car accident	LCC	Medical	Died
Ramage JH and Morgan JB ⁷⁹ (1957)	34, M	Falling object	RCC	Medical	Died
Dimond EG, et al. ⁷⁶ (1957)	32, M	Falling object	NA	Hufnagel valve	Died
Spurny OM and Hara M ⁸⁰ (1961)	62, M	Falling object	LCC	AVP	Died
Levine RJ, et al. ³⁷ (1962)	35, M	Falling object	LCC	AVP	Died
Dubourg G, et al. ⁸¹ (1963)	56, M	Fall	NCC	AVP	Good
Beall AC Jr and Shirkey AL ⁷² (1964)	39, F	Car accident	LCC + NCC	AVP	Reoperation
Dauphin G and Dauphin M ⁸² (1965)	62, M	Car accident	NCC	Medical	Died
Gregersen H and Nielsen K ⁸³ (1965)	48, M	Motorcycle accident	LCC	Medical	Died
Miti L, et al. ⁸⁴ (1966)	65, M	Car accident	LCC	Medical	Died
Najafi H, et al. ¹ (1968)	62, M	Car accident	LCC	AVR	Good
	53, M	Shoveling snow	All cusps	AVR	Good
Lutes CA and Givertz B ² (1970)	32, M	Car accident	NCC	AVR	Good
Hecquet JP, et al. ⁶⁹ (1971)	40, M	Train accident	NCC + RCC	AVR	Good
Loop FD, et al. ³ (1971)	19, M	Car accident	LCC	AVR	Good
Jausseran JM, et al. ⁴ (1972)	67, M	Car accident	RCC	AVR	Good
Irving JB ⁷³ (1974)	44, M	Car accident	LCC	AVR	Good
Merchant F, et al. ³⁸ (1974)	45, M	Struck edge of door	LCC + NCC	AVR	Good
Ohashi H, et al. ⁵⁵ (1974)	26, M	Motorcycle accident	NCC + RCC	AVR	Good
Payne DD, et al. ⁶⁵ (1974)	53, F	Car accident	NCC	AVR	Good
	66, F	Car accident	NCC + RCC	AVR	Good
Massachusetts General Hospital ³⁹ (1976)	15, M	Sports injury	NCC + RCC	AVR	NA
Kimbler RW, et al. ⁵ (1977)	73, F	Car accident	NCC	AVR	Good
Chi S, et al. ⁴⁰ (1977)	21, M	Motorcycle accident	NCC + RCC	AVR	Good
McIlduff JB and Foster ED ⁶ (1978)	43, M	Car accident	LCC + NCC	AVR	Good
Shimizu Y, et al. ⁸⁵ (1978)	24, M	Car accident	LCC	AVP	Murmur
	61, M	Fall	RCC	AVR	Good
Gotoh N, et al. ⁸⁶ (1979)	54, M	Fall	NCC + RCC	AVR	Good
Morritt GN, et al. ⁷ (1979)	19, M	Car accident	All cusps	AVR	Good
Onishi S, et al. ⁵⁶ (1982)	38, M	Car accident	NCC	AVP	Murmur
Gay JA, et al. ⁷⁰ (1983)	27, M	Fall	LCC	AVR	Good
Devineni R and McKenzie FN ⁸ (1984)	30, M	Sports injury	LCC	AVR	Good
Grande AM, et al. ⁵⁷ (1985)	50, M	Car accident	NCC	AVP	Good
Schwaitzberg SD and Khalil KG ⁹ (1985)	20, M	Motorcycle accident	NCC	AVR	Good
	21, M	Struck tractor-trailer	LCC + RCC	AVR	Good
DiMarco RF, et al. ¹⁰ (1986)	71, M	Car accident	All cusps	AVR	Good
Rumisek JD, et al. ¹¹ (1986)	56, M	Car accident	Bioprosthesis	AVR	NA
Passik CS, et al. ¹² (1987)	74, F	Heimlich maneuver	NCC	AVR	NA
Grimball A, et al. ⁴¹ (1987)	69, M	Car accident	NCC	AVR	Good
Okamoto K, et al. ⁸⁷ (1989)	47, M	Car accident	NCC + RCC	AVR	Good
Ovil Y, et al. ⁴² (1990)	23, M	Motorcycle accident	RCC	AVP	Good
German DS, et al. ¹³ (1990)	34, M	Car accident	NCC	AVR	Good
Nishimura H, et al. ⁵⁸ (1991)	65, M	Fall	NCC	AVR	Good
Toda S, et al. ¹⁴ (1991)	17, M	Motorcycle accident	NCC + RCC	AVR	Good
Kanno M, et al. ⁵⁹ (1992)	18, M	Motorcycle accident	NCC + RCC	AVR	Good
Murray EG, et al. ⁷⁴ (1993)	34, M	Car accident	LCC + RCC	AVP	Good
Kasuya S, et al. ⁴⁵ (1993)	70, M	Motorcycle accident	RCC	AVR	Good
Reiland-Smith J, et al. ⁴³ (1993)	83, M	Car accident	NA	AVR	Good

Continues on next page

TABLE II Continued. Summary of the 96 Reported Cases of Traumatic Aortic Regurgitation

Reference	Age (yr), Sex	Cause of Trauma	Injured Structure	Treatment	Outcome
Prêtre R and Faidutti B ⁴⁴ (1993)	37, M	Car accident	NCC	AVP	Good
Tokizawa N, et al. ⁶⁰ (1994)	65, F	Car accident	BAV	AVR	Good
Habre WN, et al. ⁴⁶ (1994)	37, M	Car accident	NCC	AVP	Good
Shigemitsu O, et al. ⁷⁵ (1995)	71, M	Car accident	RCC	AVR	Good
Iriyama T, et al. ¹⁵ (1995)	19, M	Motorcycle accident	NCC	AVR	Good
Miralles A, et al. ⁶⁶ (1995)	65, M	Fall	NCC + RCC	AVR	Good
Takaki Y, et al. ¹⁶ (1996)	59, M	Falling object	NCC + RCC	AVR	Good
Kohno M, et al. ¹⁷ (1996)	55, M	Car accident	NCC + RCC	AVR	Good
Imamaki M, et al. ⁶¹ (1996)	63, M	Car accident	NCC + RCC	AVR	Good
Paone RF, et al. ⁸⁸ (1996)	18, M	Car accident	LCC	AVR	Good
Ashida Y, et al. ¹⁹ (1997)	70, M	Car accident	NCC	AVR	Good
Oda H, et al. ⁶² (1997)	67, M	Fall	RCC	AVR	Good
Egoh Y, et al. ¹⁸ (1997)	16, M	Motorcycle accident	NCC	AVR	Good
Parry GW and Wilkinson GA ⁶³ (1997)	34, M	Sports injury	NCC	AVR	Good
Yamazaki Y, et al. ⁴⁷ (1998)	42, M	Car accident	NCC	AVR	Good
	48, F	Car accident	NCC	AVR	Good
	57, M	Fall	RCC	AVR	Good
Rambaud G, et al. ²⁰ (1999)	73, M	Car accident	RCC	AVR	Good
Sandrelli L, et al. ⁴⁸ (2000)	65, F	Car accident	NCC + RCC	AVP	Good
Meunier JP, et al. ²¹ (2001)	16, F	Car accident	NCC	AVP	Good
Fujimoto K, et al. ²² (2002)	27, M	Motorcycle accident	BAV	AVR	NA
Ishiyama T, et al. ⁶⁴ (2003)	53, M	Motorcycle accident	NCC	AVR	Good
Silva R, et al. ⁷⁷ (2004)	18, M	Motorcycle accident	NCC	AVP	Murmur
Bernabeu E, et al. ²³ (2004)	25, M	Car accident	NCC	AVR	Good
Onorati F, et al. ²⁴ (2004)	30, M	Car accident	LCC	AVR	Good
Camarasa P, et al. ⁴⁹ (2004)	16, F	Car accident	NCC	AVP	Good
Yuasa T, et al. ⁷¹ (2005)	61, M	Fall	NCC	AVR	Good
Siegenthaler MP, et al. ²⁵ (2005)	19, F	Car accident	NCC	AVP	Murmur
Anselmino M, et al. ²⁶ (2006)	60, M	Car accident	BAV	AVR	NA
Chu MW and Myers ML ²⁷ (2006)	19, M	Car accident	NCC	AVR	Good
Matteucci ML, et al. ²⁸ (2006)	33, M	Motorcycle accident	RCC	AVR	Good
Hyodo M, et al. ⁶⁷ (2007)	70, M	Motorcycle accident	NA	AVR	Good
Taguchi S, et al. ⁵⁰ (2007)	56, M	Car accident	LCC	AVR	Good
Turk T, et al. ⁵¹ (2007)	21, M	Fall	RCC	AVR	Good
Aoyagi S, et al. ⁵² (2007)	79, M	Car accident	NCC	AVR	Good
Kaljusto ML, et al. ²⁹ (2008)	32, M	Motorcycle accident	NCC	AVR	Good
Theron JP, et al. ⁶⁸ (2009)	39, M	Assault	RCC	AVR	Good
Li W, et al. ³⁰ (2011)	55, M	Fall	LCC	AVR	Good
Jayle CP, et al. ³¹ (2011)	74, M	Car accident	LCC	AVP	Good
Kin H, et al. ³² (2011)	20, M	Car accident	RCC	AVP	Good
	50, M	Fall	RCC	AVP	Good
	31, M	Car accident	NCC	AVR	Good
Cuttone F, et al. ³³ (2012)	31, M	Car accident	NCC	AVR	Good
Okuma S, et al. ⁵³ (2013)	62, M	Sports injury	LCC + RCC	AVR	Good
Mori A, et al. ⁷⁸ (2013)	26, M	Motorcycle accident	NCC	AVP	Good
Kim S, et al. ³⁴ (2014)	70, M	Car accident	NCC	AVR	Good
Maini R, et al. ⁵⁴ (2015)	22, M	Motorcycle accident	LCC	AVR	Good
Current case	62, M	Falling object	RCC	Medical	Good

AVP = aortic valvuloplasty; AVR = aortic valve replacement; BAV = bicuspid aortic valve; F = female; LCC = left coronary cusp; M = male; NCC = noncoronary cusp; NA = not available; RCC = right coronary cusp

TABLE III. Cardiac Injuries in the 96 Patients Who Had Traumatic Aortic Regurgitation

Injured Structure	No. (%)
NCC	33 (34)
LCC	17 (18)
RCC	15 (16)
NCC and RCC	14 (15)
LCC and NCC	3 (3)
LCC and RCC	3 (3)
All 3 cusps	3 (3)
Bicuspid aortic valve	3 (3)
Bioprosthesis	1 (1)
Unspecified	4 (4)

LCC = left coronary cusp; NCC = noncoronary cusp; RCC = right coronary cusp

TABLE IV. Treatment Outcomes in the 96 Patients Who Had Traumatic Aortic Regurgitation

Outcome	AVR (n=70)	AVP (n=20)	Medical Therapy (n=6)
Good prognosis	62	13	1
New-onset murmur	0	4	0
Reoperation	0	1	0
Death	1	2	5
Unknown	7	0	0

AVP = aortic valvuloplasty; AVR = aortic valve replacement

carefully monitored, and AVR instead of repair should be the treatment of choice.

References

- Najafi H, Dye WS, Javid H, Hunter JA, Julian OC. Rupture of an otherwise normal aortic valve. Report of two cases and review of the literature. *J Thorac Cardiovasc Surg* 1968;56(1):57-62.
- Lutes CA, Givertz B. Traumatic rupture of the normal aortic valve. A case report and review of subject. *J Maine Med Assoc* 1970;61(9):183-5.
- Loop FD, Hofmeier G, Groves LK. Traumatic disruption of the aortic valve. *Cleve Clin Q* 1971;38(4):187-94.
- Jausseran JM, Baille Y, Monties JR, Goudard A, Anfossi G, Donnarel D, Henry E. Traumatic rupture of the aortic sigmoid valves. Apropos of an operated case. Review of the literature [in French]. *Ann Chir Thorac Cardiovasc* 1972;11(4):355-9.
- Kimblar RW, Stokes JP, Barnhorst DA. The surgical treatment of traumatic rupture of the aortic valve: report of a case after blunt chest trauma. *J Trauma* 1977;17(2):168-70.
- McIllduff JB, Foster ED. Disruption of a normal aortic valve as a result of blunt chest trauma. *J Trauma* 1978;18(5):373-5.
- Morritt GN, Taylor NC, Miller HC, Walbaum PR. Traumatic aortic regurgitation. *J R Coll Surg Edinb* 1979;24(2):87-90.
- Devineni R, McKenzie FN. Avulsion of a normal aortic valve cusp due to blunt chest injury. *J Trauma* 1984;24(10):910-2.
- Schwaitzberg SD, Khalil KG. Isolated traumatic aortic valvular insufficiency with rapid pulmonary deterioration. Report of two cases. *Arch Surg* 1985;120(8):971-3.
- DiMarco RF, Cocco A, Pellegrini RV, Marrangoni AG, Bekoe S, Grant K. Traumatic aortic insufficiency after blunt chest trauma. *Tex Heart Inst J* 1986;13(3):309-12.
- Rumisek JD, Robinowitz M, Virmani R, Barry MJ, Steudel WT. Bioprosthetic heart valve rupture associated with trauma. *J Trauma* 1986;26(3):276-9.
- Passik CS, Ackermann DM, Piehler JM, Edwards WD. Traumatic rupture of Ionescu-Shiley aortic valve after the Heimlich maneuver. *Arch Pathol Lab Med* 1987;111(5):469-70.
- German DS, Shapiro MJ, Willman VL. Acute aortic valvular incompetence following blunt thoracic deceleration injury: case report. *J Trauma* 1990;30(11):1411-2.
- Toda S, Nakamura A, Iwamoto T, Nakaji S. Successful surgical treatment of aortic regurgitation with coronary artery fistula due to blunt chest trauma—a case report [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1991;39(7):1087-92.
- Iriyama T, Sugimura S, Hattori Y, Watanabe K, Negi K, Matsuyama T, et al. A case of aortic valve rupture due to blunt chest trauma [in Japanese]. *Kyobu Geka* 1995;48(13):1118-21.
- Takaki Y, Furukawa S, Matsumoto N, Oda T, Tsuboi H, Esato K. A case of report of traumatic aortic regurgitation accompanying cerebral embolism [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1996;44(12):2225-30.
- Kohno M, Ohuchi H, Fukuda I. Aortic valve injury due to blunt trauma—treatment in acute phase [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1996;44(10):1882-6.
- Egoh Y, Okoshi T, Anbe J, Akasaka T. Surgical treatment of traumatic rupture of the normal aortic valve. *Eur J Cardiothorac Surg* 1997;11(6):1180-2.
- Ashida Y, Araki K, Hara Y, Ishiguro S, Kuroda H, Mori T. Surgical treatment of aortic valve regurgitation due to non-penetrating trauma of the chest—a case report and review of the literature in Japan [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1997;45(2):207-12.
- Rambaud G, Francois B, Cornu E, Allot V, Vignon P. Diagnosis and management of traumatic aortic regurgitation associated with laceration of the aortic isthmus. *J Trauma* 1999;46(4):717-20.
- Meunier JP, Berkane N, Lopez S, El Ghobary T, Teboul J, Malzac B, et al. Traumatic aortic regurgitation: aortic valvuloplasty controlled by aortoscopy. *J Heart Valve Dis* 2001;10(6):784-8.
- Fujimoto K, Okamoto H, Tamenishi A, Niimi T. Surgical treatment of traumatic rupture of the bicuspid aortic valve; report of a case [in Japanese]. *Kyobu Geka* 2002;55(7):588-90.
- Bernabeu E, Mestres CA, Loma-Orsorio P, Josa M. Acute aortic and mitral valve regurgitation following blunt chest trauma. *Interact Cardiovasc Thorac Surg* 2004;3(1):198-200.
- Onorati F, De Santo LS, Carozza A, De Feo M, Renzulli A, Cotrufo M. Marfan syndrome as a predisposing factor for traumatic aortic insufficiency. *Ann Thorac Surg* 2004;77(6):2192-4.
- Siegenthaler MP, Asbach S, Geibel A, Schlensak C, Sarai K, Bode C, Beyersdorf F. Images in cardiovascular medicine. Traumatic aortic valve rupture. *Circulation* 2005;112(9):e118-9.
- Anselmino M, Andria A, Lusardi P. Acute traumatic disruption of a bicuspid aortic valve. *Eur J Echocardiogr* 2006;7(2):109-11.

27. Chu MW, Myers ML. Traumatic innominate artery disruption and aortic valve rupture. *Ann Thorac Surg* 2006;82(3):1095-7.
28. Matteucci ML, Rescigno G, Altamura G, Manfrin M, D'Alfonso A, Piccoli G, Iacobone G. Delayed traumatic aortic cusp detachment mimicking aortic dissection. *Ann Thorac Surg* 2006;82(3):1093-5.
29. Kaljusto ML, Vengen OA, Tonnessen T. Traumatic aortic valve rupture after a high-speed motor vehicle accident. *J Heart Valve Dis* 2008;17(5):586-8.
30. Li W, Ni Y, Chen X, Ma L. Aortic valve tear with severe aortic regurgitation following blunt chest trauma. *J Cardiothorac Surg* 2011;6:84.
31. Jayle CP, Boudoin D, Franco S, Haji-Chahine J, Christaens L, Corbi PJ. Aortic valve repair of non-penetrating traumatic aortic regurgitation. *J Heart Valve Dis* 2011;20(2):168-70.
32. Kin H, Minatoya K, Mukaida M, Okabayashi H. Successful valve repair in traumatic aortic valve regurgitation. *Interact Cardiovasc Thorac Surg* 2011;12(5):869-71.
33. Cuttone F, Saplan VG, Buklas D, Massetti M. Stentless bioprosthesis for treatment of traumatic aortic valve rupture. *Asian Cardiovasc Thorac Ann* 2012;20(4):450-1.
34. Kim S, Park JS, Yoo SM, Kim KH, Yang WI, Sung JH, et al. Traumatic aortic regurgitation combined with descending aortic pseudoaneurysm secondary to blunt chest trauma. *Cardiovasc J Afr* 2014;25(5):e5-8.
35. Leonard JJ, Harvey WP, Hufnagel CA. Rupture of the aortic valve; a therapeutic approach. *N Engl J Med* 1955;252(6):208-12.
36. McCormack LJ, Proudfit WL. Rupture of the aortic valve. *Circulation* 1956;13(5):750-3.
37. Levine RJ, Roberts WC, Morrow AG. Traumatic aortic regurgitation. *Am J Cardiol* 1962;10:752-63.
38. Merchant F, Harris G, Long DM. Traumatic subluxation of an aortic cusp. *J Cardiovasc Surg (Torino)* 1974;15(4):472-4.
39. Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 3-1976. *N Engl J Med* 1976;294(3):152-8.
40. Chi S, Blair TC, Gonzalez-Lavin L. Rupture of the normal aortic valve after blunt chest trauma. *Thorax* 1977;32(5):619-22.
41. Grimboll A, Bradham RR, Locklair PR Jr. Traumatic aortic valve rupture. *J S C Med Assoc* 1987;83(2):62-4.
42. Ovil Y, Wahi R, Liu P, Goldman B. Aortic valvuloplasty for traumatic aortic insufficiency: a 2-year follow-up. *Ann Thorac Surg* 1990;49(1):143-4.
43. Reiland-Smith J, Weintraub RM, Sellke FW. Traumatic aortic valve injury sustained despite the deployment of an automobile air bag. *Chest* 1993;103(5):1603.
44. Pretre R, Faidutti B. Surgical management of aortic valve injury after nonpenetrating trauma. *Ann Thorac Surg* 1993;56(6):1426-31.
45. Kasuya S, Shinonaga M, Moro H, Sakashita I. An operative case of aortic valve regurgitation due to blunt trauma to the chest [in Japanese]. *Kyobu Geka* 1993;46(3):247-50.
46. Habre WN, van Gessel EF, Mamie C, Cantieni R, Suter PM. Traumatic or septic aortic regurgitation: diagnosis by oesophageal echocardiography. *Acta Anaesthesiol Scand* 1994;38(6):612-4.
47. Yamazaki Y, Kanazawa H, Nakazawa S, Ueno M, Takahashi M, Hanzawa K. Traumatic aortic regurgitation: report of two surgical cases [in Japanese]. *Kyobu Geka* 1998;51(5):383-7.
48. Sandrelli L, Cavalotti C, Casati V, Grasso MA, Spagnolo S. Aortic valve repair for traumatic aortic insufficiency. *Ital Heart J* 2000;1(11):767-8.
49. Camarasa P, Berkane N, Joly L, Theissen MA, Carles M, Samat-Long C, et al. Safe and delayed repair in acute aortic traumatic insufficiency based on echocardiographic criteria. *J Trauma* 2004;57(2):385-8.
50. Taguchi S, Ueda T, Inoue Y, Kashima I, Koizumi K. Traumatic aortic regurgitation caused by a detached commissure. *Gen Thorac Cardiovasc Surg* 2007;55(1):32-4.
51. Turk T, Vural H, Ata Y, Eris C, Yavuz S. Acute aortic insufficiency after blunt chest trauma: a case report. *J Cardiovasc Surg (Torino)* 2007;48(3):359-61.
52. Aoyagi S, Okazaki T, Fukunaga S, Ueda T. Concomitant traumatic aortic valve and coronary artery injury. *Ann Thorac Surg* 2007;83(1):289-91.
53. Okuma S, Misumi T, Itou T, Yoshitake A, Ishida O, Hirano A. An operative case of traumatic aortic regurgitation [in Japanese]. *Jpn J Cardiovasc Surg* 2013;42(3):179-82. Available from: https://www.jstage.jst.go.jp/article/jjcv/42/3/42_179_article.
54. Maini R, Dadu RT, Addison D, Cunningham L, Hamzeh I, Wall M Jr, et al. Isolated perforation of left coronary cusp after blunt chest trauma. *Case Rep Cardiol* 2015;2015:235629.
55. Ohashi H, Kawashima Y, Miyamoto I, Horiguchi Y, Danno M. Surgery of the ruptured aortic valve and ventricular septum in non-penetrating trauma [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1974;22(12):1194-9.
56. Onishi S, Miyasaka M, Saito D, Nagashima H, Haraoka S, Fukumasu H. A case of aortic valve rupture due to non-penetrating trauma [in Japanese]. *Shinzou* 1982;14(10):1291-6. Available from: https://www.jstage.jst.go.jp/article/shinzo/1969/14/10/14_1291_article/-char/ja/.
57. Grande AM, Vigna V, Bex JP. Valvular injuries resulting from blunt chest trauma. *Tex Heart Inst J* 1985;12(3):261-4.
58. Nishimura H, Hikita H, Senga O, Miyagawa M, Nakano H, Fukaya Y. Two cases of cardiac injuries due to nonpenetrating trauma of the chest [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1991;39(2):240-4.
59. Kanno M, Abe S, Sugiyama Y, Hara S, Honda M. A case of traumatic aortic valve rupture [in Japanese]. *Kyobu Geka* 1992;45(12):1116-9.
60. Tokizawa N, Ishikawa S, Takahashi T, Otaki A, Otani K, Morishita Y. Surgical treatment of traumatic rupture of the bicuspid aortic valve: case report [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1994;42(1):74-7.
61. Imamaki M, Shimakura T, Kurihara H, Maeda T, Sugawara Y. Surgical treatment of traumatic rupture of the aortic valve [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1996;44(11):2050-3.
62. Oda H, Tanaka T, Yamazaki Y, Ito E, Miida T, Higuma N. A case of nonpenetrating traumatic aortic regurgitation detected by transesophageal echocardiography. *Tohoku J Exp Med* 1997;182(1):93-101.
63. Parry GW, Wilkinson GA. Traumatic aortic regurgitation. *Injury* 1997;28(9-10):679-80.
64. Ishiyama T, Takata Y, Tanaka N, Shindo N, Takei Y, Yamashina A, et al. An unusual case of traumatic aortic regurgitation [in Japanese]. *J Jpn Soc Intensive Care Med* 2003;10(1):17-22. Available from: https://www.jstage.jst.go.jp/article/jscim/1994/10/1/10_1_17_article.
65. Payne DD, DeWeese JA, Mahoney EB, Murphy GW. Surgical treatment of traumatic rupture of the normal aortic valve. *Ann Thorac Surg* 1974;17(3):223-9.
66. Miralles A, Farinola T, Quiroga J, Obi C, Hernandez J, Granados J, et al. Valvuloplasty in traumatic aortic insufficiency due to subtotal tear of the intima. *Ann Thorac Surg* 1995;60(4):1098-100.
67. Hyodo M, Toyokura M, Ishida A. Acute cardiac failure during rehabilitative intervention for disuse syndrome following chest

- trauma: a case with traumatic aortic regurgitation [in Japanese]. *Jpn J Rehabil Med* 2007;44(1):36-9. Available from: https://www.jstage.jst.go.jp/article/jjrmc/44/1/44_1_36/_article.
68. Theron JP, Du Theron H, Long M, Marx JD. Late presentation of aorto-right ventricular fistula and associated aortic regurgitation following penetrating chest trauma. *Cardiovasc J Afr* 2009;20(6):357-9.
 69. Hecquet JP, Nadiras P, Pettenati G, Trebolle R, Muller P. Traumatic aortic insufficiency caused by rupture of an otherwise normal valve [in French]. *Med Leg Dommage Corpor* 1971;4(2):130-2.
 70. Gay JA, Gottdiener JS, Gomes MN, Patterson RH, Fletcher RD. Echocardiographic features of traumatic disruption of the aortic valve. *Chest* 1983;83(1):150-1.
 71. Yuasa T, Kawaguchi L, Oohara Y, Yasuura K, Tanaka T, Asaoka M. Traumatic aortic regurgitation complicating chronic bronchitis; report of a case [in Japanese]. *Kyobu Geka* 2005;58(12):1087-9.
 72. Beall AC Jr, Shirkey AL. Successful surgical correction of traumatic aortic valve regurgitation. *JAMA* 1964;187:507-10.
 73. Irving JB. Traumatic aortic incompetence following road traffic accident. *Postgrad Med J* 1974;50(589):725-6.
 74. Murray EG, Minami K, Kortke H, Seggewiss H, Korfer R. Traumatic sinus of Valsalva fistula and aortic valve rupture. *Ann Thorac Surg* 1993;55(3):760-1.
 75. Shigemitsu O, Hadama T, Mori Y, Miyamoto S, Sako H, Uchida Y. Surgical treatment of traumatic rupture of the aortic valve with dove-coo murmur--case report [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1995;43(3):394-7.
 76. Dimond EG, Johnson WB, Kittle CF, Larsen WE. Post-traumatic aortic insufficiency occurring in Marfan's syndrome, with attempted repair with a plastic valve. *N Engl J Med* 1957;256(1):8-11.
 77. Silva R, Prieto D, Antunes P, Antunes MJ. Repair in traumatic ascending aortic rupture and valve insufficiency. *Interact Cardiovasc Thorac Surg* 2004;3(2):398-400.
 78. Mori A, Takakura H, Hachiya T, Onoguchi K. Aortic valve repair with autologous pericardium for traumatic aortic valve regurgitation. *Cardiovasc Diagn Ther* 2013;3(3):180-2.
 79. Ramage JH, Morgan JB. Traumatic aortic incompetence. *Scott Med J* 1957;2(7):299-300.
 80. Spurny OM, Hara M. Rupture of the aortic valve due to strain. *Am J Cardiol* 1961;8(1):125-9.
 81. Dubourg G, Fontan F, Trarieux M, Bricaud H, Broustet P. Traumatic aortic insufficiency. Surgical correction under deep hypothermia [in French]. *Arch Mal Coeur Vaiss* 1963;56:782-90.
 82. Dauphin G, Dauphin M. Traumatic aortic insufficiency [in French]. *Arch Mal Coeur Vaiss* 1965;58:525-52.
 83. Gregersen H, Nielsen K. Traumatic rupture of the aortic valve; report of a case. *Acta Chir Scand* 1965;129:669-74.
 84. Miti L, Totti S, Massei V. Apropos of a case of traumatic aortic insufficiency [in Italian]. *G Clin Med* 1966;47(10):953-63.
 85. Shimizu Y, Miyamoto G, Ozawa M, Ohashi H, Suzuki F, Suematsu S, et al. Two cases of traumatic aortic regurgitation [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1978;26(10):1288.
 86. Gotoh N, Kin K, Yoshimura H, Tominaga S, Ishihara A. An operative case of aortic regurgitation due to flail chest [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1979;27(12):1804. No. 53.
 87. Okamoto K, Fujiwara H, Nasu M. An operative case of traumatic aortic regurgitation [in Japanese]. *Nihon Kyobu Geka Gakkai Zasshi* 1989;37:1052. No. C-33.
 88. Paone RF, Kidd JN, Dobrin DJ, DiDonna GJ. Traumatic aortic incompetence associated with transection of the thoracic aorta. *Chest* 1996;109(4):1118-9.