Minimally invasive removal of sharp radio-opaque foreign bodies in the foot

T Law, G Wansbrough

South Devon Healthcare NHS Foundation Trust, UK

CORRESPONDENCE TO

Tom Law, E: tlaw@nhs.net

BACKGROUND

Feet are commonly injured by sharp foreign bodies, especially needles in the plantar surface (Fig 1). Deeply buried objects may require extensive dissection. Radio-opaque objects may be removed using this minimally invasive technique.

TECHNIQUE

Perform the procedure using general or regional anaesthesia. Using image intensification,¹ locate the object and lay a straight metallic instrument on the skin in line with its longitudinal axis, marking this line. Make a short skin incision (5mm) on this line, parallel to the object. Grasp the object with an artery clip by touch and image guidance (Fig 2). Push it out of the tissues along the axis of penetration, exiting at the original entry point (Fig 3). Finally, wash and close the wound.

DISCUSSION

Large incisions in the plantar aspect of the foot are painful and cause significant morbidity. This technique allows removal of long objects through small incisions. Radiological guidance allows three-dimensional

Figure 1 Needle seen on x-ray

Figure 2 Grasping the needle using fluoroscopy

Figure 3 Extracting needle through original track

location and incision placement anywhere along the object, preserving anatomic structures.

Reference

1. Sharma S, Azzopardi T. A simple surgical technique for removal of radio-opaque foreign objects from the plantar surface of the foot. *Ann R Coll Surg Engl* 2006; **88**: 76.