Charlesworth *et al.* on Background Selection and Neutral Diversity

Stephen I. Wright¹

Department of Ecology and Evolutionary Biology, University of Toronto, Ontario M5S 3B2, Canada

ORIGINAL CITATION

The Effect of Deleterious Mutations on Neutral Molecular Variation

Brian Charlesworth, Martin T. Morgan, and Deborah Charlesworth

GENETICS August 1, 1993 **134**: 1289–1303

A significant fraction of genetic diversity across the genome may be of little fitness consequence. But such neutral variation is profoundly informative about the evolutionary forces experienced by a population, and understanding what shapes this diversity across the genome is a key question in population genetics. In their landmark *GENETICS* article, Charlesworth *et al.* (1993) revealed an important effect structuring neutral genetic variation—a phenomenon called “background selection.” Their work forced the reinterpretation of influential empirical results and stimulated a major research program on how to distinguish background selection from other influences on neutral diversity.

The question of what shapes neutral variation is closely linked to crucial questions about positive selection. How frequently does positive selection of adaptive variants occur, and how does this process influence different parts of the genome? In 1974, Maynard Smith and Haigh showed that positive selection will reduce neutral variation linked to the selected locus, an effect known as genetic “hitchhiking” (Maynard Smith and Haigh 1974). They predicted that, if positive selection is frequent enough, genetic diversity should be lower in regions of low recombination rates because, in these locations, beneficial mutations will be linked to a greater number of sites. This prediction set in motion empir-

ical work that examined the distribution of neutral diversity in natural populations. Stephan and Langley (1989), Aguade *et al.* (1989), Begun and Aquadro (1992), and others showed that variation in the genomes of wild *Drosophila* species is indeed lower in regions of low recombination. This striking confirmation of Maynard Smith and Haigh’s predictions was widely taken as evidence for the action of frequent positive selection.

But there was an alternative explanation. Charlesworth *et al.* described, for the first time, another effect that could produce lower neutral diversity in regions of low recombination: negative selection against deleterious mutations. Naming the phenomenon “background selection” they demonstrated that the effect could plausibly produce many of the observed patterns. Using classic results from the theory of mutation-selection balance, coupled with computer simulations that relax some of the simplifying assumptions, they showed that diversity in a nonrecombining region will be reduced as a function of the fraction of copies of the region that contain deleterious mutations. This is because copies that bear deleterious mutations are destined to be eliminated rapidly from the population, limiting possibilities for them to contribute to neutral diversity. In a large nonrecombining region, such as those surrounding centromeric regions, such a diversity loss can be substantial.

While their analytical work assumed no recombination, their simulations explored the effects of partial recombination, and they were able to recover a correlation between recombination and diversity. Subsequent work by Hudson and Kaplan (1995), Nordborg *et al.* (1996), and others

Copyright © 2016 by the Genetics Society of America

doi: 10.1534/genetics.116.196170

Photos courtesy of (pictured left to right): Brian Charlesworth, Deborah Charlesworth, Martin T. Morgan.

¹Address for correspondence: Department of Ecology and Evolutionary Biology, University of Toronto, 25 Willcocks St., Toronto, ON M5S 3B2, Canada. E-mail: stephen.wright@utoronto.ca

demonstrated how recombination rates can be incorporated into the equations predicting the amount of neutral diversity under background selection, quantifying how regions of very low recombination can be strongly affected by this process.

This presented a new puzzle for population geneticists; negative and positive selection have very different implications for the evolutionary process, but seemed to have inconveniently similar effects on genetic diversity. Distinguishing between background selection and genetic hitchhiking became the focus of significant research and a vigorous debate that continues today. Unlike with positive selection, we have at least some direct experimental insights into the deleterious mutation rate, and the strength of selection against harmful mutations. These estimates mean we can attempt to predict and control for background selection in order to evaluate the evidence for an additional role for positive selection, as first shown by Charlesworth *et al.* (1993). As this study first demonstrated, both positive and negative selection are likely to jointly contribute to the structuring of neutral variation in *Drosophila*.

Background selection is now widely acknowledged as a major force structuring genetic variation in many species, including humans, where it likely plays a major role in reducing variation near functional sites (e.g., Cai *et al.* 2009; McVicker *et al.* 2009; Lohmueller *et al.* 2011). It is also likely a major contributor to low genetic diversity on Y chromosomes, as well in asexual and selfing species (Glémin 2007; Agrawal and Hartfield 2016). Since background selection can increase the probability of fixing slightly deleterious mutations, this process can also contribute to the degeneration of the Y chromosome, and cause a decline in fitness of selfing and asexual lineages.

The important advance made by Charlesworth *et al.* (1993) represents a remarkable case of feedback between theoretical and empirical population genetics, in which predictions from theory stimulated empirical tests, providing observations that motivated new theoretical work, forcing a rethink of the original observations and models, and prompting yet further advances in the continuing quest to understand the balance of evolutionary forces in natural populations.

Literature Cited

- Agrawal, A. F., and M. Hartfield, 2016 Coalescence with background and balancing selection in systems with bi- and uniparental reproduction: contrasting partial asexuality and selfing. *Genetics* 202: 313–326.
- Aguade, M., N. Miyashita, and C. H. Langley, 1989 Reduced variation in the yellow-achaete-scute region in natural populations of *Drosophila melanogaster*. *Genetics* 122: 607–615.
- Begun, D. J., and C. F. Aquadro, 1992 Levels of naturally occurring DNA polymorphism correlate with recombination rates in *D. melanogaster*. *Nature* 356: 519–520.
- Cai, J. J., J. M. Macpherson, G. Sella, and D. A. Petrov, 2009 Pervasive hitchhiking at coding and regulatory sites in humans. *PLoS Genet.* 5: e1000336.
- Charlesworth, B., M. T. Morgan, and D. Charlesworth, 1993 The effect of deleterious mutations on neutral molecular variation. *Genetics* 134: 1289–1303.
- Glémin, S., 2007 Mating systems and the efficacy of selection at the molecular level. *Genetics* 177: 905–916.
- Hudson, R. R., and N. L. Kaplan, 1995 Deleterious background selection with recombination. *Genetics* 141: 1605–1617.
- Lohmueller, K. E., A. Albrechtsen, Y. Li, S. Y. Kim, T. Korneliussen *et al.*, 2011 Natural selection affects multiple aspects of genetic variation at putatively neutral sites across the human genome. *PLoS Genet.* 7: 1–15.
- Maynard Smith, J., and J. Haigh, 1974 The hitch-hiking effect of a favourable gene. *Genet. Res.* 23: 23–35.
- McVicker, G., D. Gordon, C. Davis, and P. Green, 2009 Widespread genomic signatures of natural selection in hominid evolution. *PLoS Genet.* 5: e1000471.
- Nordborg, M., B. Charlesworth, and D. Charlesworth, 1996 The effect of recombination on background selection. *Genet. Res.* 67: 159–174.
- Stephan, W., and C. H. Langley, 1989 Molecular genetic variation in the centromeric region of the X chromosome in three *Drosophila ananassae* populations. I. Contrasts between the vermilion and forked loci. *Genetics* 121: 89–99.
- Charlesworth, B., 2012 The effects of deleterious mutations on evolution at linked sites. *Genetics* 190: 5–22.

Further reading in GENETICS

Other GENETICS articles by B. Charlesworth, M. T. Morgan, and D. Charlesworth

- Abdullah, N. F., and B. Charlesworth, 1974 Selection for reduced crossing over in *Drosophila melanogaster*. *Genetics* 76: 447–451.
- Awadalla, P., and D. Charlesworth, 1999 Recombination and selection at *Brassica* self-incompatibility loci. *Genetics* 152: 413–425.
- Bachtrog, D., and B. Charlesworth, 2003 On the genomic location of the exuperantial gene in *Drosophila miranda*: the limits of in situ hybridization experiments. *Genetics* 164: 1237–1240.
- Bartolome, C., and B. Charlesworth, 2006a Rates and patterns of chromosomal evolution in *Drosophila pseudoobscura* and *D. miranda*. *Genetics* 173: 779–791.
- Bartolome, C., and B. Charlesworth, 2006b Evolution of amino-acid sequences and codon usage on the *Drosophila miranda* neo-sex chromosomes. *Genetics* 174: 2033–2044.
- Bartolome, C., X. Maside, S. Yi, A. L. Grant, and B. Charlesworth, 2005 Patterns of selection on synonymous and nonsynonymous variants in *Drosophila miranda*. *Genetics* 169: 1495–1507.
- Bergero, R., A. Forrest, E. Kamau, and D. Charlesworth, 2007 Evolutionary strata on the X chromosomes of the dioecious plant *Silene latifolia*: evidence from new sex-linked genes. *Genetics* 175: 1945–1954.
- Bergero, R., D. Charlesworth, D. A. Filatov, and R. C. Moore, 2008a Defining regions and rearrangements of the *Silene latifolia* Y chromosome. *Genetics* 178: 2045–2053.
- Bergero, R., A. Forrest, and D. Charlesworth, 2008b Active miniature transposons from a plant genome and its nonrecombining Y chromosome. *Genetics* 178: 1085–1092.
- Bergero, R., S. Qiu, A. Forrest, H. Borthwick, and D. Charlesworth, 2013 Expansion of the pseudo-autosomal region and ongoing recombination suppression in the *Silene latifolia* sex chromosomes. *Genetics* 194: 673–686.

- Charlesworth, B., 1976 Recombination modification in a fluctuating environment. *Genetics* 83: 181–195.
- Charlesworth, B., 2000 Fisher, Medawar, Hamilton and the evolution of aging. *Genetics* 156: 927–931.
- Charlesworth, B., 2004 Anecdotal, historical and critical commentaries on genetics. *John Maynard Smith: January 6, 1920–April 19, 2004*. *Genetics* 168: 1105–1109.
- Charlesworth, B., 2012 The role of background selection in shaping patterns of molecular evolution and variation: evidence from variability on the *Drosophila* X chromosome. *Genetics* 191: 233–246.
- Charlesworth, B., 2013 Stabilizing selection, purifying selection, and mutational bias in finite populations. *Genetics* 194: 955–971.
- Charlesworth, B., 2015 What use is population genetics? *Genetics* 200: 667–669.
- Charlesworth, B., and D. Charlesworth, 1973 A study of linkage disequilibrium in populations of *Drosophila melanogaster*. *Genetics* 73: 351–359.
- Charlesworth, B., and D. Charlesworth, 2009 Darwin and genetics. *Genetics* 183: 757–766.
- Charlesworth, B., and D. L. Hartl, 1978 Population dynamics of the segregation distorter polymorphism of *Drosophila melanogaster*. *Genetics* 89: 171–192.
- Charlesworth, B., and K. Jain, 2014 Purifying selection, drift, and reversible mutation with arbitrarily high mutation rates. *Genetics* 198: 1587–1602.
- Charlesworth, B., and C. H. Langley, 1986 The evolution of self-regulated transposition of transposable elements. *Genetics* 112: 359–383.
- Charlesworth, B., D. Charlesworth, and M. Loukas, 1979 A study of linkage disequilibrium in British populations of *Drosophila subobscura*. *Genetics* 92: 983–994.
- Charlesworth, B., C. H. Langley, and W. Stephan, 1986 The evolution of restricted recombination and the accumulation of repeated DNA sequences. *Genetics* 112: 947–962.
- Charlesworth, B., J. A. Coyne, and H. A. Orr, 1993a Meiotic drive and unisexual hybrid sterility: a comment. *Genetics* 133: 421–432.
- Charlesworth, B., D. Charlesworth, J. Hnilicka, A. Yu, and D. S. Guttman, 1997a Lack of degeneration of loci on the neo-Y chromosome of *Drosophila americana*. *Genetics* 145: 989–1002.
- Charlesworth, B., C. H. Langley, and P. D. Sniegowski, 1997b Transposable element distributions in *Drosophila*. *Genetics* 147: 1993–1995.
- Charlesworth, B., H. Borthwick, C. Bartolome, and P. Pignatelli, 2004 Estimates of the genomic mutation rate for detrimental alleles in *Drosophila melanogaster*. *Genetics* 167: 815–826.
- Charlesworth, B., D. Charlesworth, J. A. Coyne, and C. H. Langley, 2016 Hubby and Lewontin on protein variation in natural populations: when molecular genetics came to the rescue of population genetics. *Genetics* 203: 1497–1503.
- Charlesworth, D., and B. Charlesworth, 1979a Selection on recombination in a multi-locus system. *Genetics* 91: 575–580.
- Charlesworth, D., and B. Charlesworth, 1979b Selection on recombination in clines. *Genetics* 91: 581–589.
- Charlesworth, D., and B. Charlesworth, 1995 Transposable elements in inbreeding and outbreeding populations. *Genetics* 140: 415–417.
- Charlesworth, D., and V. Laporte, 1998 The male-sterility polymorphism of *Silene vulgaris*: analysis of genetic data from two populations and comparison with *Thymus vulgaris*. *Genetics* 150: 1267–1282.
- Charlesworth, D., and J. E. Mank, 2010 The birds and the bees and the flowers and the trees: lessons from genetic mapping of sex determination in plants and animals. *Genetics* 186: 9–31.
- Charlesworth, D., B. Charlesworth, and C. Strobeck, 1977 Effects of selfing on selection for recombination. *Genetics* 86: 213–226.
- Charlesworth, D., B. Charlesworth, and C. Strobeck, 1979 Selection for recombination in partially self-fertilizing populations. *Genetics* 93: 237–244.
- Charlesworth, D., B. Charlesworth, and M. T. Morgan, 1995 The pattern of neutral molecular variation under the background selection model. *Genetics* 141: 1619–1632.
- Charlesworth, D., B. K. Mable, M. H. Schierup, C. Bartolome, and P. Awadalla, 2003 Diversity and linkage of genes in the self-incompatibility gene family in *Arabidopsis lyrata*. *Genetics* 164: 1519–1535.
- Charlesworth, D., E. Kamau, J. Hagenblad, and C. Tang, 2006 Trans-specificity at loci near the self-incompatibility loci in *Arabidopsis*. *Genetics* 172: 2699–2704.
- Coyne, J. A., and B. Charlesworth, 1997 Genetics of a pheromonal difference affecting sexual isolation between *Drosophila mauritiana* and *D. sechellia*. *Genetics* 145: 1015–1030.
- Cutter, A. D., S. E. Baird, and D. Charlesworth, 2006a High nucleotide polymorphism and rapid decay of linkage disequilibrium in wild populations of *Caenorhabditis remanei*. *Genetics* 174: 901–913.
- Cutter, A. D., M.-A. Felix, A. Barriere, and D. Charlesworth, 2006b Patterns of nucleotide polymorphism distinguish temperate and tropical wild isolates of *Caenorhabditis briggsae*. *Genetics* 173: 2021–2031.
- Dolgin, E. S., and B. Charlesworth, 2006 The fate of transposable elements in asexual populations. *Genetics* 174: 817–827.
- Dolgin, E. S., and B. Charlesworth, 2008 The effects of recombination rate on the distribution and abundance of transposable elements. *Genetics* 178: 2169–2177.
- Drake, J. W., B. Charlesworth, D. Charlesworth, and J. F. Crow, 1998 Rates of spontaneous mutation. *Genetics* 148: 1667–1686.
- Evans, B. J., and B. Charlesworth, 2013 The effect of nonindependent mate pairing on the effective population size. *Genetics* 193: 545–556.
- Filatov, D. A., and D. Charlesworth, 1999 DNA polymorphism, haplotype structure and balancing selection in the *Leavenworthia* PgiC locus. *Genetics* 153: 1423–1434.
- Gordo, I., and B. Charlesworth, 2000a The degeneration of asexual haploid populations and the speed of Muller's ratchet. *Genetics* 154: 1379–1387.
- Gordo, I., and B. Charlesworth, 2000b On the speed of Muller's ratchet. *Genetics* 156: 2137–2140.
- Gordo, I., A. Navarro, and B. Charlesworth, 2002 Muller's ratchet and the pattern of variation at a neutral locus. *Genetics* 161: 835–848.
- Haag, C. R., S. J. McTaggart, A. Didier, T. J. Little, and D. Charlesworth, 2009 Nucleotide polymorphism and within-gene recombination in *Daphnia magna* and *D. pulex*, two cyclical parthenogens. *Genetics* 182: 313–323.
- Haddrill, P. R., L. Loewe, and B. Charlesworth, 2010 Estimating the parameters of selection on nonsynonymous mutations in *Drosophila pseudoobscura* and *D. miranda*. *Genetics* 185: 1381–1396.
- Hagenblad, J., J. Bechsgaard, and D. Charlesworth, 2006 Linkage disequilibrium between incompatibility locus region genes in the plant *Arabidopsis lyrata*. *Genetics* 173: 1057–1073.
- Houle, D., K. A. Hughes, D. K. Hoffmaster, J. Ihara, S. Assimacopoulos *et al.*, 1994 The effects of spontaneous mutation on quantitative traits. I. Variances and covariances of life history traits. *Genetics* 138: 773–785.
- Jensen, M. A., B. Charlesworth, and M. Kreitman, 2002 Patterns of genetic variation at a chromosome 4 locus of *Drosophila melanogaster* and *D. simulans*. *Genetics* 160: 493–507.
- Kaiser, V. B., and B. Charlesworth, 2010 Muller's ratchet and the degeneration of the *Drosophila miranda* neo-Y chromosome. *Genetics* 185: 339–348.

- Kamau, E., B. Charlesworth, and D. Charlesworth, 2007 Linkage disequilibrium and recombination rate estimates in the self-incompatibility region of *Arabidopsis lyrata*. *Genetics* 176: 2357–2369.
- Kawabe, A., B. Hansson, J. Hagenblad, A. Forrest, and D. Charlesworth, 2006a Centromere locations and associated chromosome rearrangements in *Arabidopsis lyrata* and *A. thaliana*. *Genetics* 173: 1613–1619.
- Kawabe, A., S. Nasuda, and D. Charlesworth, 2006b Duplication of centromeric histone H3 (HTR12) gene in *Arabidopsis halleri* and *A. lyrata*, plant species with multiple centromeric satellite sequences. *Genetics* 174: 2021–2032.
- Kawabe, A., A. Forrest, S. I. Wright, and D. Charlesworth, 2008 High DNA sequence diversity in pericentromeric genes of the plant *Arabidopsis lyrata*. *Genetics* 179: 985–995.
- Keightley, P. D., J. L. Campos, T. R. Booker, and B. Charlesworth, 2016 Inferring the frequency spectrum of derived variants to quantify adaptive molecular evolution in protein-coding genes of *Drosophila melanogaster*. *Genetics* 203: 975–984.
- Laporte, V., and B. Charlesworth, 2002 Effective population size and population subdivision in demographically structured populations. *Genetics* 162: 501–519.
- Liu, F., D. Charlesworth, and M. Kreitman, 1999 The effect of mating system differences on nucleotide diversity at the phosphoglucose isomerase locus in the plant genus *Leavenworthia*. *Genetics* 151: 343–357.
- Loewe, L., and B. Charlesworth, 2007 Background selection in single genes may explain patterns of codon bias. *Genetics* 175: 1381–1393.
- Loewe, L., B. Charlesworth, C. Bartolome, and V. Noel, 2006 Estimating selection on nonsynonymous mutations. *Genetics* 172: 1079–1092.
- Marais, G., P. Nouvellet, P. D. Keightley, and B. Charlesworth, 2005 Intron size and exon evolution in *Drosophila*. *Genetics* 170: 481–485.
- Maside, X., and B. Charlesworth, 2007 Patterns of molecular variation and evolution in *Drosophila americana* and its relatives. *Genetics* 176: 2293–2305.
- McAllister, B. F., and B. Charlesworth, 1999 Reduced sequence variability on the Neo-Y chromosome of *Drosophila americana*. *Genetics* 153: 221–233.
- McVean, G. A., and B. Charlesworth, 2000 The effects of Hill-Robertson interference between weakly selected mutations on patterns of molecular evolution and variation. *Genetics* 155: 929–944.
- Morgan, M. T., 1998 Properties of maximum likelihood male fertility estimation in plant populations. *Genetics* 149: 1099–1103.
- Qiu, S., R. Bergero, and D. Charlesworth, 2013 Testing for the footprint of sexually antagonistic polymorphisms in the pseudoautosomal region of a plant sex chromosome pair. *Genetics* 194: 663–672.
- Rose, M. R., and B. Charlesworth, 1981a Genetics of life history in *Drosophila melanogaster*. I. Sib analysis of adult females. *Genetics* 97: 173–186.
- Rose, M. R., and B. Charlesworth, 1981b Genetics of life history in *Drosophila melanogaster*. II. Exploratory selection experiments. *Genetics* 97: 187–196.
- Schierup, M. H., B. K. Mable, P. Awadalla, and D. Charlesworth, 2001 Identification and characterization of a polymorphic receptor kinase gene linked to the self-incompatibility locus of *Arabidopsis lyrata*. *Genetics* 158: 387–399.
- Schneider, A., B. Charlesworth, A. Eyre-Walker, and P. D. Keightley, 2011 A method for inferring the rate of occurrence and fitness effects of advantageous mutations. *Genetics* 189: 1427–1437.
- Slatkin, M., and D. Charlesworth, 1978 The spatial distribution of transient alleles in a subdivided population: a simulation study. *Genetics* 89: 793–810.
- Sniegowski, P. D., and B. Charlesworth, 1994 Transposable element numbers in cosmopolitan inversions from a natural population of *Drosophila melanogaster*. *Genetics* 137: 815–827.
- Strobeck, C., J. M. Smith, and B. Charlesworth, 1976 The effects of hitchhiking on a gene for recombination. *Genetics* 82: 547–558.
- Vicoso B., and B. Charlesworth, 2009 Recombination rates may affect the ratio of X to autosomal noncoding polymorphism in African populations of *Drosophila melanogaster*. *Genetics* 181: 1699–1701; author reply 1703.
- Vieira, J., and B. Charlesworth, 2000 Evidence for selection at the fused locus of *Drosophila virilis*. *Genetics* 155: 1701–1709.
- Vieira, J., B. F. McAllister, and B. Charlesworth, 2001 Evidence for selection at the fused1 locus of *Drosophila americana*. *Genetics* 158: 279–290.
- Wright, S. I., and B. Charlesworth, 2004 The HKA test revisited: a maximum-likelihood-ratio test of the standard neutral model. *Genetics* 168: 1071–1076.
- Wright, S. I., J. P. Foxe, L. DeRose-Wilson, A. Kawabe, M. Looseley *et al.*, 2006 Testing for effects of recombination rate on nucleotide diversity in natural populations of *Arabidopsis lyrata*. *Genetics* 174: 1421–1430.
- Yi, S., and B. Charlesworth, 2000 A selective sweep associated with a recent gene transposition in *Drosophila miranda*. *Genetics* 156: 1753–1763.
- Yi, S., D. Bachtrog, and B. Charlesworth, 2003 A survey of chromosomal and nucleotide sequence variation in *Drosophila miranda*. *Genetics* 164: 1369–1381.
- Zeng K., and B. Charlesworth, 2009 Estimating selection intensity on synonymous codon usage in a nonequilibrium population. *Genetics* 183: 651–662, 1SI–23SI.
- Zeng, K., and B. Charlesworth, 2010 The effects of demography and linkage on the estimation of selection and mutation parameters. *Genetics* 186: 1411–1424.
- Zeng, K., and B. Charlesworth, 2011 The joint effects of background selection and genetic recombination on local gene genealogies. *Genetics* 189: 251–266.
- Zhao, L., and B. Charlesworth, 2016 Resolving the conflict between associative overdominance and background selection. *Genetics* 203: 1315–1334.
- Zlucova, J., S. Georgiev, B. Janousek, D. Charlesworth, B. Vyskot *et al.*, 2007 Early events in the evolution of the *Silene latifolia* Y chromosome: male specialization and recombination arrest. *Genetics* 177: 375–386.

Communicating editor: C. Gelling