THE
BRITISH AND FOREIGN
MEDICO-CHIRURGICAL REVIEW.

JULY, 1869.

PART FIRST.

Analytical and Critical Reviews.

REVIEW I.

1. *Manual of Materia Medica and Therapeutics.* Being an Abridgment of the late Dr. Pereira's 'Elements of Materia Medica.' By F. J. FARRE, M.D. Cantab., F.R.C.P., Senior Physician to St. Bartholomew's Hospital, and Lecturer on Materia Medica in St. Bartholomew's College; assisted by ROBERT BENTLEY, M.R.C.S., F.L.S., Professor of Botany in King's College, and Professor of Materia Medica and Botany to the Pharmaceutical Society of Great Britain, and by ROBERT WARINGTON, F.R.S., F.C.S., Chemical Operator to the Society of Apothecaries, and Vice-President of the Chemical Society. London. Pp. 614.
2. *Note-Book of Materia Medica, Pharmacology and Therapeutics.* By R. E. SCORESBY-JACKSON, M.D., F.R.S.E., Physician to the Royal Infirmary, Lecturer on Materia Medica and Therapeutics at Surgeon's Hall, Edinburgh, &c. Edinburgh. Pp. 412, with Supplement.
3. *Neligan's Medicines, their Uses and Mode of Administration.* By RAWDON MACNAMARA, Fellow, Member of Council, and Professor of Materia Medica, Royal College of Surgeons in Ireland; Surgeon to the Meath Hospital, &c. Seventh Edition. Dublin. Pp. 934.
4. *A Manual of Practical Therapeutics, considered chiefly with Reference to Articles of the Materia Medica.* By EDWARD

- JOHN WARING, F.R.C.S., F.L.S., Surgeon in Her Majesty's Indian Army. Second Edition. London. Pp. 956.
5. *A Manual of Materia Medica and Therapeutics, including the Preparations of the British Pharmacopœia (1867) and many other Approved Medicines.* By J. FORBES ROYLE, M.D., F.R.S., and FREDERICK W. HEADLAND, M.D., B.A., F.L.S. Fifth Edition. London. Pp. 824.
 6. *The Essentials of Materia Medica and Therapeutics.* By ALFRED BARING GARROD, M.D., F.R.S., F.R.C.P., Professor of Materia Medica and Therapeutics at King's College, London, Physician to King's College Hospital, &c. Third Edition. London. Pp. 479.
 7. *Therapeutics and Materia Medica: a Systematic Treatise on the Action and Uses of Medicinal Agents, including their Description and History.* By ALFRED STILLÉ, M.D., Professor of the Theory and Practice of Medicine, and of Clinical Medicine in the University of Pennsylvania, &c. 2 vols. Third Edition. Philadelphia. Pp. 824 and 864.
 8. *The Institutes of Medicine.* By MARTYN PAINE, A.M., M.D., Professor of the Institutes of Medicine and Materia Medica in the University of the City of New York, &c., &c. Eighth Edition. New York. Pp. 1145.
 9. *A Dictionary of Materia Medica and Therapeutics.* By ADOLPHE WAHLTUCH, M.D., L.R.C.P. Lond., Honorary Member of the Obstetrical Society of Prague, &c. London. Pp. 482.
 10. *The Action of Medicines in the System.* By FREDERICK WILLIAM HEADLAND, M.D., B.A., F.L.S., F.R.C.P., &c. Fourth Edition. London. Pp. 449.
 11. *Lectures on some of the Applications of Chemistry and Mechanics to Pathology and Therapeutics.* By H. BENGE JONES, A.M., M.D., F.R.S., Late Physician to St. George's Hospital. London. Pp. 308.

THAT the whole subject of therapeutics is in a most unsatisfactory state every one seems ready to admit; but how to improve its position is a question to which there also seems to be very various answers. That this, the oldest department of medical knowledge, for the practical ever comes before the theoretical, should be in such a predicament, is scarcely encouraging, and it is anything but complimentary to ourselves or our forefathers that men should be only now beginning to talk of studying the natural history of disease if, after all, that fine-sounding phrase means anything. Those who advocate this method of attaining

a sound knowledge of scientific medicine, tell us that we should, before trying to study the means of curing disease, ascertain, as far as possible, what tendency there is to self-limitation or even to self-cure on the part of disease. But, at the very outset, we are met by serious obstacles; we have to define what is meant by disease as contradistinguished from health—a matter of no little difficulty, if, indeed, it be at all possible. We must consider how diseases originate, whether, *ab extra*, by causes acting only for a limited period, or *ab intra*, by causes acting over a more prolonged space of time. In most of the former class there would seem to be a distinctly self-limiting power, as in most diseases of the zymotic class, especially the exanthemata. Another difficulty springs up in studying diseases of this class. How are we to account for their non-recurrence in the individual? Are we to accept the doctrine that their presence occasions the waste of some material in the body which, being destroyed, the morbid influence has no longer any effect on the purified organism? or does it introduce something new which is henceforwards to exert a preservative influence on the system? This difficulty belongs, however, rather to the domain of pathology than to that of therapeutics, although its place is in the borderland which both separates and unites two closely allied subjects. The former difficulty, however, that of the duration, &c., of the so-called zymotic diseases is one which has a vital bearing on therapeutics. Diseases of this kind have been carefully observed, and it has been noticed that, in almost every case, even in that of syphilis, there is a tendency in the disease to wear itself out, the period of its cessation being more or less distinctly marked in different instances. It has further been noticed that the remedies at our disposal have very little influence on the progress of these diseases, and that we are powerless to arrest their course once the poison has been fairly introduced into the system; but that our efforts, if rightly directed, may have a most material influence on the fatality of the disorder. A poor labourer will sometimes get over an attack of typhus, even in the slums and alleys where he has been inoculated with the plague; but his chances of recovery are infinitely increased by good food, fresh air, and careful nursing. Unfortunately, we have been in too great a hurry to apply this observation to diseases of all kinds. The good old comfortable belief in the efficacy of physic has given way to a bold scepticism as to the value of any remedies, with, in all cases, a mental reservation as regards such a remedy as quinine in ague. Hence it is that men talk of studying the natural history of disease. Now, what we understand by the natural history of disease is, say in typhus, the course which the disease would run were there no modifying circumstances to

interfere with it—which involves, in the first place, the somewhat dangerous study of the disease in the slums where it harbours, and where its victims live, no external aid, in the shape of unusual food or medicine, being extended to the sufferers from first to last. We need scarcely say that, in a country like England, such a procedure is out of the question: and with it goes the pleasant fiction of studying the natural history of disease.

But all diseases are not zymotic; all do not originate *ab extra*. Some are what are termed constitutional, and would appear to depend on some cause or causes acting over a prolonged period within the citadel of the system itself. Take, for instance, those badly understood affections—gout and rheumatism—in some of their forms, at least. Such a disease as gout does not appear to possess any of the self-limiting quality of typhus; and hence observations applicable to the one may not be true of the other. Again, with regard to their natural history. As in typhus, no one would be justified in refusing proper food and air; so in rheumatism no one would venture upon the refusal of judicious diet and proper warmth; but if to these we add the use of an occasional purgative, a diaphoretic, or an opiate, we are no longer studying the disease under the circumstances whereby it is produced, but with new and artificial surroundings and influences. This is not the natural history of the disease. Still, these researches have not been without their result; they have shown, at least, that certain diseases may be encountered by such simple means as proper food, air, and nursing; but, unfortunately, the inferences made have not stopped here.

The subject of disease in man is a study so complex, so many modifying circumstances have to be considered, that we can scarcely wonder at the tendency to take things for granted so commonly observed in the history of our profession. From time to time new schools have risen, resting on new theories, and practising new plans of treating diseases. Each of these has taken something for granted in their original conceptions of disease, and, consequently, in their therapeutical notions. A theory, or at least a hypothesis, is essential as the basis of a system of therapeutics. One man may say that he has found a certain remedy useful in one form of disease, another in another, but these are only isolated instances—simple facts of observation, whether entailing a fallacy or not, does not now matter. But a *system* of therapeutics requires something more. A theory or hypothesis must be founded on the observed facts to render these generally useful. The tendency unfortunately has been to found theories on an insufficient induction,—to lay down abstract principles for guidance, when there was no room for such; in short, to rely on authority rather than observation.

The recent great and decided advances in our pathological knowledge have been held out as an example and an encouragement in therapeutical inquiry. But to benefit therapeutics, pathology must go still further. It is not enough to show that certain morbid structures are composed of certain elements, cellular or otherwise. It may be said that when matter has assumed its cellular shape, it is beyond the domain of therapeutic forces. It is rather in the intermediate stage, ere yet matter has assumed its final characters, that we may hope to induce any specific change, *i. e.* by rendering its nutritive transformations more or less perfect. But to do this we need something more than our present views and knowledge of pathology, we want more information from the points where therapeutics and pathology are conterminous—exactly the points most difficult of access. Some really master mind is wanted to bring all pathological facts thoroughly *en rapport* with each other. Such a measure would be of unspeakable advantage to therapeutics as it would to pathology. We hear of the humoral pathology, the neuro-pathology, and the solidest or cellular pathology; were all these partial views rooted up, and one broad theory of disease substituted for the many narrow ones now current, we might have hopes of therapeutics as of pathology: but when shall these things be?

Medicine consists of two parts—an art and a science, if, indeed, the latter can be so designated; but if we desire to see our art rest on a scientific basis, supposing that to be possible, much has yet to be done. Our notions as to the physiological actions of many remedies is of the vaguest possible description, utterly unworthy of the name of science. Even our therapeutical terms are obsolete, belonging to the days of atro-chemists and physicists; for what meaning do the terms *tonic* and *alterative* convey to the modern, but non-medical understanding? Definite ideas must be expressed by definite words or symbols. But this is not the case in modern therapeutics. Even with regard to what might be supposed to be the thoroughly understood processes of stimulation and narcotism, Dr. Anstie has shown how little really accurate knowledge we possess; if so, what must its condition be in other and less understood departments of therapeutics.

We therefore thoroughly and heartily sympathise with such indefatigable workers, as Bence Jones and others, in this country, and Hoppe Seyler, Rosenthal, &c., &c., on the continent, who have attempted to secure a scientific basis for therapeutics in the unmistakable phenomena of natural science. We are not of those who look upon the stomach merely as a gigantic test-tube, nor do we suppose that all the phenomena of

mental life can be explained by means of the instruments sufficient for determining most problems in natural science; we admit the existence of some governing principle, call it *natures archæus*, the *vital principle*, *force*, *heat*, or what you will, which controls and regulates many vital actions and phenomena; but nothing is more fatal to scientific progress than the admission of such a principle as an ultimate cause in explaining phenomena, for we thereby pass from the region of the known to that of the unknown, confessedly beyond the reach of science. It is really far safer, and, for scientific purposes, infinitely preferable, to hold that nothing of which we are cognizant in the animal frame, is beyond the reach of careful investigation, than to conclude that certain phenomena are inexplicable because they are controlled, regulated, or modified by what we term living vital force. From researches conducted, as those of the Tübingen school have been, we may obtain a sound foundation whereon a superstructure may safely be built. Another promising line is the ascertaining more correctly than we have hitherto done, the physiological effects of remedies on man himself. In this respect Dr. John Harley's experiments with conium and the allied neurotics are of importance. We have learned from them not only the best and surest forms of the remedies to be employed, but also the dose necessary to produce a given physiological effect; when we desire a similar action in cases of disease our way is therefore made plain before us.

Much of the so-called clinical experience of the value of remedies is utter rubbish. Inferences or even vague impressions are put down as well ascertained facts, or the anxiety of the inquirer gives a tinge to the supposed result either in one way or another. It is perfectly true that there are more false facts than false theories in medicine; a tolerably good illustration of this occurs to us this moment. Most of our readers will remember the supposed discovery of the valuable effects derivable from *Sarracenia purpurea* in small-pox, which came to us from America; the report was generally received with caution, and soon shown to be baseless; nevertheless, contemporary literature affords instances where a substance, now generally admitted to be valueless, is asserted to have effected wonders. At least one instance was an illustration of defective observation, the recorder of the case having taken no pains to contrast or compare it with another in which the ordinary remedies, or no remedies, were given. Here we have one of the most important elements entering into the causation of modern medical scepticism, one of the principal causes of our therapeutical defects. Men take no care to fit themselves for scientific observation and research, they think themselves qualified if they know *what to observe*, not

how to observe what comes before them. In many instances conclusions are rapidly rushed to, the observer looking through the mist of his preconceived notions, even obstinately shutting his eyes to any adverse circumstances. This indicates a defect in preliminary training which the modern system of education may, in time, be expected to obviate; but another evil is equally important, if not more so—the mistaking of ordinary phenomena for the results of special interposition, say the consequences of the disease for the effects of the remedies or, *vice versé*, much uncertainty is hereby produced, nor is it so infrequent among ignorant men as we should be glad to believe. There is now-a-days no lack of brilliant discoverers and inventors who will find out half a dozen new remedies in a session; but when they have finished their work the sound therapeutical investigator has to commence his. He has again and again to vary the conditions, to elicit all that is adventitious in the apparent effect of the remedy, to ascertain its true action in health and disease, for these are by no means invariably identical.

There is a certain difficulty to be overcome by all who would infer the action of a remedy on man from its influence on the lower animals; by such investigations alone we can never be sure until the experiment has been tried whether this drug will act in the same way in the two organisms, for many substances are poisonous to man and harmless to some of the lower animals, as (thanks to Dr. W. Mitchell) in the now well known case of pigeons, as far as opium is concerned; but this is a patent difficulty. Another one, probably less known to the profession generally, although painfully so to therapeutical inquirers, is the multiplicity of investigations which have been made on the same subject, many apparently with discrepant results. In some instances, though not in all, the discrepancy may be accounted for by the different phenomena investigated by different experimenters, thus, take Pelikan's researches and compare them with those of Kölliker; it will soon be seen that they have little resemblance the one to the other, for the phenomena which each inquired into, although all the result of the same therapeutical agent, were essentially distinct. We have here also to deal with many false facts.

Overlooking or overcoming the difficulties in their path, inquirers may be said to have at their disposal three methods of therapeutical investigation. The first of these is the physical or chemical, whereby the physical or chemical relations of substances to different constituents of the human body may be ascertained. In this way we may cite Cunze's researches into the action of arsenic, the innumerable applications of the laws of diffusion and dialysis as laid down by Graham, inquiries into

the nature and cause of diabetes, with the treatment consequently recommended, the value of lithia and potass in the treatment of gout, the action of chloroform and other anæsthetics on the blood, with many others. In the majority of instances where chemistry or physics can be successfully called into play, the substances to be investigated are simple in their character, or readily distinguished by some characteristic feature. When such is not the case a method more strictly physiological must be employed. We have at our disposal experimentation on the lower animals and on human beings in a state of health. The former is all very well as a sort of essay, a kind of trial test as to the quality and influence of the drug; but it is rare that we can at once proceed from researches of this kind to the use of any remedy for the benefit of disease; the intermediate probationary stage must be passed. Its effects should be tried on a healthy individual of the human species. By these two combined we have obtained many valuable and undoubted acquisitions to our *Armamentaria Medica*. Probably, however, the means whereby most of our medicinal agents have been acquired, partake more of the nature of chance, as in the well-known instance of the discovery of cinchona bark, than of the strictly scientific. Still, in many cases, subsequent investigation has played an important part in procuring for such remedies general recognition and acceptance. This kind of investigation has, on the other hand, done much to banish medicines—at one time considered to be of value—from our lists of remedies. It has shown on what the activity of the substances depends, and thereby enabled us to procure others possessed of similar but more powerful properties. This is well pointed out in the expurgation of a considerable number of vegetable astringents, and stimulant gum resins from our modern pharmacopœias. It has further compelled us to expunge native remedies, the contents of old herbals, and to supersede them by others not indigenous but infinitely more powerful. This fundamental knowledge has done a good deal to advance therapeutics, and to give accuracy to our notions of medicinal effects, for who would now think of ordering the uncertain cherry laurel water who has its active principle prussic acid at his disposal? So the separation of the various alkaloids of opium has shown the cause of the complex action of that drug. Quinine has in most instances superseded cinchona, and there are many other illustrations of the same point. It may therefore be said that although a remedy has been discovered by accident, or has been transmitted to us by our forefathers, it will not now-a-days maintain its position if it cannot stand the rigorous tests suggested by modern science. Still, with the practical English mind, it is neither chemistry nor physiology which will command

universal acceptance for a remedy, promising though the former field may be both in the direction chiefly pursued in Germany, and in that followed by Crum-Brown, Fraser, and Broadbent in this country; for although numerous researches on the lower animals may have shown that a substance has a certain definite and powerful effect, it must stand or fall in accordance with clinical experience. This is at once the most certain, and the least certain, the surest, and the most difficult branch of therapeutical inquiry; its certainty will depend on the hands into which the research is entrusted, and it is easy of access to any one to whom is confided the care of suffering fellow mortals. But this fact also renders it difficult, for men must bear in mind their responsibility. Experiment is only permissible in a direction already shown to be safe and beneficial to our sick fellows. There should be no pure experiment at the bedsides of our patients.

One cause of the modern scepticism which has followed the cleansing of our Augean stable, the very same being a hopeful indication for the future, is the simplicity of modern prescriptions. When some twenty or thirty substances were combined in one theriaca, or other compound, on the chance of some one suiting the patient's complaint, it was impossible to assign any specific action to its components. When, however, a single substance is prescribed as nearly as possible in a state of chemical purity, the difficulty of determining its action is infinitely lessened, although it is far from being completely removed. Yet this process of elimination, by showing how many substances might be dispensed with, has, in the minds of some, led to scepticism as to the efficacy of all. Another great difficulty in this form of clinical research has been to secure conditions exactly similar in a number of instances; two good illustrations of this occur at the moment. Most men have heard of the great success which has attended the employment of acupressure in the hands of Pirrie and Keith, of Aberdeen, and the use of carbolic acid by Lister, in Glasgow. Yet it cannot be denied that in the hands of London surgeons especially, both modes of treatment have lamentably failed. Why is this? We can only reply that the conditions of the trials must have differed; we cannot impugn the veracity of either party, we must therefore fall back on the conditions, as having varied, and so given rise to the different results. Something of the same kind might be said with regard to bromide of potassium; many practitioners even now are sceptical as to its value as a remedy. The question is whether they have given it in suitable cases. Again and again we have seen this remedy when given in doses rapidly increased to twenty grains three times a day, speedily arrest epileptic convulsions altogether, or modify them to an *aura* merely, and this too in patients

who had suffered from such fits for years. We have seen that while they continued to take the remedy they might keep well for months. Sometimes thinking that they were completely recovered, patients have discontinued its use without advice or sanction; the consequence has been an immediate relapse and renewed accession of the convulsions, again to be arrested by bromide of potassium, and finally to disappear with its prolonged use. We cannot say that this sequence is inviolable, but its frequency is great enough to induce us to accept the remedy as a welcome and powerful accession to our armamentarium.

As matters now stand our knowledge of therapeutics is essentially empirical, and men are apt to knit together isolated facts of any kind to give them shape and consistence, by a theory or hypothesis however far-fetched. To this tendency many of the absurdities of medicine are due. Oppressed by the weight of one or two facts, overlooking many others of equal importance, but less palatable, the homœopath maintains the doctrine of *similia similibus curantur*, and thrusting on the legitimate practitioner the opprobrious title of allopath, would pin him down to the Hippocratic dogma, τὰ ἐναντία τῶν ἐναντίων ἐστὶν ἰηματα, "contraries are the remedies of contraries." Both doctrines are narrow and confined; both may contain a kernel of truth, but the skilled physician cannot allow himself to be hampered by any such imperfect inductions; it is his duty to cure his patient, and it matters not what sect may have appropriated any remedy, or tagged on to it any wind of doctrine, it is his duty as it is his pleasure, that having experience of its usefulness, he should employ it for the benefit of his patient, and thereby add one more fact to our stock of empirical knowledge. The time has not yet arrived for treating patients in accordance with "scientific therapeutics," meanwhile we must do our best with the stock of knowledge bequeathed to us by our forefathers, and strive to add from time to time some new *true facts*, which will do more good than a score of *false theories*.

In this direction it might, as we have already hinted, be even more useful to clip than to extend the list of our *materia medica*. Nothing strikes one more in reading an account of a little-known remedy than the multiplicity of its alleged effects, some of which are not unusually totally antagonistic to each other. What are we to conclude from this?—false observation again—the discoverer of the remedy may have fancied he observed the results recorded, but that may be no criterion of their accordance with facts; his mind may have been darkened by prejudice, or blunted by carelessness. Scores of illustrations might be cited from the volumes whose titles head this article.

Fashion has not a little to do with the spread of therapeutical inaccuracy, a remedy coming into fashion is used for all sorts of cases, rightly or wrongly, and gradually slips out of sight again, but its name and assigned properties remain to cumber our lists of useful remedies. Take three substances—buchu, pareira, and uva ursi; each has had its day. Can we assign to either its real place and its exact value? we fear not. Take sarsaparilla, a drug at one time lauded to the skies as a remedy for syphilis, but one which is now-a-days rarely prescribed at all, and still more rarely given as it ought to be given. How many new remedies have been introduced within the memory of every man, and how few have stood the test of time; still of many the ghosts haunt us, and should be laid once for all.

But after all it is the theories rather than the facts with which we have to contend, and nowhere is this better shown than in the classifications of the various articles of the *materia medica* adopted by different authors. One set deal with the ultimate effects of remedies, and classify them as tending to stimulate or depress vital activity. Another look to the organs which the remedies appear to act upon, as in Dr. Pereira's system. A third section still thinks only of the mode in which medicines operate. In this last category we find most of the fallacies which from time to time have arisen and flourished in our professional world. Notable among these is the homœopathic doctrine of *similia similibus curantur*, the foundation of homœopathic practice and therapeutic classification. But the opposite doctrine, *contraria contrariis curantur*, is equally narrow and equally objectionable with the former. The time of its loudest expression was in the days of the iatro-chemists, who comfortably classified all diseases and all remedies as *hot and cold, moist and dry*; a hot disease was to be cured by a cold remedy, and *vice versâ*. Stimulation, depression, elimination, revulsion, all have had their turn, and we are now as far off from the truth as ever. This must always be the case if men will trust to artfully-framed hypotheses rather than to careful observation. There has in time past been too much dogmatism, too much listening to authority, the authority not infrequently consisting of wild speculation, having actually no foundation in observation or experience. Of this the Brunonian doctrines are an example, having been brought forward by Brown the pupil to spite his master Cullen. His doctrine of stimulation rapidly spread on the Continent, and many and fierce were the combats between its followers and those of the opposite school.

The materials at our disposal for the reconstruction of therapeutics are probably only too abundant, but with time and care much may be done. Our predecessors have erred in too much

theorising; it is possible we may err in the opposite direction. At all events the error has not already been committed, and we may safely do our best to increase the general stock of facts, large though these may already be. The principal thing we must look to is the quality of our facts: one good observer is worth more than all the bad ones put together. We should neither be too sceptical, nor too prone to belief; of the two the former spirit is better for scientific purposes even should it not be the best for the interests of our patients. Sound work in therapeutics is much harder than in pathology, and that is one reason for the greater advancement in the latter. Still we may be hopeful.

In the various volumes whose titles head this paper, we find abundant illustrations of our remarks on therapeutics generally. Take the works of Bence Jones and Headland, for example, we can thereby understand one reason for the unsatisfactory condition of our therapeutical beliefs. Dr. Bence Jones, as we have already hinted, is an enthusiastic chemist, who selecting certain diseases apparently characterised by well marked chemical phenomena, is inclined to take these disorders as samples of all others, as indications of the medicine of the future. We accordingly find certain disorders classified as diseases of suboxidation and certain others of peroxidation for which, of course, would be required remedies of an opposite tendency. We also find that to express his views more thoroughly Dr. Bence Jones has classified his remedies as those which promote oxidation directly or indirectly, and those which retard oxidation directly or indirectly. In another group, he has placed those remedies which promote or retard nutrition directly or indirectly. We do not suppose that the author referred to would relegate all known medicinal agents to one or other of these groups; still, this classification or attempt at classification, however far falling short of perfection, has this marked and decided advantage over most others, that it concerns itself about no mysterious entity or hypothetical modes of action or effects. It carries its meaning on the face of it.

Now let us see what is said of iron, naturally one of the most important agents to be considered in any chemical system of therapeutics. Dr. Bence Jones tells us that of the iron introduced into the stomach, part is rendered insoluble and passes off by the bowels, part is absorbed and immediately thereafter thrown out by the kidneys, whilst a third portion diffuses into every tissue, and in especial attaches itself to the red blood corpuscles, those bodies which are more immediately concerned in the circulation of oxygen. "Hence speaking generally," says Dr. Bence Jones, "the more iron we absorb, the more blood

globules we form, the richer also the muscles become in hæmoglobin, and the more oxygen is taken to the capillaries, and the more oxidation proceeds in the tissues and in the blood." To this view we shall not object be it true or be it false; but the weakness of a system of classification like this may be readily exposed by pointing out what follows in the same category. Almost immediately follow the alkalies, which are described as potent oxidizing agents, as are also chlorine, bromine, and iodine. Now, let us for a moment compare the effects of these substances in the animal economy. Iron, bicarbonate of potass, and iodine, are so frequently prescribed, that no one can well have helped coming to some conclusion as to their effects, if not as regards their mode of action. But what is the case? would any one prescribe these substances, indiscriminately, or substitute the one for the other, and expect the same result in all instances? If he did, we can only say that he would be grievously disappointed. In fact, iron would seem to have an action totally diverse from, if not completely opposite to, those of iodine and the fixed alkalies. The last two are spoliative remedies; under their prolonged use the patient is weakened; but this is far from being the case with iron, it may promote oxidation or it may not, but its effect is essentially to strengthen not to weaken the human frame. Hence any comparison with other remedies merely because they both happen to be oxidizing agents—this, however, not being their most prominent characteristic—will not hold good. We might select other illustrations, but these are sufficiently pointed to show that, granting these substances to have the common effect of oxidizing agents, such an action, looking at their diverse effects, cannot be the only clue to their mode of influencing the system, still less the guide to their proper administration.

Now let us turn to Dr. Headland's work; here we are met face to face with the doctrine of *vital action*. This author says, "We are led to infer that the influence of medicines must for the most part be vital in its nature—that it must be such as could only be exerted in the living body."

What a bugbear in the way of scientific progress this doctrine of vital force has proved; it is such a comfortable way of shelving an uncomfortable inquirer to introduce a force about which nobody does or can know anything! It has again and again been attacked in these pages, yet it still continues to flourish; it is not exactly in our way, yet we cannot resist the temptation of saying a word on the subject. Up to the time of Lavoisier, every process in the human body was looked upon as the result of vital action, and as regulated by occult influences. He first showed that respiration and oxidation were to a certain extent

synonymous terms, and in conjunction with Laplace proved that heat is generated in the body in exactly the same way as in an ordinary fire. Magendie did much to remove circulation and absorption from the same list, and now we trust digestion will soon be on a similar and even more secure footing. Everywhere the doctrine that a peculiar specific force rules and regulates all actions in living beings, is giving way to the doctrine that force is one and the same, however veiled in its manifestations, and however varied the forms of matter through which it makes itself known. In the presence of such facts, any attempt at making vital force the fundamental doctrine of a system of therapeutics is ill-judged. Dr. Bence Jones's attempts at classification are for this very reason more satisfactory than Dr. Headland's more elaborate system. The former is at least eminently suggestive as much by its deficiencies as by its merits. Dr. Headland's is as it were *ne plus ultra*; its fundamental doctrine is occult influence, whereby we are at once carried beyond the reach of mortal inquiry.

Dr. Headland is, however, far too able a man to allow himself to be hampered with this dogma, when it is evidently untenable; the pity is he should have burdened himself with it at all. If we take his restorative group, of what he terms hæmatic medicines, we find that this comprehends *aliments*, *acids*, *alkalies*, *tonics*, *chalybeates*, and *solvents*, of which it seems to us that only one really conveys the notion of vital action, that is, *tonics*. Carbon taken as food acts the same way in producing muscular motion as it does in giving force to a steam engine. The chemical affinities of acids and alkalies are not different within the body from what they are without it; so we might say, with the exception mentioned, of the others. Again, in his explanation of the use of alkalies in gout and rheumatism, Dr. Headland looks at the subject entirely from a chemical stand-point; the matter seems to him easy of explanation on ordinary principles, and no vital action is introduced. Let us hope that in time it may be so of all diseases and all remedies. No doubt that period is far distant; but if such a position be attainable, the propriety of filling men's minds with vitalistic theories, and their memories with words that mean nothing, is to say the least of it questionable; whereby it may be rendered possible to avoid the use of both is another, and, perhaps, a more difficult matter. We the more regret to find fault with Dr. Headland's work, inasmuch as it contains much that is admirable, much that is sound and practical, with a good deal of the kind of theory to which we object. Still a critic is nothing if not critical.

An important obstacle in the way of therapeutic advance is

illustrated by both of these works; again and again we come across inferences stated as observed facts; no distinction is drawn between that which has been actually proved, and that which is merely hypothetical or inferred. Turning at random to Dr. Headland's work, we open at page 337, where the author is speaking of the relative value of purgatives and astringents in the treatment of diarrhœa. "The symptom *i. e.* diarrhœa," he says, "depends upon the fact of something being found in the blood which ought to be excreted from it. The matters to be excreted are irritating, and such an excitement may be caused in the glands by their passage out, that even after the necessary secretion, an inordinate and unnatural flux may be maintained." In the first instance, therefore, he advises a purgative, in the second an astringent. To his practical conclusions we most cordially accede; they are sound enough and judicious enough to satisfy any one; but when we come to consider the reasoning whereby the procedure is justified, we cannot avoid being struck by the altogether hypothetical character of the secretion either in the blood or out of the blood, and the total ignoring of such simple explanations as those afforded by half digested food, irritant poisons, and so on as causes of diarrhœa. This style of argument is not inherent in vitalistic doctrines, although these undoubtedly foster a loose kind of logic. Moreover, they not infrequently lead to explanations involving occult causes when a *rationale* far more intelligible and much more simple exists in the physical and chemical properties of the medicinal agent, or in the better understood laws of physics.

We shall select two instances from Dr. Headland's work. This author tells us, at page 350, that "In cases of congestion on account of cardiac disease, digitalis, which by powerfully weakening the force of the heart, both diminishes congestion and favours absorption, is a most efficient promoter of the natural function of the kidneys." Here we have to encounter the old stumbling-block of over-action, with its concomitant dogmas. A simple enough process is enveloped in a mist of words. The heart is neither more nor less than a self-acting forcing-pump, working in the middle of a closed tube. If its valvular apparatus goes wrong, so that a certain quantity of the fluid is driven backwards at each stroke, the fluid must accumulate on that side, and the balance of the circulation be thereby disturbed. The accumulation will begin first where the current is slowest, *i. e.* in the lower extremities; but afterwards the whole venous system, including the renal veins, becomes choked up, until at last the engine fires of the cardiac pump are drowned out, and death takes place, if the individual has not been previously carried off by some inter-current malady. What would an en-

gineer do if he had no means at his command whereby to remedy the valvular mischief? Surely not weaken the force of his engine, but, by adding strength and regularity to the pump-stroke, try to make up for its serious valvular leak. So do we when we give digitalis, for it is not by weakening the heart's action that we can get rid of the venous accumulation in the lower limbs and kidneys, and substitute the natural diffusion of a constantly renewed current, rich in diffusible material for the transudation of an almost stagnant mass of blood-serum, and corpuscles. It is probable, however, that digitalis acts directly on the capillaries of the body generally as well as on the heart itself. Again, when treating of certain other diuretics, volatile and saline, Dr. Headland, in speaking of their modes of action, totally overlooks the physical property of diffusibility. In the introductory portion of his work he speaks of the purgative and diuretic effects of salines, with reference to their endosmotic action. On this point his remarks are very good, although we might be inclined to join issue with him on certain particulars. We shall now, however, limit ourselves to diuretics. We therefore maintain that the clue to the diuretic effects of many substances rests essentially on their diffusibility. We are told that "alcohol, ether, and nitric ether, act powerfully, both on the kidneys and on the skin." The author might have justly added, "and on the lungs also." Alcohol, when taken into the system, escapes, partly altered, partly unchanged, by the lungs and by the kidneys. It carries with it a certain amount of watery fluid, hence the urine is limpid and abundant. Soon, however, the secretion of this watery urine stops; there is excess of solid matter in the circulation; thirst is felt, and the urine becomes scanty and high coloured.

We again express our regret at having to find fault with Dr. Headland's work. We perfectly admit the difficulty of framing any hypothesis as to the modes of action of many medicines; but the established notions are too much calculated to do harm to be passed by without remark.

Turning next to the work founded on that of the late Dr. Pereira, and edited by Dr. Farre and Messrs. Bentley and Warrington, we find that into 614 pages is compressed the matter which in the last edition of Dr. Pereira's great work occupied upwards of 2500 pages. The epitome to which we refer is not in accordance with the last edition of the '*British Pharmacopœia*,' and will not, therefore, now come prominently before the public. This we believe is so far fortunate, for the work is in reality spoiled. An abridgment of Pereira was a mistake. The big work was not a student's book, and could not well be made so, what should have been

done was to revise the careful and elaborate volumes left behind him by the distinguished therapist, to bring them thoroughly into accord with modern notions, to reject what was false or antiquated, but to leave them still a monument of the zeal and industry of their author. The abridged edition is neither one thing nor another; as it now stands it contains much which Dr. Pereira, had he been alive, would have expunged or altered; whilst much is excluded which he would certainly have inserted in his text. The fault we find is, that while undergoing alterations, enough has not been done to bring the work abreast of modern science. Two instances will suffice as well as a hundred. Take the article on chloroform; nothing whatever is said in it of any researches of recent date, nor is there any indication of the great amount of knowledge which has been now collected as to the causes of death in individuals under the influence of chloroform. In fact, the editor would seem to have stopped with Dr. Snow, and to have ignored almost everything since his day. Take, again, an illustration from the article on a substance of equal, if not even greater, importance than chloroform—we mean opium. Turning to the portion, which relates to the use of opium in inflammatory affections, we find such expressions as these:—"After bleeding the patient to syncope, a full opiate is to be administered." "In acute pneumonia when bloodletting has been carried as far as the patient's safety will admit, but without the subsidence of the disease, I have seen the repeated use of opium and calomel of essential service." Now, without entering into any discussion as to the rights or wrongs of bloodletting, we can at least safely say that such expressions are not consonant with modern medical practice, and ought not to be included in a work apparently intended as a text-book for the modern student of medicine. Again, if we turn to the list of disinfectant substances here given we might expect, considering the importance which hygienic medicine—if we may use the expression—is every day more and more assuming, that in a work of this kind, *i. e.* not a purely elementary one, a list (as complete as possible) of these useful bodies, as well as some hints as to their relative modes of action would be included. What do we find? Permanganate of potass is given in the list, but not a word is said of its mode of action, whilst some very useless substances are so honoured; then again, carbolic acid is not even mentioned, although in extensive use since 1859 at least. We have said enough, however, to prove one point, and that is, if Pereira's work is to be remodelled, the work must be done thoroughly, or not at all.

The next work we take up is also a posthumous production,

that of the late Dr. Neligan, edited by Rawdon Macnamara. What we have to complain of in this instance is that we have now more Macnamara than Neligan, for instead of being diminished in size, as is the case with Pereira's work, this by Dr. Neligan has been nearly doubled in its dimensions. Neligan's work was for a long period the favorite text-book in many schools, both in Ireland and Great Britain; but we question much if its utility has been increased by the additional matter Mr. Macnamara has introduced. One obnoxious feature is the constant sense of the editor's personality thrust upon us by the continued reiteration of the *I.* Cases are introduced, the most important feature associated with which would seem to be that they were treated (generally successfully) by Mr. Macnamara. Another objectionable characteristic is the introduction of the names of Dublin manufacturing chemists. Their English *confrères* may, we think, justly complain of this, which, in a lecture, may be very useful, but in a book intended for the general medical public, in all parts of the kingdom, is to be deprecated. Words wrongly spelled are not uncommon; this is especially noticeable in the instances of the names of foreign authorities, and the inflections of the Latin terms in the *materia medica*. Still, on the whole, these are minor faults. The book is a good book, but would be the better for condensation. The practice, by the way, of arranging substances according to their modes of action, is very inconsistent in a text-book of *materia medica*. Many substances have a variety of effects, and one never knows where to look for such, as they may be found under various headings in different parts of the work.

The plan adopted by Drs. Royle and Headland and by Dr. Garrod, of first giving a description of the articles according to their natural history arrangement; and in a concluding chapter describing, under different headings, the therapeutic effects of these substances is, we think, preferable. The plan adopted by Dr. Garrod in former editions of his book, of giving no such clue to the effects of various remedies is also one, we think, to be deprecated, implying, as it does, the recollection of every article of the *materia medica* when a substance possessing a desired influence is to be selected. There is thus afforded no clue to the grouping together of medicinal substances, and any arrangement, however faulty, is better than no classification at all.

But, to return to Mr. Macnamara's work, we would notice a good practical hint connected with decoction of poppies. He says that the decoction is much improved by having the seeds left in the capsules, these imparting to the decoction a mucilaginous principle, soothing to an inflamed surface, but that it may be rendered still more valuable by the addition

of half an ounce of laudanum and a couple of drachms of the carbonate of potass to each half pint of the decoction. The potash acts as a detergent on the skin, and enables the active principles of the poppy to be more closely applied to its texture. There are many good hints of this kind scattered throughout the book, but they not infrequently occur in out-of-the-way corners, where they are too apt to escape notice. The plan which is followed by the author may be illustrated by selecting an example from the organic division of the *materia medica*, or, as in this work these substances are classified according to their actions, we shall say, from the list of narcotics select opium. In describing opium, Mr. Macnamara first gives an account of its preparation, which is followed by its characters, and this, in its turn, by the physical properties of the different kinds of opium. Mr. Macnamara here falls into a slight error (slight errors are the bane of the book) in speaking of the *Rumex capsules* covering Smyrna opium as *seeds*. Then follows a fair *résumé* of the chemistry of the substance; but here, again, minute accuracy is wanting when dealing with the mode of detecting opium. The pharmacopœial tests and the ordinary adulterations of opium are next described, after which we come to its physiological effects and therapeutic uses. The various preparations with their doses, and a list of incompatibles, conclude the section. It will thus be seen that Neligan's plan is essentially preserved; and a very good plan it is as long as *materia medica* and therapeutics have to be studied together.

We must now leave this volume, and direct our attention to two popular English works—'Royle's Manual,' edited by Dr. Headland; and Dr. Garrod's 'Essentials of *Materia Medica* and Therapeutics.' Were we to separate our subject, as is often done in Germany, into pharmacognosy and pharmacology, we should be inclined to relegate Dr. Royle's work to the class dealing with the former, rather than to that treating of the latter subject; it is rather a work on the *materia medica* than one on therapeutics. In its inorganic portion the chemistry of the substances described occupies too much space, and comprehends details which belong rather to the domain of pure chemistry than to its application to medicine (and while we are finding fault we may as well say that the introduction of the double chemical notation as in the present pharmacopœia, instead of a retention of the old one merely, would have been advisable). In the case of such a substance as sulphur much need not be said of its chemical properties in a purely medical treatise, yet out of the three and a quarter pages devoted to its consideration in this work, not much more than the quarter relates to its therapeutics. Again, in the case of mercury, thirteen pages are occupied with

the description of itself and its compounds; only one page is devoted to the consideration of its effects on the system; and a line or two is appended to each preparation, indicating in general terms its uses in disease. Full details as to chemical transformations and manufacturing processes are of interest; but the portions of real value to the medical man are those referring to action and application. This work, as well as the abridgment of Pereira, we have noticed contains many figures of medicinal plants. At the end of the book is a very short chapter on the actions and uses of remedies, in which they are classified according to their effects on the system. This somewhat makes up for the small space devoted to their consideration in the body of the work; but the work is essentially one for the advanced student, or for the man who desires to make himself master of the subject of pharmacognosy or pure materia medica, rather than of therapeutics. In all essentials the views here expressed are those contained in Dr. Headland's work on therapeutics, which we have already considered.

Dr. Garrod's is, perhaps, the favorite text-book among students; for their use it is specially framed, and we cannot but say that its popularity is well merited. In the present edition what was objectionable has been, as far as possible, remedied, especially in those portions relating to chemistry, which have been thoroughly revised and several inaccuracies removed. Both the old and the new notation are given, but the old is, we think, very properly considering the present state of feeling on the matter, subordinated to the new. It is a book for students rather than for practitioners, and most of the former now studying in our London schools have been instructed in accordance with the new system of chemical notation. The portions relating to the actions and uses of the several remedies have been also carefully revised, in some parts extended, and in many remodelled. The paragraphs if short are exceedingly *à propos* and to the point; if more extended, they would be less useful to the student. The last chapter on therapeutics we have already alluded to; it adds much to the usefulness of the book. Dr. Garrod properly insists on simplicity of prescription if we want to obtain anything like an accurate knowledge of the action of drugs. At the same time he points out the value of judicious combinations as of salts and senna in the common black draught, to which we might add iron with quinine in many cases of debility, acids and alkalies, with bitters and so on. The author also describes the various methods of introducing medicines into the system, with the relative advantages of each. In his classification of remedies, the author divides medicines into those which act on the blood, those which affect the nervous system,

those which affect the heart and circulatory organs generally, and those which act on special organs, along with two subordinate divisions made up of external remedies and mere chemical agents as disinfectants. Now, without entering into any discussion of the scientific value of this classification as to exactness and comprehensiveness, we may, we think, admit its usefulness especially to the student. If a man has got a clear and distinct idea of what he wants a remedy to do, this arrangement, which is, perhaps, little more than a kind of *memoria technica*, will enable him to find out the substance apparently most suitable for the case without any very great difficulty. It is not by any means scientific equal of the classification adopted by Büchheim, but we are not prepared to say that it will prove less useful; and this should never be forgotten when dealing with a student's book.

The late Dr. Scoresby Jackson's Note Book is also essentially a student's book, but it has the disadvantage of having been published previous to the appearance of the last edition of the 'British Pharmacopœia.' Owing to its lamented author's death, revision so as to put the book in accord with the pharmacopœia of 1867 was intrusted to the able hands of Dr. Angus Macdonald, the successor of Dr. Jackson in the chair of Materia Medica, at Surgeon's Hall, Edinburgh, and the result has appeared as a separate appendix. Such a plan, however, is always unsatisfactory, and the book suffers accordingly. We are the more sorry for this, as in some respects we are inclined to rank Dr. Jackson's work as the best we know for student's purposes. It is more evenly balanced than Royle or Neligan, and it is not so limited in its scope as is Garrod's work. A feature which it possesses we consider of great utility: there is an introductory portion relating to the sources of medicines, their active principles, their preservation, the characters of the various officinal formulæ, the nature of prescriptions, and the art of framing them, with many other matters not generally included in works of this class. When in former days every one had to serve an apprenticeship, a knowledge of the different kinds of pharmaceutical preparations was practically acquired; now-a-days, however, this system of apprenticeship is continually losing ground, and it becomes the more necessary that men should be elsewhere taught something of the principles at least of pharmacy. Too little stress is laid on the art of writing a good prescription; students are not sufficiently instructed in this matter, and hospital practice, where most of the substances prescribed are kept ready mixed, is not the best school for acquiring such a knowledge. Some very good rules and recommendations are laid down by Dr. Jackson as to the uses of remedies, but in his prescriptions he adheres to the old arrangement of basis, adju-

vant, corrigent, and vehicle which is not, perhaps, in exact accordance with our modern notions of simplicity. Much is said as to the rules for giving medicines, but we have seen in no modern book advice superior to that given by old-fashioned Gaubius in his work on 'Prescribing.' Many men would do well to read his aphorisms now. The contents of the 'Note Book' are not limited to those of the Pharmacopœia; many other substances useful as medicines are shortly described, and their uses as far as known succinctly enumerated.

Between Waring's 'Manual of Therapeutics' and the volume just considered there are a good many points of resemblance and certain characteristic differences, the most important of the latter depending on the intention or purpose of the book. Waring's treatise is one adapted for the practitioner rather than for the student, and is, perhaps, more useful to the Indian medical officer than any other work of the same description. This was to be expected from the author's prolonged and intimate acquaintance with the medicinal substances afforded by our Indian possessions. The work itself is a monument of indomitable perseverance, having been undertaken and, we may say, accomplished in one of the most remote spots of Further India; but notwithstanding a most complete and careful revisal in the second edition, the volume bears traces of this mode of origin, for to write a great work on therapeutics the author must have at his command not only the resources of a large and carefully selected library, but have the means of testing at the bedside the doctrines he is called upon to enunciate. In this work by Dr. Waring we have collected together an enormous number of therapeutical memoranda, some of great value, some of less than no value at all; it is this inequality which deprives the book of a portion of its utility. It is really rather a dictionary of therapeutics, for it is arranged on the alphabetical plan, than a select treatise on the same subject. It bears some resemblance to the German work of Clarus, but is inferior to it in certain particulars, although superior in others. One of the most important defects noticeable is the almost total neglect of the physiological action of the various remedies enumerated; that is to say, their effects on the diseased system are considered to the almost total exclusion of their influence on the healthy body. To obtain a sound foundation for therapeutics, the latter must be considered as well as the former; they afford a means of determining whether a remedy has been judiciously or otherwise selected in a given case, and should never be neglected in any work devoted to therapeutic science. Apart from these objections, which are after all trifling compared with the great value of the book, we must confess that it is

likely to be of good service to the practitioner, who is often put to his wit's end in selecting a remedy appropriate to a given case. So also in varying remedies from time to time as is often necessary and advisable, the practical hints with which the work abounds will be found especially useful. The kind of index of diseases with their remedies found at the end of the book will not be without its uses. Altogether, in a future edition, this work would be better for condensation rather than extension, except in that which refers to the physiological actions of medicines. Notwithstanding, there is no book in the list above enumerated more likely to be of use to the busy practitioner.

Dr. Wahltuch's work is also intended for the use of the practitioner rather than for that of the student; its arrangement is tabular. The various preparations of the British Pharmacopœia are given in order, and one peculiar feature is that the synonyms of the preparations are given in Latin, English, French, German, Italian, and Russian. In some respects this plan is good, in others objectionable; one strong point against it is that preparations possessed of the same names are used in different countries of varying strengths; and this uniform nomenclature, without uniformity of strength or composition, might give rise to seriously inconvenient results. Another column contains briefly the characters and composition of the substance; a third, its physiological and therapeutical effects; a fourth, the dose and form of administration; a fifth, the preparations into which the substance enters; and, finally, there is a column containing illustrative prescriptions selected from various sources. It will be easily understood that these several columns cannot always be of the same length in the instance of each substance. A great waste of space is the consequent result, with, of course, enhanced price, and, it must be confessed, from the columns running across the page instead of from above downwards, with considerable inconvenience. Towards the end of the volume the various remedies are classified according to their therapeutical influences, as alteratives, anæsthetics, and so on. We do not seem to be altogether able to follow the author here, for sometimes we find very curious substances under certain headings. No exact rule would seem to be followed beyond the arbitrary and varying pleasure of the author. Further, this and other portions of the work are disfigured by far more than the ordinary proportion of words wrongly spelled, which we fear cannot be altogether attributed to the printer. Altogether, then, in pronouncing on this work, we find in it a good deal that is likely to be useful, the result of protracted labour; but we can only wish that the

labour had been rather more protracted, and the work turned out in a more perfect state.

With a considerable feeling of relief, for it pains us to find fault with a work which must have cost much time and trouble, we turn to the consideration of Stillé's now well known work, one which is popular on both sides of the Atlantic. In this department of medical knowledge America has contributed her fair share in the esteemed works of Wood and Stillé; but it is with the latter we must chiefly concern ourselves. The United States' 'Pharmacopœia' contains several articles not included in our officinal lists; most of these are indigenous to America. Many are but little known in this country; and whilst some deserve little or no esteem, a considerable proportion ought to be more generally introduced and more generally employed. The *Cornus florida*, or dogwood, is a remarkably good, simple bitter. Of still greater value is the *Prunus Virginiana*, the inner bark of the *Cerasus serotina*, which grows abundantly in various parts of the States. This substance is of remarkable efficacy in certain forms of dyspepsia, and also in some kinds of heart affection. Other remedies of a like kind may be enumerated. It is probable that *Rhus toxicodendron*, if more carefully investigated, might also come into more general use; having fallen almost exclusively into the hands of homœopaths, its reputation has, perhaps, unjustly suffered. *Veratrum viride*, even though now officinal, has not yet attracted in this country the attention which it deserves; it has been extensively employed both in America and on the Continent. Its uses are varied, but appear to depend on its power of controlling the circulation; it has been found of great value in such diseases as acute rheumatism, pneumonia, heart disease, and some others. It amply deserves more widely extended recognition. Of somewhat similar character is *Cimicifuga racemosa*, which is also a good deal used in America, and appears to be especially useful against rheumatism of an acute character.

Dr. Martyn Paine's book is, to say the least of it, curious; it contains a vast amount of matter gathered from all sorts of sources, all of which the author brings to bear on his own peculiar theories. Dr. Paine has two well-marked characteristics from the point of view whence we contemplate his writings. He is an intense vitalist, and a thorough believer in bloodletting. Indeed, with regard to the latter portion of his creed, he endorses the belief of Botalli, viz. that "one hundred thousand men perish from the want of bloodletting, or from its not being timely employed, when one perishes from excessive bleeding where prescribed by a physician." This, of course, refers to the period when bleeding was more common than it now is. Com-

ment on such a dogma is unnecessary. Dr. Paine may be right, and we may be wrong; we can, however, assure him that there are not many now of his opinion, at least in these islands. His favorite notion, for the origination of which, indeed, he claims all honour, as to the mode in which remedies act, is that they give rise to reflex nervous action, which influences the affected part according to the character of the original stimulus, or, as he expresses it, produce "a substitution of pathological conditions by remedial agents, through reflex nervous action, more favorable to the law of recuperation, than such as had been impressed by the truly morbid causes and their progressive nature." We have already said enough to convince most people that this law is not universal, if, indeed, it exists at all. Dr. Paine does not believe in the validity of physiological experiments made with drugs, in order that we may obtain some insight into their mode of action in disease; he even rejects arguments drawn from the effects of drugs administered to a healthy human being. Again we say Dr. Paine may be right, and we may be wrong; but we have on our side the men whose opinions are best worth having when such matters are undergoing discussion. Further, Dr. Paine will have nothing to say to chemistry as an aid to the physiologist, still less to the therapist; in fact, he speaks of "the fallen fabric of organic chemistry." Again we must say that Dr. Paine puts himself in opposition to men whom we are accustomed to consider the first of the day, to say nothing of such humble individuals as ourselves. We need hardly state after this that Dr. Paine is strenuously opposed to what we are accustomed to consider the grandest generalisation of modern times—the correlation of forces, the conservation of energy. Still, the perusal of such a book as that written by Dr. Paine is not without its advantages; it shows, at least, that there are two sides to a question; and no one can deny the ability and energy with which Dr. Paine maintains his position.

From what has been said in noticing each work successively, it will be seen that our introductory remarks as to the unsatisfactory position of therapeutics have been fully justified. Each work contains a mine of information; but what we now want is exactness, not extent of knowledge. Every day sees new applications of the exact sciences to the study of vital phenomena; and it is this accuracy, now becoming more and more apparent in other departments of physic, which makes us recoil from the accumulated stores of crude and badly digested information bequeathed to us by our predecessors. Therapeutics are really now in a better position than they have ever heretofore enjoyed; it is only the advances of other departments of medicine which exposes these defects. What we now want is not the brilliant

discoverer, but the painstaking man of science. The rôle is not, perhaps, so distinguished, nor so pleasant. It is certainly far more useful.

REVIEW II.

Clinical Lectures and Reports. By the Medical and Surgical Staff of the London Hospital. Vol. IV. 1867-68. Edited by Dr. CLARK, Dr. DOWN, Mr. HUTCHINSON, and Mr. MAUNDER. Pp. 521. London.

THE present volume of the 'London Hospital Reports' is in no way inferior to its predecessors either in the interest or the variety of its contents. The following is an abstract of the reports and lectures of which it consists, and we may mention that some of the papers are illustrated by well-executed engravings.

Further Observations on Lumbar Colotomy for the Relief of Intractable Diseases of the Rectum, with four cases of operation. By W. CURLING.—This paper is a continuation of former communications made on the same subject by the author, and his object is to show that great relief from distress and pain, and in some instances even prolongation of life, have resulted from the operation. The first case was one of cancer of the rectum, and although the patient died ten months after the operation, his sufferings were very materially relieved, and he recovered sufficient strength to be able to walk about until the disease advanced to its fatal stage. He obtained regular evacuations for a considerable time from the artificial anus. The next case was one of intractable stricture of the rectum in a farm labourer, and an artificial anus was established in the left loin by means of Mr. Curling's operation. The result was very satisfactory as far as the relief of the pain and other inconveniences was concerned, but the constitutional improvement was not so great as was to be desired, owing probably to the cachectic condition of the patient and his indigent circumstances. In the third case the patient was an unhealthy-looking woman, in whom the indications for the operation were not favorable, and Mr. Curling performed it only at her own urgent request. It was followed by constant sickness, and death from exhaustion ensued in eight days afterwards. The fourth case was one of