ART. V.—*A Popular History of British Sea-weeds; comprising their Structure, Fructification, Specific Characters, Arrangement, and General Distribution; with Notices of some of the Fresh-water Algæ.* By the Rev. D. LANDSBOROUGH, A.L.S.—London, 1849. Square 16mo, pp. 368. With Twenty-two Plates.

THIS is one of a series of popular treatises on 'British Natural History,' published by Mr. Lovell Reeve, which aims at being for the beginner what Mr. Van Voorst's series of more elaborate treatises is for the scientific naturalist. The peculiar character of Mr. Reeve's series is, that they are illustrated by *coloured* plates; which, in such a case as the present, is of peculiar advantage. The volume before us contains eighty figures of the principal British Algæ, well drawn upon stone, and very truthfully coloured; together with a series of uncoloured figures giving analyses of the fructification; and this, with a considerable amount of letter-press, at an extremely moderate price. The author is creditably known as an industrious and well-informed marine botanist; and he writes and describes, in most departments, entirely from his own observations. Almost every one who pays a passing visit to the sea-shore, has his attention attracted by the beautiful forms and colours of the Algæ with which it is clothed; and Mr. Landsborough shows with how much more interest they become invested, when something is learned respecting their structure, habits, and uses. As an illustration of his mode of treating his subject, we shall extract a short passage relating to the *Laminaria digitata*.

"In its native state it is well entitled to rank, in Europe at least, among the giants of the marine forest. When a full-grown plant has by stress of weather been torn from its moorings, and stranded on the shore, never more to wave in the deep, it is a kind of treasure-trove, a well-stored cabinet to the naturalist. If he is a conchologist, he is almost sure to find the beautiful *Patella pellucida* on the slimy frond; and at the very centre of the stout fibrous roots he is still more sure of *Patella cærulea*, snugly ensconced in a cave which it has dug out for itself, where it is quite safe from everything but an uprooting storm. When the tangle has come from deep water, it frequently brings with it some rare *Nudibranchs*. The stem is often adorned with sea-hair (*Sertularia operculata*); and various kinds of coral lines may be found on the roots. After the young naturalist has collected all that can be seen, let him put the tangled root into a basin of sea-water, and in the course of an hour or so, he will be astonished to see the protean tribes of little crabs, annelides, and other strange creeping things that issue forth to reconnoitre their new limited locality." (p. 114.)

We shall hope to see other departments of natural history, not yet embraced in this series, treated of in the same spirit as the 'British Sea-weeds,' by writers as well qualified as Mr. Landsborough to do justice to their respective subjects, and illustrated by plates of equal excellence.

ART. VI.—*The Races of Man, and their Geographical Distribution.* By CHARLES PICKERING, M.D., Member of the Scientific Corps attached to the United States Exploring Expedition.—London, 1849. 4to, pp. 448. With a Map and Twelve coloured Plates.

THIS is one of the series of valuable scientific works, in which have been embodied the most valuable results of the investigations which the United States Exploring Expedition was sent forth to prosecute. Its title scarcely indicates the real nature of its contents; for this would lead