In brief

NIH stops its staff acting as consultants: The US National Institutes of Health will impose a one year ban on paid consulting after being criticised for not preventing conflicts of interest among staff who worked as consultants for drug and biotechnology companies (*BMJ* 2004;329:10). The institutes' chief, Dr Elias Zerhouni, reversed his previous stance that some consulting was acceptable

HIV prevalence in South Africa continues to climb: The latest annual figures released by South Africa's health department estimate that 5.6 million people in the country in 2003 had contracted HIV. Of 1 149 701 babies born in 2003, 96 228 were HIV positive. See www.doh.gov.za

Board on animal research alternatives starts work: The Board of the National Centre for the Replacement, Refinement and Reduction of Animals in Research, set up by the British government in May, decided at its inaugural meeting on 23 September to allocate £0.5m (\$0.9m; €0.7m) in 2005 for new research projects and announced two new projects to start in 2004, totalling over £0.4m. See www.nc3rs.org.uk

Deaths from melioidosis increase: Health authorities in Singapore have expressed concern about a tripling in mortality from melioidosis, which is caused by a soilborne bacterium. By September the disease had killed 24 out of the 79 people infected so far in 2004, including a cluster of 19 cases in March after unusually heavy rains, compared with only four deaths among 40 people infected in 2003.

Further death from Avian flu confirmed: Thailand has confirmed its 10th death from avian flu this year and the first probable case of human to human transmission, a conclusion also reached by the World Health Organization. The 26 year old woman died on 20 September near Bangkok and is believed to have contracted H5N1 bird flu from her 11 year old daughter, but this cannot be confirmed as the daughter's body was cremated before she could be tested for the virus.

NICE issues guidance on sepsis

Susan Mayor *London*

The National Institute for Clinical Excellence (NICE) has recommended in new guidance that patients with severe sepsis should be treated with drotrecogin alfa (activated) only under the supervision of intensive care specialists with experience in managing the condition.

NICE, which provides national guidance on treatments and care used by the NHS in England and Wales, recommended that intensive care units in NHS hospitals should define the clinical circumstances in which drotrecogin alfa (activated) is to be used and the training and experience of consultants who will be authorised to initiate and supervise its use.

Commenting on the guidance, Dr Saxon Ridley, a consultant in intensive care at Norfolk and Norwich University Hospital, Norwich, and president of the

Intensive Care Society, said: "Drotrecogin alfa (activated) should be used under intensive care supervision, as part of a package of care which can best be provided in intensive care units. The drug is indicated for patients with severe sepsis with two or more organs failing, which means they require a high level of care to optimise outcomes from its use."

He added: "The unit costs of drotrecogin alfa (activated) are high, so it should not be used indiscriminately. However, in appropriate patients the absolute risk reduction in mortality is about 7%, so the number needed to treat is only about 14." There is a small risk of intracranial haemorrhage—1% to 2%—he added.

Around 21 000 cases of severe sepsis occur each year in England and Wales, accounting for an estimated 27% of admissions to intensive care units and

46% of all bed days in the units. Despite advances in critical care, mortality from severe sepsis, which results from an exaggerated response to infection, is estimated to be between 30% and 50%. Drotrecogin alfa (activated) is a genetically engineered form of human activated protein C, that helps to reduce blood clotting and inflammation and that is reduced in severe sepsis.

Other guidance published in the same week recommends the use of a combination of immunosuppressants, according to cost and side effects, after renal transplantation.

Basiliximab or daclizumab should be used for induction treatment (immediately after transplantation), with the cheapest being chosen. This should be used with a combination of other drugs, including a calcineurin inhibitor—tacrolimus or ciclosporin, depending on which is least likely to cause serious side effects. □

For details see www.nice.org.uk

South Africa to regulate healers

Pat Sidley *Johannesburg*

A law to regulate traditional healers in South Africa has been passed by parliament to acclaim from the predominantly black parliamentarians, who are relieved that a widely practised form of health care in the country will be officially recognised.

The law seeks to regulate the practice and practitioners in much the same way as doctors and other health practitioners are now. An interim council will be set up within three months to begin the process of finding healers, setting standards, categorising the different types of healers, and beginning the process of registration—and, by definition, exclusion.

The Traditional Health Practitioners Act seeks to protect the public (an estimated 80% of black people in South Africa use the services of traditional healers) by ensuring good standards, proper training, and ethical behaviour. A rough estimate is that the country has around 20 000 traditional practitioners, many of whom are unlikely to

South African healers will eventually be recognised as healthcare professionals

have learned the practice in a traditional setting, whereby skills are passed down through the generations.

One section in the new law prohibits unregistered healers from claiming cures or relief for cancer or HIV or AIDS. Advertising fliers as well as newspaper advertisements proclaim cures

for these diseases by self proclaimed traditional healers. Doctors and health experts worry that these advertisements, by encouraging patients to try traditional methods, cause delays in the uptake of Western treatment.

The health department is also seeking to register and standardise traditional medicines and "health" preparations. This is a long term project and is likely to meet fierce resistance, as even the first moves to make vitamin and herbal products go through the same kind of tests as other medicines has resulted in protests.

Parliamentarians voting on the measure in September to regulate traditional healers were influenced by the problems that have developed over the past few years with informal and unskilled "circumcision schools" that annually kill and maim scores of young men. The law aims to provide greater protection for consumers.

It caused a flurry of concern, however, in the health insurance business, which is worth some 50 billion rand a year (£4.3bn; \$7.8bn; €6.4bn), because some insurers thought that their funds would be depleted by clients claiming for treatment from traditional healers. □