Published in final edited form as:

Curr Opin Psychol. 2017 February ; 13: 148–152. doi:10.1016/j.copsyc.2016.09.002.

Protective Processes Underlying the Links between Marital Quality and Physical Health

Richard B. Slatcher and
Wayne State University

Dominik Schoebi
University of Fribourg

Abstract

Although the links between marital quality and physical health are now well established, the psychological processes through which marriage impacts health remain unclear. Additionally, prior research on the links between marriage and health has focused mainly on how negative aspects of relationships (e.g., conflict, hostility) can be damaging to one's physical health. In this article, we describe the strength and strain model of marital quality and health, which provides a roadmap for studying protective factors underlying marriage-health links. We home in on one relationship process—partner responsiveness—and one broad class of psychological mechanisms—affective processes—to illustrate core aspects of the model. Our review suggests that future research will profit from a greater integration of theory from the social psychology of close relationships into studies of relationships and health.

Keywords

marriage; health; marital quality; relationships; cortisol

For many, marriage is the most important adult relationship that they will enter in their lifetimes. A troubled marriage leads to pain and heartache, whereas a happy marriage is one of the strongest predictors of personal well-being [1]. Increasingly, people are asking a lot from their marriages, expecting spouses to satisfy their personal psychological needs (e.g., self-esteem needs) more than any other time in history [2]. It thus may come as no surprise that the quality of peoples' marriages are consistently linked to physical health and longevity. Support for this comes from a recent meta-analysis showing that people in higher quality marriages have better physical health and lower levels of mortality [3]. However, what could *not* be determined from that meta-analysis was notable. For instance, only a handful of studies separated out effects of positive marital characteristics (e.g., responsiveness, intimacy) from negative characteristics (e.g., conflict, hostility), and almost

Please address correspondence to Richard B. Slatcher (rich.slatcher@gmail.com).

Publisher's Disclaimer: This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

none of the studies examined psychological moderators (e.g., personality, attachment style) or mediators (e.g., cognitions, affect). So, while the question of whether or not marital quality is linked to health has been answered, a number of new questions have taken its place. In this article, we describe our strength and strain model of marital quality and health and present a brief review of some of the exciting new work in this area, with an emphasis on psychological processes that may confer health protection in the context of marriage.

A roadmap for answering the question of how marital quality impacts physical health may be found in Figure 1. This theoretical framework—the strength and strain model [originally described in 4 but refined here]—has guided our work in this area. In this model, *marital strengths*—such as partner responsiveness—have salutary effects on health, above and beyond the deleterious effects of *marital strains*, marked by conflict, hostility, and related processes. Further, this model describes how marital strengths can help buffer the effects of outside stressors on health and health-related biology—for example, how self-disclosure can lessen the impact of work-family spillover on stress hormone (i.e., cortisol) production [5]—and conversely, how marital strain can exacerbate the effects of outside stressors on health. The model also includes potential moderators—such as attachment style, personality, and gender—of the effects of marital processes on health. Ultimately, marital strengths and strains are hypothesized to affect one’s health via cognitive and affective processes, health behaviors such as sleep, diet and exercise, and biological mechanisms such as cortisol production and inflammation [for excellent reviews of the biological underpinnings of the links between social relationships and health, see 6, in this issue, and 7].

An important departure of the strength and strain model from prior models of marital functioning and health [e.g., 8,9] is its focus on protective factors (i.e., marital strengths). The social psychology of close relationships has made great advances in identifying protective relationship factors and their links to well-being [10,11]; our model is strongly influenced by such work. We prefer the term “strength” to the often-used “support” so as to capture the range of positive processes in relationships (e.g., intimacy, capitalization, support) that can potentially impact health and well-being, beyond just social support. As reported in our recent meta-analysis [3], very few studies have tested the affects of marital strengths on physical health and even fewer have tested potential psychological mechanisms that might explain these effects. Below, we provide a concise overview of recent advances in our understanding of the links between marital quality and health, homing in on one strength—partner responsiveness—and one class of psychological mechanisms—ffective processes—to illustrate key aspects of the strength and strain model.

Partner Responsiveness

Relationship scientists have identified responsiveness as a core protective process that leads to satisfying and successful relationships [12]. Responsiveness is the process through which partners are attuned and attentive to each other’s needs and goals and is comprised of three key components: 1) understanding, marked by a comprehension of the partner’s core self (i.e., really “getting” where she/he is coming from), 2) validation, or valuing the partner’s view of the self, and 3) caring, marked by an expression of warmth and concern for the partner. Responsiveness often occurs in the context of self-disclosure [13], but can also

occur, for example, when couple members participate in an activity together, are discussing of an area of conflict or one's hopes for the future, or are planning a future event [12]. When this process goes well, a person's responsive behaviors are perceived as such by the other partner, and it is this perception of responsiveness that is believed to be crucial to the many benefits of responsiveness.

A good deal of responsiveness research has shown robust links to relationship well-being, with responsive interactions fostering intimacy in couples [14], improved interactions between leaders and subordinates [15], and between physicians and their patients [16]. Responsiveness is linked to greater personal well-being as well, including greater emotional well-being among cancer patients [17], increased ability to integrate negative experiences into one's self-concept [18], and greater personal thriving [19]. Because it shares common elements with many important relationship constructs—providing core validation of the self, and leading to feelings of warmth, acceptance, belonging, and trust—it has been argued that partner responsiveness is an organizing principle in the study of relationships [20]. We argue that responsiveness also has potential to be an organizing construct in the study of links between close relationships and health.

Early in life, responsiveness from attachment figures facilitates “tuning and pruning” of biological stress response systems, leading to long-term health benefits via improved stress regulation [21]. Empirical evidence for this idea comes from studies of child rearing, which have shown links between greater maternal responsiveness and better functioning of the hypothalamic-pituitary-adrenal (HPA) axis, which produces the stress hormone cortisol [22]. In a recent study, our research group tested whether fine-tuning of the HPA axis by responsive close others might extend into adulthood. In a large sample of married and cohabitating adults, we showed that greater perceived partner responsiveness predicted steeper (“healthier”) diurnal cortisol slopes 10 years later [23].

Partner responsiveness also improves pain regulation. For instance, responsive interactions with partners lead to increases in the release of endogenous opioids, which reduce the experience of pain and also promote felt security and commitment [24]. Recent experimental work has shown that holding the hand—or even just looking at the photo—of a romantic partner can make physical pain more bearable [25] and enhance recovery from recalling emotionally painful memories [26]. Thus, responsive relationships may help to inoculate oneself from chronic physical pain, a hypothesis supported by research showing that greater partner responsiveness is associated with less pain three months after knee replacement surgery [27].

One of the more perplexing findings from the relationships and health literature is that the receipt of social support from close others is sometimes associated with worse physical health, including mortality [28]. Research on responsiveness has helped to resolve this paradox; received partner support predicts greater mortality 10 years later for those who perceive their partner as unresponsive but *not* for those who perceive their partner as responsive [29]. Thus, partner responsiveness may buffer against the potentially harmful health effects of received support. But *how* might partner responsiveness be associated with improved health outcomes—what are the psychological mechanisms? Below, we describe

how affective processes may be a key pathway through which partner responsiveness benefits health.

Affective Processes

Emotions and their regulation—controlled and automatic—are central to relationships [30]. There is hardly a context in which more frequent and intense emotions are experienced than in close relationships, and affective interdependence is a key characteristic that differentiates between close and more casual relationships. It is likely that relationships confer health-promoting effects, in part, through shaping affective processes. Affective processes figure prominently in theoretical models of relationships and health [3,4], and, supporting predictions from these models, we found that the longitudinal association between partner responsiveness and diurnal cortisol profiles described above [23] was mediated by declines in negative affect over the 10-year study period.

Although very few studies have directly tested affective processes as mediators of relationship-health links, indirect evidence is plentiful. Relationships create opportunities for positive affective experiences, amplifying and sustaining the experience of positive emotions in relationships [31,32]. In turn, positive emotions foster closeness and strengthen connections in relationships [33], and through this pathway, they can positively influence our physiology [34]. Likewise, and possibly through accumulated experience of positive social connections [35], relationships can buffer against negative emotional experiences and facilitate the downregulation of negative emotions and stress [36,37]. Emotions help to facilitate and coordinate interactions between intimate partners, leading not only to interdependence in emotional experience [38], but also to physiological linkage between partners [39]. This linkage is likely rooted in highly dynamic dyadic interaction patterns that feature synchronization, and co- or dysregulatory dynamics, both on cognitive and physiological levels [40,41], which are indicative of health-relevant relational processes [42,43].

A certain degree of emotional susceptibility or reactivity to cues of an intimate partner is necessary for relationship processes to operate efficiently. If the functions of emotional experience and expression are those of an adaptive process, then healthy interpersonal functioning requires that partners respond to each other's emotions and behaviors in a consistent way. Although emotional sensitivity can be a vulnerability to the detrimental effects of stressors, it is also a necessity in order to benefit from the health-promoting resources (e.g., responsiveness) that relationships might offer. Thus, those who may be more labile in an affective sense can benefit from a partner who is: (a) attuned to the partner's affective experience (and as a consequence can be more responsive) and (b) also able to experience and express emotion. Theoretical work on individual differences in reactivity to stressors point to the positive potential of a high susceptibility or sensitivity to environmental cues [44,45]. Research on the serotonin transporter gene (5-HTTLPR), for example, suggests that individuals with two short alleles are not only more reactive to stress exposure, but also benefit more from favorable social environments than their counterparts with long alleles [e.g., 46]. Recent evidence extended these findings to marital relationships: Spouses with two short 5-HTTLPR alleles were more susceptible to both negative *and*

positive partner behaviors in terms of marital satisfaction than spouses with a long allele [47], and spouses with short alleles were more emotionally susceptible to the partner's negative and positive affect [48].

Interpersonal susceptibility of this kind may thus foster emotional attunement between intimate partners, but does it also confer benefits provided by relationship strengths? Emerging research suggests that a heightened sensitivity to a partner's emotions, and particularly to the partner's positive emotions, may not only be a characteristic of individuals who are more vulnerable and develop symptoms of anxiety and depression, but also characterizes those individuals who improve and recover from heightened psychological distress over several months [49]. Being attuned and susceptible to a partner's affect may serve as an affective basis for the health-promoting effects of supportive partner behaviors. Some, albeit inconsistent links between affect susceptibility and perceived partner responsiveness, and long-term distress recovery point to this possibility [49].

Conclusion

In this article, we laid out a model of marital quality and health, informed by both current social psychological theory and recent research on close relationships and health. Although a considerable number of studies in social psychology have focused on protective factors in relationships that are associated with relationship quality, stability and well-being, comparatively many fewer have focused on the links between protective relationship factors, psychological processes and health. We have highlighted two key psychological processes, partner responsiveness and affective processes, to illustrate ways in which marital and marriage-like relationships can potentially benefit physical health. We view this as an exciting opportunity for relationship scientists and health researchers to work together to answer the important questions of how and under what conditions the close relationships in our lives may be beneficial for our health.

Acknowledgments

This research was supported by NIH grant R01 HL114097, awarded to Richard B. Slatcher.

References

1. Proulx CM, Helms HM, Buehler C. Marital quality and personal well-being: A meta-analysis. *Journal of Marriage and Family*. 2007; 69:576–593.
2. Finkel EJ, Hui CM, Carswell KL, Larson GM. The suffocation of marriage: Climbing Mount Maslow without enough oxygen. *Psychol Inq*. 2014; 25:1–41.
- 3**. Robles TF, Slatcher RB, Trombello JM, McGinn MM. Marital quality and health: A meta-analytic review. *Psychol Bull*. 2014; 140:140–187. A comprehensive review and meta-analysis of 50 years of research on the links between marital quality and health. [PubMed: 23527470]
- 4**. Slatcher RB. Marital functioning and physical health: Implications for social and personality psychology. *Soc Personal Psychol Compass*. 2010; 4:455–469. Original review article that laid out the strength and strain model of marital quality and health, with greater detail about the theoretical model and underlying processes.
5. Slatcher R, Robles T, Repetti R, Fellows M. Momentary work worries, marital disclosure, and salivary cortisol among parents of young children. *Psychosom Med*. 2010; 72:887–896. [PubMed: 20841560]

- 6*. Farrell AK, Simpson JA. Effects of relationship functioning on the biological experience of stress and physical health. *Current Opinion in Psychology*. 2017; 13:49–53. A excellent brief review of the links among relationship factors, stress and biology from a social and developmental perspective.
- 7**. Miller G, Chen E, Cole SW. Health psychology: Developing biologically plausible models linking the social world and physical health. *Annu Rev Psychol*. 2009; 60:501–524. Outstanding comprehensive review article that provides extensive detail about the biological processes underlying the links between psychosocial factors and physical health. [PubMed: 19035829]
8. Kiecolt-Glaser JK, Newton TL. Marriage and health: His and hers. *Psychol Bull*. 2001; 127:472–503. [PubMed: 11439708]
9. Burman B, Margolin G. Analysis of the association between marital relationships and health problems: An interactional perspective. *Psychol Bull*. 1992; 112:39–63. [PubMed: 1529039]
10. Gable SL, Reis HT, Impett EA, Asher ER. What do you do when things go right? The intrapersonal and interpersonal benefits of sharing positive events. *J Pers Soc Psychol*. 2004; 87:228–245. [PubMed: 15301629]
11. Reis, HT. Relationship well-being: The central role of perceived partner responsiveness. Hazan, C., Campa, MI., editors. Guilford Press; 2013. p. 283-307.
12. Reis HT, Gable SL. Responsiveness. *Current Opinion in Psychology*. 2015; 1:67–71.
- 13*. Reis, HT., Shaver, P. Intimacy as an interpersonal process. In: Wiley, Duck S., editor. *Handbook of personal relationships*. 1988. p. 367-389. Seminal book chapter describing the interpersonal process model of intimacy, which serves as a theoretical basis for contemporary research on partner responsiveness
14. Debrot A, Cook WL, Perrez M, Horn AB. Deeds matter: daily enacted responsiveness and intimacy in couples' daily lives. *J Fam Psychol*. 2012; 26:617. [PubMed: 22686267]
15. Kluger AN, Zaidel K. Are listeners perceived as leaders? *International Journal of Listening*. 2013; 27:73–84.
16. Reis HT, Clark MS, Pereira Gray DJ, Tsai F-F, Brown JB, Stewart M, Underwood LG. Measuring responsiveness in the therapeutic relationship: A patient perspective. *Basic Appl Soc Psych*. 2008; 30:339–348.
17. Otto AK, Laurenceau J-P, Siegel SD, Belcher AJ. Capitalizing on everyday positive events uniquely predicts daily intimacy and well-being in couples coping with breast cancer. *J Fam Psychol*. 2015; 29:69. [PubMed: 25528074]
18. Weeks TL, Pasupathi M. Stability and change self-integration for negative events: The role of listener responsiveness and elaboration. *J Pers*. 2011; 79:469–498. [PubMed: 21534961]
19. Feeney BC, Collins NL. A new look at social support A theoretical perspective on thriving through relationships. *Pers Soc Psychol Rev*. 2014 1088868314544222.
20. Reis, HT. Interdisciplinary research on close relationships: The case for integration. *American Psychological Association*; 2012. Perceived partner responsiveness as an organizing theme for the study of relationships and well-being; p. 27-52.
21. Meaney MJ. Epigenetics and the biological definition of gene X environment interactions. *Child Dev*. 2010; 81:41–79. [PubMed: 20331654]
22. Gunnar M, Quevedo K. The neurobiology of stress and development. *Annu Rev Psychol*. 2007; 58:145–173. [PubMed: 16903808]
23. Slatcher RB, Selcuk E, Ong AD. Perceived partner responsiveness predicts diurnal cortisol profiles 10 years later. *Psychol Sci*. 2015; 26:972–982. [PubMed: 26015413]
24. Machin AJ, Dunbar RIM. The brain opioid theory of social attachment: A review of the evidence. *Behaviour*. 2011; 148:985–1025.
25. Eisenberger NI, Master SL, Inagaki TK, Taylor SE, Shirinyan D, Lieberman MD, Naliboff BD. Attachment figures activate a safety signal-related neural region and reduce pain experience. *Proc Natl Acad Sci U S A*. 2011; 108:11721–11726. [PubMed: 21709271]
26. Selcuk E, Zayas V, Günaydin G, Hazan C, Kross E. Mental representations of attachment figures facilitate recovery following upsetting autobiographical memory recall. *J Pers Soc Psychol*. 2012; 103:362–378. [PubMed: 22486677]

27. Khan CM, Iida M, Stephens MAP, Fekete EM, Druley JA, Greene KA. Spousal support following knee surgery: Roles of self-efficacy and perceived emotional responsiveness. *Rehabil Psychol*. 2009; 54:28–32. [PubMed: 19618700]
28. Uchino BN. Understanding the links between social support and physical health: A lifespan perspective with emphasis on the separability of perceived and received support. *Perspect Psychol Sci*. 2009; 4:236–255. [PubMed: 26158961]
29. Selcuk E, Ong AD. Perceived partner responsiveness moderates the association between received emotional support and all-cause mortality. *Health Psychol*. 2013; 32:231–235. [PubMed: 22545973]
30. Fitness, J. Emotions in relationships. In: Mikulincer, M., Shaver, P.R., Simpson, J.A., Dovidio, J.F., editors. *APA handbook of personality and social psychology, Volume 3: Interpersonal relations*. American Psychological Association; 2015. p. 297–318.
31. Simpson JA, Collins WA, Tran S, Haydon KC. Attachment and the experience and expression of emotions in romantic relationships: a developmental perspective. *J Pers Soc Psychol*. 2007; 92:355. [PubMed: 17279854]
32. Debro A, Schoebi D, Perrez M, Horn AB. Touch as an Interpersonal Emotion Regulation Process in Couples' Daily Lives The Mediating Role of Psychological Intimacy. *Personality and Social Psychology Bulletin*. 2013 0146167213497592.
33. Campos B, Schoebi D, Gonzaga GC, Gable SL, Keltner D. Attuned to the positive? Awareness and responsiveness to others' positive emotion experience and display. *Motivation and Emotion*. 2015; 39:780–794.
34. Kok BE, Coffey KA, Cohn MA, Catalino LI, Vacharkulksemsuk T, Algoe SB, Brantley M, Fredrickson BL. How positive emotions build physical health perceived positive social connections account for the upward spiral between positive emotions and vagal tone. *Psychol Sci*. 2013; 24:1123–1132. [PubMed: 23649562]
- 35*. Lakey B, Orehek E. Relational regulation theory: a new approach to explain the link between perceived social support and mental health. *Psychol Rev*. 2011; 118:482. Comprehensive review and theoretical paper that provides a compelling perspective of how interpersonal experience contributes to mental health. [PubMed: 21534704]
36. Rimé B. Emotion elicits the social sharing of emotion: Theory and empirical review. *Emot Rev*. 2009; 1:60–85.
37. Debro A, Schoebi D, Perrez M, Horn AB. Stroking your Beloved One's White Bear: Responsive Touch by the Romantic Partner Buffers the Negative Effect of Thought Suppression on Daily Mood. *J Soc Clin Psychol*. 2014; 33:75.
38. Schoebi D. The coregulation of daily affect in marital relationships. *J Fam Psychol*. 2008; 22:595. [PubMed: 18729673]
39. Timmons AC, Margolin G, Saxbe DE. Physiological linkage in couples and its implications for individual and interpersonal functioning: A literature review. *J Fam Psychol*. 2015; 29:720. [PubMed: 26147932]
40. Sbarra DA, Hazan C. Coregulation, dysregulation, self-regulation: An integrative analysis and empirical agenda for understanding adult attachment, separation, loss, and recovery. *Pers Soc Psychol Rev*. 2008; 12:141–167. [PubMed: 18453476]
41. Reed RG, Randall AK, Post JH, Butler EA. Partner influence and in-phase versus anti-phase physiological linkage in romantic couples. *Int J Psychophysiol*. 2013; 88:309–316. [PubMed: 22922526]
42. Reed RG, Barnard K, Butler EA. Distinguishing emotional coregulation from codysregulation: An investigation of emotional dynamics and body weight in romantic couples. *Emotion*. 2015; 15:45. [PubMed: 25664951]
43. Mauss IB, Shallcross AJ, Troy AS, John OP, Ferrer E, Wilhelm FH, Gross JJ. Don't hide your happiness! Positive emotion dissociation, social connectedness, and psychological functioning. *J Pers Soc Psychol*. 2011; 100:738. [PubMed: 21280962]
44. Belsky J, Pluess M. Beyond diathesis stress: differential susceptibility to environmental influences. *Psychol Bull*. 2009; 135:885. [PubMed: 19883141]
45. Ellis BJ, Boyce WT. Biological sensitivity to context. *Curr Dir Psychol Sci*. 2008; 17:183–187.

46. Taylor SE, Way BM, Welch WT, Hilmert CJ, Lehman BJ, Eisenberger NI. Early family environment, current adversity, the serotonin transporter promoter polymorphism, and depressive symptomatology. *Biol Psychiatry*. 2006; 60:671–676. [PubMed: 16934775]
47. Haase CM, Saslow LR, Bloch L, Saturn SR, Casey JJ, Seider BH, Lane J, Coppola G, Levenson RW. The 5-HTTLPR polymorphism in the serotonin transporter gene moderates the association between emotional behavior and changes in marital satisfaction over time. *Emotion*. 2013; 13:1068. [PubMed: 24098925]
48. Schoebi D, Way BM, Karney BR, Bradbury TN. Genetic moderation of sensitivity to positive and negative affect in marriage. *Emotion*. 2012; 12:208. [PubMed: 22148994]
49. Randall AK, Schoebi D. Lean on me: Susceptibility to partner affect attenuates psychological distress over a 12-month period. *Emotion*. 2015; 15:201. [PubMed: 25603137]

Highlights

- Describes the strength and strain model of marital quality and health
- Partner responsiveness and affective processes are used to illustrate core aspects of the model
- Relationships and health research can profit from a greater integration of relationship science

Figure 1.

Theoretical model illustrating how marital quality influences physical health directly via psychological and biological pathways and indirectly via its moderating influence on the effects of outside stressors (either stress-intensifying or stress-buffering). Also included in the model are individual difference factors, which can moderate the health effects of relationship processes or, alternatively, can directly impact relationship processes (main effects).