Published in final edited form as:

Ind Rob. 2016 ; 43(5): 449. doi:10.1108/IR-05-2016-0139.

Viewpoint: Special Issue on Industrial Robot Agility

Craig Schlenoff,

National Institute of Standards and Technology

Stephen Balakirsky, and

Georgia Tech Research Institute

Murad Kurwa

Flex

Advances in automation have provided for sustained productivity increases and manufacturing growth over the past decade. Sustaining this growth will require automation to become more agile and flexible, enabling the automation of tasks that require a high degree of human dexterity and the ability to react to unforeseen circumstances. Applying robots is one promising approach, but their traditional program-by-teaching model takes considerable time, requires extensive expertise, and does not lend itself to tasks that require adaptability. This has kept robots in high-volume, repetitive operations and precluded them from low-volume, time-critical, and flexible projects. Offline programming of robots is possible, similar to the computer-aided manufacturing (CAM) method widely used for machine tools. However, the poor accuracy of robots compared with machine tools limits them to jobs with low tolerance requirements, or requires additional methods such as calibration, modeling, and external sensing to improve their accuracy. These methods increase the upfront cost of a robotic system. However, advances and cost reduction in sensing technologies (especially laser scanning) have brought robot systems into the price range of even small-to-medium enterprises. In addition, use of end-of-arm-tool (EOAT) has given integrators the ability to provide faster turnaround time and utilize the same infrastructure in a high-mix, low-volume environment.

The robotic systems of tomorrow must be capable, flexible, and agile. These systems need the capacity to perform their duties at least as well as their human counterparts, be quickly re-tasked to other operations, and cope with a wide variety of unexpected environmental and operational changes. To be successful at these tasks, these systems need to incorporate domain expertise, knowledge of their own skills and limitations, and both semantic and geometric information. Papers in this special issue will highlight advances in these areas.

Papers for this journal special issue were solicited in the areas of:

- Robot agility through knowledge-based approaches
- Human-robot and robot-robot collaboration

- Hardware approaches to allow for robot agility
- Planning approaches to enable robot agility
- Knowledge-based robot control
- Artificial intelligence techniques
- Test methods to measure robot agility
- Robot agility metrics
- Advanced robot simulations

Over 50 papers were submitted, with only a small subset of them accepted and published in this special issue. Because robot agility is comprised of many aspects, we attempted to include a cross section of papers that addressed most of the aspects listed above.

We start the issue with three papers addressing aspects of agility representation. The first paper, “Requirements for Building an Ontology for Autonomous Robots,” describes the Autonomous Robotics subgroup of the IEEE Ontologies for Robotics and Automation Working Group and describes their work in specializing the Core Ontology for Robotics and Automation (CORA) standard to focus on concepts and axioms that are commonly used in autonomous robots. The second paper, “Industrial Robot Capability Models for Agile Manufacturing,” describes the representation of a capability model for industrial robots as they pertain to assembly tasks. The third paper, “The Canonical Robot Command Language,” describes an information model that provides a high-level description of robot tasks and associated control and status information.

The next four papers focus on planning, learning, and control. “An Agile Robot Taping System - Modeling, Tool Design, Planning and Execution,” describes an automatic agile robotic system and corresponding algorithm to perform surface taping. The next paper, “Trajectory Planning for a Planar Macro-Micro Manipulator of a Laser-Cutting Machine,” explores the development of a trajectory planner that may be integrated with industrial computer numerical control (CNC) systems to resolve kinematic redundancy for task duration minimization. Learning is explored in the next paper, “Learning of Assembly Constraints by Demonstration and Active Exploration,” where a new approach for learning assembly constraints based on programming by demonstration and active robot exploration to reduce the computational complexity of the underlying search problems is proposed. The last paper in this section, “A Review on the Evolvement Trend of Robotic Interaction Control” assesses the state of the art on robotic interaction control. This analysis reveals that both practical and theoretical issues must be faced when designing a controller.

The last three papers look at a variety of additional topics related to robot agility. The first paper in this section, “A Comparison of Industrial Robots Interfaces: Force Guidance System and Teach Pendant Operation,” proposes an evaluation method to compare two different human-robot interaction (HRI) solutions that can be used for on-line programming in an industrial context: a force guidance system and the traditional teach pendant operation. The second paper “Test Methods for Robot Agility in Manufacturing,” defines and describes test methods and metrics to assess system efficiency and effectiveness which can then be

used for the assessment of industrial robot system agility in both simulation and in reality. The final paper, “Robots Collaboration for Wearable Products Lifetime Testing,” explores a practical application of robot agility for wearables by using robot simulation based on associated mathematical models to represent the motion of humans wearing a wrist band to test the product’s predicted life span.