reviews

BOOKS • CD ROMS • ART • WEBSITES • MEDIA • PERSONAL VIEWS • SOUNDINGS

An Intelligent Person's Guide to Genetics

Adrian Woolfson

Duckworth Overlook,
£12.99/\$21.95, pp 240
ISBN 0 7156 3313 9

Rating: ★★★

Always a sucker for a quick fix, I was immediately attracted to Adrian Woolfson's book by its title. *An Intelligent Person's Guide to Genetics* promises something to the potential reader: "If you are an intelligent person," it says, "I will explain genetics to you in a way that you will understand." Perhaps now, I thought, it would all become a little clearer.

Only one thing about genetics is utterly clear to me: it's much more complicated than I ever imagined. When I was learning

about genetics in school it seemed relatively straightforward. Gregor Mendel had his peas. Some things were dominant, some were recessive. DNA was made from four simple nucleotide molecules (C, T, A, and G), which were arranged in a double helix shape. The strands of DNA were capable of copying themselves. The DNA was parcelled up into chromosomes. Strung along the chromosomes, like beads on a string, were the genes, surrounded by lots of so called "junk" DNA. The junk was the detritus of evolution. It did no good, but evolutionary forces had allowed it to remain in the genome because it did no harm. The genes—the gold dust of the genome—coded for proteins. The mantra was simple: DNA makes RNA, which makes protein.

Fifty years down the line, most of this is still true. But there is so much more going on within and all around the genome. We now know (or at least think we know) that human beings have only about 25 000 genes, many fewer than predicted. DNA still makes RNA, which still makes protein. But one string of DNA can make many proteins, so you have to be much more careful when you recite the mantra in public. There are

epigenetic factors, such as imprinting and methylation. There are pseudogenes and promoters and retrotransposons. Genes get turned on and turned off and turned up and turned down. Two identical twins with identical mutations in their BRCA1 gene won't necessarily both get breast cancer. We don't even really understand why I am not a chimpanzee.

Adrian Woolfson takes us through all this, and much more, in a 240 page whirlwind exposition of evolution, the history of molecular biology, molecular genetics, and the future. It is not "an intelligent person's guide to genetics," because the subject is too big and the book too small. Despite the many enigmas that he uncovers, Woolfson seems to have an abiding faith that one day we will not only understand it all but be able to build it from scratch. To many this will seem a tall order. But Woolfson sees "synthetic life" as inevitable, "because we are intrinsically curious, [and] because we have utopian desires."

Fred Kavalier *primary care geneticist and consultant, Guy's Hospital, London*
fred.kavalier@gstt.nhs.uk

Health Impact Assessment

Eds John Kemm, Jayne Parry, Stephen Palmer

Oxford University Press,
£34.50, pp 450
ISBN 0 19 852629 6

Rating: ★★★

Those of us working in the healthcare sector sometimes tend to forget the big picture. When thinking about what influences health we usually think of health related services and individual choices and lifestyles. Although these are important, other issues have more influence on the health of individuals and communities, such as education, employment and working conditions, sanitation, housing, and income.

Health impact assessment is an emerging tool in the field of public health, the principal aim of which is to help planners

and policy makers. It is used to assess the health consequences for a population of a policy, project, or programme that does not necessarily have health as its primary objective. It is a combination of procedures, methods, and tools by which to judge the potential effects of a policy, project, or programme on a population's health and how those effects will be distributed in the population. It provides a practical and evidence based way to consider the influence of those other determinants of health and to help in making decisions. The general objectives are to improve knowledge about the potential effects on health, to inform decision makers and affected people, and to help adjust proposed policies to mitigate the negative health effects and enhance the positive effects. As such health impact assessment can contribute to transparency in policies, as well as to reduction of health inequities.

The authors make an excellent effort to present the topic. They cover a wide range of topics: from methodological issues (both quantitative and qualitative) to practical considerations whenever undertaking an assessment (from planning to decision making), as well as some thoughts about the state of the art of health impact assessment in the international arena (presenting the most relevant

experiences) and some actual examples in quite different applications (such as waste disposal, crime prevention, and agricultural policies).

Especially interesting is the use of the tool to assess the effects of a proposal on health equity in a given population—one of the fields where the tool is more extensively used. Also interesting are community involvement in the assessment process and even community development as a result of participation in an assessment process.

For me the three main points of interest in health impact assessment are that it takes into account the effects on health of policies not directly related to health; the mix of professionals (from epidemiologists to economists and engineers) and techniques involved in the assessments; and that it is a process that is based on decision making. The topics and examples in this book reflect these points well. However, the book could have benefited by giving a selection of good websites from the plethora of sites addressing health impact assessment.

Anna García-Altés *senior researcher, Agència de Salut Pública de Barcelona, Spain*
agarcia@aspb.es

Keeping mum over child abuse

Is media coverage of Munchausen syndrome by proxy putting children at risk?

Just before Christmas the media moved rapidly to cover the sensational story of the “controversial diagnosis” of Munchausen syndrome by proxy, coverage in which the main villains of the piece seemed to be paediatricians hell bent on destroying families. This followed a statement by the attorney general that there was “cause for concern” and that appeals could be made in 28 out of 297 cases after a review of cases of children taken into care in the wake of the quashing of the Angela Cannings’ conviction for murder (*BMJ* 2004;329:1256).

On 20 December the *Daily Telegraph* devoted a full page to a first person account by Angela Cannings, who was released from prison a year ago after the Court of Appeal overturned her convictions for murdering two baby sons. Yet what this article, and the subsequent raft of media coverage, failed to report was that the vociferous campaigners against Munchausen syndrome by proxy, and their supporters in the press, had expected that hundreds of parents who had been jailed for convictions linked to this diagnosis would be released. The attorney general’s statement to parliament made it clear that this was far wide of the mark.

Munchausen syndrome by proxy is an enigmatic form of child abuse, often disguised as an illness in the child, which the press seems pathologically unable to report

dispassionately. After all, a review of just under 300 cases produced 28 possible worrying cases, and a continuing review of all the care cases in Great Britain—28 607 family law cases—seems to have produced a change to only one care plan. This is not the impression the public would have gained from the media attention devoted to the cases of Sally Clark and Angela Cannings, whose convictions were overturned, and of Trupti Patel, who was acquitted of killing her three babies.

A dramatised version of the Cannings story, starring Sarah Lancashire and Timothy Spall, is soon to be broadcast on British television. The *Telegraph* reported that even living Mrs Cannings’ life secondhand proved harrowing for former *Coronation Street* actor Lancashire, who apparently experienced dramatic weight loss just playing the part.

On 23 December the *Daily Mail* dedicated its key comment piece to another attack on paediatricians. It was by John Sweeney, a BBC reporter who has made television documentaries questioning the existence of Munchausen syndrome by proxy. The article included the statement “There was no laboratory science behind Munchausen’s theory.” It also claimed that “according to Professor Meadow’s theory [Professor Roy Meadow was an expert witness for the prosecution in many of the cases], denying you were a Munchausen’s mother was proof of the syndrome. So being accused of Munchausen’s was like being accused of witchcraft in the Middle Ages: if the witch floats, she must be a witch. It was a charge based on circular logic to which there could be no defence.”

At no point did the article give any coherent account of how paediatricians actually arrive at their testimony. Furthermore, it symbolises the confusion at the heart of media coverage: the diagnosis is about what is happening to a child, not what is going on in a parent’s mind. Precisely why parents abuse their children by inducing

illnesses is a question that ranges across several theories, yet experts can still be confident that a child is being harmed by a parent, without knowing exactly why.

Even when convictions in high profile cases are overturned, this does not mean that in all or even most cases children will be returned to parents, as this is the decision of family courts, where the standard of proof is the “balance of probabilities,” not “beyond reasonable doubt.” This enables family courts to be less adversarial and ensures that the interests of the child come first. In family proceedings the issue is whether the child should be subject to a care order, taken away from the parents, or placed for adoption. This means that some parents might walk free from a criminal court and yet still not get their children back, because family courts decide that the parental home is not a safe environment.

Yet because family courts remain essentially private, unlike criminal proceedings, the media never cover this aspect of paediatricians’ work and the relative success with which it protects children. Also, these doctors are advised by their medical defence organisations and their royal college not to speak to the media, so making it impossible to defend themselves from the current spate of attacks.

This is producing a lack of balance in press coverage of the issue, contend many senior paediatricians, who are also fearful of speaking out because of alleged intimidation and vilification by special interest groups and the media. For example, one doctor found that the birth of their own child had been reported widely on the internet by groups campaigning against the syndrome, while the death of another paediatrician was debated on these same websites as an attempt by that expert witness to escape the retribution of the courts.

Some doctors now claim that the fall in the number of young people on the child protection register—from 35 000 in 1995 to 26 600 last year—is evidence that paediatricians are increasingly reluctant to identify child abuse. To do so now opens you to a sustained campaign of complaints and harassment from special interest groups and the media, with little or no protection at all available from medical defence organisations or royal colleges.

Whichever side you take on the issue, there is a group that is even more defenceless than the paediatricians or the parents, a group everyone seems to have forgotten in the increasingly aggressive war of words over the syndrome: the children. Perhaps, sadly, the real story behind the media coverage is how little we as a society really care for children, given what impoverished support we give to the independent procedures and professions that are meant to protect them.

Raj Persaud Gresham professor for public understanding of psychiatry, Bethlem Royal and Maudsley Hospitals, London

Sarah Lancashire and Timothy Spall as Angela Cannings and her husband, Terry

PERSONAL VIEW

Teaching students—whose job is it anyway?

Two new consultants, Dr A and Dr B, have just been recruited to a department in a teaching hospital. The existing consultants know that teaching on their firm is reputed to be poor and badly organised and expect one of the new consultants to take the lead in improving this.

Dr A has been appointed to an NHS consultant post. The clinical director makes it clear to him that his success will be measured in terms of clinical service, audit, reducing waiting lists, and perhaps management activity. Dr A does not feel that these commitments will leave him much time for teaching and feels that organisation of teaching is the responsibility of clinical academics anyway.

Dr B has been appointed to a senior lecturer post. The head of her academic department makes it clear to her that her success and prospects for promotion will be measured in terms of her research output, chiefly grants obtained and papers in journals with a high impact factor. Dr B therefore resolves to spend as much time as possible working on basic science. She has spent most of the last six years in prestigious research fellowship posts with no teaching requirement. She does not feel that she has the time or relevant experience to take a lead in teaching clinical students. She argues that all her NHS consultant colleagues are claiming at least one programmed activity for teaching, so they bear as much responsibility for it as the academics.

The example is entirely hypothetical, but the arguments will be familiar to many. Of course, Dr A and Dr B are both correct, and each could argue that time spent teaching would be detrimental to their own chances of succeeding in their posts. Like most clinicians, both would probably agree strongly that it is important to have good teaching in a medical school. They might also agree that obtaining a consultant post in a teaching hospital obliges a doctor to teach. They would disagree about whose job it is to ensure the quality of teaching.

The demand for teaching in medical schools is increasing, the number of students being admitted is increasing, and more is required of each student. For example, medical schools are now required to provide a range of student selected components as well as the core curriculum. New methods of teaching and assessment, such as problem based learning and objective structured clinical examinations (OSCEs), are innovative and popular but can lead to an increase in teaching time.

How are medical schools going to meet this increased demand? Dr A and Dr B

might try to delegate teaching to their junior staff. However, the impact of the working time directive and partial shifts will probably make it difficult for specialist registrars to offer regular teaching slots. In any case, this is not a clever strategy in the long term, as each specialist registrar will leave the unit after a year.

A larger proportion of teaching could be moved into primary care. There is much to be said for this, because GPs who teach have usually volunteered to do so and are paid directly for this service. However, the increased demands on GPs' time—such as the 48 hour rule—may restrict their ability to devote time to teaching.

We could transfer more teaching out of the traditional teaching hospitals to district general hospitals. Again, this could be a good idea and would probably give each student the ability to see more patients and gain more experience.

Another option is to create a new cadre of academics, to be appointed on the basis of teaching ability rather than research credentials. These academics could be responsible for the organisation of teaching.

However, they would be unlikely to score highly in the research assessment exercise, and currently no mechanism seems to be in place to reward financially either medical schools or individual departments for excellence in teaching.

In the end, it comes down to how important we think teaching is. Is it a vital part of the work of most doctors, which should be assessed such that there are rewards for teaching well and consequences for doing it badly or not at all? Or is teaching a service that is provided pro bono by enthusiasts in addition to their "real measurable work" in the wards, clinics, theatres, and laboratories? Should funds continue to be distributed on the basis of research success alone, or should we modify the system so that funding takes into account contributions to teaching?

Or perhaps the situation is fine as it is. Suppose that after five years neither Dr A nor Dr B has contributed much to teaching in the department, which is still abysmal. However, Dr A has been successful clinically and contributed to audit and management. Dr B has published widely and well. Do you think that their appointments would be considered a success? If it was not their job to teach, whose was it?

Anisur Rahman senior lecturer in rheumatology, University College London
anisur.rahman@ucl.ac.uk

Competing interests: AR has a major teaching commitment as well as carrying out basic research.

SOUNDINGS

The demise of the British classic

Old friends from medical school often greet me with "Hi Trish, how's the bike?"

I had a Japanese motorcycle that worked and a British vintage classic that spent most of its time laid out on newspaper in my room. I was no great mechanic, but with British bikes you didn't need to be. You undid the nuts and bolts, blew hard through any hollow tubes, replaced worn parts with better ones from a breaker's yard, and polished everything with a toothbrush and Brasso before reassembling.

I once decoked an exhaust pipe overnight in a communal bathroom, having stuck a potato in one end, poured a noxious substance siphoned from the chemistry lab into the other, and labelled it "Please leave—carcinogenic."

Those were the days. Yesterday, the headlamp bulb blew in my Volkswagen Golf. The casing contained no discernible screws and had "please refer to your dealer for servicing" branded on it. The manual stated: "Headlamp bulbs can explode without warning; potentially fatal accidents have been known to occur. Under no circumstances should owners . . ." etc. I booked the car into a garage to have the bulb replaced.

Over the past 20 years, I've seen a few hundred people with mild knee pain, many of whom have small effusions and weedy little thighs. The treatment is simple: get a pair of old socks and place a tin of baked beans in each. Tie the socks together. Sit on the edge of a firm chair and hook the socks over your ankle. Raise the foot with the knee straight. Thirty times, morning and night. Come back if you don't get better.

I wish I had kept records of the proportion of patients who find this management unacceptable. Increasingly, patients don't want to poke the side of their own knee and see the fluid bulge appear. They want a knee diagnostics package (centrepiece magnetic resonance imaging). The physiotherapy must take place in a specialist knee centre and be supervised by someone with a postgraduate diploma in isometric quadriceps exercises.

As I look back mistily on the days before human bodies were dealer serviced, I remember my BSA motorcycle—less sophisticated and less reliable than the Honda, but producing infinitely more fulfilment for the enthusiastic generalist who cared for it.

Trisha Greenhalgh professor of primary health care, University College London