Sexual Self-Schemas in the Real World: Investigating the Ecological Validity of Language-Based Markers of Childhood Sexual Abuse

Amelia M. Stanton, BA, Cindy M. Meston, PhD, and Ryan L. Boyd, PhD

Abstract

This is the first study to examine language use and sexual self-schemas in natural language data extracted from posts to a large online forum. Recently, two studies applied advanced text analysis techniques to examine differences in language use and sexual self-schemas between women with and without a history of childhood sexual abuse. The aim of the current study was to test the ecological validity of the differences in language use and sexual self-schema themes that emerged between these two groups of women in the laboratory. Archival natural language data were extracted from a social media website and analyzed using LIWC2015, a computerized text analysis program, and other word counting approaches. The differences in both language use and sexual self-schema themes that manifested in recent laboratory research were replicated and validated in the large online sample. To our knowledge, these results provide the first empirical examination of sexual cognitions as they occur in the real world. These results also suggest that natural language analysis of text extracted from social media sites may be a potentially viable precursor or alternative to laboratory measurement of sexual trauma phenomena, as well as clinical phenomena, more generally.

Keywords: social media, childhood sexual abuse, language, meaning extraction method, methodology

Introduction

SOCIAL MEDIA PROVIDES unique advantages for psychologists seeking to answer complex research questions. In particular, the quantity of natural language data that can be gleaned from social media is enormous. According to data from 2013, almost 75 percent of Americans reported household Internet use,¹ and 71 percent of Americans with Internet access in their homes use social media.² Much online data also come at either low or no cost and can be accessed in a relatively short period of time. Finally, naturally occurring language data gathered from social media sites are free from biases that are introduced by experimenters in formal laboratory studies, thereby reflecting ecologically valid social and psychological phenomena.

Recent developments in natural language processing techniques have enabled researchers to better understand the nuances of complex psychological processes. Over the past 10 years, studies have examined natural language data to draw conclusions on personality measurement,³ online search behaviors,⁴ core values,⁵ and sexual cognition,⁶ to name just a few domains. In some of these studies, such as that of Boyd et al.,⁵ researchers collected natural language data from social media sites, which are primarily characterized by the fact that

they are composed almost exclusively of user-generated content. The increasing availability of social media data offers researchers the opportunity to study psychological traits and cognitions, and their links to behaviors and psychopathology, on a larger scale than ever before.

Despite concerns of self-selection biases and data quality in online settings,^{7,8} a recent systematic review of social network sites as a source of health data found that social media can be used to effectively collect data on health outcomes and other health phenomena.⁹ Analytic advances, combined with the wide availability of social media data, may be particularly beneficial for the study of certain clinical phenomena that exist in difficult-to-access populations. Given that the extraction of language data from social media sources bypasses the need for subject recruitment,¹⁰ the anonymity of the Internet may help facilitate discussion of shameful experiences and topics considered to be taboo in these populations.

A highly relevant area of research that benefits from the use of social media data is that of childhood sexual abuse (CSA) which, according to recent estimates, affects 8–31 percent of girls and 3–17 percent of boys worldwide.¹¹ CSA is associated with numerous detrimental psychological outcomes in both childhood and adulthood, including

decreased quality of life,¹² increased prevalence of mental health problems,¹³ and sexual dysfunction.¹⁴

Importantly, the psychological impact of CSA has been found to be imprinted in a person's language as well. In previous laboratory samples, Lorenz and Meston¹⁵ examined linguistic differences between women with and without CSA histories when writing about their sexual experiences and beliefs about sexuality. In line with previous research on language and depression,^{16,17} Lorenz and Meston¹⁵ demonstrated that women with CSA histories, who are more likely than nonabused women to show symptoms of depression and suicidality,¹⁴ exhibited higher rates of first person singular pronoun use than did nonabused women when writing about their sexual experiences and beliefs. Lorenz and Meston¹⁵ also noted key linguistic differences between women with and without CSA histories, including the use of differing rates of affect words and words related to genuineness.

Furthermore, linguistic patterns resulting from CSA are often highly specific and nuanced. Building on findings that women with a history of CSA report less positive sexual self-schemas than nonabused women,^{18,19} Stanton et al.⁶ conducted a language analysis of sexual self-schema themes from the same language samples used by Lorenz and Meston.¹⁵ This study identified seven overarching schema themes: *family and development*, *virginity*, *abuse*, *relationship*, *sexual activity*, *attraction*, and *existentialism*. In addition to highlighting these sexual self-schema themes, Stanton et al.⁶ found differences in the prominence of each theme as a function of sexual abuse history. Specifically, women with CSA histories showed greater invocation of the *abuse* and *attraction* themes, whereas nonsexually abused (NSA) women had markedly higher invocation of the *virginity* and the *relationship* themes relative to abused women.

Importantly, all previous research on language-CSA links has been conducted using highly controlled laboratory samples. The degree to which previous work extends into real-world samples and, more importantly, the degree to which the above-described patterns are manifest in daily life remain hitherto unknown. It is critical, then, to begin investigating the psychological patterns that have been associated with CSA in daily life, including patterns embedded within trace behavioral data such as Internet activity. By extending the findings of previous work to unconstrained online samples, two primary benefits may arise. First, by establishing generalizability, we are able to better understand the impact of CSA on daily functioning and cognition. Second, should the previously discovered findings hold true in a messy, demographic-ambiguous sample, we propose that online samples may be gainfully put to use in the context of pilot research programs. When examining the psychological sequelae of difficult-to-study topics, researchers may consider conducting initial investigations using natural language data that are already available online; downstream recruitment for controlled laboratory samples may be put to better use once a clear direction of research is established using exploratory accessible samples.

The aim of the current study was to investigate the two goals described above. This work sought to expand upon previous work by examining differences in general language use and sexual self-schema themes in an unconstrained online sample. In accordance with previous research, we predicted that the same linguistic differences between CSA and NSA groups noted by Lorenz and Meston¹⁵ and by Stanton et al.⁶ would emerge. In addition, we sought to determine if

TABLE 1. EXAMPLES OF WORDS ASSOCIATED WITH EACH SEXUAL SELF-SCHEMA THEME

<i>Sexual self-schema themes</i>	<i>Example words</i>
Family and development	House, father, mom, mother, sister
Virginity	High, school, virginity, lost, guy
Abuse	Abuse, happen, ashamed, disgust, molest
Relationship	Important, person, intimacy, enjoy, monogamous
Sexual activity	Hand, hold, penis, kiss, intercourse
Attraction	Bring, attractive, physically, arouse, lesbian
Existentialism	Thought, read, understand, learn, question

From Stanton et al.⁶

the linguistic patterns that were established in the laboratory generalize to a large, unconstrained real-world sample that lacks careful laboratory control. Should the findings of previous work extend to the current context, we are able to provide support for the notion that passive online sampling is a valid and justifiable method for researching difficult clinical phenomena in a “flipped” paradigm.

Methods

Participants

We collected archival data from the Reddit website* that were directly relevant to previous studies on language use and sexual self-schemas. Reddit is a large social media website that is subdivided into topic-specific discussion boards dedicated to the sharing of information, hyperlinks, and personal narratives related to various topics. For the current study, we collected user posts from two boards that were parallel to the comparison groups of previous research. The first board was */r/AdultSurvivors*, a board described as “a community for adults who experienced sexual abuse as children.”—This group was selected as a parallel to the CSA group in previous laboratory studies.^{6,15} The second board was */r/Sex*, a general discussion board “about all facets of sexuality and sexual relationships.”—This group was selected to parallel the NSA group in past studies.

On each board, forums are structured in such a way that users can either (a) make an original post (OP) to which others can reply or (b) leave comments in response to the posts of others. We were primarily interested in psychological information embedded in the language of OPs. Because OPs are unprompted and spontaneous, they necessarily reflect the psychological state of users before shifts that may occur during subsequent interactions; by considering only the OPs, we excluded data that are confounded by such social processes.

Data were collected using a custom script that acquired archival data from the Reddit website's application programming interface (API).† Collection occurred in

*www.reddit.com

†A website API is a programming interface that allows coders to directly interact with the data without having to do so through the typical web interface. The Reddit API is open to the public, and users can opt out of allowing their data to be accessed in this manner. Data from Reddit have been used in multiple other studies to study social and psychological phenomena, such as altruism²⁰ and support-seeking styles for individuals diagnosed with cancer.²¹

FIG. 1. (a) "I" use. (b) Affect word use. (c) Positive emotion word use. (d) Negative emotion word use. (e) Psychological distancing/authenticity word use.

September 2015, starting from the oldest post threads and working forward in time. The entire post history of the */r/AdultSurvivors* board was collected in short time given the relatively low amount of activity compared to other boards on Reddit. Conversely, the */r/Sex* board is a high-activity discussion forum on the website, and comprehensive data collection was unnecessary for the purpose of collecting an adequate sample; streamed archival data were collected from this board for ~3 days.

Data collection resulted in a sizeable sample for analysis, including 163 OPs to the */r/AdultSurvivors* board and 8,898 OPs to the */r/Sex* board. After excluding content that contained an insufficient quantity of language data (e.g., posts that linked to other websites or images; posts with <50 words), our final sample included 132 OPs to the */r/AdultSurvivors* board and 3,359 OPs to the */r/Sex* board.

Analysis

First, we conducted language analyses parallel to those of Lorenz and Meston.¹⁵ All OPs were analyzed with LIWC2015,²² a text analysis program that scores texts along ~80 well-validated psychological/cognitive measures²³; we investigated only those LIWC dimensions examined in previous work.[‡] Second, we quantified the seven sexual self-schema themes identified in previous work using the Meaning Extraction Method (MEM) previously described^{6,25,26}; examples of

[‡]Importantly, LIWC2015 includes four additional composite measures that were not present in previous versions of the software. Relevant to previous work, one such measure is "authenticity," a measure of language that is related to speaking freely and without filtering.²⁴ This measure is comparable to the "distancing" measure used in Lorenz and Meston's study.¹⁵

FIG. 2. (a) Abuse theme use. (b) Attraction theme use. (c) Relationship theme use. (d) Virginity theme use.

each theme are presented in Table 1. Using a word-counting approach, which has been demonstrated to be a powerful method for detecting cognitive patterns in past work,²⁷ texts were analyzed for specific words previously shown to capture distinct cognitive facets of the individual's sexual self-schema in laboratory contexts.

Finally, in some cases, users made several OPs to their respective Reddit board. Given the unit of interest for this study was the individual, all linguistic measures were averaged by person to establish the average psychological states encoded in each person's natural language. This resulted in a final sample of $N=100$ for the */r/AdultSurvivors* board and $N=2,959$ for the */r/Sex* board.

Results

For each analysis, we conducted an independent samples t -test to assess differences in the use of both specific linguistic categories and sexual self-schema themes by group (*/r/AdultSurvivors*, */r/Sex*). Tests were conducted without equality of variances assumptions, a method well-suited to imbalanced sample sizes.²⁸ Note that, for our analyses, the statistical degrees of freedom are yoked to the smaller of the two groups (i.e., the */r/AdultSurvivors* group). Results and case-wise comparisons pertaining to general language use are presented in Figure 1. Results pertaining to sexual self-schema themes are presented in Figure 2. Descriptive and

TABLE 2. DESCRIPTIVE STATISTICS FOR LINGUISTIC CATEGORIES

Category	Previous research ^a		Current study	
	NSA(N=99) Mean (SD)	CSA(N=128) Mean (SD)	<i>/r/Sex</i> board(N=2,959) Mean (SD)	<i>/r/AdultSurvivors</i> (N=100) Mean (SD)
Personal pronouns	NA ^b	NA ^b	12.51 (3.62)	15.42 (2.93)
“I” use	10.24 (2.01)	11.52 (2.53)	7.75 (3.14)	10.85 (2.93)
Affect words	5.80 (1.29)	6.40 (1.70)	5.49 (2.33)	6.28 (2.08)
Positive emotion words	2.90 (0.97)	2.52 (0.87)	3.32 (1.93)	2.45 (1.28)
Negative emotion words	1.31 (0.75)	1.83 (0.67)	2.07 (1.55)	3.76 (1.78)
Distancing or authenticity words	28.30 (4.93)	29.75 (4.50)	63.71 (28.08)	75.39 (23.91)

^aLorenz and Meston.¹⁵

^bData unavailable.

CSA, childhood sexual abuse; NSA, nonsexually abused.

TABLE 3. ANALYTIC STATISTICS OF LINGUISTIC CATEGORIES

Category	Previous research: comparison of NSA group to CSA group ^a		Current study: comparison of /r/Sex board to r/AdultSurvivors board		Online sample replication?
	F	df	t	df	
Personal pronouns	16.63***	210	9.691***	109.49	Yes
“I”	6.43*	212	10.20***	106.57	Yes
Affect words	5.07*	213	3.74***	107.59	Yes
Positive emotion words	9.66**	213	6.54***	114.68	Yes
Negative emotion words	24.18***	213	9.40***	104.13	Yes
Distancing or authenticity words	4.68*	207	4.78***	108.44	Yes

^aFrom Lorenz and Meston.¹⁵* $p < 0.05$; ** $p < 0.01$; *** $p < 0.001$.

statistical analyses on language use in the current sample and in previous research¹⁵ are presented in Tables 2 and 3, respectively. Tables 4 and 5 provide descriptive and statistical analyses on sexual self-schema themes from both the current sample and from previous research.⁶

Across all analyses, our results perfectly replicated the patterns found in the work of previous laboratory studies. For the LIWC-based analyses of psychological processes, we found that the /r/AdultSurvivors group used more personal pronouns overall and used the word “I” significantly more often than did posters to the /r/Sex board. Posters to the /r/AdultSurvivors board also used significantly more affect words, negative emotion words, and authenticity words, but significantly less positive emotion words than /r/Sex board posters. For the MEM-based analyses of sexual self-schema themes, our results revealed that posters to the /r/AdultSurvivors board used significantly more words pertaining to the abuse theme and the attraction theme relative to posters to the /r/Sex board. Conversely, posters on the /r/Sex board were significantly more likely to invoke the relationship theme and the virginity theme than were posters to the /r/AdultSurvivors board.

Discussion

We examined language use and sexual self-schema themes in a large online sample. Our results using this real-world sample replicated those found in a carefully selected laboratory sample of women with and without a history of CSA. To our knowledge, this study offers the first empirical examination of sexual cognitions as they occur in the real world.

The findings from this research provide us with valuable information about the ecological patterning of maladaptive sexual cognitions. While past research on language–sexual schema links has been conducted in a highly artificial manner in the context of laboratory research and clinical interventions, our current findings demonstrate that the same patterns of language that are diagnostic of a history of CSA are manifest in unsolicited social media language as well. In addition, given the well-established links between cognitive and behavioral phenomena, our results may be considered a step forward in understanding how core sexual cognitions (typically measured under artificial conditions) may be related to real-world behaviors that can have dire physical and mental health consequences, such as impulsive or hypersexual behaviors and substance abuse.²⁹ Furthermore, for many of the group differences found in the present study, the magnitude of several effects was particularly pronounced relative to previous research in this area. While the greater magnitude of several differences should be considered tentatively, the current results can be considered preliminary information for better understanding just how impactful and disruptive phenomena such as CSA may be upon cognitive patterns in the real world.

Our results may be particularly relevant for clinicians who treat patients with a history of CSA. Particularly during intake sessions, a rapid analysis of a client’s past social media language will be useful for identifying possible CSA history, as well as the severity of maladaptive cognitive patterns. Following intake, repeated analysis of social media language will likely also prove highly informative. Past research has found that changes in sexual self-schemas and cognitions over the course of a clinical intervention are an important marker of treatment success when working with this

TABLE 4. DESCRIPTIVE STATISTICS FOR SEXUAL SELF-SCHEMA CATEGORIES

Theme	Previous research ^a		Current study	
	NSA (N = 101) Mean (SD)	CSA (N = 138) Mean (SD)	/r/Sex board (N = 2,959) Mean (SD)	/r/AdultSurvivors (N = 100) Mean (SD)
Virginity	2.70 (1.52)	1.76 (1.20)	2.01 (1.54)	1.76 (1.06)
Abuse	0.90 (0.82)	1.45 (0.88)	0.85 (0.88)	2.15 (1.24)
Relationship	2.03 (1.34)	1.75 (1.08)	1.11 (1.10)	0.80 (0.86)
Attraction	0.58 (0.57)	0.82 (0.70)	0.35 (0.64)	0.70 (0.66)

^aFrom Stanton et al.⁶

TABLE 5. ANALYTIC STATISTICS OF SEXUAL SELF-SCHEMA THEME USE

Theme	Previous research: comparison of NSA group to CSA group ^a		Current study: comparison of /r/Sex board to r/AdultSurvivors board		Online sample replication?
	F	df	t	df	
Abuse	24.36***	237	10.44***	102.46	Yes
Virginity	28.13***	237	2.33*	113.73	Yes
Relationship	3.85*	237	3.46**	110.32	Yes
Attraction	7.58**	237	5.10***	105.32	Yes

^aFrom Stanton et al.⁶* $p < 0.05$; ** $p < 0.01$; *** $p < 0.001$.

population. Following a targeted intervention, the sexual self-schemas of women with a history of CSA have been shown to become more similar to those of nonabused women,²⁶ and these changes were associated with decreases in depression and post traumatic stress disorder symptoms.³⁰ Indeed, altering maladaptive schemas is a core element of cognitive behavioral therapy.³¹ Our replication of laboratory findings in a large online sample provides further support for the importance of attending to sexual self-schemas during treatment.

Our current research has one primary limitation: given the nature of public archival data from online forums like Reddit, demographic data on the posters in our sample were not available. For example, it is possible that individuals posting to the /r/AdultSurvivors board may not have experienced sexual abuse during childhood; they may instead have been seeking information on behalf of family or friends, or they may simply be asking questions about the topic. However, this feature of our study may also be considered one of its greatest strengths. We found that previous laboratory findings accurately extended into a sample over which we had no control or condition verification. While previous studies have included only females who were heavily screened on factors like sexual activity, suicidality, and recent traumatic event histories, our online sample is likely composed of a far less homogenous group of individuals. Nevertheless, the hypothesized psychological patterns in the current sample's language provided perfect conceptual replication of previous work.

Finally, our current study provides strong support for the notion of a “flipped” paradigm to conducting initial clinical research. While it is true that our current study shows that carefully-elicited language patterns from laboratory studies are also diagnostic in messy real-world contexts, the opposite logically holds true as well. The ability to search for broad group differences in online samples may facilitate initial coarse understandings of difficult-to-study psychological phenomena, allowing researchers to dedicate limited “up-front” resources to an area of study, then honing in on promising research areas downstream using more sophisticated laboratory paradigms. Such an approach would allow research to gain an initial understanding of psychological phenomena by first discovering patterns “in the wild,” thereafter honing in on specific processes using more traditional, empirical laboratory techniques.

Acknowledgments

This research was supported, in part, by grants from the National Institutes of Health (5R01GM112697-02), the John

Templeton Foundation (#48503), and the National Science Foundation (IIS-1344257). The views, opinions, and findings contained in this chapter are those of the authors and should not be construed as position, policy, or decision of the aforementioned agencies, unless so designated by other documents.

Author Disclosure Statement

No competing financial interests exist.

References

1. Young SD. Behavioral insights on big data: using social media for predicting biomedical outcomes. *Trends in Microbiology* 2015; 22:37–54.
2. File T, Ryan C. Computer and internet use in the United States: 2013. *American Community Survey Reports 2014 (ACS-28)*. Washington, DC: U.S. Census Bureau.
3. Yarkoni T. Personality in 100,000 words: a large-scale analysis of personality and word use among bloggers. *Journal of Research in Personality* 2010; 44:363–373.
4. Zhang Y, Chen W, Wang D, et al. (2011) User-click modeling for understanding and predicting search-behavior. In *Proceedings of the 17th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, ACM, pp. 1388–1396.
5. Boyd RL, Wilson SR, Pennebaker JW, et al. (2015) Values in words: using language to evaluate and understand personal values. In *Proceedings of the Ninth International AAAI Conference on Web and Social Media*, pp. 31–40.
6. Stanton AS, Boyd RL, Pulverman CS, et al. Determining women's sexual self-schemas through advanced computerized text analysis. *Child Abuse & Neglect* 2015; 46:78–88.
7. Strasser SM, Smith M, Pendrick-Denney D, et al. Feasibility study of social media to reduce intimate partner violence among gay men in metro Atlanta, Georgia. *Western Journal of Emergency Medicine* 2012; 13:298–304.
8. Peek N, Holmes J, Sun J. Technical challenges for big data in biomedicine and health: data sources, infrastructure, and analytics. *Yearbook of Medical Informatics* 2014; 9:47.
9. Alshaikh F, Ramzan F, Rawaf S, et al. Social network sites as a mode to collect health data: a systematic review. *Journal of Medical Internet Research* 2014;16:12–21.
10. Chen M, Mangubat E, Ouyang B. Patient-reported outcome measures for patients with cerebral aneurysms acquired via social media: data from a large nationwide sample. *Journal of Neurointerventional Surgery* 2016; 8:42–46.
11. Barth J, Bermetz L, Heim E, et al. The current prevalence of child sexual abuse worldwide: a systematic review and

- meta-analysis. *International Journal of Public Health* 2013; 58:469–483.
12. Afifi TO, Enns MW, Cox BJ, et al. Child abuse and health-related quality of life in adulthood. *Journal of Nervous and Mental Disease* 2007; 195:797–804.
 13. Herrenkohl TI, Hong S, Klika JB, et al. Development impacts of child abuse and neglect related to adult mental health, substance use, and physical health. *Journal of Family Violence* 2013; 28:191–199.
 14. Leonard LM, Follette VM. Sexual functioning in women reporting a history of childhood sexual abuse: review of the empirical literature and clinical implications. *Annual Review of Sex Research* 2002; 13:346–388.
 15. Lorenz TA, Meston CM. Associations among childhood sexual abuse, language use, and adult sexual functioning and satisfaction. *Child Abuse & Neglect* 2012; 36:190–199.
 16. Rude S, Gortner EM, Pennebaker JW. Language use of depressed and depression-vulnerable college students. *Cognition & Emotion* 2004; 18:1121–1133.
 17. Stirman SW, Pennebaker JW. Word use in the poetry of suicidal and nonsuicidal poets. *Psychosomatic Medicine* 2001; 63:517–522.
 18. Meston CM, Rellini AH, Heiman JR. Women's history of sexual abuse, their sexuality, and sexual self-schemas. *Journal of Consulting and Clinical Psychology* 2006; 74: 229–236.
 19. Andersen BL, Cyranowski JM. Women's sexual self-schemas. *Journal of Personality and Social Psychology* 1994; 67:1079–1100.
 20. Althoff T, Danescu-Niculescu-Mizil C, Jurafsky D. How to ask a favor: a case study on the success of altruistic requests. *Association for the Advancement of Artificial Intelligence* 2014; 12–21.
 21. Eschler J, Dehlawi Z, Pratt W. (2015) Self-characterized illness phase and information needs of participants in an online cancer forum. In *Proceedings of the Ninth International AAAI Conference on Web and Social Media*, pp. 101–109.
 22. Pennebaker JW, Both RJ, Boyd RL, et al. (2015) *Linguistic inquiry and word count: LIWC2015*. Austin, TX: Pennebaker Conglomerates (www.LIWC.net).
 23. Tausczik YR, Pennebaker JW. The psychological meaning of words: LIWC and computerized text analysis methods. *Journal of Language and Social Psychology* 2010; 29:24–54.
 24. Newman ML, Pennebaker JW, Berry DS, et al. Lying words: predicting deception from linguistic cues. *Personality and Social Psychology Bulletin* 2003; 29:665–675.
 25. Chung CK, Pennebaker JW. Revealing dimensions of thinking in open-ended self-descriptions: an automated meaning extraction method for natural language. *Journal of Research in Personality* 2008; 42:96–132.
 26. Pulverman CS, Boyd RL, Stanton AM, et al. Changes in the sexual self-schema of women with a history of childhood sexual abuse following expressive writing treatment. *Psychological Trauma: Theory, Research, Practice, and Policy* 2017; 9:181–188.
 27. Boyd RL, Pennebaker JW. Did Shakespeare write *Double Falsehood*? Identifying an individual's psychological signature with text analysis. *Psychological Science* 2015; 26:570–582.
 28. Welch BL. On the comparison of several mean values: an alternative approach. *Biometrika* 1951; 38:330–336.
 29. Zurbriggen EL, Freyd JJ. (2004). The link between child sexual abuse and risky sexual behavior: the role of dissociative tendencies, information-processing effects, and consensual sex decision mechanisms. In Koenig LJ, Doll LS, O'Leary A., Pequegnat W eds. *From child abuse to adult sexual risk: Trauma revictimization, and intervention*. Washington, DC: American Psychological Association, pp. 135–157.
 30. Meston CM, Lorenz TA, Stephenson KR. Effects of expressive writing on sexual dysfunction, depression, and PTSD in women with a history of childhood sexual abuse: results from a randomized clinical trial. *Journal of Sexual Medicine* 2013; 10:2177–2189.
 31. Beck J. (2011) *Cognitive behavioral therapy*. 2nd ed. New York: Guilford Press.

Address correspondence to:

Dr. Ryan L. Boyd

Department of Psychology

The University of Texas at Austin

108 E. Dean Keeton, Stop A8000

Austin, TX 78712

E-mail: ryanboyd@utexas.edu