Erratum: The PARC Lesion: A Posterior Avulsion of the Radiocarpal Capsule

Francis Bonte, MD¹ Christophe L. Mathoulin, MD, PhD²

¹Department of Orthopedics and Traumatology, Upper Limb Unit, AZ Sint-Jan AV Brugge–Oostende, Bruges, Belgium

²Clinique Jovenet, Institut de la Main, Paris, France

Address for correspondence: Christophe L. Mathoulin, MD, PhD, Institut de la Main, 6 Square Jovenet, Paris, France (e-mail: cmathoulin@orange.fr).

J Wrist Surg 2017;6:258–260.

ERRATUM

It has been brought to the publisher's attention that ►Figs. 5, 7–10, 13–15, 18, and 19 were published incorrectly with a reversal of concave carpus, due to a software error, in the above article in the *Journal of Wrist Surgery*, Volume 6, Number 1, 2017 (DOI: 10.1055/s-0036-1584162). The correct figures with their legends appear as follows:

Fig. 5 Posterior avulsion of the radiocarpal capsule with expansion in the dorsal TFCC. TFCC, triangular fibrocartilage complex.

Fig. 7 A loaded needle is passed through the dorsal TFCC. TFCC, triangular fibrocartilage complex.

Fig. 10 Double loop fixation technique.

Fig. 8 One monofilament wire stabilizes the dorsal TFCC radially. TFCC, triangular fibrocartilage complex.

Fig. 13 Double loop fixation.

Fig. 9 A second wire is situated ulnarly.

Fig. 14 Performing ADCLR procedure. ADCLR, arthroscopic dorsal capsuloligamentous repair.

Fig. 15 Mosquito forceps in MCR portal. MCR, midcarpal radial.

Fig. 18 A knot will stabilize the torn dorsal scapholunar ligament.

Fig. 19 ADCLR and double loop procedure. ADCLR, arthroscopic dorsal capsuloligamentous repair.