EPA Public Access

Author manuscript

Environ Sci Technol. Author manuscript; available in PMC 2018 December 19.

About author manuscripts

Submit a manuscript

Published in final edited form as:

Environ Sci Technol. 2017 December 19; 51(24): 14330–14341. doi:10.1021/acs.est.7b03778.

Extraction of Uranium from Seawater Simulant by Functionalized Magnetic Mesoporous Silica Nanoparticles: Capacity and Molecular Mechanisms

Dien Li^{a,*}, Shani Egodawatte^b, Daniel I. Kaplan^a, Sarah C. Larsen^b, Steven M. Serkiz^{a,c}, John C. Seaman^d, Kirk G. Scheckel^e, Jinru Lin^f, and Yuanming Pan^f

^aSavannah River National Laboratory, Aiken, SC 29808, USA

^bDepartment of Chemistry, University of Iowa, Iowa City, IA 52242, USA

^cDepartment of Physics and Astronomy, Clemson University, Clemson, SC 29634, USA

^dSavannah River Ecology Laboratory, University of Georgia, Aiken, SC 29802, USA

^eU.S. Environmental Protection Agency, National Risk Management Research Laboratory, Cincinnati, Ohio 45224, USA

^fDepartment of Geological Sciences, University of Saskatchewan, Saskatoon, SK S7N 5A5, Canada

Abstract

Nuclear energy generated through fission of uranium (U) is a re-producible, cleaner, and more sustainable energy source. While the terrestrial U reserve can just supply nuclear power industry for ~100 years, enormous U reserve in ocean can supply the nuclear power industry for ~72,000 years at the current capacity. However, developing viable and cost-competitive technologies for U mining from ocean is an extraordinary challenge. In this work, we developed magnetic mesoporous silica nanoparticles (MMSNs) that were functionalized with several organic ligands to improve their selectivity and capacity of uranium extraction from seawater simulant. The functionalized MMSNs were demonstrated to be very effective in U extraction from seawater with a capacity up to 54 mg/g. The functionalized MMSNs after exposed to U in seawater were characterized by a host of spectroscopic methods including FTIR, EPR, and synchrotron XANES and EXAFS spectroscopies. The dominant U species on the functionalized MMSNs is uranyl or uranyl hydroxide, rather than uranyl carbonates as expected in seawater. The uranyl-like species are bound with nitrogen binding ligand as η^2 bound-like motifs or with phosphonate binding ligand as a monodentate, as well as on tetrahedral Si sites as an edge-sharing bidentate in the mesopore structure.

Graphical abstract

*Corresponding Author: Phone: 803 725 7520. Fax: 803 725 7673. Dien.Li@srs.gov.

Notes

The authors declare no competing financial interest.

Keywords

Uranium; Seawater; Nanoparticle sorbents; Capacity; Chemical binding

INTRODUCTION

Fossil fuel remains a dominant energy source at present due to its global abundance and potential unconventional resources, such as oil shale and oil sands. However, like all other critical metals and elements that are currently utilized in industry and manufacturing, non-regenerate fossil fuel resources are limited and unsustainable to meet our future, long-term demands. Future shortages of inexpensive, safe, and clean energy resources must be addressed beyond exploring new oil and gas fields and opening processing facilities. Thus, much research has been dedicated to developing new technologies or alternative cleaner energy sources to meet future demands and protect the natural environment.^{1, 2}

Nuclear energy generated through fission of uranium (U) is an alternative and cleaner energy that is viable technologically and economically. However, the terrestrial reserve of U mines (5.9×10^6 tonnes) is also limited and can just supply for about 99 years at current U production capacity (0.06×10^6 tonnes).³ Meanwhile, U concentration in seawater is 3.3 $\mu\text{g/L}$, and there is a total of ~ 4.3 billion tons of U in seawater,⁴ which can support nuclear power production at the current capacity for nearly 72,000 years. Thus, like other critical metals and elements used in industry, intensive research activities have been increasingly focused on extracting U from seawater for energy production.^{5–7}

An extraordinary challenge for extracting U resource from seawater is to develop efficient and cost-competitive recovery technologies.^{6, 8} Over the last six decades, the majority of such research activities have focused on inorganic materials (e.g., hydrous titanium oxide),^{9–11} chelating polymers (e.g., amidoxime-^{12–16} and polyethylene-based¹⁷ polymers), nanomaterials (e.g., functionalized mesoporous carbon^{18, 19} and silica,^{20–22}), and biological origin adsorbents.²³ Amidoxime-based resins or nanomaterials have been demonstrated to be the most promising adsorbents for recovering uranium from seawater.^{6, 15, 22, 24–27} Although much advancement has been achieved, selective and cost-effective adsorbent

materials that can lead to feasible and economical technologies for extracting U from seawater remain elusive.

In this work, we developed magnetic mesoporous silica nanoparticles (MMSNs) that were further grafted with dihydroimidazole (DIM), polyacryloamidoxime (AD), phosphonate (PP), phosphonate-amino (PPA), poly(propylenimine) dendrimer (PPI), and poly(amidoamine) dendrimer (PM). The new functionalized MMSNs are magnetic for the purpose of easy retrieval after used, have high surface area and mesopore structure to provide more active sites, and have organic binding ligands that can selectively bind U and further improve their capacity. The objectives of this paper are the following three: 1) the adsorption capacities of these functionalized MMSNs for extracting U from seawater simulant using batch adsorption experiments, 2) U speciation onto the functionalized MMSNs using U L₃-edge synchrotron X-ray absorption near structure (XANES), Fourier transform infrared (FTIR) and electron paramagnetic resonance (EPR) spectroscopies, and 3) molecular mechanisms responsible for U species binding with the functionalized MMSNs surfaces using U L₃-edge extended X-ray absorption fine structure (EXAFS) spectroscopy.

MATERIALS AND METHODS

Materials

3-Aminopropyltriethoxysilane (APTES), acrylonitrile, hydroxylammonium chloride (NH₂OH•HCl), 3-(triethoxysilyl)propyl methylphosphonate, (3-chloropropyl)triethoxysilane, polyamidoamine dendrimers, polypropylenimine dendrimers, tetraethoxysilane (TEOS), hexadecyltrimethyl-ammonium bromide (CTAB), 1,4-dioxane, were purchased from Sigma Aldrich. Nitric acid, sodium hydroxide, dichloromethane, and diethyl ether were purchased from Fisher Scientific. N-(3-triethoxysilylpropyl)-4,5-dihydroimidazole and diethylphosphato-ethyltriethoxysilane (DPTS) were purchased from Gelest, boric acid (99.8%) was purchased from Alfa Aesar, and hydrofluoric acid (51% in water) was purchased from Acros Organics. All chemicals were used as received.

Synthesis of MMSNs

MMSNs were synthesized using a surfactant template method that was previously described in detail.^{28, 29} In this approach (Fig. 1A), CTAB (1 g), NaOH (3.5 mL, 2M), and water (500 mL) were mixed with Fe₃O₄ nanoparticles (300 mg) and sonicated. The contents were heated at 80 °C and TEOS was added. The reaction mixture was aged for 2 h and then filtered, washed with deionized water and methanol, and dried at 120 °C overnight. The CTAB template was removed by calcining the product at 600 °C for 6 h to obtain MMSNs.

Functionalization of MMSNs with organic molecules

Functionalization of MMSNs with DIM group,³⁰ AD group,³¹ PP group,²⁰ PPA group,³² PPI dendrimer group,³³ and PM dendrimer group³³ was conducted using a post synthesis method through a silane coupling group that is bonded with mesoporous silica surfaces. The details for surface functionalization were described in Supporting Information. As shown in Fig. 1B, typically, calcined MMSNs (1 g) were refluxed with a certain amount of chosen organic molecules in solvents (toluene or 1,4-dioxane) at 120 °C for 6 h. The reaction

mixture was filtered and washed with 1:1 mixture of diethylether and dichloromethane, or methanol, and then dried overnight at 100 °C. However, for AD group functionalization, aminopropyl functionalized MMSNs (1 g) were refluxed with acrylonitrile (8 mmol) in methanol at 65 °C for 12 h under N₂ atmosphere. The reaction mixture was filtered and washed with 1:1 mixture of diethyl ether and dichloromethane, and then dried at 50 °C overnight in an oven. The product obtained from the above reaction was then mixed with 0.5 g of NH₂OH•HCl and 50 ml of methanol. The pH of the reaction was adjusted to 8 and it was equilibrated at 70 °C for 24 h. The reaction mixture was filtered, washed with methanol and then dried at 50 °C overnight³¹. In addition, PPA functionalized MMSNs were made using APTES and DPTS refluxion in toluene, while PPI and PM dendrimer group functionalization was conducted after pre-functionalization of MMSNs with chloropropyl group.³³

Batch experiments for U adsorption isotherms

Batch U(VI) sorption experiments for obtaining the adsorption isotherm curves (the mass (q_e , mg/g) of U sorbed onto the sorbent versus U concentration in solution at equilibrium) were conducted in seawater simulant under ambient atmospheric CO₂ and temperature (22 °C). The seawater simulant was made following a literature recipe.³⁴ For each set of experiments, a solid-free control was included as the initial U concentration for K_d and q_e calculations and to provide an indication of U sorption to the reaction tube during the experiment. Approximately 0.0075 or 0.004 gram of MMSNs and 7.1 to 7.5 mL seawater simulant were added to 15 mL polypropylene centrifuge tubes prior to U spiking. Uranyl nitrate hexahydrate (²³⁸U, Electron Microscopy Sciences, Hatfield, PA) was used to make the U stock solution (5×10^{-3} M, pH 3.6, and Eh 433 mV). After spiking with 0.05 mL to 0.375 mL of the U stock solution, which targeted at initial U concentration ranged from 2.5×10^{-5} M (6 ppm) to 2.5×10^{-4} M (59.5 ppm). The higher initial U concentrations of U than that in natural seawater were used in order to evaluate the adsorption capacity of the functionalized MMSNs. The suspensions were adjusted to pH 8.1 with 1 M NaOH or 1 M HNO₃, and equilibrated on a reciprocating shaker for 6 days. The solution pHs were also adjusted daily until the change in pH was < 0.1 pH unit (Radiometer Copenhagen PHM 95 pH meter). After equilibration, each suspension was filtered using 0.2 µm pore size nylon membrane syringe filters. The filtrate was acidified with 2% HNO₃ in a typical 1:10 ratio and analyzed for U by inductively coupled plasma mass spectrometry (ICP-MS; NexION 300X, Perkin Elmer, Inc.). The ICP-MS analyses had an uncertainty of ± 10%, but our repeatability test indicated that this uncertainty was often within ± 5%.

FTIR and EPR measurements

Samples for FTIR measurements were prepared by mixing with KBr. FTIR spectra were obtained at room temperature with a Bio-RAD FTS-40 instrument under the reflectance mode, in the range from 4400 to 400 cm⁻¹ and a spectral resolution of 2 cm⁻¹. 265 scans were averaged and corrected against a background spectrum of KBr. Samples for EPR measurements were irradiated in a ⁶⁰Co cell (dose rate of ~460 Gy/h) for 2 days and were mixed with KBr for dilution. EPR spectra were measured at room temperature on a Bruker EMX spectrometer, operated at microwave frequencies of ~9.73 GHz, a modulation

frequency of 100 kHz, a modulation amplitude of 0.1 mT, microwave powers of 0.2 mW and 6.35 mW, and a spectral resolution of 0.01 mT.

U L₃-edge XANES/EXAFS measurement and data analysis

After U adsorption, U L₃-edge XANES and EXAFS spectra of all functionalized MMSNs were collected using the Materials Research Collaborative Access Team (MRCAT) Sector 10-ID beamline at the Advanced Photon Source (APS) (Argonne National Lab, Argonne, IL). To do so, 50–100 mg of each of the air-dried powder samples was pressed into a 6.3-mm diameter disk pellet and sealed by Kapton tape. The MRCAT Sector 10-ID beam line used a double crystal water cooled Si (111) monochromator, detuned to 50% of peak intensity.³⁵ The APS storage ring was operated at 100 ± 5 mA during the measurements. The monochromator were calibrated using the first inflection point at 17038 eV of the K-edge of yttrium metal foil, and the foil was recorded for all samples scans utilizing a reference ion chamber. The U L₃-edge XANES and EXAFS spectra were taken in fluorescence step-scanning mode using a Vortex 4-element silicon drift diode, in the energy range of 17000–17750 eV at room temperature.

All the collected spectra were processed and analyzed using the IFEFFIT software package including Athena and Artemis.^{36, 37} Data from multiple scans were processed using Athena by aligning and merging the spectra followed by background subtraction using the AUTOBK algorithm. The U L₃-edge EXAFS data analysis was conducted on the merged and normalized spectra using Artemis.³⁸ $\text{UO}_2(\text{benzamidoximate})_2(\text{MeOH})_2$ ($\text{U}=\text{O}_{\text{ax}}$, $\text{U}-\text{O}_{\text{eq}}$, $\text{U}-\text{N}$, and $\text{U}=\text{O}_{\text{ax}}$ multiple scattering paths),³⁹ chernikovite ($(\text{H}_3\text{O})(\text{UO}_2)(\text{PO}_4) \cdot 3(\text{H}_2\text{O})$) ($\text{U}-\text{P}$ path)⁴⁰ and soddyite ($\text{U}-\text{Si}$ path)⁴¹ were used as structural models. Fits to the EXAFS data were made in R space (R from 1.2 to 4.0 Å) and obtained by taking the Fourier transform (FT) of $\chi(k)$ (k from 3 to 10.2). The data fitting was performed in R-space for an individual data set by using k weighting of 2.

RESULTS AND DISCUSSION

Capacities of functionalized MMSNs for U extraction

Uranium exists primarily as uranyl carbonate species (e.g., $\text{UO}_2(\text{CO}_3)_3^{4-}$ and $\text{UO}_2(\text{CO}_3)_2^{2-}$) in seawater simulant (Fig. S1), and these species display limited adsorption to common sediment minerals and synthetic sorbents in seawater, primarily because of electrostatic repulsion and steric hindrance. Functionalization of MMSNs with selected organic ligands alters their surface charge properties and can provide high affinity binding sites for U adsorption. In order to evaluate the performance of the functionalized MMSNs for U removal from seawater simulant, batch adsorption experiments were conducted. The extent of U sorption was calculated using a distribution coefficient (K_d , mL/g), and the mass of U sorbed onto the sorbent (q_e , mg/g). The K_d and q_e values were calculated using equations 1 and 2, respectively:

$$K_d = \frac{C_0 - C_e}{C_e} \times \frac{V}{M} \quad (1)$$

$$q_e = \frac{(C_0 - C_e) \times V}{M} \quad (2)$$

where C_0 (mg/L) is the initial U concentration in the control samples, C_e (mg/L) is U concentration in the solution at equilibrium, V is the volume of the solution (mL) and M is the mass of the sorbent (g). The K_d data of the functionalized MMSNs from the batch experiments using an initial U concentration of 2.5×10^{-5} M are summarized in Table 1, ranging from 16 L/g to 136 L/g (Table 1), corresponding to the U removal rates of >99.4%.

The adsorption isotherms of U onto the functionalized MMSNs in seawater simulant are shown graphically in Fig. 2A. These isotherm data were fitted using the Langmuir isotherm model (see equation 3). The Langmuir model assumes that adsorption occurs as a monolayer on an energetically homogeneous surface without interaction between the adsorbates on adjacent sites:

$$\frac{C_e}{q_e} = \frac{1}{q_{\max}} C_e + \frac{1}{K_L \times q_{\max}} \quad (3)$$

where q_e is the mass of U sorbed onto the sorbent at equilibrium, $q_{\max}$ is the saturation sorption capacity, C_e is the U(VI) concentration in solution at equilibrium, and K_L is the Langmuir constant that is directly related to the binding site affinity. Representative Langmuir fits of equilibrium data for U adsorption onto MMSNs-DIM, MMSNs-PP, and MMSNs-PPI are shown in Fig. 2B. Langmuir parameters ($q_{\max}$ and K_L) and coefficient of correlation (R^2) that measures how well the Langmuir model fits to the experimental data were obtained by plotting C_e/q_e versus C_e , which are summarized in Table 1 for all functionalized MMSNs. The $q_{\max}$ values for all functionalized MMSNs ranged from 34 mg/g to 54 mg/g, with MMSNs-PM having the highest adsorption capacity. The fitting of the Langmuir model had significant correlation coefficients ($R^2 > 0.91$), indicating that the model generally fit the data. However, the sorption plateaus for some of these samples might not completely be achieved. As such, some of the calculated sorption maximum values provide conservative estimates and the actual maximum sorption capacities for these samples may be higher.

The adsorption capacities of some relevant materials (e.g., amidoxime polyethylene fibers, organo-functionalized mesoporous carbon and silica) for U extraction from seawater have been reported in recent literature. Some of these literature data are summarized in Table 1 for comparison. The adsorption capacities of functionalized MMSNs are significantly higher than those of amidoxime and other organo-functionalized mesoporous carbon that have capacities of <4 mg/g for U extraction from seawater,¹⁸ but phosphorylation of mesoporous carbon with H_3PO_4 appears to improve the U adsorption capacity to 50 mg/g.¹⁹ The adsorption capacities of MMSNs-AD (46 mg/g) and MMSNs-PP (45 mg/g) are fairly comparable to those reported in recent literature (i.e., 30–57 mg/g for amidoxime-modified mesoporous silica,²² 11–54 mg/g for phosphonic mesoporous silica,²¹ and 21–66 mg/g for a

host of other organo-functionalized mesoporous silica²⁰). For a direct comparison, the current work demonstrated that poly(propylenimine) (PPI) and poly(amidoamine) (PM) dendrimer functionalized MMSNs appear to have slightly higher adsorption capacities (52 mg/g for MMSNs-PPI and 54 mg/g for MMSNs-PM) than those of MMSNs-AD and MMSNs-PP. Amidoxime-polymer adsorbents are not very effective in extracting U from seawater, with the capacity of only 0.1–3.2 mg/g.⁶ However, radiation-induced graft polymerization of acrylonitrile onto high surface area polyethylene fibers can significantly improve the degree of grafting by up to 350%. With conditioning in 0.44 M KOH at 80 °C, the new amidoxime-polymer adsorbents are very effective in U extraction from seawater with the reported capacity of 170–200 mg/g.¹⁷ Thus, high surface area mesoporous silica is a more effective sorbent material than mesoporous carbon and typical polyethylene polymer fiber, and the use of such radiation-induced graft polymerization of acrylonitrile onto mesoporous silica may potentially be able to make more robust nano sorbent materials for U extraction from seawater.

Uranium speciation

The U L₃-edge XANES spectra of the functionalized MMSNs after exposed to uranium in seawater simulant are shown in Fig. 3, in comparison with the spectra of uraninite (U(IV)O₂), uranyl phosphate (Ca(UO₂)₂(PO₄)₂•10–12H₂O), uranyl carbonate (UO₂(CO₃)), uranyl nitrate (UO₂(NO₃)₂•6H₂O), and schoepite ((UO₂)₈O₂(OH)₁₂•12H₂O). With regard to the model compounds, three distinctive features can distinguish uraninite (U(IV)) from the uranyl compounds (U(VI)), as indicated by lines or arrows in Fig. 3: 1) the U L₃-edge first scattering maximum is sharper and shifts toward lower energy by 2.5 eV for U(IV) than U(VI); 2) there is a “shoulder” at ~17188 eV for U(VI); and 3) the peak at ~17215 eV is sharper and stronger for U(IV) than U(VI). The spectra of the four uranyl compounds are essentially indistinguishable. By comparison, the U L₃-edge XANES spectra of all functionalized MMSNs with U adsorption are similar to those of uranyl compounds, but different from that of uraninite. Linear combination fitting confirmed that there is no U(IV) species present in all functionalized MMSN samples. These results suggested that the sorbed U species on the functionalized MMSNs are U(VI); however, the U L₃-edge XANES data could not conclusively identify whether the U(VI) species adsorbed is uranyl hydroxide or uranyl carbonate (i.e., UO₂(CO₃)₃⁴⁻ and UO₂(CO₃)₂²⁻) that are dominant U species in seawater (Fig. S1).

FTIR and EPR results

The same six samples as above were used for FTIR and EPR measurements. The nominal U concentrations of these samples are up to 9,000 ppm, as indicated from U adsorption experiments. The FTIR spectra of these samples and MMSN-AD without U adsorption are shown in Fig. S2. A small band at ~900 cm⁻¹ for the samples MMSNs-DIM, MMSNs-AD, MMSNs-PP, and MMSNs-PPA appears to indicate the presence of detectable uranyl. However, the symmetric vibrational band at ~1360 cm⁻¹ and asymmetric vibrational band at ~1500 cm⁻¹ for CO₃²⁻ are absent in these spectra,⁴² which indicated that there is no detectable carbonate in these samples.

The EPR spectra of all six samples after gamma-ray irradiation are characterized by broad resonance signals centered at the g_{eff} value of ~ 2.20 (Fig. 4), which are similar to superparamagnetism characteristic of magnetite nanoparticles.^{43, 44} Radiation-induced radicals such as CO_2^- , CO_3^{3-} and CO_3^- formed from the diamagnetic precursor CO_3^{2-} generate resonance signals in the central magnetic field at $g_{\text{eff}} = \sim 2.00$.^{45, 46} A weak resonance signal at the central magnetic region at $g = \sim 2.00$ is observed in all samples investigated in this study. This signal is attributable to radiation-induced defects, but can be ruled out as the CO_2^- and CO_3^{3-} radicals derived from the diamagnetic CO_3^{2-} precursors on the basis of both the observed line shapes and calculated g values. Also, this weak resonance signal at $g = \sim 2.00$ is present in the gamma-ray-irradiated reference sample without exposed to uranium in seawater. We may have to emphasize that EPR has superior sensitivity over other spectroscopic techniques for the detection and characterization of dilute paramagnetic species.⁴⁷

Dominant U species in carbonate-containing aqueous systems like seawater are uranyl carbonate species (i.e., $\text{UO}_2(\text{CO}_3)_3^{4-}$ and $\text{UO}_2(\text{CO}_3)_2^{2-}$) (Fig. S1). However, whether the U species adsorbed onto solid phases (e.g., minerals or other sorbents) in such aqueous systems are uranyl carbonate species or not is controversial in literature. U(VI)-carbonate species were identified as edge-sharing bidentate complexes onto calcite-water interface under pH 7.4–8.3 and atmospheric conditions,⁴⁸ bone apatite materials in artificial groundwater in the presence of dissolved carbonate (4.8 mM total),⁴⁹ hematite surfaces throughout the pH range of 4.7–8.2 under conditions relevant to aquifers⁴², and $\text{Fe}(\text{O},\text{OH})_6$ octahedral sites of chlorite present in pH 6.5–10 aqueous media containing 2.5×10^{-4} M Na_2CO_3 .⁵⁰ However, uranyl carbonate species were not identified onto MCM-41 in pH 9.8 aqueous media containing 0.4 mM NaHCO_3 ⁵¹ or amidoxime-functionalized polymer fibers in seawater.¹⁵ Gamma-ray irradiated EPR data in the current work clearly demonstrated that the U species adsorbed onto the functionalized MMSNs exposed to U in seawater is uranyl-like species without carbonate group, which is also confirmed by U L_3 -edge EXAFS data fittings as described later on. Although it is not completely understood why uranyl-like species, rather than uranyl carbonates, are bound onto the functionalized MMSNs in seawater environment, one possible scenario is that the binding ligands effectively compete with carbonate for the complexation of U(VI) at seawater pH and carbonate concentration. In fact, density functional theory calculations demonstrated that glutarimidedioxime⁵² and even weaker phthalimidedioxime⁵³ can effectively compete with carbonate to form fairly strong U(VI) complexes in similar seawater environment.

Uranium binding chemistry

U L_3 -edge EXAFS spectra in k -space (A), Fourier transforms plots in magnitude (B) and in the real space component (C) of the functionalized MMSNs after exposed to uranium in seawater simulant are shown in Fig. 5, where experimental data are shown in solid circles, and EXAFS fits are shown in color lines. The fitted EXAFS parameters of all the functionalized MMSNs are summarized in Table 2. For MMSN-DIM, MMSN-AD, MMSN-PPI, and MMSN-PM that contain nitrogen ligands, the U L_3 -edge EXAFS data were fitted with an axial oxygen path at a $\text{U}-\text{O}_{\text{ax}}$ distance of 1.80 ± 0.01 Å with a fixed coordination number of 2, an equatorial oxygen path at the $\text{U}-\text{O}_{\text{eq}}$ distance of 2.25 ± 0.04 Å

with a coordination number of 3.4–4.3, and an equatorial nitrogen path at the U–N distance of 2.34 ± 0.04 Å with a coordination number of 1.6–0.7. The equatorial coordination environment of this U species consists of about 5 light scattering atoms, which was first obtained through the U–O_{eq} path fitting and then was set to five in the subsequent fittings. Five or six equatorially coordinated atoms are common for uranyl complexes.⁵⁴ However, the identities of these light scatters (e.g., N or O atoms) cannot be directly determined by EXAFS, thus, the variations in interatomic distance and Debye–Waller factor of the U–O_{eq} and U–N paths were set identical. In addition, a U–Si path at an average distance of 3.13 ± 0.02 Å and a coordination number of 0.4–0.6 was necessarily included to fit the data to acceptable goodness of R-factor < 0.0030 and reduced $\chi^2 < 100$. The U L₃-edge EXAFS data fittings were unsuccessful when tridentate cyclic imidioxime⁵⁵ and chelating models¹⁵ were used, which resulted in significant distortion of bond lengths from the crystalline models, large errors, higher R-factor and χ^2 .

Similarly, the U L₃-edge EXAFS data of MMSN-PP containing the phosphonate ligand was fitted with a U–O_{ax} path at an average distance of 1.81 Å with a fixed coordination number of 2, a U–O_{eq} path at a distance of 2.26 Å with a coordination number of 5.1, a U–P path at a distance of 3.56 Å and a coordination number of 0.9, and a U–Si path at a distance of 3.13 Å and a coordination number of 0.6. For MMSN-PPA that contains both nitrogen and phosphonate ligands, the EXAFS data were fitted with the equatorial U–N path at the distance of 2.34 Å and a coordination number of 0.9, rather than the U–P path that failed in the data fitting.

For all functionalized MMSNs, U=O_{ax} multiple scattering (MS) makes important contribution to uranyl EXAFS and three U=O_{ax} MS paths were included to significantly improve the data fitting.³⁸ However, the addition of a U–C path consistently failed in the U L₃-edge EXAFS data, which tends to support that the U species adsorbed onto the functionalized MMSNs in seawater are uranyl or its hydroxides, rather than uranyl carbonates, in agreement with their EPR spectra.

Based on U L₃-edge EXAFS fitting data (Fig. 5 and Table 2), three major binding sites of uranyl among all functionalized MMSNs exposed to U in seawater simulant are identified, which are depicted in Fig. 6. For amidoxime (AD)-functionalized MMSNs, there are two uranyl binding sites or species. The first U complex is uranyl bonded with nitrogen ligands with U–N interatomic distance of 2.34 Å and varying coordination numbers of 0.7–1.6 on the equatorial plane (Fig. 6A). The coordination numbers and interatomic distances are consistent with the average local atomic environment of uranyl containing 1–2 nitrogen atoms binding in a manner similar to so-called η^2 -bound motifs (Fig. 6A). The η^2 -bound motifs of uranyl has been observed in the single-crystal X-ray diffraction of UO₂²⁺ complexes with acetamidoxime and benzamidoxime anions that has been used as a model in our EXAFS data fitting.³⁹ Recent density functional theory (DFT) calculation also indicates that the η^2 binding motif is the most stable form among the evaluated motifs including monodentate binding to either the oxygen or the nitrogen atom of the oxime group, bidentate chelation involving the oxime oxygen atom and the amide nitrogen atom, and η^2 binding with the N–O bond in a series of [UO₂(AO)_x(OH₂)_y]^{2–x} (x = 1–3) complexes.³⁹ However, the η^2 binding motif model of uranyl in the amidoxime-functionalized MMSNs is in conflict

with another recent study in which U L₃-edge EXAFS data demonstrated that uranyl is bound with polyamidoxime through a cooperative chelating model in the functionalized polymer fibers exposed to U in seawater simulant.¹⁵ The discrepancy between our data and this published model is unknown yet.

The second U complex on amidoxime functionalized MMSNs is uranyl bound with Si sites as an edge-sharing bidentate with U-Si interatomic distance of 3.13 Å^{56, 57} and coordination number of 0.4–0.6 (Fig. 6B), which is in contrast to a previous work that has shown U(VI) adsorption on SiO₂ as mononuclear sorption complexes with U-Si interatomic distance of 2.72 Å⁵⁸. Its coordination number of 0.4–0.6 may indicate that ~50% of the total uranium loaded is bound with Si sites. Although functionalization of organic ligands were intended to cover the whole external and internal surfaces of mesoporous silica, it is likely that its mesopores might not completely be functionalized and uranyl species can diffuse into the pore structure.⁵¹ In fact, the adsorption coefficient of U onto unfunctionalized MMSN is 160 mL/g in seawater simulant with U concentration of 5×10^{-5} M, in agreement with a previous report that demonstrated that mesoporous silica had U adsorption capacity of 7–17 mg/g from seawater (Table 2).²² In addition, U L₃-edge EXAFS spectrum of the unfunctionalized MMSN exposed to U in seawater simulant also demonstrated that uranyl species is bound with its Si sites as a bidentate manner. Therefore, it would not be surprising that a certain amount of the loaded U from seawater simulant is bound with the Si sites of the functionalized MMSNs in a bidentate manner, but the functionalized MMSNs displayed significantly improved capacity of U extraction from seawater simulant due to the presence of binding ligands compared to the unfunctionalized mesoporous silica. However, there is no evidence (e.g., there is no U-U path) in the current study to demonstrate the presence of uranyl precipitation under our experimental conditions (i.e., seawater chemistry, U loading up to 2.5×10^{-4} M, and 6 days), in contrast to the previous report that at a higher concentration of $>1 \times 10^{-5}$ M, uranium rapidly diffuses into the pores, and the higher pore volume U concentration eventually leads to polymerization and precipitation of nano-U-bearing phases after a threshold time point.⁵¹

For phosphonate (PP) functionalized MMSN exposed to U in seawater simulant, uranyl complex is bound with the PP ligand as a monodentate with U-P interatomic distance of 3.56 Å and coordination number of 0.9 (Fig. 6C). Such monodentate uranyl species bound with P is also common among uranyl phosphates like chernikovite⁴⁰. In addition, there is also the second U complex on MMSNs-PP. This uranyl complex is bound with Si sites as an edge-sharing bidentate with U-Si interatomic distance of 3.13 Å^{56, 57} and coordination number of 0.6 (Fig. 6B), as observed for the amidoxime functionalized MMSNs.

For the other nitrogen ligands (i.e., DIM, PPI, and PM) functionalized MMSNs, the U L₃-edge EXAFS data were fitted using the same model as used in amidoxime-functionalized MMSN, there are also two uranyl binding sites: with the nitrogen ligands as η^2 bound-like motif and with the tetrahedral Si sites as an edge-sharing bidentate. For MMSN-PPA that contains both nitrogen and phosphonate ligands, it appears that the U L₃-edge EXAFS data was fitted well with the U-N path, like for the other nitrogen ligand functionalized MMSNs, but the data fitting failed with the U-P path, which may indicate that nitrogen is a strong ligand than phosphonate in complexing or binding uranyl in the seawater environment.

Supplementary Material

Refer to Web version on PubMed Central for supplementary material.

Acknowledgments

This work was supported by the Laboratory Directed Research and Development (LDRD) program (Grant Nos.: LDRD-2014-00028 and LDRD-2015-00014) within the Savannah River National Laboratory (SRNL). Work was conducted at SRNL under the U.S. Department of Energy Contract DE-AC09-96SR18500. Dr. Seaman's participation was supported by the U. S. Department of Energy under Award Numbers DE-FC09-07SR22506 to the University of Georgia Research Foundation. Although Environmental Protection Agency (EPA) contributed to this article, the research presented was not directly performed or funded by EPA and was not subjected to EPA's quality system requirements. Consequently, the views, interpretations, and conclusions expressed in this article are solely those of the authors and do not necessarily reflect or represent EPA's views or policies. MRCAT operations are supported by the Department of Energy and the MRCAT member institutions. This research used resources of the Advanced Photon Source, an Office of Science User Facility operated for the U.S. Department of Energy (DOE) Office of Science by Argonne National Laboratory, was supported by the U.S. DOE under Contract No. DE-AC02-06CH11357.

Bibliography

1. Ansarizadeh M, Dodds K, Gurbinar O, Kalfa U, Ramakrishnan TS, Sacuta M, Whittaker S. Carbon dioxide - Challenges and opportunities. *Oilfield*. 2015; 27(2)
2. Leung DY, Caramanna G, Maroto-Valer MM. An overview of current status of carbon dioxide capture and storage technologies. *Renewable and Sustainable Energy Reviews*. 2014; 39:426–443.
3. World Nuclear Association. www.world-nuclear.org/info/Nuclear-Fuel-Cycle/Mining-of-Uranium/World-Uranium-Mining-Production/
4. Bardi U. Extracting minerals from seawater: An energy analysis. *Sustainability*. 2010; 2:980–992.
5. Diallo MS, Kotte MR, Chot M. Mining critical metals and elements from seawater: Opportunities and challenges. *Environmental Science & Technology*. 2015; 49(16):9390–9399. [PubMed: 25894365]
6. Kim J, Tsouris C, Mayes RT, Oyola Y, Saito T, Janke CJ, Dai S, Schneider E, Sachde D. Recovery of Uranium from Seawater: A Review of Current Status and Future Research Needs. *Separation Science and Technology*. 2013; 48(3):367–387.
7. Rao, L. Recent International R&D Activities in the Extraction of Uranium from Seawater, LBNL-4034E. Lawrence Berkeley National Laboratory; Berkeley, CA, USA: 2011.
8. Tamada, M. Current status of technology for collection of uranium from seawater. 2009. http://www.physics.harvard.edu/~wilson/energymp/2009_Tamada.pdf
9. Yamashita H, Ozawa Y, Nakajima F, Murata T. Collection of uranium from sea-water with hydrous metal-oxide. 2. Mechanism of uranium adsorption on hydrous titanium(IV) oxide. *Bulletin of the Chemical Society of Japan*. 1980; 53(1):1–5.
10. Hori T, Yamawaki M, Kanno M. Uranium adsorption properties of hydrous titanium-oxides in seawater. *Journal of Nuclear Science and Technology*. 1987; 24(5):377–384.
11. Nakamura S, Mori S, Yoshimuta H, Ito Y, Kanno M. Uranium adsorption properties of hydrous titanium-oxide granulated with polyacrylonitrile. *Separation Science and Technology*. 1988; 23(6–7):731–743.
12. Egawa H, Kabay N, Jyo A, Hirono M, Shuto T. Recovery of uranium from seawater. 15. Development of amidoxime resins with high sedimentation-velocity for passively driver fluidized-bed adsorbers. *Industrial & Engineering Chemistry Research*. 1994; 33(3):657–661.
13. Kim J, Oyola Y, Tsouris C, Hexel CR, Mayes RT, Janke CJ, Dai S. Characterization of Uranium Uptake Kinetics from Seawater in Batch and Flow-Through Experiments. *Industrial & Engineering Chemistry Research*. 2013; 52(27):9433–9440.
14. Das S, Pandey AK, Athawale AA, Manchanda VK. Exchanges of uranium(VI) species in amidoxime-functionalized sorbents. *Journal of Physical Chemistry B*. 2009; 113(18):6328–6335.

15. Abney CW, Mayes RT, Piechowicz M, Lin Z, Bryantsev VS, Veith GM, Dai S, Lin W. XAFS investigation of polyamidoxime-bound uranyl contests the paradigm from small molecule studies. *Energy & Environmental Science*. 2016; 9(2):448–453.
16. Saito T, Brown S, Chatterjee S, Kim J, Tsouris C, Mayes RT, Kuo LJ, Gill G, Oyola Y, Janke CJ, Dai S. Uranium recovery from seawater: development of fiber adsorbents prepared via atom-transfer radical polymerization. *Journal of Materials Chemistry A*. 2014; 2(35):14674–14681.
17. Das S, Oyola Y, Mayes RT, Janke CJ, Kuo LJ, Gill G, Wood JR, Dai S. Extracting uranium from seawater: Promising AF series adsorbents. *Ind Eng Chem Res*. 2015
18. Gorka J, Mayes RT, Baggetto L, Veith GM, Dai S. Sonochemical functionalization of mesoporous carbon for uranium extraction from seawater. *Journal of Materials Chemistry A*. 2013; 1(9):3016–3026.
19. Carboni M, Abney CW, Taylor-Pashow KML, Vivero-Escoto JL, Lin WB. Uranium sorption with functionalized mesoporous carbon materials. *Industrial & Engineering Chemistry Research*. 2013; 52(43):15187–15197.
20. Vivero-Escoto JL, Carboni M, Abney CW, deKrafft KE, Lin WB. Organo-functionalized mesoporous silicas for efficient uranium extraction. *Microporous and Mesoporous Materials*. 2013; 180:22–31.
21. Dudarko OA, Gunathilake C, Wickramaratne NP, Sliesarenko VV, Zub YL, Gorka J, Dai S, Jaroniec M. Synthesis of mesoporous silica-tethered phosphonic acid sorbents for uranium species from aqueous solutions. *Colloids and Surfaces a-Physicochemical and Engineering Aspects*. 2015; 482:1–8.
22. Gunathilake C, Gorka J, Dai S, Jaroniec M. Amidoxime-modified mesoporous silica for uranium adsorption under seawater conditions. *Journal of Materials Chemistry A*. 2015; 3(21):11650–11659.
23. Tsezos M, Noh SH. Extraction of uranium from sea-water using biological origin adsorbents. *Canadian Journal of Chemical Engineering*. 1984; 62(4):559–561.
24. Abney CW, Liu SB, Lin WB. Tuning Amidoximate to Enhance Uranyl Binding: A Density Functional Theory Study. *Journal of Physical Chemistry A*. 2013; 117(45):11558–11565.
25. Guo XJ, Huang LL, Li C, Hu JT, Wu GZ, Huai P. Sequestering uranium from $\text{UO}_2(\text{CO}_3)(3)(4-)$ in seawater with amine ligands: density functional theory calculations. *Physical Chemistry Chemical Physics*. 2015; 17(22):14662–14673. [PubMed: 25972042]
26. Wang CZ, Lan JH, Wu QY, Luo Q, Zhao YL, Wang XK, Chai ZF, Shi WQ. Theoretical insights on the interaction of uranium with amidoxime and carboxyl groups. *Inorganic Chemistry*. 2014; 53(18):9466–9476. [PubMed: 25188818]
27. Guo XJ, Xiong XG, Li C, Gong HF, Huai P, Hu JT, Jin C, Huang LL, Wu GZ. DFT investigations of uranium complexation with amidoxime-, carboxyl- and mixed amidoxime/carboxyl-based host architectures for sequestering uranium from seawater. *Inorganica Chimica Acta*. 2016; 441:117–125.
28. Knezevic NZ, Slowing, Lin VSY. Tuning the release of anticancer drugs from magnetic iron oxide/mesoporous silica core/shell nanoparticles. *Chempluschem*. 2012; 77(1):48–55.
29. Egodawatte S, Datt A, Burns EA, Larsen SC. Chemical insight into the adsorption of chromium(III) on iron oxide/mesoporous silica nanocomposites. *Langmuir*. 2015; 31(27):7553–7562. [PubMed: 26134074]
30. Yuan LY, Liu YL, Shi WQ, Li ZJ, Lan JH, Feng YX, Zhao YL, Yuan YL, Chai ZF. A novel mesoporous material for uranium extraction, dihydroimidazole functionalized SBA-15. *Journal of Materials Chemistry*. 2012; 22(33):17019–17026.
31. Chen J, Qu RJ, Zhang Y, Sun CM, Wang CH, Ji CN, Yin P, Chen H, Niu YZ. Preparation of silica gel supported amidoxime adsorbents for selective adsorption of Hg(II) from aqueous solution. *Chemical Engineering Journal*. 2012; 209:235–244.
32. Wang XL, Yuan LY, Wang YF, Li ZJ, Lan JH, Liu YL, Feng YX, Zhao YL, Chai ZF, Shi WQ. Mesoporous silica SBA-15 functionalized with phosphonate and amino groups for uranium uptake. *Science China-Chemistry*. 2012; 55(9):1705–1711.
33. do Carmo DR, Paim LL. Investigation about the Copper Adsorption on the Chloropropylsilica Gel Surface Modified with a Nanostructured Dendrimer DAB-Am-16: an Analytical Application for

Determination of Copper in Different Samples. *Materials Research-Ibero-American Journal of Materials*. 2013; 16(1):164–172.

34. Saito K, Miyauchi T. Chemical forms of uranium in artificial seawater. *Journal of Nuclear Science and Technology*. 1982; 19(2):145–150.
35. Segre, CU., Leyarovska, NE., Chapman, LD., Lavender, WM., Plag, PW., King, AS., Kropf, AJ., Bunker, BA., Kemner, KM., Dutta, P., Duran, RS., Kaduk, J. In: Pianetta, P., Authur, J., Brennan, S., editors. *The MRCAT insertion device beamline at the Advanced Photon Source; Synchrotron Radiation Instrumentation: Eleventh US National Conference*; New York: American Institute of Physics; 2000. p. 419–422.
36. Calvin, S. *XAFS for Everyone*. CRC Press; Boca Raton, FL: 2013.
37. Ravel B, Newville M. Athena, Artemis, Hephaestus: data analysis for X-ray absorption spectroscopy using IFEFFIT. *J Synchrotron Radiat*. 2005; 12:537–541. [PubMed: 15968136]
38. Kelly SD, Kemner KM, Fein JB, Fowle DA, Boyanov MI, Bunker BA, Yee N. X-ray absorption fine structure determination of pH-dependent U-bacterial cell wall interactions. *Geochimica Et Cosmochimica Acta*. 2002; 66(22):3855–3871.
39. Vukovic S, Watson LA, Kang SO, Custelcean R, Hay BP. How Amidoximate Binds the Uranyl Cation. *Inorganic Chemistry*. 2012; 51(6):3855–3859. [PubMed: 22376298]
40. Morosin B. Hydrogen uranyl phosphate tetrahydrate, a hydrogen-ion solid electrolyte. *Acta Crystallogr, Sect B: Struct Sci*. 1978; 34:3732–3734.
41. Demartin F, Gramaccioli CM, Pilati T. The importance of accurate crystal structure determination of uranium minerals. II. Soddyite $(\text{UO}_2)_2(\text{SiO}_4) \cdot 2\text{H}_2\text{O}$. *Acta Crystallographica, Section C*. 1992; 48:1–4.
42. Bargar JR, Reitmeier R, Davis JA. Spectroscopic confirmation of uranium(VI)-carbonate adsorption complexes on hematite. *Environmental Science & Technology*. 1999; 33(14):2481–2484.
43. Fischer H, Luster J, Gehring AU. EPR evidence for maghemitization of magnetite in a tropical soil. *Geophysical Journal International*. 2007; 169(3):909–916.
44. Krzyminiewski R, Kubiak T, Dobosz B, Schroeder G, Kurczewska J. EPR spectroscopy and imaging of TEMPO-labeled magnetite nanoparticles. *Current Applied Physics*. 2014; 14(5):798–804.
45. Sadlo J, Bugaj A, Strzelczak G, Sterniczuk M, Jaegermann Z. Multifrequency EPR study on radiation induced centers in calcium carbonates labeled with C-13. *Nukleonika*. 2015; 60(3):429–434.
46. Vorona IP, Nosenko VV, Baran NP, Ishchenko SS, Lemishko SV, Zatovsky IV, Strutynska NY. EPR study of radiation-induced defects in carbonate-containing hydroxyapatite annealed at high temperature. *Radiation Measurements*. 2016; 87:49–55.
47. Pan, YM., Nilges, MJ. *Electron Paramagnetic Resonance Spectroscopy: Basic Principles, Experimental Techniques and Applications to Earth and Planetary Sciences*. In: Henderson, GS., Neuville, DR., Downs, RT., editors. *Spectroscopic Methods in Mineralogy and Materials Sciences*. Vol. 78. 2014. p. 655–690.
48. Elzinga EJ, Tait CD, Reeder RJ, Rector KD, Donohoe RJ, Morris DE. Spectroscopic investigation of U(VI) sorption at the calcite-water interface. *Geochimica Et Cosmochimica Acta*. 2004; 68(11):2437–2448.
49. Fuller CC, Bargar JR, Davis JA. Molecular-scale characterization of uranium sorption by bone apatite materials for a permeable reactive barrier demonstration. *Environmental Science & Technology*. 2003; 37(20):4642–4649. [PubMed: 14594373]
50. Singer DM, Maher K, Brown GE. Uranyl-chlorite sorption/desorption: Evaluation of different U(VI) sequestration processes. *Geochimica Et Cosmochimica Acta*. 2009; 73(20):5989–6007.
51. Singer DM, Guo H, Davis JA. U(VI) and Sr(II) batch sorption and diffusion kinetics into mesoporous silica (MCM-41). *Chemical Geology*. 2014; 390:152–163.
52. Tian GX, Teat SJ, Rao LF. Thermodynamic studies of U(VI) complexation with glutardiamidoxime for sequestration of uranium from seawater. *Dalton Transactions*. 2013; 42(16):5690–5696. [PubMed: 23443817]

53. Sun XQ, Tian GX, Xu C, Rao LF, Vukovic S, Kang SO, Hay BP. Quantifying the binding strength of U(VI) with phthalimidedioxime in comparison with glutarimidedioxime. *Dalton Transactions*. 2014; 43(2):551–557. [PubMed: 24126348]
54. Burns PC. U6+ minerals and inorganic compounds: Insights into an expanded structural hierarchy of crystal structures. *Canadian Mineralogist*. 2005; 43:1839–1894.
55. Tian GX, Teat SJ, Zhang ZY, Rao LF. Sequestering uranium from seawater: binding strength and modes of uranyl complexes with glutarimidedioxime. *Dalton Transactions*. 2012; 41(38):11579–11586. [PubMed: 22801978]
56. Sylwester ER, Hudson EA, Allen PG. The structure of uranium (VI) sorption complexes on silica, alumina, and montmorillonite. *Geochimica Et Cosmochimica Acta*. 2000; 64(14):2431–2438.
57. Catalano JG, Brown GE. Analysis of uranyl-bearing phases by EXAFS spectroscopy: Interferences, multiple scattering, accuracy of structural parameters, and spectral differences. *American Mineralogist*. 2004; 89(7):1004–1021.
58. Reich T, Moll H, Arnold T, Denecke MA, Hennig C, Geipel G, Bernhard G, Nitsche H, Allen PG, Bucher JJ, Edelstein NM, Shuh DK. An EXAFS study of uranium(VI) sorption onto silica gel and ferrihydrite. *Journal of Electron Spectroscopy and Related Phenomena*. 1998; 96(1–3):237–243.

Fig. 1.
Schemes for synthesis (A) and functionalization (B) of magnetic mesoporous silica nanoparticles (MMSNs).

Fig. 2. Adsorption isotherm curves of U onto the functionalized MMSNs in seawater simulant (A) and representative Langmuir fits for MMSNs-DIM, MMSNs-PP, and MMSNs-PPI (B). The inset in Fig. 2A shows the MMSNs-AD data in an expanded scale.

Fig. 3.
U L₃-edge XANES spectra of functionalized MMSNs with U adsorption, in comparison with several model compounds.

Fig. 4. Powder EPR spectra of gamma-ray-irradiated samples measured at microwave frequencies of ~ 9.73 GHz and microwave powers of 6.35 mW, illustrating the broad signal centered at $g_{\text{eff}} = \sim 2.20$. Also note the absence of any radiation-induced radicals at $g_{\text{eff}} = \sim 2.00$.

Fig. 5.

U L₃-edge EXAFS spectra in k-space (A), Fourier transforms plots in magnitude (B) and in the real space component (C) of functionalized MMSNs with U adsorption. Experimental data are shown in solid circles, and EXAFS fits are shown in color lines for different functionalized MMSNs.

Fig. 6. Typical chemical binding sites of uranyl species onto functionalized MMSNs in seawater simulant. A. Nitrogen ligands as η^2 -bound motifs, B. Silica surface as a bidentate, C. Phosphonate ligand as a monodentate.

Table 1

Measured adsorption coefficient (K_d) and fitted Langmuir parameters for U(VI) adsorption onto functionalized MMSNs in seawater simulant, in comparison with U adsorption capacity data of relevant materials from seawater reported in recent literature

Samples	K_d (L/g)	Langmuir parameters		
		$q_{\max}$ (mg/g)	K_L (L/mg)	R^2
MMSNs-DIM	16.3	34.1 ± 1.86	0.742 ± 0.289	0.992
MMSNs-AD	54.8	45.6 ± 8.27	0.565 ± 0.277	0.912
MMSNs-PP	44.1	45.3 ± 4.92	0.044 ± 0.004	0.967
MMSNs-PPA	111.6	51.6 ± 7.71	0.087 ± 0.019	0.918
MMSNs-PPI	136.7	52.1 ± 4.88	0.066 ± 0.008	0.967
MMSNs-PM	125.2	53.8 ± 10.4	0.037 ± 0.005	0.868
Materials		U Adsorption capacity (mg/g)		References
Amidoxime functionalized mesoporous carbon		0.4–4		18
Organo-functionalized mesoporous Carbon		0.3–50		19
Mesoporous silica		7–17		22
Amidoxime-modified mesoporous silica		30–57		
Organo-functionalized mesoporous silica		21–66		20
Phosphonic mesoporous silica		11–54		21
Amidoxime-polymer adsorbents		0.1–3.2		6
Polyethylene fiber adsorbents		170–200		17

Table 2

The fit parameters of U L₃-edge EAXFS data of functionalized MMSNs after exposed to uranium in seawater simulant

Sample ^a	Scattering paths	Interatomic distance (Å) ^b	Coordination number ^c	Debye-Waller factor, σ^2 (Å ²) ^b	E ₀	R-factor
MMSNs-DIM	U-O _{ax}	1.80 (1)	2	0.003 (1)	6.4 ± 2.4	0.0024
	U-O _{eq}	2.25 (5)	3.8	0.008 (4)		
	U-N ^d	2.34 (5)	1.2	0.008 (4)		
	U-Si	3.13 (2)	0.4	0.001 (7)		
MMSNs-AD	U-O _{ax}	1.80 (1)	2	0.002 (1)	6.6 ± 2.5	0.0029
	U-O _{eq}	2.26 (5)	3.6	0.008 (4)		
	U-N	2.34 (5)	1.4	0.008 (4)		
	U-Si	3.14 (3)	0.4	0.002 (9)		
MMSNs-PP	U-O _{ax}	1.81 (1)	2	0.003 (1)	6.8 ± 4.0	0.0030
	U-O _{eq}	2.26 (2)	5.1	0.008 (3)		
	U-P	3.56 (3)	0.9	0.02 (3)		
	U-Si	3.13 (4)	0.6	0.003 (5)		
MMSNs-PPA	U-O _{ax}	1.80 (1)	2	0.003 (1)	7.3 ± 2.1	0.0028
	U-O _{eq}	2.26 (1)	4.1	0.008 (1)		
	U-N	2.34 (1)	0.9	0.008 (1)		
	U-Si	3.13 (2)	0.7	0.003 (5)		
MMSNs-PPI	U-O _{ax}	1.80 (1)	2	0.003 (1)	7.3 ± 2.3	0.0027
	U-O _{eq}	2.25 (4)	3.4	0.007 (3)		
	U-N	2.34 (4)	1.6	0.007 (3)		
	U-Si	3.13 (3)	0.6	0.004 (8)		
MMSNs-PM	U-O _{ax}	1.80 (1)	2	0.003 (1)	6.6 ± 2.1	0.0028
	U-O _{eq}	2.25 (4)	4.3	0.008 (4)		
	U-N	2.34 (4)	0.7	0.008 (4)		
	U-Si	3.12 (2)	0.4	0.002 (3)		

^a Amplitude was set at 1 for data fitting of all samples.

EPA Author Manuscript

EPA Author Manuscript

EPA Author Manuscript

^bThe estimated standard deviations are listed in parentheses, representing the errors in the last digit.

^cCoordination number of the axial uranyl oxygen atoms was set at 2. The errors for the other coordination numbers are $\pm 30\%$.

^dTotal coordination numbers of the equatorial uranyl oxygen and nitrogen atoms were set at 5, and variations in interatomic distance and Debye–Waller factor of the U–O_{eq} and U–N paths were set identical.