CORRECTIONS

Author Corrections

The November 20, 2010, special article by Pappo et al, entitled “Infrequent Tumor Initiative of the Children’s Oncology Group: Initial Lessons Learned and Their Impact on Future Plans” (J Clin Oncol 28:5011-5016, 2010), contained an error.

In the Introduction section, the second sentence was given as: “Indeed, the Rare Disease Act of 2002¹ defines a rare disease as one that affects fewer than 200,000 persons per year in the United States.”

Whereas it should have read:

“Indeed, the Rare Disease Act of 2002¹ defines a rare disease as one that affects fewer than 200,000 persons in the United States.”

The authors apologize to the readers for the mistake.

DOI: 10.1200/JCO.2011.34.7351

The December 20, 2010, article by Kunitake et al, entitled “Routine Preventive Care and Cancer Surveillance in Long-Term Survivors of Colorectal Cancer: Results From National Surgical Adjuvant Breast and Bowel Project Protocol LTS-01” (J Clin Oncol 28:5274-5279, 2010), contained an error.

The first initial of the seventh author’s name was inadvertently omitted. The author’s name was given as Lawrence Wickerham and should have been D. Lawrence Wickerham.

The authors apologize to the readers for the mistake.

DOI: 10.1200/JCO.2011.34.7369

Journal Corrections

The November 1, 2010, article by Pardo et al, entitled “Quality-of-Life Impact of Primary Treatments for Localized Prostate Cancer in Patients Without Hormonal Treatment” (J Clin Oncol 28:4687-4696, 2010), contained an error.

In the legend of Figure 1, the colors of the lines corresponding to the treatments were inadvertently omitted. The corrected legend is reprinted below in its entirety.

Mean quality-of-life (QoL) scores by treatment group—radical prostatectomy (gold), external-beam radiotherapy (gray), and brachytherapy (blue)—for (A) Short Form-36 (SF-36) physical component score (PCS); (B) SF-36 mental component score (MCS); (C) Expanded Prostate Cancer Index Composite (EPIC) urinary incontinence, (D) urinary obstructive, (E) bowel, (F) sexual, and (G) hormonal domains; and International Prostate Symptom Score (IPSS). The surgery

group is shown separately, as a solid line for nerve-sparing radical prostatectomy (NSRP) and as a dashed line for non-nerve-sparing radical prostatectomy (NNSRP), for EPIC urinary, sexual, and hormonal domains. One-way analysis of variance of QoL scores among the three treatment groups for each follow-up assessment. Tukey studentized range post hoc comparisons: (*) $P < .05$ for radical prostatectomy versus external-beam radiotherapy; (†) $P < .05$ for radical prostatectomy versus brachytherapy; (‡) $P < .05$ for brachytherapy versus radiotherapy; (§) $P < .05$ for NNSRP only; (||) $P < .05$ for NSRP only.

Journal of Clinical Oncology apologizes to the authors and readers for the mistake.

DOI: 10.1200/JCO.2011.34.7377

The May 10, 2010, article by Ziepert et al, entitled “Standard International Prognostic Index Remains a Valid Predictor of Outcome for Patients With Aggressive CD20⁺ B-Cell Lymphoma in the Rituximab Era” (J Clin Oncol 28:2373-2380, 2010), contained an error.

The institutional affiliation for Evelyn Kuhnt should have

been given as the Clinical Trial Centre, Universität Leipzig, Leipzig, Germany.

Journal of Clinical Oncology apologizes to the authors and readers for the mistake.

DOI: 10.1200/JCO.2011.34.7393