CORRESPONDENCE

Chronic Headache Due to Overuse of Analgesics and Anti-Migraine Agents

by Prof. Dr. med. Hans-Christoph Diener, PD Dr. med. Dagny Holle, Dr. phil. Thomas Dresler, and PD Dr. med. Charly Gaul in issue 22/2018

Causes Need to Be Comprehensively Investigated

Overuse or misuse of analgesics always give rise to the suspicion that the cause of the headache that needed treatment was not fully investigated and that the pain treatment was merely symptomatic, without the root cause being tackled. In my career of almost 50 years, as an ophthalmologist specializing in binocular vision disorders, I have encountered innumerable patients—including children of all ages—whose main symptom was headache, but in whom the actual cause was increased intraocular pressure (rarely), uncorrected hyperopia, astigmatism, associated heterophoria, latent microstrabismus, or the wrong glasses prescription. Those affected, but also the previously treating doctors of all disciplines were usually unaware of these associations. Consequently, analgesics were repeatedly prescribed in order to treat the symptom. Once the

optometric defects were corrected, the headaches—with inevitable regularity—also disappeared.

Before headache medications are used, the patient's eyes should be examined for glaucoma or visual defects. It is worth the effort.

DOI: 10.3238/arztebl.2018.0638a

References

1. Diener HC, Holle D, Dresler T, Gaul C: Chronic headache due to overuse of analgesics and anti-migraine agents. *Dtsch Arztebl Int* 2018; 115: 365–70.

Dr. med. Fritz Gorzny

Ophthalmologist
Mülheim-Kärlich
dr.gorzny@gmx.de

Conflict of interest statement

The author declares that no conflict of interest exists.

In Reply:

Our review article (1) focused exclusively on patients with primary headache—such as migraine, cluster headache, or chronic tension headache—who overused analgesics and migraine medication. Very few studies exist on the epidemiology and clinical presentation of headache due to overuse of analgesics in secondary headache. No controlled therapeutic studies exist for this patient population. For this reason we did not include this group of patients in our review.

DOI: 10.3238/arztebl.2018.0638b

References

1. Diener HC, Holle D, Dresler T, Gaul C: Chronic headache due to overuse of analgesics and anti-migraine agents. *Dtsch Arztebl Int* 2018; 115: 365–70.

On behalf of the authors

Prof. Dr. med. Hans-Christoph Diener

Seniorprofessur für Klinische Neurowissenschaften
Universitätsklinik für Neurologie und
Westdeutsches Kopfschmerzszentrum, Essen
h.diener@uni-essen.de

Conflict of interest statement

Prof Hans-Christoph Diener has received honoraria for the planning or execution of clinical trials or participation in them, for serving on advisory boards, or for delivering lectures, from the following companies: Addex Pharma, Alder, Allergan, Almirall, Amgen, AstraZeneca, Autonomic Technology, Bayer Vital, Berlin Chemie, Böhringer Ingelheim, Bristol-Myers Squibb, Chordate, CoLucid, Cohere, Electrocore, EndoPharma, GlaxoSmithKline, Grünenthal, Janssen-Cilag, Johnson & Johnson, Labrys Biologicals, Lilly, La Roche, 3M Medica, MAP, Medtronic, Menarini, Minster, MSD, Neuroscore, Novartis, Novo-Nordisk, Pierre Fabre, Pfizer, Reckitt Benckiser, Sanofi, Schaper und Brümmer, Schering, St. Jude Medical, Teva, and Weber & Weber.

He has received financial support for research projects from Allergan, Almirall, AstraZeneca, Bayer, Electrocore, GSK, Janssen-Cilag, MSD, and Pfizer.