Letter to the Editor

Intrabiliary ruptured cyst hydatid

Beuy Joob¹, Viroj Wiwanitkit²

¹Sanitation 1 Medical Academic Centre, Bangkok, Thailand

²Visiting professor, Hainan Medical University, China

Dear Editor,

the publication on “Intrabiliary Ruptured Cyst Hydatid” is very interesting. In this case, Mermi *et al.* mentioned that “In geographical areas endemic for hydatid disease, cyst rupture into the bile ducts should be included in the differential diagnosis even in seronegative cases, although it is not typical for hydatid cyst to be found as a mass lesion in the liver on US in patients with right upper quadrant pain and jaundice. Detailed imaging by MRI/MRCP should be done” [1]. There are some points for discussion. First, the main question is whether the diagnostic imaging is sufficient for diagnosis of hydatid cyst. In fact, the parasitic cystic lesion at liver and biliary tract is not uncommon, but the hydatid cyst usually presents a classical

big cystic lesion [2]. The main differential diagnosis, for tropical countries, is cysticercosis [2]. Second, a possible answer to the question of why there is a seronegative result in the present case might be due to the basic clinical pathology principle, namely the prozone effect [3,4]. In immunodiagnosis or serodiagnosis, if there are excessive antigens, the false negative can be derived, and this might be the explanation for the present case. The way to resolve the problem and confirm diagnosis by serological test is by pre-analytical specimen dilution before repeated serological examination.

Conflict of interest

The authors report no conflict of interest.

References

1. Mermi EU, Fidan N, Murat M. Focal Biliary System Obstruction and Atypical Liver Mass: Intrabiliary Ruptured Cyst Hydatid Case Report. *Pol J Radiol* 2017; 82: 110-113.
2. Brunetti E, White AC Jr. Cestode infestations: hydatid disease and cysticercosis. *Infect Dis Clin North Am* 2012; 26: 421-435.
3. Jacobs JF, van der Molen RG, Bossuyt X, Damoiseaux J. Antigen excess in modern immunoassays: to anticipate on the unexpected. *Autoimmun Rev* 2015; 14: 160-167.
4. Itoh Y, Yamaguchi T. Factors that affect analytical results in an enzyme immunoassay. *Nihon Rinsho* 1995; 53: 2143-2148.

Correspondence address:

Beuy Joob, Sanitation 1 Medical Academic Centre, Bangkok, Thailand, e-mail: beuyjoob@hotmail.com